

PowerBl

UK Accidents

Lecturer: Sophal Chan

Teaching Assistant: Sophal Thear



Team Member



Ngang Puthsabbos



Pov Phearum



Hoy Seiha



Mony Sovann

Table of Contents

1. Dataset

2. Data Source

3. Data Insight






01. Accidents


The accident file provides details about the circumstances of an accident from 2005 to 2014 such as weather, location lat/long, area type, road type, date, time, day of week, and much more.

- Rows: 1640597 unique values
- Columns: 32 columns
- Selected Columns: Accident Index, Accident Severity, Number of Casualties, Road Type, Light Condition, Weather Conditions, Road Surface Condition, Urban or Rural

01.

Accidents (Model)





Road Type

02. Casualties

The casualties file details the circumstances of casualties from 2005 to 2014 such as casualty age, sex, severity, social class, casualty type, and much more.


• Rows: 1640597 unique values


• Columns: 15 columns

Selected Columns: Accident Index, Sex of Casualty, Age of Casualties, Casualty Severity,
 Casualties Class

02.

Casualties (Model)






03. Vehicles


The vehicles file provides details about the circumstances of vehicles from 2005 to 2014 such as vehicle type, age of driver, sex of the driver, age of vehicle, engine type, journey purpose, and much more.

- Rows: 1640597 unique values
- Columns: 22 columns
- Selected Columns: Accident Index, Vehicle Reference, Vehicle Type, Left Hand Drive, Age of Driver, Engine Capacity CC, Age of Vehicle, Driver IMD, Journey Purpose

03.

Vehicles (Model)







01. MySQL

- Change the date to MYSQL default date format 'YYYY-MM-DD'
- Understand the columns and data types of each table


```
def convert_date_format(date):
    try:
        # Try to convert the date from '%d/%m/%Y' to '%Y-%m-%d'
        return pd.to_datetime(date, format="%d/%m/%Y").strftime("%Y-%m-%d")
    except ValueError:
        # If the date is already in the '%Y-%m-%d' format, leave it as is
        return date

df["Date"] = df["Date"].apply(convert_date_format)
```

01. PowerBI

- Change the data type (Int, date, time, ...)
- Apply relationships and data modeling
- Missing values (replace from previous)

label	code
Daylight	1
Darkness - lights lit	4
Darkness - lights unlit	5
Darkness - no lighting	6
Darkness - lighting unknown	7
Data missing or out of range	-1




MySQL

- Use MySQL as the database
- Define all tables in the schema

FastAPI Backend

- Creating Models
- CRUD all tables
- Routing through API

FastAPI




FastAPI

```
@app.post("/acc_severity/", status_code=status.HTTP_201_CREATED)
async def create_severity(accident_severity: AccidentSeverity, db: db_dependency):
    db_severity = models.Accident_Serverity(**accident_severity.dict())
    db.add(db_severity)
    db.commit()

@app.get("/casualties", status_code=status.HTTP_200_0K)
async def get_all_casualties(db: db_dependency, skip: int = 0, limit: int = 100):
    db_casulties = db.query(models.Casualties).offset(skip).limit(limit).all()
    if db_casulties is None:
        raise HTTPException(status_code=404, detail="Casualties not found")
    return db_casulties
```

PowerBI





Variables

Our team decided to choose three variables that have an affects on accident severity:


- Human
- Vehicles
- Surrounding

Human



Vehicles







Surrounding







Affects of Surrounding on Accidents











Affects of Surrounding on Accidents






Surrounding

Single-Lane Hazards

Road with fewer lanes tends to have more road accidents.





Weather


Weather conditions don't have an effect on the number of road accidents, but have a high probability of fatal accidents.

Urban

People tends to have more road accidents in Urban Areas.



Human



Human Factor

Age

Younger people tend to have more road accidents. Hight mode: 18 yrs old




More Deprived IMD

People who have more deprived IMD percentage (lower living standards) tends to face more road accidents.


Passenger Type

Drivers or pedestrain face more road accidents.







Affects of Vehicles on Accidents




Accident_Severity base on Vehicles



Affects of Vehicles on Accidents





Vehicle

Transport vehicles

Accidents with larger vehicles tends to increase the fatality rate.





Car

More accidents impact from cars because of most people driving cars in the UK.

Left Steering Wheel

More accidents from Left steering because in the UK people drive on the left lane.



