

```
{
  "schemaVersion": 1,
  "template": "tanstack_start_ts_current",
  "revision": "tanstack_start_ts_current-ccb442fda9e9"
}
```

```
import * as React from "react";
import * as AccordionPrimitive from "@radix-ui/react-accordion";
import { ChevronDown } from "lucide-react";
```

```
import { cn } from "@lib/utils";
```

```
const Accordion = AccordionPrimitive.Root;
```

```
const AccordionItem = React.forwardRef<
  React.ElementRef<typeof AccordionPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof AccordionPrimitive.Item>
>(({ className, ...props }, ref) => (
  <AccordionPrimitive.Item ref={ref} className={cn("border-b", className)} {...props} />
));
AccordionItem.displayName = "AccordionItem";
```

```
const AccordionTrigger = React.forwardRef<
  React.ElementRef<typeof AccordionPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof AccordionPrimitive.Trigger>
>(({ className, children, ...props }, ref) => (
  <AccordionPrimitive.Header className="flex">
    <AccordionPrimitive.Trigger
      ref={ref}
      className={cn(
        "flex flex-1 items-center justify-between py-4 text-sm font-medium cursor-pointer
transition-all hover:underline text-left [&[data-state=open]>svg]:rotate-180",
        className,
      )}
      {...props}
    >
      {children}
      <ChevronDown className="h-4 w-4 shrink-0 text-muted-foreground transition-transform
duration-200" />
    </AccordionPrimitive.Trigger>
  </AccordionPrimitive.Header>
));
AccordionTrigger.displayName = AccordionPrimitive.Trigger.displayName;
```

```
const AccordionContent = React.forwardRef<
  React.ElementRef<typeof AccordionPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof AccordionPrimitive.Content>
>(({ className, children, ...props }, ref) => (
```

```

    <AccordionPrimitive.Content
      ref={ref}
      className="overflow-hidden text-sm data-[state=closed]:animate-accordion-up
data-[state=open]:animate-accordion-down"
      {...props}
    >
      <div className={cn("pb-4 pt-0", className)}>{children}</div>
    </AccordionPrimitive.Content>
  ));
  AccordionContent.displayName = AccordionPrimitive.Content.displayName;

export { Accordion, AccordionItem, AccordionTrigger, AccordionContent };

import * as React from "react";
import * as AlertDialogPrimitive from "@radix-ui/react-alert-dialog";

import { cn } from "@lib/utils";
import { buttonVariants } from "@components/ui/button";

const AlertDialog = AlertDialogPrimitive.Root;

const AlertDialogTrigger = AlertDialogPrimitive.Trigger;

const AlertDialogPortal = AlertDialogPrimitive.Portal;

const AlertDialogOverlay = React.forwardRef<
  React.ElementRef<typeof AlertDialogPrimitive.Overlay>,
  React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Overlay>
>(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Overlay
    className={cn(
      "fixed inset-0 z-50 bg-black/80 data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",
      className,
    )}
    {...props}
    ref={ref}
  />
));
AlertDialogOverlay.displayName = AlertDialogPrimitive.Overlay.displayName;

const AlertDialogContent = React.forwardRef<
  React.ElementRef<typeof AlertDialogPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Content>
>(({ className, ...props }, ref) => (
  <AlertDialogPortal>
    <AlertDialogOverlay />
    <AlertDialogPrimitive.Content

```

```

    ref={ref}
    className={cn(
      "fixed left-[50%] top-[50%] z-50 grid w-full max-w-lg translate-x-[-50%]
      translate-y-[-50%] gap-4 border bg-background p-6 shadow-lg duration-200
      data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0
      data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
      sm:rounded-lg",
      className,
    )}
    {...props}
  />
</AlertDialogPortal>
));
AlertDialogContent.displayName = AlertDialogPrimitive.Content.displayName;

```

```

const AlertDialogHeader = ({ className, ...props }:
  React.HTMLAttributes<HTMLDivElement>) => (
  <div className={cn("flex flex-col space-y-2 text-center sm:text-left", className)} {...props}
  />
  );
AlertDialogHeader.displayName = "AlertDialogHeader";

```

```

const AlertDialogFooter = ({ className, ...props }:
  React.HTMLAttributes<HTMLDivElement>) => (
  <div
    className={cn("flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
    className)}
    {...props}
  />
  );
AlertDialogFooter.displayName = "AlertDialogFooter";

```

```

const AlertDialogTitle = React.forwardRef<
  React.ElementRef<typeof AlertDialogPrimitive.Title>,
  React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Title>
>(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Title
    ref={ref}
    className={cn("text-lg font-semibold", className)}
    {...props}
  />
  ));
AlertDialogTitle.displayName = AlertDialogPrimitive.Title.displayName;

```

```

const AlertDialogDescription = React.forwardRef<
  React.ElementRef<typeof AlertDialogPrimitive.Description>,
  React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Description>
>(({ className, ...props }, ref) => (

```

```

    <AlertDialogPrimitive.Description
      ref={ref}
      className={cn("text-sm text-muted-foreground", className)}
      {...props}
    />
  ));
AlertDialogDescription.displayName = AlertDialogPrimitive.Description.displayName;

const AlertDialogAction = React.forwardRef<
  React.ElementRef<typeof AlertDialogPrimitive.Action>,
  React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Action>
>(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Action ref={ref} className={cn(buttonVariants(), className)}
    {...props} />
  ));
AlertDialogAction.displayName = AlertDialogPrimitive.Action.displayName;

const AlertDialogCancel = React.forwardRef<
  React.ElementRef<typeof AlertDialogPrimitive.Cancel>,
  React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Cancel>
>(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Cancel
    ref={ref}
    className={cn(buttonVariants({ variant: "outline" }), "mt-2 sm:mt-0", className)}
    {...props}
  />
  ));
AlertDialogCancel.displayName = AlertDialogPrimitive.Cancel.displayName;

export {
  AlertDialog,
  AlertDialogPortal,
  AlertDialogOverlay,
  AlertDialogTrigger,
  AlertDialogContent,
  AlertDialogHeader,
  AlertDialogFooter,
  AlertDialogTitle,
  AlertDialogDescription,
  AlertDialogAction,
  AlertDialogCancel,
};

import * as React from "react";
import { cva, type VariantProps } from "class-variance-authority";

import { cn } from "@lib/utls";

```

```

const alertVariants = cva(
  "relative w-full rounded-lg border px-4 py-3 text-sm [>svg+div]:translate-y-[-3px]
  [>svg]:absolute [>svg]:left-4 [>svg]:top-4 [>svg]:text-foreground [>svg~*]:pl-7",
  {
    variants: {
      variant: {
        default: "bg-background text-foreground",
        destructive:
          "border-destructive/50 text-destructive dark:border-destructive
          [>svg]:text-destructive",
      },
    },
    defaultVariants: {
      variant: "default",
    },
  },
);

const Alert = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement> & VariantProps<typeof alertVariants>
>(({ className, variant, ...props }, ref) => (
  <div ref={ref} role="alert" className={cn(alertVariants({ variant }), className)} {...props} />
));
Alert.displayName = "Alert";

const AlertTitle = React.forwardRef<HTMLParagraphElement,
  React.HTMLAttributes<HTMLHeadingElement>>
>(({ className, ...props }, ref) => (
  <h5
    ref={ref}
    className={cn("mb-1 font-medium leading-none tracking-tight", className)}
    {...props}
  />
),
);
AlertTitle.displayName = "AlertTitle";

const AlertDescription = React.forwardRef<
  HTMLParagraphElement,
  React.HTMLAttributes<HTMLParagraphElement>
>(({ className, ...props }, ref) => (
  <div ref={ref} className={cn("text-sm [&_p]:leading-relaxed", className)} {...props} />
));
AlertDescription.displayName = "AlertDescription";

export { Alert, AlertTitle, AlertDescription };

```

```

import * as AspectRatioPrimitive from "@radix-ui/react-aspect-ratio";

const AspectRatio = AspectRatioPrimitive.Root;

export { AspectRatio };

"use client";

import * as React from "react";
import * as AvatarPrimitive from "@radix-ui/react-avatar";

import { cn } from "@lib/utils";

const Avatar = React.forwardRef<
  React.ElementRef<typeof AvatarPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof AvatarPrimitive.Root>
>(({ className, ...props }, ref) => (
  <AvatarPrimitive.Root
    ref={ref}
    className={cn("relative flex h-10 w-10 shrink-0 overflow-hidden rounded-full",
  className)}
    {...props}
  />
));
Avatar.displayName = AvatarPrimitive.Root.displayName;

const AvatarImage = React.forwardRef<
  React.ElementRef<typeof AvatarPrimitive.Image>,
  React.ComponentPropsWithoutRef<typeof AvatarPrimitive.Image>
>(({ className, ...props }, ref) => (
  <AvatarPrimitive.Image
    ref={ref}
    className={cn("aspect-square h-full w-full", className)}
    {...props}
  />
));
AvatarImage.displayName = AvatarPrimitive.Image.displayName;

const AvatarFallback = React.forwardRef<
  React.ElementRef<typeof AvatarPrimitive.Fallback>,
  React.ComponentPropsWithoutRef<typeof AvatarPrimitive.Fallback>
>(({ className, ...props }, ref) => (
  <AvatarPrimitive.Fallback
    ref={ref}
    className={cn(
      "flex h-full w-full items-center justify-center rounded-full bg-muted",
      className,
    )}
  />
));
AvatarFallback.displayName = AvatarPrimitive.Fallback.displayName;

```

```

    {...props}
  />
));
AvatarFallback.displayName = AvatarPrimitive.Fallback.displayName;

export { Avatar, AvatarImage, AvatarFallback };

import * as React from "react";
import { cva, type VariantProps } from "class-variance-authority";

import { cn } from "@lib/utils";

const badgeVariants = cva(
  "inline-flex items-center rounded-md border px-2.5 py-0.5 text-xs font-semibold transition-colors focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2",
  {
    variants: {
      variant: {
        default: "border-transparent bg-primary text-primary-foreground shadow hover:bg-primary/80",
        secondary: "border-transparent bg-secondary text-secondary-foreground hover:bg-secondary/80",
        destructive: "border-transparent bg-destructive text-destructive-foreground shadow hover:bg-destructive/80",
        outline: "text-foreground",
      },
    },
    defaultVariants: {
      variant: "default",
    },
  },
);

export interface BadgeProps
  extends React.HTMLAttributes<HTMLDivElement>, VariantProps<typeof badgeVariants> {}

function Badge({ className, variant, ...props }: BadgeProps) {
  return <div className={cn(badgeVariants({ variant }), className)} {...props} />;
}

export { Badge, badgeVariants };

import * as React from "react";
import { Slot } from "@radix-ui/react-slot";
import { ChevronRight, MoreHorizontal } from "lucide-react";

import { cn } from "@lib/utils";

```

```

const Breadcrumb = React.forwardRef<
  HTMLElement,
  React.ComponentPropsWithoutRef<"nav"> & {
    separator?: React.ReactNode;
  }
>(({ ...props }, ref) => <nav ref={ref} aria-label="breadcrumb" {...props} />);
Breadcrumb.displayName = "Breadcrumb";

```

```

const BreadcrumbList = React.forwardRef<HTMLListElement,
  React.ComponentPropsWithoutRef<"ol">>(
  ({ className, ...props }, ref) => (
    <ol
      ref={ref}
      className={cn(
        "flex flex-wrap items-center gap-1.5 break-words text-sm text-muted-foreground
sm:gap-2.5",
        className,
      )}
      {...props}
    />
  ),
);
BreadcrumbList.displayName = "BreadcrumbList";

```

```

const BreadcrumbItem = React.forwardRef<HTMLLIElement,
  React.ComponentPropsWithoutRef<"li">>(
  ({ className, ...props }, ref) => (
    <li ref={ref} className={cn("inline-flex items-center gap-1.5", className)} {...props} />
  ),
);
BreadcrumbItem.displayName = "BreadcrumbItem";

```

```

const BreadcrumbLink = React.forwardRef<
  HTMLAnchorElement,
  React.ComponentPropsWithoutRef<"a"> & {
    asChild?: boolean;
  }
>(({ asChild, className, ...props }, ref) => {
  const Comp = asChild ? Slot : "a";

  return (
    <Comp
      ref={ref}
      className={cn("transition-colors hover:text-foreground", className)}
      {...props}
    />
  );
});

```

```

});
BreadcrumbLink.displayName = "BreadcrumbLink";

const BreadcrumbPage = React.forwardRef<HTMLSpanElement,
React.ComponentPropsWithoutRef<"span">>(
  ({ className, ...props }, ref) => (
    <span
      ref={ref}
      role="link"
      aria-disabled="true"
      aria-current="page"
      className={cn("font-normal text-foreground", className)}
      {...props}
    />
  ),
);
BreadcrumbPage.displayName = "BreadcrumbPage";

const BreadcrumbSeparator = ({ children, className, ...props }:
React.ComponentProps<"li">) => (
  <li
    role="presentation"
    aria-hidden="true"
    className={cn("[&gt;svg]:w-3.5 [&gt;svg]:h-3.5", className)}
    {...props}
  >
    {children ?? <ChevronRight />}
  </li>
);
BreadcrumbSeparator.displayName = "BreadcrumbSeparator";

const BreadcrumbEllipsis = ({ className, ...props }: React.ComponentProps<"span">) => (
  <span
    role="presentation"
    aria-hidden="true"
    className={cn("flex h-9 w-9 items-center justify-center", className)}
    {...props}
  >
    <MoreHorizontal className="h-4 w-4" />
    <span className="sr-only">More</span>
  </span>
);
BreadcrumbEllipsis.displayName = "BreadcrumbElipssis";

export {
  Breadcrumb,
  BreadcrumbList,
  BreadcrumbItem,

```

```

    BreadcrumbLink,
    BreadcrumbPage,
    BreadcrumbSeparator,
    BreadcrumbEllipsis,
  ];

import * as React from "react";
import { Slot } from "@radix-ui/react-slot";
import { cva, type VariantProps } from "class-variance-authority";

import { cn } from "@lib/utils";

const buttonVariants = cva(
  "inline-flex items-center justify-center gap-2 whitespace-nowrap rounded-md text-sm font-medium cursor-pointer transition-colors focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring disabled:pointer-events-none disabled:opacity-50 disabled:cursor-not-allowed [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
  {
    variants: {
      variant: {
        default: "bg-primary text-primary-foreground shadow hover:bg-primary/90",
        destructive: "bg-destructive text-destructive-foreground shadow-sm hover:bg-destructive/90",
        outline: "border border-input bg-background shadow-sm hover:bg-accent hover:text-accent-foreground",
        secondary: "bg-secondary text-secondary-foreground shadow-sm hover:bg-secondary/80",
        ghost: "hover:bg-accent hover:text-accent-foreground",
        link: "text-primary underline-offset-4 hover:underline",
      },
      size: {
        default: "h-9 px-4 py-2",
        sm: "h-8 rounded-md px-3 text-xs",
        lg: "h-10 rounded-md px-8",
        icon: "h-9 w-9",
      },
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  },
);

export interface ButtonProps
  extends React.ButtonHTMLAttributes<HTMLButtonElement>, VariantProps<typeof buttonVariants> {

```

```

    asChild?: boolean;
  }

const Button = React.forwardRef<HTMLButtonElement, ButtonProps>(
  ({ className, variant, size, asChild = false, ...props }, ref) => {
    const Comp = asChild ? Slot : "button";
    return (
      <Comp className={cn(buttonVariants({ variant, size, className }))) ref={ref} {...props}
    />
  );
},
);
Button.displayName = "Button";

export { Button, buttonVariants };

"use client";

import * as React from "react";
import { ChevronDownIcon, ChevronLeftIcon, ChevronRightIcon } from "lucide-react";
import { DayButton, DayPicker, getDefaultClassNames } from "react-day-picker";

import { cn } from "@lib/utls";
import { Button, buttonVariants } from "@components/ui/button";

function Calendar({
  className,
  classNames,
  showOutsideDays = true,
  captionLayout = "label",
  buttonVariant = "ghost",
  formatters,
  components,
  ...props
}: React.ComponentProps<typeof DayPicker> & {
  buttonVariant?: React.ComponentProps<typeof Button>["variant"];
}) {
  const defaultClassNames = getDefaultClassNames();

  return (
    <DayPicker
      showOutsideDays={showOutsideDays}
      className={cn(
        "bg-background group/calendar p-3 [--cell-size:2rem]
        [[data-slot=card-content]_&]:bg-transparent [[data-slot=popover-content]_&]:bg-transparent",
        String.raw`rtl:**:[.rdp-button\_next>svg]:rotate-180`,
        String.raw`rtl:**:[.rdp-button\_previous>svg]:rotate-180`,
        className,

```

```

    })
    captionLayout={captionLayout}
    formatters={{
      formatMonthDropdown: (date) => date.toLocaleString("default", { month: "short" }),
      ...formatters,
    }}
    classNames={{
      root: cn("w-fit", defaultClassNames.root),
      months: cn("relative flex flex-col gap-4 md:flex-row", defaultClassNames.months),
      month: cn("flex w-full flex-col gap-4", defaultClassNames.month),
      nav: cn(
        "absolute inset-x-0 top-0 flex w-full items-center justify-between gap-1",
        defaultClassNames.nav,
      ),
      button_previous: cn(
        buttonVariants({ variant: buttonVariant }),
        "h-(--cell-size) w-(--cell-size) select-none p-0 aria-disabled:opacity-50",
        defaultClassNames.button_previous,
      ),
      button_next: cn(
        buttonVariants({ variant: buttonVariant }),
        "h-(--cell-size) w-(--cell-size) select-none p-0 aria-disabled:opacity-50",
        defaultClassNames.button_next,
      ),
      month_caption: cn(
        "flex h-(--cell-size) w-full items-center justify-center px-(--cell-size)",
        defaultClassNames.month_caption,
      ),
      dropdowns: cn(
        "flex h-(--cell-size) w-full items-center justify-center gap-1.5 text-sm font-medium",
        defaultClassNames.dropdowns,
      ),
      dropdown_root: cn(
        "has-focus:border-ring border-input shadow-xs has-focus:ring-ring/50
has-focus:ring-[3px] relative rounded-md border",
        defaultClassNames.dropdown_root,
      ),
      dropdown: cn("bg-popover absolute inset-0 opacity-0", defaultClassNames.dropdown),
      caption_label: cn(
        "select-none font-medium",
        captionLayout === "label"
          ? "text-sm"
          : "[&>svg]:text-muted-foreground flex h-8 items-center gap-1 rounded-md pl-2 pr-1
text-sm [&>svg]:size-3.5",
        defaultClassNames.caption_label,
      ),
      table: "w-full border-collapse",
      weekdays: cn("flex", defaultClassNames.weekdays),
    }}
  
```

```

weekday: cn(
  "text-muted-foreground flex-1 select-none rounded-md text-[0.8rem] font-normal",
  defaultClassNames.weekday,
),
week: cn("mt-2 flex w-full", defaultClassNames.week),
week_number_header: cn("w-(--cell-size) select-none",
defaultClassNames.week_number_header),
week_number: cn(
  "text-muted-foreground select-none text-[0.8rem]",
  defaultClassNames.week_number,
),
day: cn(
  "group/day relative aspect-square h-full w-full select-none p-0 text-center
[&:first-child[data-selected=true]_button]:rounded-l-md
[&:last-child[data-selected=true]_button]:rounded-r-md",
  defaultClassNames.day,
),
range_start: cn("bg-accent rounded-l-md", defaultClassNames.range_start),
range_middle: cn("rounded-none", defaultClassNames.range_middle),
range_end: cn("bg-accent rounded-r-md", defaultClassNames.range_end),
today: cn(
  "bg-accent text-accent-foreground rounded-md data-[selected=true]:rounded-none",
  defaultClassNames.today,
),
outside: cn(
  "text-muted-foreground aria-selected:text-muted-foreground",
  defaultClassNames.outside,
),
disabled: cn("text-muted-foreground opacity-50", defaultClassNames.disabled),
hidden: cn("invisible", defaultClassNames.hidden),
...classNames,
}}
components={{
  Root: ({ className, rootRef, ...props }) => {
    return <div data-slot="calendar" ref={rootRef} className={cn(className)} {...props}
/;>
  },
  Chevron: ({ className, orientation, ...props }) => {
    if (orientation === "left") {
      return <ChevronLeftIcon className={cn("size-4", className)} {...props} />;
    }

    if (orientation === "right") {
      return <ChevronRightIcon className={cn("size-4", className)} {...props} />;
    }

    return <ChevronDownIcon className={cn("size-4", className)} {...props} />;
  },

```

```

DayButton: CalendarDayButton,
WeekNumber: ({ children, ...props }) => {
  return (
    <td {...props}>
      <div className="flex size-(--cell-size) items-center justify-center text-center">
        {children}
      </div>
    </td>
  );
},
...components,
}}
{...props}
/>
);
}

```

```

function CalendarDayButton({
  className,
  day,
  modifiers,
  ...props
}: React.ComponentProps<typeof DayButton>) {
  const defaultClassNames = getDefaultClassNames();

  const ref = React.useRef<HTMLButtonElement>(null);
  React.useEffect(() => {
    if (modifiers.focused) ref.current?.focus();
  }, [modifiers.focused]);

  return (
    <Button
      ref={ref}
      variant="ghost"
      size="icon"
      data-day={day.date.toLocaleDateString()}
      data-selected-single={
        modifiers.selected &&
        !modifiers.range_start &&
        !modifiers.range_end &&
        !modifiers.range_middle
      }
      data-range-start={modifiers.range_start}
      data-range-end={modifiers.range_end}
      data-range-middle={modifiers.range_middle}
      className={cn(
        "data-[selected-single=true]:bg-primary
        data-[selected-single=true]:text-primary-foreground data-[range-middle=true]:bg-accent

```

```

data-[range-middle=true]:text-accent-foreground data-[range-start=true]:bg-primary
data-[range-start=true]:text-primary-foreground data-[range-end=true]:bg-primary
data-[range-end=true]:text-primary-foreground group-data-[focused=true]/day:border-ring
group-data-[focused=true]/day:ring-ring/50 flex aspect-square h-auto w-full
min-w-(--cell-size) flex-col gap-1 font-normal leading-none
data-[range-end=true]:rounded-md data-[range-middle=true]:rounded-none
data-[range-start=true]:rounded-md group-data-[focused=true]/day:relative
group-data-[focused=true]/day:z-10 group-data-[focused=true]/day:ring-[3px]
[&>span]:text-xs [&>span]:opacity-70",
    defaultClassNames.day,
    className,
  )}
  {...props}
/>
);
}

```

```
export { Calendar, CalendarDayButton };
```

```
import * as React from "react";
```

```
import { cn } from "@lib/utils";
```

```

const Card = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>(>
  ({ className, ...props }, ref) => (
    <div
      ref={ref}
      className={cn("rounded-xl border bg-card text-card-foreground shadow", className)}
      {...props}
    />
  ),
);
Card.displayName = "Card";

```

```

const CardHeader = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>(>
  ({ className, ...props }, ref) => (
    <div ref={ref} className={cn("flex flex-col space-y-1.5 p-6", className)} {...props} />
  ),
);
CardHeader.displayName = "CardHeader";

```

```

const CardTitle = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>(>
  ({ className, ...props }, ref) => (
    <div
      ref={ref}

```

```

        className={cn("font-semibold leading-none tracking-tight", className)}
        {...props}
      />
    ),
  );
CardTitle.displayName = "CardTitle";

const CardDescription = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>(>
  ({ className, ...props }, ref) => (
    <div ref={ref} className={cn("text-sm text-muted-foreground", className)} {...props} />
  ),
);
CardDescription.displayName = "CardDescription";

const CardContent = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>(>
  ({ className, ...props }, ref) => (
    <div ref={ref} className={cn("p-6 pt-0", className)} {...props} />
  ),
);
CardContent.displayName = "CardContent";

const CardFooter = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>(>
  ({ className, ...props }, ref) => (
    <div ref={ref} className={cn("flex items-center p-6 pt-0", className)} {...props} />
  ),
);
CardFooter.displayName = "CardFooter";

export { Card, CardHeader, CardFooter, CardTitle, CardDescription, CardContent };

import * as React from "react";
import useEmblaCarousel, { type UseEmblaCarouselType } from "embla-carousel-react";
import { ArrowLeft, ArrowRight } from "lucide-react";

import { cn } from "@lib/Utils";
import { Button } from "@components/ui/button";

type CarouselApi = UseEmblaCarouselType[1];
type UseCarouselParameters = Parameters<typeof useEmblaCarousel>;
type CarouselOptions = UseCarouselParameters[0];
type CarouselPlugin = UseCarouselParameters[1];

type CarouselProps = {
  opts?: CarouselOptions;
  plugins?: CarouselPlugin;

```

```

orientation?: "horizontal" | "vertical";
setApi?: (api: CarouselApi) => void;
};

```

```

type CarouselContextProps = {
  carouselRef: ReturnType<typeof useEmblaCarousel>[0];
  api: ReturnType<typeof useEmblaCarousel>[1];
  scrollPrev: () => void;
  scrollNext: () => void;
  canScrollPrev: boolean;
  canScrollNext: boolean;
} & CarouselProps;

```

```

const CarouselContext = React.createContext<CarouselContextProps | null>(null);

```

```

function useCarousel() {
  const context = React.useContext(CarouselContext);

  if (!context) {
    throw new Error("useCarousel must be used within a <Carousel />");
  }

  return context;
}

```

```

const Carousel = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement> & CarouselProps
>(({ orientation = "horizontal", opts, setApi, plugins, className, children, ...props }, ref) => {
  const [carouselRef, api] = useEmblaCarousel(
    {
      ...opts,
      axis: orientation === "horizontal" ? "x" : "y",
    },
    plugins,
  );
  const [canScrollPrev, setCanScrollPrev] = React.useState(false);
  const [canScrollNext, setCanScrollNext] = React.useState(false);

  const onSelect = React.useCallback((api: CarouselApi) => {
    if (!api) {
      return;
    }

    setCanScrollPrev(api.canScrollPrev());
    setCanScrollNext(api.canScrollNext());
  }, []);

```

```

const scrollPrev = React.useCallback(() => {
  api?.scrollPrev();
}, [api]);

const scrollNext = React.useCallback(() => {
  api?.scrollNext();
}, [api]);

const handleKeyDown = React.useCallback(
  (event: React.KeyboardEvent<HTMLDivElement>) => {
    if (event.key === "ArrowLeft") {
      event.preventDefault();
      scrollPrev();
    } else if (event.key === "ArrowRight") {
      event.preventDefault();
      scrollNext();
    }
  },
  [scrollPrev, scrollNext],
);

```

```

React.useEffect(() => {
  if (!api || !setApi) {
    return;
  }

```

```

  setApi(api);
}, [api, setApi]);

```

```

React.useEffect(() => {
  if (!api) {
    return;
  }

```

```

  onSelect(api);
  api.on("reInit", onSelect);
  api.on("select", onSelect);

```

```

  return () => {
    api?.off("select", onSelect);
  };
}, [api, onSelect]);

```

```

return (
  <CarouselContext.Provider
    value={{
      carouselRef,
      api: api,

```

```

    opts,
    orientation: orientation || (opts?.axis === "y" ? "vertical" : "horizontal"),
    scrollPrev,
    scrollNext,
    canScrollPrev,
    canScrollNext,
  }}
>
  <div
    ref={ref}
    onKeyDownCapture={handleKeyDown}
    className={cn("relative", className)}
    role="region"
    aria-roledescription="carousel"
    {...props}
  >
    {children}
  </div>
</CarouselContext.Provider>
);
});
Carousel.displayName = "Carousel";

```

```

const CarouselContent = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>>(
  ({ className, ...props }, ref) => {
    const { carouselRef, orientation } = useCarousel();

    return (
      <div ref={carouselRef} className="overflow-hidden">
        <div
          ref={ref}
          className={cn(
            "flex",
            orientation === "horizontal" ? "-ml-4" : "-mt-4 flex-col",
            className,
          )}
          {...props}
        />
      </div>
    );
  },
);
CarouselContent.displayName = "CarouselContent";

```

```

const CarouselItem = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>>(
  ({ className, ...props }, ref) => {

```

```

const { orientation } = useCarousel();

return (
  <div
    ref={ref}
    role="group"
    aria-roledescription="slide"
    className={cn(
      "min-w-0 shrink-0 grow-0 basis-full",
      orientation === "horizontal" ? "pl-4" : "pt-4",
      className,
    )}
    {...props}
  />
);
},
);
CarouselItem.displayName = "CarouselItem";

const CarouselPrevious = React.forwardRef<HTMLButtonElement,
React.ComponentProps<typeof Button>>(
  ({ className, variant = "outline", size = "icon", ...props }, ref) => {
    const { orientation, scrollPrev, canScrollPrev } = useCarousel();

    return (
      <Button
        ref={ref}
        variant={variant}
        size={size}
        className={cn(
          "absolute h-8 w-8 rounded-full",
          orientation === "horizontal"
            ? "-left-12 top-1/2 -translate-y-1/2"
            : "-top-12 left-1/2 -translate-x-1/2 rotate-90",
          className,
        )}
        disabled={!canScrollPrev}
        onClick={scrollPrev}
        {...props}
      >
        <ArrowLeft className="h-4 w-4" />
        <span className="sr-only">Previous slide</span>
      </Button>
    );
  },
);
CarouselPrevious.displayName = "CarouselPrevious";

```

```

const CarouselNext = React.forwardRef<HTMLButtonElement,
React.ComponentProps<typeof Button>>(
  ({ className, variant = "outline", size = "icon", ...props }, ref) => {
    const { orientation, scrollNext, canScrollNext } = useCarousel();

    return (
      <Button
        ref={ref}
        variant={variant}
        size={size}
        className={cn(
          "absolute h-8 w-8 rounded-full",
          orientation === "horizontal"
            ? "-right-12 top-1/2 -translate-y-1/2"
            : "-bottom-12 left-1/2 -translate-x-1/2 rotate-90",
          className,
        )}
        disabled={!canScrollNext}
        onClick={scrollNext}
        {...props}
      >
        <ArrowRight className="h-4 w-4" />
        <span className="sr-only">Next slide</span>
      </Button>
    );
  },
);
CarouselNext.displayName = "CarouselNext";

export {
  type CarouselApi,
  Carousel,
  CarouselContent,
  CarouselItem,
  CarouselPrevious,
  CarouselNext,
};

import * as React from "react";
import * as RechartsPrimitive from "recharts";

import { cn } from "@lib/utils";

// Format: { THEME_NAME: CSS_SELECTOR }
const THEMES = { light: "", dark: ".dark" } as const;

export type ChartConfig = {
  [k in string]: {

```

```

    label?: React.ReactNode;
    icon?: React.ComponentType;
  } & (
    | { color?: string; theme?: never }
    | { color?: never; theme: Record<keyof typeof THEMES, string> }
  );
};

type ChartContextProps = {
  config: ChartConfig;
};

const ChartContext = React.createContext<ChartContextProps | null>(null);

function useChart() {
  const context = React.useContext(ChartContext);

  if (!context) {
    throw new Error("useChart must be used within a <ChartContainer />");
  }

  return context;
}

const ChartContainer = React.forwardRef<
  HTMLDivElement,
  React.ComponentProps<"div"> & {
    config: ChartConfig;
    children: React.ComponentProps<typeof
RechartsPrimitive.ResponsiveContainer>["children"];
  }
>(({ id, className, children, config, ...props }, ref) => {
  const uniqueId = React.useId();
  const chartId = `chart-${id || uniqueId.replace(/:/g, "")}`;

  return (
    <ChartContext.Provider value={{ config }}>
      <div
        data-chart={chartId}
        ref={ref}
        className={cn(
          "flex aspect-video justify-center text-xs
[&_.recharts-cartesian-axis-tick_text]:fill-muted-foreground
[&_.recharts-cartesian-grid_line[stroke='#ccc']]:stroke-border/50
[&_.recharts-curve.recharts-tooltip-cursor]:stroke-border
[&_.recharts-dot[stroke='#fff']]:stroke-transparent [&_.recharts-layer]:outline-none
[&_.recharts-polar-grid_[stroke='#ccc']]:stroke-border
[&_.recharts-radial-bar-background-sector]:fill-muted

```

```

[&_.recharts-rectangle.recharts-tooltip-cursor]:fill-muted
[&_.recharts-reference-line_[stroke='#ccc']]:stroke-border
[&_.recharts-sector[stroke='#fff']]:stroke-transparent [&_.recharts-sector]:outline-none
[&_.recharts-surface]:outline-none",
    className,
  })
  {...props}
>
<ChartStyle id={chartId} config={config} />

<RechartsPrimitive.ResponsiveContainer>{children}</RechartsPrimitive.ResponsiveContain
er>
  </div>
</ChartContext.Provider>
);
});
ChartContainer.displayName = "Chart";

const ChartStyle = ({ id, config }: { id: string; config: ChartConfig }) => {
  const colorConfig = Object.entries(config).filter(([, config]) => config.theme || config.color);

  if (!colorConfig.length) {
    return null;
  }

  return (
    <style
      dangerouslySetInnerHTML={{
        __html: Object.entries(THEMES)
          .map(
            ([theme, prefix]) => `
${prefix} [data-chart=${id}] {
${colorConfig
  .map(([, itemConfig]) => {
    const color = itemConfig.theme ? [theme as keyof typeof itemConfig.theme] ||
itemConfig.color;
    return color ? `--color-${key}: ${color};` : null;
  })
  .join("\n")}
`
      : null;
    }
  )
  .join("\n"),
    >
  );
};

```

```

const ChartTooltip = RechartsPrimitive.Tooltip;

const ChartTooltipContent = React.forwardRef<
  HTMLDivElement,
  React.ComponentProps<typeof RechartsPrimitive.Tooltip> &
  React.ComponentProps<"div"> & {
    hideLabel?: boolean;
    hideIndicator?: boolean;
    indicator?: "line" | "dot" | "dashed";
    nameKey?: string;
    labelKey?: string;
  }
>(
  (
    {
      active,
      payload,
      className,
      indicator = "dot",
      hideLabel = false,
      hideIndicator = false,
      label,
      labelFormatter,
      labelClassName,
      formatter,
      color,
      nameKey,
      labelKey,
    },
    ref,
  ) => {
    const { config } = useChart();

    const tooltipLabel = React.useMemo(() => {
      if (hideLabel || !payload?.length) {
        return null;
      }

      const [item] = payload;
      const key = `${labelKey || item?.dataKey || item?.name || "value"}`;
      const itemConfig = getPayloadConfigFromPayload(config, item, key);
      const value =
        !labelKey && typeof label === "string"
          ? config[label as keyof typeof config]?.label || label
          : itemConfig?.label;

      if (labelFormatter) {
        return (

```

```

    <div className={cn("font-medium", labelClassName)}>{labelFormatter(value,
payload)}</div>
  );
}

if (!value) {
  return null;
}

return <div className={cn("font-medium", labelClassName)}>{value}</div>;
}, [label, labelFormatter, payload, hideLabel, labelClassName, config, labelKey]);

if (!active || !payload?.length) {
  return null;
}

const nestLabel = payload.length === 1 && indicator !== "dot";

return (
  <div
    ref={ref}
    className={cn(
      "grid min-w-[8rem] items-start gap-1.5 rounded-lg border border-border/50
bg-background px-2.5 py-1.5 text-xs shadow-xl",
      className,
    )}
  >
    {!nestLabel ? tooltipLabel : null}
    <div className="grid gap-1.5">
      {payload
        .filter((item) => item.type !== "none")
        .map((item, index) => {
          const key = `${nameKey || item.name || item.dataKey || "value"}`;
          const itemConfig = getPayloadConfigFromPayload(config, item, key);
          const indicatorColor = color || item.payload.fill || item.color;

          return (
            <div
              key={item.dataKey}
              className={cn(
                "flex w-full flex-wrap items-stretch gap-2 [>svg]:h-2.5 [>svg]:w-2.5
[>svg]:text-muted-foreground",
                indicator === "dot" && "items-center",
              )}
            >
              {formatter && item?.value !== undefined && item.name ? (
                formatter(item.value, item.name, item, index, item.payload)
              ) : (

```

```

<>
{itemConfig?.icon ? (
  <itemConfig.icon />
) : (
  !hideIndicator && (
    <div
      className={cn(
        "shrink-0 rounded-[2px] border-(--color-border) bg-(--color-bg)",
        {
          "h-2.5 w-2.5": indicator === "dot",
          "w-1": indicator === "line",
          "w-0 border-[1.5px] border-dashed bg-transparent":
            indicator === "dashed",
          "my-0.5": nestLabel && indicator === "dashed",
        },
      )}
      style={
        {
          "--color-bg": indicatorColor,
          "--color-border": indicatorColor,
        } as React.CSSProperties
      }
    />
  )
)}
<div
  className={cn(
    "flex flex-1 justify-between leading-none",
    nestLabel ? "items-end" : "items-center",
  )}
>
  <div className="grid gap-1.5">
    {nestLabel ? tooltipLabel : null}
    <span className="text-muted-foreground">
      {itemConfig?.label || item.name}
    </span>
  </div>
  {item.value && (
    <span className="font-mono font-medium tabular-nums text-foreground">
      {item.value.toLocaleString()}
    </span>
  )}
</div>
</>
)}
</div>
);
}}

```

```

        </div>
    </div>
    );
  },
);
ChartTooltipContent.displayName = "ChartTooltip";

const ChartLegend = RechartsPrimitive.Legend;

const ChartLegendContent = React.forwardRef<
  HTMLDivElement,
  React.ComponentProps<"div"> &
    Pick<RechartsPrimitive.LegendProps, "payload" | "verticalAlign"> & {
      hideIcon?: boolean;
      nameKey?: string;
    }
>(({ className, hideIcon = false, payload, verticalAlign = "bottom", nameKey }, ref) => {
  const { config } = useChart();

  if (!payload?.length) {
    return null;
  }

  return (
    <div
      ref={ref}
      className={cn(
        "flex items-center justify-center gap-4",
        verticalAlign === "top" ? "pb-3" : "pt-3",
        className,
      )}
    >
      {payload
        .filter((item) => item.type !== "none")
        .map((item) => {
          const key = `${nameKey || item.dataKey || "value"}`;
          const itemConfig = getPayloadConfigFromPayload(config, item, key);

          return (
            <div
              key={item.value}
              className={cn(
                "flex items-center gap-1.5 [>svg]:h-3 [>svg]:w-3
                [>svg]:text-muted-foreground",
              )}
            >
              {itemConfig?.icon && !hideIcon ? (
                <itemConfig.icon />

```

```

    ): (
      <div
        className="h-2 w-2 shrink-0 rounded-[2px]"
        style={{
          backgroundColor: item.color,
        }}
      />
    )}
    {itemConfig?.label}
  </div>
);
}}}
</div>
);
});
ChartLegendContent.displayName = "ChartLegend";

// Helper to extract item config from a payload.
function getPayloadConfigFromPayload(config: ChartConfig, payload: unknown, key: string)
{
  if (typeof payload !== "object" || payload === null) {
    return undefined;
  }

  const payloadPayload =
    "payload" in payload && typeof payload.payload === "object" && payload.payload !== null
      ? payload.payload
      : undefined;

  let configLabelKey: string = key;

  if (key in payload && typeof payload[key as keyof typeof payload] === "string") {
    configLabelKey = payload[key as keyof typeof payload] as string;
  } else if (
    payloadPayload &&
    key in payloadPayload &&
    typeof payloadPayload[key as keyof typeof payloadPayload] === "string"
  ) {
    configLabelKey = payloadPayload[key as keyof typeof payloadPayload] as string;
  }

  return configLabelKey in config ? config[configLabelKey] : config[key as keyof typeof config];
}

export {
  ChartContainer,
  ChartTooltip,

```

```

    ChartTooltipContent,
    ChartLegend,
    ChartLegendContent,
    ChartStyle,
  };

import * as React from "react";
import * as CheckboxPrimitive from "@radix-ui/react-checkbox";
import { Check } from "lucide-react";

import { cn } from "@lib/utils";

const Checkbox = React.forwardRef<
  React.ElementRef<typeof CheckboxPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof CheckboxPrimitive.Root>
>(({ className, ...props }, ref) => (
  <CheckboxPrimitive.Root
    ref={ref}
    className={cn(
      "grid place-content-center peer h-4 w-4 shrink-0 rounded-sm border border-primary
      shadow cursor-pointer focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring
      disabled:cursor-not-allowed disabled:opacity-50 data-[state=checked]:bg-primary
      data-[state=checked]:text-primary-foreground",
      className,
    )}
    {...props}
  >
    <CheckboxPrimitive.Indicator className={cn("grid place-content-center text-current")}>
      <Check className="h-4 w-4" />
    </CheckboxPrimitive.Indicator>
  </CheckboxPrimitive.Root>
));
Checkbox.displayName = CheckboxPrimitive.Root.displayName;

export { Checkbox };

"use client";

import * as CollapsiblePrimitive from "@radix-ui/react-collapsible";

const Collapsible = CollapsiblePrimitive.Root;

const CollapsibleTrigger = CollapsiblePrimitive.CollapsibleTrigger;

const CollapsibleContent = CollapsiblePrimitive.CollapsibleContent;

export { Collapsible, CollapsibleTrigger, CollapsibleContent };

```

```

"use client";

import * as React from "react";
import { type DialogProps } from "@radix-ui/react-dialog";
import { Command as CommandPrimitive } from "cmdk";
import { Search } from "lucide-react";

import { cn } from "@lib/utls";
import { Dialog, DialogContent } from "@components/ui/dialog";

const Command = React.forwardRef<
  React.ElementRef<typeof CommandPrimitive>,
  React.ComponentPropsWithoutRef<typeof CommandPrimitive>
>(({ className, ...props }, ref) => (
  <CommandPrimitive
    ref={ref}
    className={cn(
      "flex h-full w-full flex-col overflow-hidden rounded-md bg-popover
text-popover-foreground",
      className,
    )}
    {...props}
  />
));
Command.displayName = CommandPrimitive.displayName;

const CommandDialog = ({ children, ...props }: DialogProps) => {
  return (
    <Dialog {...props}>
      <DialogContent className="overflow-hidden p-0">
        <Command className="[&_cmdk-group-heading]:px-2
[&_cmdk-group-heading]:font-medium [&_cmdk-group-heading]:text-muted-foreground
[&_cmdk-group]:not([hidden])_~[cmdk-group]:pt-0 [&_cmdk-group]:px-2
[&_cmdk-input-wrapper]_svg:h-5 [&_cmdk-input-wrapper]_svg:w-5 [&_cmdk-input]:h-12
[&_cmdk-item]:px-2 [&_cmdk-item]:py-3 [&_cmdk-item]_svg:h-5
[&_cmdk-item]_svg:w-5">
          {children}
        </Command>
      </DialogContent>
    </Dialog>
  );
};

const CommandInput = React.forwardRef<
  React.ElementRef<typeof CommandPrimitive.Input>,
  React.ComponentPropsWithoutRef<typeof CommandPrimitive.Input>
>(({ className, ...props }, ref) => (
  <div className="flex items-center border-b px-3" cmdk-input-wrapper="">

```

```

<Search className="mr-2 h-4 w-4 shrink-0 opacity-50" />
<CommandPrimitive.Input
  ref={ref}
  className={cn(
    "flex h-10 w-full rounded-md bg-transparent py-3 text-sm outline-none
placeholder:text-muted-foreground disabled:cursor-not-allowed disabled:opacity-50",
    className,
  )}
  {...props}
/>
</div>
));

```

CommandInput.displayName = CommandPrimitive.Input.displayName;

```

const CommandList = React.forwardRef<
  React.ElementRef<typeof CommandPrimitive.List>,
  React.ComponentPropsWithoutRef<typeof CommandPrimitive.List>
>(({ className, ...props }, ref) => (
  <CommandPrimitive.List
    ref={ref}
    className={cn("max-h-[300px] overflow-y-auto overflow-x-hidden", className)}
    {...props}
  />
));

```

CommandList.displayName = CommandPrimitive.List.displayName;

```

const CommandEmpty = React.forwardRef<
  React.ElementRef<typeof CommandPrimitive.Empty>,
  React.ComponentPropsWithoutRef<typeof CommandPrimitive.Empty>
>((props, ref) => (
  <CommandPrimitive.Empty ref={ref} className="py-6 text-center text-sm" {...props} />
));

```

CommandEmpty.displayName = CommandPrimitive.Empty.displayName;

```

const CommandGroup = React.forwardRef<
  React.ElementRef<typeof CommandPrimitive.Group>,
  React.ComponentPropsWithoutRef<typeof CommandPrimitive.Group>
>(({ className, ...props }, ref) => (
  <CommandPrimitive.Group
    ref={ref}
    className={cn(
      "overflow-hidden p-1 text-foreground [&_[cmdk-group-heading]]:px-2
[&_[cmdk-group-heading]]:py-1.5 [&_[cmdk-group-heading]]:text-xs
[&_[cmdk-group-heading]]:font-medium [&_[cmdk-group-heading]]:text-muted-foreground",
      className,
    )}
    {...props}
  />
));

```

```

    })
    {...props}
  />
));

```

CommandGroup.displayName = CommandPrimitive.Group.displayName;

```

const CommandSeparator = React.forwardRef<
  React.ElementRef<typeof CommandPrimitive.Separator>,
  React.ComponentPropsWithoutRef<typeof CommandPrimitive.Separator>
>(({ className, ...props }, ref) => (
  <CommandPrimitive.Separator
    ref={ref}
    className={cn("-mx-1 h-px bg-border", className)}
    {...props}
  />
));
CommandSeparator.displayName = CommandPrimitive.Separator.displayName;

```

```

const CommandItem = React.forwardRef<
  React.ElementRef<typeof CommandPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof CommandPrimitive.Item>
>(({ className, ...props }, ref) => (
  <CommandPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex cursor-default gap-2 select-none items-center rounded-sm px-2 py-1.5
text-sm outline-none data-[disabled=true]:pointer-events-none
data-[selected=true]:bg-accent data-[selected=true]:text-accent-foreground
data-[disabled=true]:opacity-50 [&_svg]:pointer-events-none [&_svg]:size-4
[&_svg]:shrink-0",
      className,
    )}
    {...props}
  />
));

```

CommandItem.displayName = CommandPrimitive.Item.displayName;

```

const CommandShortcut = ({ className, ...props }:
  React.HTMLAttributes<HTMLSpanElement>) => {
  return (
    <span
      className={cn("ml-auto text-xs tracking-widest text-muted-foreground", className)}
      {...props}
    />
  );
};

```

```

CommandShortcut.displayName = "CommandShortcut";

export {
  Command,
  CommandDialog,
  CommandInput,
  CommandList,
  CommandEmpty,
  CommandGroup,
  CommandItem,
  CommandShortcut,
  CommandSeparator,
};

import * as React from "react";
import * as ContextMenuPrimitive from "@radix-ui/react-context-menu";
import { Check, ChevronRight, Circle } from "lucide-react";

import { cn } from "@lib/Utils";

const ContextMenu = ContextMenuPrimitive.Root;

const ContextMenuTrigger = ContextMenuPrimitive.Trigger;

const ContextMenuGroup = ContextMenuPrimitive.Group;

const ContextMenuPortal = ContextMenuPrimitive.Portal;

const ContextMenuSub = ContextMenuPrimitive.Sub;

const ContextMenuRadioGroup = ContextMenuPrimitive.RadioGroup;

const ContextMenuSubTrigger = React.forwardRef<
  React.ElementRef<typeof ContextMenuPrimitive.SubTrigger>,
  React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.SubTrigger> & {
    inset?: boolean;
  }
>(({ className, inset, children, ...props }, ref) => (
  <ContextMenuPrimitive.SubTrigger
    ref={ref}
    className={cn(
      "flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm
outline-none focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent
data-[state=open]:text-accent-foreground",
      inset && "pl-8",
      className,
    )}
    {...props}
  >

```

```

>
  {children}
  <ChevronRight className="ml-auto h-4 w-4" />
</ContextMenuPrimitive.SubTrigger>
));
ContextMenuSubTrigger.displayName = ContextMenuPrimitive.SubTrigger.displayName;

const ContextMenuSubContent = React.forwardRef<
  React.ElementRef<typeof ContextMenuPrimitive.SubContent>,
  React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.SubContent>
>(({ className, ...props }, ref) => (
  <ContextMenuPrimitive.SubContent
    ref={ref}
    className={cn(
      "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1
text-popover-foreground shadow-lg data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2
data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2
origin(--radix-context-menu-content-transform-origin)",
      className,
    )}
    {...props}
  />
));
ContextMenuSubContent.displayName = ContextMenuPrimitive.SubContent.displayName;

const ContextMenuContent = React.forwardRef<
  React.ElementRef<typeof ContextMenuPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.Content>
>(({ className, ...props }, ref) => (
  <ContextMenuPrimitive.Portal>
    <ContextMenuPrimitive.Content
      ref={ref}
      className={cn(
        "z-50 max-h-(--radix-context-menu-content-available-height) min-w-[8rem]
overflow-y-auto overflow-x-hidden rounded-md border bg-popover p-1
text-popover-foreground shadow-md data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2
data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2
origin(--radix-context-menu-content-transform-origin)",
        className,
      )}
      {...props}
    />

```

```

    </ContextMenuPrimitive.Portal>
  ));
  ContextMenuContent.displayName = ContextMenuPrimitive.Content.displayName;

  const ContextMenuItem = React.forwardRef<
    React.ElementRef<typeof ContextMenuPrimitive.Item>,
    React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.Item> & {
      inset?: boolean;
    }
  >(({ className, inset, ...props }, ref) => (
    <ContextMenuPrimitive.Item
      ref={ref}
      className={cn(
        "relative flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm
outline-none focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
        inset && "pl-8",
        className,
      )}
      {...props}
    />
  ));
  ContextMenuItem.displayName = ContextMenuPrimitive.Item.displayName;

  const ContextMenuCheckboxItem = React.forwardRef<
    React.ElementRef<typeof ContextMenuPrimitive.CheckboxItem>,
    React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.CheckboxItem>
  >(({ className, children, checked, ...props }, ref) => (
    <ContextMenuPrimitive.CheckboxItem
      ref={ref}
      className={cn(
        "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
        className,
      )}
      checked={checked}
      {...props}
    >
      <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
        <ContextMenuPrimitive.ItemIndicator>
          <Check className="h-4 w-4" />
        </ContextMenuPrimitive.ItemIndicator>
      </span>
      {children}
    </ContextMenuPrimitive.CheckboxItem>
  ));

```

```
ContextMenuCheckboxItem.displayName =  
ContextMenuPrimitive.CheckboxItem.displayName;
```

```
const ContextMenuRadioItem = React.forwardRef(  
  React.ElementRef<typeof ContextMenuPrimitive.RadioItem>,  
  React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.RadioItem>  
>(({ className, children, ...props }, ref) => (  
  <ContextMenuPrimitive.RadioItem  
    ref={ref}  
    className={cn(  
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm  
outline-none focus:bg-accent focus:text-accent-foreground  
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",  
      className,  
    )}  
    {...props}  
  >  
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">  
      <ContextMenuPrimitive.ItemIndicator>  
        <Circle className="h-4 w-4 fill-current" />  
      </ContextMenuPrimitive.ItemIndicator>  
    </span>  
    {children}  
  </ContextMenuPrimitive.RadioItem>  
>));  
ContextMenuRadioItem.displayName = ContextMenuPrimitive.RadioItem.displayName;
```

```
const ContextMenuLabel = React.forwardRef(  
  React.ElementRef<typeof ContextMenuPrimitive.Label>,  
  React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.Label> & {  
    inset?: boolean;  
  }  
>(({ className, inset, ...props }, ref) => (  
  <ContextMenuPrimitive.Label  
    ref={ref}  
    className={cn("px-2 py-1.5 text-sm font-semibold text-foreground", inset && "pl-8",  
className)}  
    {...props}  
  />  
>));  
ContextMenuLabel.displayName = ContextMenuPrimitive.Label.displayName;
```

```
const ContextMenuSeparator = React.forwardRef(  
  React.ElementRef<typeof ContextMenuPrimitive.Separator>,  
  React.ComponentPropsWithoutRef<typeof ContextMenuPrimitive.Separator>  
>(({ className, ...props }, ref) => (  
  <ContextMenuPrimitive.Separator  
    ref={ref}
```

```

      className={cn("-mx-1 my-1 h-px bg-border", className)}
      {...props}
    />
  ));
ContextMenuSeparator.displayName = ContextMenuPrimitive.Separator.displayName;

const ContextMenuShortcut = ({ className, ...props }:
React.HTMLAttributes<HTMLSpanElement>) => {
  return (
    <span
      className={cn("ml-auto text-xs tracking-widest text-muted-foreground", className)}
      {...props}
    />
  );
};
ContextMenuShortcut.displayName = "ContextMenuShortcut";

export {
  ContextMenu,
  ContextMenuTrigger,
  ContextMenuContent,
  ContextMenuItem,
  ContextMenuCheckboxItem,
  ContextMenuRadioItem,
  ContextMenuLabel,
  ContextMenuSeparator,
  ContextMenuShortcut,
  ContextMenuGroup,
  ContextMenuPortal,
  ContextMenuSub,
  ContextMenuSubContent,
  ContextMenuSubTrigger,
  ContextMenuRadioGroup,
};

"use client";

import * as React from "react";
import * as DialogPrimitive from "@radix-ui/react-dialog";
import { X } from "lucide-react";

import { cn } from "@lib/utls";

const Dialog = DialogPrimitive.Root;

const DialogTrigger = DialogPrimitive.Trigger;

const DialogPortal = DialogPrimitive.Portal;

```

```
const DialogClose = DialogPrimitive.Close;
```

```
const DialogOverlay = React.forwardRef<  
  React.ElementRef<typeof DialogPrimitive.Overlay>,  
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Overlay>  
>(({ className, ...props }, ref) => (  
  <DialogPrimitive.Overlay  
    ref={ref}  
    className={cn(  
      "fixed inset-0 z-50 bg-black/80 data-[state=open]:animate-in  
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",  
      className,  
    )}  
    {...props}  
  />  
));  
DialogOverlay.displayName = DialogPrimitive.Overlay.displayName;
```

```
const DialogContent = React.forwardRef<  
  React.ElementRef<typeof DialogPrimitive.Content>,  
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Content>  
>(({ className, children, ...props }, ref) => (  
  <DialogPortal>  
    <DialogOverlay />  
    <DialogPrimitive.Content  
      ref={ref}  
      className={cn(  
        "fixed left-[50%] top-[50%] z-50 grid w-full max-w-lg translate-x-[-50%]  
translate-y-[-50%] gap-4 border bg-background p-6 shadow-lg duration-200  
data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0  
data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95  
sm:rounded-lg",  
        className,  
      )}  
      {...props}  
    >  
      {children}  
      <DialogPrimitive.Close className="absolute right-4 top-4 rounded-sm opacity-70  
ring-offset-background cursor-pointer transition-opacity hover:opacity-100 focus:outline-none  
focus:ring-2 focus:ring-ring focus:ring-offset-2 disabled:pointer-events-none  
data-[state=open]:bg-accent data-[state=open]:text-muted-foreground">  
        <X className="h-4 w-4" />  
        <span className="sr-only">Close</span>  
      </DialogPrimitive.Close>  
    </DialogPrimitive.Content>  
  </DialogPortal>  
));
```

```

DialogContent.displayName = DialogPrimitive.Content.displayName;

const DialogHeader = ({ className, ...props }: React.HTMLAttributes<HTMLDivElement>)
=> (
  <div className={cn("flex flex-col space-y-1.5 text-center sm:text-left", className)}
  {...props} />
);
DialogHeader.displayName = "DialogHeader";

const DialogFooter = ({ className, ...props }: React.HTMLAttributes<HTMLDivElement>)
=> (
  <div
    className={cn("flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
    className)}
    {...props}
  />
);
DialogFooter.displayName = "DialogFooter";

const DialogTitle = React.forwardRef<
  React.ElementRef<typeof DialogPrimitive.Title>,
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Title>
>(({ className, ...props }, ref) => (
  <DialogPrimitive.Title
    ref={ref}
    className={cn("text-lg font-semibold leading-none tracking-tight", className)}
    {...props}
  />
));
DialogTitle.displayName = DialogPrimitive.Title.displayName;

const DialogDescription = React.forwardRef<
  React.ElementRef<typeof DialogPrimitive.Description>,
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Description>
>(({ className, ...props }, ref) => (
  <DialogPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props}
  />
));
DialogDescription.displayName = DialogPrimitive.Description.displayName;

export {
  Dialog,
  DialogPortal,
  DialogOverlay,
  DialogTrigger,

```

```
DialogClose,  
DialogContent,  
DialogHeader,  
DialogFooter,  
DialogTitle,  
DialogDescription,  
};
```

```
import * as React from "react";
import { Drawer as DrawerPrimitive } from "vaul";
```

```
import { cn } from "@lib/utils";
```

```
const Drawer = ({
  shouldScaleBackground = true,
  ...props
}: React.ComponentProps<typeof DrawerPrimitive.Root>) => (
  <DrawerPrimitive.Root shouldScaleBackground={shouldScaleBackground} {...props} />
);
Drawer.displayName = "Drawer";
```

```
const DrawerTrigger = DrawerPrimitive.Trigger;
```

```
const DrawerPortal = DrawerPrimitive.Portal;
```

```
const DrawerClose = DrawerPrimitive.Close;
```

```
const DrawerOverlay = React.forwardRef<
  React.ElementRef<typeof DrawerPrimitive.Overlay>,
  React.ComponentPropsWithoutRef<typeof DrawerPrimitive.Overlay>
>(({ className, ...props }, ref) => (
  <DrawerPrimitive.Overlay
    ref={ref}
    className={cn("fixed inset-0 z-50 bg-black/80", className)}
    {...props}
  />
));

DrawerOverlay.displayName = DrawerPrimitive.Overlay.displayName;
```

```
const DrawerContent = React.forwardRef<
  React.ElementRef<typeof DrawerPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof DrawerPrimitive.Content>
>(({ className, children, ...props }, ref) => (
  <DrawerPortal>
    <DrawerOverlay />
    <DrawerPrimitive.Content
      ref={ref}
      className={cn(
```

```

        "fixed inset-x-0 bottom-0 z-50 mt-24 flex h-auto flex-col rounded-t-[10px] border
bg-background",
        className,
    )}
    {...props}
  >
    <div className="mx-auto mt-4 h-2 w-[100px] rounded-full bg-muted" />
    {children}
  </DrawerPrimitive.Content>
</DrawerPortal>
));
DrawerContent.displayName = "DrawerContent";

const DrawerHeader = ({ className, ...props }: React.HTMLAttributes<HTMLDivElement>)
=> (
  <div className={cn("grid gap-1.5 p-4 text-center sm:text-left", className)} {...props} />
);
DrawerHeader.displayName = "DrawerHeader";

const DrawerFooter = ({ className, ...props }: React.HTMLAttributes<HTMLDivElement>)
=> (
  <div className={cn("mt-auto flex flex-col gap-2 p-4", className)} {...props} />
);
DrawerFooter.displayName = "DrawerFooter";

const DrawerTitle = React.forwardRef<
  React.ElementRef<typeof DrawerPrimitive.Title>,
  React.ComponentPropsWithoutRef<typeof DrawerPrimitive.Title>
>(({ className, ...props }, ref) => (
  <DrawerPrimitive.Title
    ref={ref}
    className={cn("text-lg font-semibold leading-none tracking-tight", className)}
    {...props}
  />
));
DrawerTitle.displayName = DrawerPrimitive.Title.displayName;

const DrawerDescription = React.forwardRef<
  React.ElementRef<typeof DrawerPrimitive.Description>,
  React.ComponentPropsWithoutRef<typeof DrawerPrimitive.Description>
>(({ className, ...props }, ref) => (
  <DrawerPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props}
  />
));
DrawerDescription.displayName = DrawerPrimitive.Description.displayName;

```

```

export {
  Drawer,
  DrawerPortal,
  DrawerOverlay,
  DrawerTrigger,
  DrawerClose,
  DrawerContent,
  DrawerHeader,
  DrawerFooter,
  DrawerTitle,
  DrawerDescription,
};

"use client";

import * as React from "react";
import * as DropdownMenuPrimitive from "@radix-ui/react-dropdown-menu";
import { Check, ChevronRight, Circle } from "lucide-react";

import { cn } from "@lib/utils";

const DropdownMenu = DropdownMenuPrimitive.Root;

const DropdownMenuTrigger = DropdownMenuPrimitive.Trigger;

const DropdownMenuGroup = DropdownMenuPrimitive.Group;

const DropdownMenuPortal = DropdownMenuPrimitive.Portal;

const DropdownMenuSub = DropdownMenuPrimitive.Sub;

const DropdownMenuRadioGroup = DropdownMenuPrimitive.RadioGroup;

const DropdownMenuSubTrigger = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.SubTrigger>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubTrigger> & {
    inset?: boolean;
  }
>(({ className, inset, children, ...props }, ref) => (
  <DropdownMenuPrimitive.SubTrigger
    ref={ref}
    className={cn(
      "flex cursor-default select-none items-center gap-2 rounded-sm px-2 py-1.5 text-sm
outline-none focus:bg-accent data-[state=open]:bg-accent [&_svg]:pointer-events-none
[&_svg]:size-4 [&_svg]:shrink-0",
      inset && "pl-8",
      className,

```

```

    })
    {...props}
  >
    {children}
    <ChevronRight className="ml-auto" />
  </DropdownMenuPrimitive.SubTrigger>
));
DropdownMenuSubTrigger.displayName =
DropdownMenuPrimitive.SubTrigger.displayName;

const DropdownMenuSubContent = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.SubContent>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubContent>
>(({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.SubContent
    ref={ref}
    className={cn(
      "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1
text-popover-foreground shadow-lg data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2
data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2
origin(--radix-dropdown-menu-content-transform-origin)",
      className,
    )}
    {...props}
  />
));
DropdownMenuSubContent.displayName =
DropdownMenuPrimitive.SubContent.displayName;

const DropdownMenuContent = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Content>
>(({ className, sideOffset = 4, ...props }, ref) => (
  <DropdownMenuPrimitive.Portal>
    <DropdownMenuPrimitive.Content
      ref={ref}
      sideOffset={sideOffset}
      className={cn(
        "z-50 max-h-[var(--radix-dropdown-menu-content-available-height)] min-w-[8rem]
overflow-y-auto overflow-x-hidden rounded-md border bg-popover p-1
text-popover-foreground shadow-md",
        "data-[state=open]:animate-in data-[state=closed]:animate-out
data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2

```

```

data-[side=top]:slide-in-from-bottom-2
origin(--radix-dropdown-menu-content-transform-origin)",
  className,
)}
{...props}
/>
</DropdownMenuPrimitive.Portal>
));
DropdownMenuContent.displayName = DropdownMenuPrimitive.Content.displayName;

```

```

const DropdownMenuItem = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Item> & {
    inset?: boolean;
  }
>(({ className, inset, ...props }, ref) => (
  <DropdownMenuPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center gap-2 rounded-sm px-2 py-1.5
text-sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50 [&>svg]:size-4
[&>svg]:shrink-0",
      inset && "pl-8",
      className,
    )}
    {...props}
  />
));
DropdownMenuItem.displayName = DropdownMenuPrimitive.Item.displayName;

```

```

const DropdownMenuCheckboxItem = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.CheckboxItem>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.CheckboxItem>
>(({ className, children, checked, ...props }, ref) => (
  <DropdownMenuPrimitive.CheckboxItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none transition-colors focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
      className,
    )}
    checked={checked}
    {...props}
  >
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <DropdownMenuPrimitive.ItemIndicator>

```

```

        <Check className="h-4 w-4" />
      </DropdownMenuPrimitive.ItemIndicator>
    </span>
    {children}
  </DropdownMenuPrimitive.CheckboxItem>
));
DropdownMenuCheckboxItem.displayName =
DropdownMenuPrimitive.CheckboxItem.displayName;

const DropdownMenuRadioItem = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.RadioItem>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.RadioItem>
>(({ className, children, ...props }, ref) => (
  <DropdownMenuPrimitive.RadioItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none transition-colors focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
      className,
    )}
    {...props}
  >
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <DropdownMenuPrimitive.ItemIndicator>
        <Circle className="h-2 w-2 fill-current" />
      </DropdownMenuPrimitive.ItemIndicator>
    </span>
    {children}
  </DropdownMenuPrimitive.RadioItem>
));
DropdownMenuRadioItem.displayName = DropdownMenuPrimitive.RadioItem.displayName;

const DropdownMenuLabel = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Label>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Label> & {
    inset?: boolean;
  }
>(({ className, inset, ...props }, ref) => (
  <DropdownMenuPrimitive.Label
    ref={ref}
    className={cn("px-2 py-1.5 text-sm font-semibold", inset && "pl-8", className)}
    {...props}
  />
));
DropdownMenuLabel.displayName = DropdownMenuPrimitive.Label.displayName;

const DropdownMenuSeparator = React.forwardRef<

```

```

    React.ElementRef<typeof DropdownMenuPrimitive.Separator>,
    React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Separator>
>(({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.Separator
    ref={ref}
    className={cn("-mx-1 my-1 h-px bg-muted", className)}
    {...props}
  />
));
DropdownMenuSeparator.displayName = DropdownMenuPrimitive.Separator.displayName;

const DropdownMenuShortcut = ({ className, ...props }:
React.HTMLAttributes<HTMLSpanElement>) => {
  return (
    <span className={cn("ml-auto text-xs tracking-widest opacity-60", className)} {...props}
  />
  );
};
DropdownMenuShortcut.displayName = "DropdownMenuShortcut";

export {
  DropdownMenu,
  DropdownMenuTrigger,
  DropdownMenuContent,
  DropdownMenuItem,
  DropdownMenuCheckboxItem,
  DropdownMenuRadioItem,
  DropdownMenuLabel,
  DropdownMenuSeparator,
  DropdownMenuShortcut,
  DropdownMenuGroup,
  DropdownMenuPortal,
  DropdownMenuSub,
  DropdownMenuSubContent,
  DropdownMenuSubTrigger,
  DropdownMenuRadioGroup,
};

import * as React from "react";
import * as LabelPrimitive from "@radix-ui/react-label";
import { Slot } from "@radix-ui/react-slot";
import {
  Controller,
  FormProvider,
  useFormContext,
  type ControllerProps,
  type FieldPath,
  type FieldValues,

```

```

} from "react-hook-form";

import { cn } from "@lib/utls";
import { Label } from "@components/ui/label";

const Form = FormProvider;

type FormFieldContextValue<
  TFieldValues extends FieldValues = FieldValues,
  TName extends FieldPath<TFieldValues> = FieldPath<TFieldValues>,
> = {
  name: TName;
};

const FormFieldContext = React.createContext<FormFieldContextValue | null>(null);

const FormField = <
  TFieldValues extends FieldValues = FieldValues,
  TName extends FieldPath<TFieldValues> = FieldPath<TFieldValues>,
>({
  ...props
}: ControllerProps<TFieldValues, TName>) => {
  return (
    <FormFieldContext.Provider value={{ name: props.name }}>
      <Controller {...props} />
    </FormFieldContext.Provider>
  );
};

const useFormField = () => {
  const fieldContext = React.useContext(FormFieldContext);
  const itemContext = React.useContext(FormItemContext);
  const { getFieldState, formState } = useFormContext();

  if (!fieldContext) {
    throw new Error("useFormField should be used within <FormField>");
  }

  if (!itemContext) {
    throw new Error("useFormField should be used within <FormItem>");
  }

  const fieldState = getFieldState(fieldContext.name, formState);

  const { id } = itemContext;

  return {
    id,
  }

```

```

    name: fieldContext.name,
    formItemId: `${id}-form-item`,
    formDescriptionId: `${id}-form-item-description`,
    formMessageId: `${id}-form-item-message`,
    ...fieldState,
  };
};

```

```

type FormItemContextValue = {
  id: string;
};

```

```

const FormItemContext = React.createContext<FormItemContextValue | null>(null);

```

```

const FormItem = React.forwardRef<HTMLDivElement,
React.HTMLAttributes<HTMLDivElement>>(
  ({ className, ...props }, ref) => {
    const id = React.useId();

    return (
      <FormItemContext.Provider value={{ id }}>
        <div ref={ref} className={cn("space-y-2", className)} {...props} />
      </FormItemContext.Provider>
    );
  },
);
FormItem.displayName = "FormItem";

```

```

const FormLabel = React.forwardRef<
  React.ElementRef<typeof LabelPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof LabelPrimitive.Root>
>(({ className, ...props }, ref) => {
  const { error, formItemId } = useFormField();

  return (
    <Label
      ref={ref}
      className={cn(error && "text-destructive", className)}
      htmlFor={formItemId}
      {...props}
    />
  );
});
FormLabel.displayName = "FormLabel";

```

```

const FormControl = React.forwardRef<
  React.ElementRef<typeof Slot>,
  React.ComponentPropsWithoutRef<typeof Slot>

```

```

>(({ ...props }, ref) => {
  const { error, formItemId, formDescriptionId, formMessageId } = useFormField();

  return (
    <Slot
      ref={ref}
      id={formItemId}
      aria-describedby={!error ? `${formDescriptionId}` : `${formDescriptionId}
${formMessageId}`}
      aria-invalid={!!error}
      {...props}
    />
  );
});
FormControl.displayName = "FormControl";

```

```

const FormDescription = React.forwardRef<
  HTMLParagraphElement,
  React.HTMLAttributes<HTMLParagraphElement>
>(({ className, ...props }, ref) => {
  const { formDescriptionId } = useFormField();

  return (
    <p
      ref={ref}
      id={formDescriptionId}
      className={cn("text-[0.8rem] text-muted-foreground", className)}
      {...props}
    />
  );
});
FormDescription.displayName = "FormDescription";

```

```

const FormMessage = React.forwardRef<
  HTMLParagraphElement,
  React.HTMLAttributes<HTMLParagraphElement>
>(({ className, children, ...props }, ref) => {
  const { error, formMessageId } = useFormField();
  const body = error ? String(error?.message ?? "") : children;

  if (!body) {
    return null;
  }

  return (
    <p
      ref={ref}
      id={formMessageId}

```

```

        className={cn("text-[0.8rem] font-medium text-destructive", className)}
        {...props}
      >
        {body}
      </p>
    );
  });
  FormMessage.displayName = "FormMessage";

export {
  useFormField,
  Form,
  FormItem,
  FormLabel,
  FormControl,
  FormDescription,
  FormMessage,
  FormField,
};

import * as React from "react";
import * as HoverCardPrimitive from "@radix-ui/react-hover-card";

import { cn } from "@lib/Utils";

const HoverCard = HoverCardPrimitive.Root;

const HoverCardTrigger = HoverCardPrimitive.Trigger;

const HoverCardContent = React.forwardRef<
  React.ElementRef<typeof HoverCardPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof HoverCardPrimitive.Content>
>(({ className, align = "center", sideOffset = 4, ...props }, ref) => (
  <HoverCardPrimitive.Content
    ref={ref}
    align={align}
    sideOffset={sideOffset}
    className={cn(
      "z-50 w-64 rounded-md border bg-popover p-4 text-popover-foreground shadow-md
      outline-none data-[state=open]:animate-in data-[state=closed]:animate-out
      data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
      data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
      data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2
      data-[side=top]:slide-in-from-bottom-2 origin-(--radix-hover-card-content-transform-origin)",
      className,
    )}
    {...props}
  />

```

```

));
HoverCardContent.displayName = HoverCardPrimitive.Content.displayName;

export { HoverCard, HoverCardTrigger, HoverCardContent };

import * as React from "react";
import { OTPInput, OTPInputContext } from "input-otp";
import { Minus } from "lucide-react";

import { cn } from "@lib/utils";

const InputOTP = React.forwardRef<
  React.ElementRef<typeof OTPInput>,
  React.ComponentPropsWithoutRef<typeof OTPInput>
>(({ className, containerClassName, ...props }, ref) => (
  <OTPInput
    ref={ref}
    containerClassName={cn(
      "flex items-center gap-2 has-[:disabled]:opacity-50",
      containerClassName,
    )}
    className={cn("disabled:cursor-not-allowed", className)}
    {...props}
  />
));
InputOTP.displayName = "InputOTP";

const InputOTPGroup = React.forwardRef<
  React.ElementRef<"div">,
  React.ComponentPropsWithoutRef<"div">
>(({ className, ...props }, ref) => (
  <div ref={ref} className={cn("flex items-center", className)} {...props} />
));
InputOTPGroup.displayName = "InputOTPGroup";

const InputOTPSlot = React.forwardRef<
  React.ElementRef<"div">,
  React.ComponentPropsWithoutRef<"div"> & { index: number }
>(({ index, className, ...props }, ref) => {
  const inputOTPContext = React.useContext(OTPInputContext);
  const { char, hasFakeCaret, isActive } = inputOTPContext.slots[index];

  return (
    <div
      ref={ref}
      className={cn(
        "relative flex h-9 w-9 items-center justify-center border-y border-r border-input text-sm
        shadow-sm transition-all first:rounded-l-md first:border-l last:rounded-r-md",

```

```

        isActive && "z-10 ring-1 ring-ring",
        className,
      )}
      {...props}
    >
      {char}
      {hasFakeCaret && (
        <div className="pointer-events-none absolute inset-0 flex items-center justify-center">
          <div className="h-4 w-px animate-caret-blink bg-foreground duration-1000" />
        </div>
      )}
    </div>
  );
});
InputOTPSlot.displayName = "InputOTPSlot";

const InputOTPSeparator = React.forwardRef<
  React.ElementRef<"div">,
  React.ComponentPropsWithoutRef<"div">
>(({ ...props }, ref) => (
  <div ref={ref} role="separator" {...props}>
    <Minus />
  </div>
));
InputOTPSeparator.displayName = "InputOTPSeparator";

export { InputOTP, InputOTPGroup, InputOTPSlot, InputOTPSeparator };

import * as React from "react";

import { cn } from "@lib/utils";

const Input = React.forwardRef<HTMLInputElement, React.ComponentProps<"input">>(
  ({ className, type, ...props }, ref) => {
    return (
      <input
        type={type}
        className={cn(
          "flex h-9 w-full rounded-md border border-input bg-transparent px-3 py-1 text-base
          shadow-sm transition-colors file:border-0 file:bg-transparent file:text-sm file:font-medium
          file:text-foreground placeholder:text-muted-foreground focus-visible:outline-none
          focus-visible:ring-1 focus-visible:ring-ring disabled:cursor-not-allowed disabled:opacity-50
          md:text-sm",
          className,
        )}
        ref={ref}
        {...props}
      />
    );
  }
);

```

```

    );
  },
);
Input.displayName = "Input";

export { Input };

"use client";

import * as React from "react";
import * as LabelPrimitive from "@radix-ui/react-label";
import { cva, type VariantProps } from "class-variance-authority";

import { cn } from "@lib/utils";

const labelVariants = cva(
  "text-sm font-medium leading-none peer-disabled:cursor-not-allowed
  peer-disabled:opacity-70",
);

const Label = React.forwardRef<
  React.ElementRef<typeof LabelPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof LabelPrimitive.Root> & VariantProps<typeof
labelVariants>
>(({ className, ...props }, ref) => (
  <LabelPrimitive.Root ref={ref} className={cn(labelVariants(), className)} {...props} />
));
Label.displayName = LabelPrimitive.Root.displayName;

export { Label };

import * as React from "react";
import * as MenubarPrimitive from "@radix-ui/react-menubar";
import { Check, ChevronRight, Circle } from "lucide-react";

import { cn } from "@lib/utils";

function MenubarMenu({ ...props }: React.ComponentProps<typeof
MenubarPrimitive.Menu>) {
  return <MenubarPrimitive.Menu {...props} />;
}

function MenubarGroup({ ...props }: React.ComponentProps<typeof
MenubarPrimitive.Group>) {
  return <MenubarPrimitive.Group {...props} />;
}

```

```
function MenubarPortal({ ...props }: React.ComponentProps<typeof
MenubarPrimitive.Portal>) {
  return <MenubarPrimitive.Portal {...props} />;
}
```

```
function MenubarRadioGroup({ ...props }: React.ComponentProps<typeof
MenubarPrimitive.RadioGroup>) {
  return <MenubarPrimitive.RadioGroup {...props} />;
}
```

```
function MenubarSub({ ...props }: React.ComponentProps<typeof MenubarPrimitive.Sub>) {
  return <MenubarPrimitive.Sub data-slot="menubar-sub" {...props} />;
}
```

```
const Menubar = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.Root>
>(({ className, ...props }, ref) => (
  <MenubarPrimitive.Root
    ref={ref}
    className={cn(
      "flex h-9 items-center space-x-1 rounded-md border bg-background p-1 shadow-sm",
      className,
    )}
    {...props}
  />
));
Menubar.displayName = MenubarPrimitive.Root.displayName;
```

```
const MenubarTrigger = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.Trigger>
>(({ className, ...props }, ref) => (
  <MenubarPrimitive.Trigger
    ref={ref}
    className={cn(
      "flex cursor-default select-none items-center rounded-sm px-3 py-1 text-sm font-medium
outline-none focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent
data-[state=open]:text-accent-foreground",
      className,
    )}
    {...props}
  />
));
MenubarTrigger.displayName = MenubarPrimitive.Trigger.displayName;
```

```
const MenubarSubTrigger = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.SubTrigger>,
```

```

React.ComponentPropsWithoutRef<typeof MenubarPrimitive.SubTrigger> & {
  inset?: boolean;
}
>(({ className, inset, children, ...props }, ref) => (
  <MenubarPrimitive.SubTrigger
    ref={ref}
    className={cn(
      "flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm
outline-none focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent
data-[state=open]:text-accent-foreground",
      inset && "pl-8",
      className,
    )}
    {...props}
  >
    {children}
    <ChevronRight className="ml-auto h-4 w-4" />
  </MenubarPrimitive.SubTrigger>
));
MenubarSubTrigger.displayName = MenubarPrimitive.SubTrigger.displayName;

```

```

const MenubarSubContent = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.SubContent>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.SubContent>
>(({ className, ...props }, ref) => (
  <MenubarPrimitive.SubContent
    ref={ref}
    className={cn(
      "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1
text-popover-foreground shadow-lg data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2
data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2
origin(--radix-menubar-content-transform-origin)",
      className,
    )}
    {...props}
  />
));
MenubarSubContent.displayName = MenubarPrimitive.SubContent.displayName;

```

```

const MenubarContent = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.Content>
>(({ className, align = "start", alignOffset = -4, sideOffset = 8, ...props }, ref) => (
  <MenubarPrimitive.Portal>
    <MenubarPrimitive.Content

```

```

    ref={ref}
    align={align}
    alignOffset={alignOffset}
    sideOffset={sideOffset}
    className={cn(
      "z-50 min-w-[12rem] overflow-hidden rounded-md border bg-popover p-1
text-popover-foreground shadow-md data-[state=open]:animate-in
data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2
data-[side=top]:slide-in-from-bottom-2 origin-(--radix-menubar-content-transform-origin)",
      className,
    )}
    {...props}
  />
</MenubarPrimitive.Portal>
));
MenubarContent.displayName = MenubarPrimitive.Content.displayName;

```

```

const MenubarItem = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.Item> & {
    inset?: boolean;
  }
>(({ className, inset, ...props }, ref) => (
  <MenubarPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm
outline-none focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
      inset && "pl-8",
      className,
    )}
    {...props}
  />
));
MenubarItem.displayName = MenubarPrimitive.Item.displayName;

```

```

const MenubarCheckboxItem = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.CheckboxItem>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.CheckboxItem>
>(({ className, children, checked, ...props }, ref) => (
  <MenubarPrimitive.CheckboxItem
    ref={ref}
    className={cn(

```

```

    "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
    className,
  )}
  checked={checked}
  {...props}
>
  <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
    <MenubarPrimitive.ItemIndicator>
      <Check className="h-4 w-4" />
    </MenubarPrimitive.ItemIndicator>
  </span>
  {children}
</MenubarPrimitive.CheckboxItem>
));
MenubarCheckboxItem.displayName = MenubarPrimitive.CheckboxItem.displayName;

```

```

const MenubarRadioItem = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.RadioItem>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.RadioItem>
>(({ className, children, ...props }, ref) => (
  <MenubarPrimitive.RadioItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
      className,
    )}
    {...props}
  >
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <MenubarPrimitive.ItemIndicator>
        <Circle className="h-4 w-4 fill-current" />
      </MenubarPrimitive.ItemIndicator>
    </span>
    {children}
  </MenubarPrimitive.RadioItem>
));
MenubarRadioItem.displayName = MenubarPrimitive.RadioItem.displayName;

```

```

const MenubarLabel = React.forwardRef<
  React.ElementRef<typeof MenubarPrimitive.Label>,
  React.ComponentPropsWithoutRef<typeof MenubarPrimitive.Label> & {
    inset?: boolean;
  }
>(({ className, inset, ...props }, ref) => (

```

```

    <MenubarPrimitive.Label
      ref={ref}
      className={cn("px-2 py-1.5 text-sm font-semibold", inset && "pl-8", className)}
      {...props}
    />
  ));
  MenubarLabel.displayName = MenubarPrimitive.Label.displayName;

  const MenubarSeparator = React.forwardRef<
    React.ElementRef<typeof MenubarPrimitive.Separator>,
    React.ComponentPropsWithoutRef<typeof MenubarPrimitive.Separator>
  >(({ className, ...props }, ref) => (
    <MenubarPrimitive.Separator
      ref={ref}
      className={cn("-mx-1 my-1 h-px bg-muted", className)}
      {...props}
    />
  ));
  MenubarSeparator.displayName = MenubarPrimitive.Separator.displayName;

  const MenubarShortcut = ({ className, ...props }:
    React.HTMLAttributes<HTMLSpanElement>) => {
    return (
      <span
        className={cn("ml-auto text-xs tracking-widest text-muted-foreground", className)}
        {...props}
      />
    );
  };
  MenubarShortcut.displayName = "MenubarShortcut";

  export {
    Menubar,
    MenubarMenu,
    MenubarTrigger,
    MenubarContent,
    MenubarItem,
    MenubarSeparator,
    MenubarLabel,
    MenubarCheckboxItem,
    MenubarRadioGroup,
    MenubarRadioItem,
    MenubarPortal,
    MenubarSubContent,
    MenubarSubTrigger,
    MenubarGroup,
    MenubarSub,
    MenubarShortcut,
  };

```

```
};
```

```
import * as React from "react";
import * as NavigationMenuPrimitive from "@radix-ui/react-navigation-menu";
import { cva } from "class-variance-authority";
import { ChevronDown } from "lucide-react";
```

```
import { cn } from "@lib/utils";
```

```
const NavigationMenu = React.forwardRef<
  React.ElementRef<typeof NavigationMenuPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof NavigationMenuPrimitive.Root>
>(({ className, children, ...props }, ref) => (
  <NavigationMenuPrimitive.Root
    ref={ref}
    className={cn("relative z-10 flex max-w-max flex-1 items-center justify-center",
  className)}
    {...props}
  >
    {children}
    <NavigationMenuViewport />
  </NavigationMenuPrimitive.Root>
));
NavigationMenu.displayName = NavigationMenuPrimitive.Root.displayName;
```

```
const NavigationMenuList = React.forwardRef<
  React.ElementRef<typeof NavigationMenuPrimitive.List>,
  React.ComponentPropsWithoutRef<typeof NavigationMenuPrimitive.List>
>(({ className, ...props }, ref) => (
  <NavigationMenuPrimitive.List
    ref={ref}
    className={cn("group flex flex-1 list-none items-center justify-center space-x-1",
  className)}
    {...props}
  />
));
NavigationMenuList.displayName = NavigationMenuPrimitive.List.displayName;
```

```
const NavigationMenuItem = NavigationMenuPrimitive.Item;
```

```
const navigationMenuTriggerStyle = cva(
  "group inline-flex h-9 w-max items-center justify-center rounded-md bg-background px-4
  py-2 text-sm font-medium cursor-pointer transition-colors hover:bg-accent
  hover:text-accent-foreground focus:bg-accent focus:text-accent-foreground
  focus:outline-none disabled:pointer-events-none disabled:opacity-50
  disabled:cursor-not-allowed data-[state=open]:text-accent-foreground
  data-[state=open]:bg-accent/50 data-[state=open]:hover:bg-accent
  data-[state=open]:focus:bg-accent",
```

```

);

const NavigationMenuTrigger = React.forwardRef<
  React.ElementRef<typeof NavigationMenuPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof NavigationMenuPrimitive.Trigger>
>(({ className, children, ...props }, ref) => (
  <NavigationMenuPrimitive.Trigger
    ref={ref}
    className={cn(navigationMenuTriggerStyle(), "group", className)}
    {...props}
  >
    {children}{""}
    <ChevronDown
      className="relative top-[1px] ml-1 h-3 w-3 transition duration-300
group-data-[state=open]:rotate-180"
      aria-hidden="true"
    />
  </NavigationMenuPrimitive.Trigger>
));
NavigationMenuTrigger.displayName = NavigationMenuPrimitive.Trigger.displayName;

const NavigationMenuContent = React.forwardRef<
  React.ElementRef<typeof NavigationMenuPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof NavigationMenuPrimitive.Content>
>(({ className, ...props }, ref) => (
  <NavigationMenuPrimitive.Content
    ref={ref}
    className={cn(
      "left-0 top-0 w-full data-[motion^=from-]:animate-in data-[motion^=to-]:animate-out
data-[motion^=from-]:fade-in data-[motion^=to-]:fade-out
data-[motion=from-end]:slide-in-from-right-52 data-[motion=from-start]:slide-in-from-left-52
data-[motion=to-end]:slide-out-to-right-52 data-[motion=to-start]:slide-out-to-left-52
md:absolute md:w-auto ",
      className,
    )}
    {...props}
  />
));
NavigationMenuContent.displayName = NavigationMenuPrimitive.Content.displayName;

const NavigationMenuLink = NavigationMenuPrimitive.Link;

const NavigationMenuViewport = React.forwardRef<
  React.ElementRef<typeof NavigationMenuPrimitive.Viewport>,
  React.ComponentPropsWithoutRef<typeof NavigationMenuPrimitive.Viewport>
>(({ className, ...props }, ref) => (
  <div className={cn("absolute left-0 top-full flex justify-center")}>
    <NavigationMenuPrimitive.Viewport

```

```

        className={cn(
          "origin-top-center relative mt-1.5 h-[var(--radix-navigation-menu-viewport-height)] w-full
overflow-hidden rounded-md border bg-popover text-popover-foreground shadow
data-[state=open]:animate-in data-[state=closed]:animate-out
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-90
md:w-[var(--radix-navigation-menu-viewport-width)]",
          className,
        )}
        ref={ref}
        {...props}
      />
    </div>
  ));
  NavigationMenuViewport.displayName = NavigationMenuPrimitive.Viewport.displayName;

```

```

const NavigationMenuIndicator = React.forwardRef<
  React.ElementRef<typeof NavigationMenuPrimitive.Indicator>,
  React.ComponentPropsWithoutRef<typeof NavigationMenuPrimitive.Indicator>
>(({ className, ...props }, ref) => (
  <NavigationMenuPrimitive.Indicator
    ref={ref}
    className={cn(
      "top-full z-[1] flex h-1.5 items-end justify-center overflow-hidden
data-[state=visible]:animate-in data-[state=hidden]:animate-out data-[state=hidden]:fade-out
data-[state=visible]:fade-in",
      className,
    )}
    {...props}
  >
    <div className="relative top-[60%] h-2 w-2 rotate-45 rounded-tl-sm bg-border
shadow-md" />
    </NavigationMenuPrimitive.Indicator>
  ));
  NavigationMenuIndicator.displayName = NavigationMenuPrimitive.Indicator.displayName;

```

```

export {
  navigationMenuTriggerStyle,
  NavigationMenu,
  NavigationMenuList,
  NavigationMenuItem,
  NavigationMenuContent,
  NavigationMenuTrigger,
  NavigationMenuLink,
  NavigationMenuIndicator,
  NavigationMenuViewport,
};

```

```

import * as React from "react";

```

```

import { ChevronLeft, ChevronRight, MoreHorizontal } from "lucide-react";

import { cn } from "@lib/utils";
import { ButtonProps, buttonVariants } from "@components/ui/button";

const Pagination = ({ className, ...props }: React.ComponentProps<"nav">) => (
  <nav
    role="navigation"
    aria-label="pagination"
    className={cn("mx-auto flex w-full justify-center", className)}
    {...props}
  />
);
Pagination.displayName = "Pagination";

const PaginationContent = React.forwardRef<HTMLUListElement,
React.ComponentProps<"ul">>(
  ({ className, ...props }, ref) => (
    <ul ref={ref} className={cn("flex flex-row items-center gap-1", className)} {...props} />
  ),
);
PaginationContent.displayName = "PaginationContent";

const PaginationItem = React.forwardRef<HTMLLIElement, React.ComponentProps<"li">>(
  ({ className, ...props }, ref) => <li ref={ref} className={cn("", className)} {...props} />,
);
PaginationItem.displayName = "PaginationItem";

type PaginationLinkProps = {
  isActive?: boolean;
} & Pick<ButtonProps, "size"> &
  React.ComponentProps<"a">;

const PaginationLink = ({ className, isActive, size = "icon", ...props }: PaginationLinkProps)
=> (
  <a
    aria-current={isActive ? "page" : undefined}
    className={cn(
      buttonVariants({
        variant: isActive ? "outline" : "ghost",
        size,
      }),
      className,
    )}
    {...props}
  />
);
PaginationLink.displayName = "PaginationLink";

```

```

const PaginationPrevious = ({
  className,
  ...props
}: React.ComponentProps<typeof PaginationLink>) => (
  <PaginationLink
    aria-label="Go to previous page"
    size="default"
    className={cn("gap-1 pl-2.5", className)}
    {...props}
  >
    <ChevronLeft className="h-4 w-4" />
    <span>Previous</span>
  </PaginationLink>
);
PaginationPrevious.displayName = "PaginationPrevious";

```

```

const PaginationNext = ({ className, ...props }: React.ComponentProps<typeof
PaginationLink>) => (
  <PaginationLink
    aria-label="Go to next page"
    size="default"
    className={cn("gap-1 pr-2.5", className)}
    {...props}
  >
    <span>Next</span>
    <ChevronRight className="h-4 w-4" />
  </PaginationLink>
);
PaginationNext.displayName = "PaginationNext";

```

```

const PaginationEllipsis = ({ className, ...props }: React.ComponentProps<"span">) => (
  <span
    aria-hidden
    className={cn("flex h-9 w-9 items-center justify-center", className)}
    {...props}
  >
    <MoreHorizontal className="h-4 w-4" />
    <span className="sr-only">More pages</span>
  </span>
);
PaginationEllipsis.displayName = "PaginationEllipsis";

```

```

export {
  Pagination,
  PaginationContent,
  PaginationLink,
  PaginationItem,

```

```

    PaginationPrevious,
    PaginationNext,
    PaginationEllipsis,
  };

import * as React from "react";
import * as PopoverPrimitive from "@radix-ui/react-popover";

import { cn } from "@lib/utils";

const Popover = PopoverPrimitive.Root;

const PopoverTrigger = PopoverPrimitive.Trigger;

const PopoverAnchor = PopoverPrimitive.Anchor;

const PopoverContent = React.forwardRef<
  React.ElementRef<typeof PopoverPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof PopoverPrimitive.Content>
>(({ className, align = "center", sideOffset = 4, ...props }, ref) => (
  <PopoverPrimitive.Portal>
    <PopoverPrimitive.Content
      ref={ref}
      align={align}
      sideOffset={sideOffset}
      className={cn(
        "z-50 w-72 rounded-md border bg-popover p-4 text-popover-foreground shadow-md
outline-none data-[state=open]:animate-in data-[state=closed]:animate-out
data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2
data-[side=top]:slide-in-from-bottom-2 origin(--radix-popover-content-transform-origin)",
        className,
      )}
      {...props}
    />
  </PopoverPrimitive.Portal>
));
PopoverContent.displayName = PopoverPrimitive.Content.displayName;

export { Popover, PopoverTrigger, PopoverContent, PopoverAnchor };

"use client";

import * as React from "react";
import * as ProgressPrimitive from "@radix-ui/react-progress";

import { cn } from "@lib/utils";

```

```

const Progress = React.forwardRef<
  React.ElementRef<typeof ProgressPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof ProgressPrimitive.Root>
>(({ className, value, ...props }, ref) => (
  <ProgressPrimitive.Root
    ref={ref}
    className={cn("relative h-2 w-full overflow-hidden rounded-full bg-primary/20",
  className)}
    {...props}
  >
    <ProgressPrimitive.Indicator
      className="h-full w-full flex-1 bg-primary transition-all"
      style={{ transform: `translateX(-${100 - (value || 0)}%)` }}
    />
  </ProgressPrimitive.Root>
));
Progress.displayName = ProgressPrimitive.Root.displayName;

export { Progress };

import * as React from "react";
import * as RadioGroupPrimitive from "@radix-ui/react-radio-group";
import { Circle } from "lucide-react";

import { cn } from "@lib/utils";

const RadioGroup = React.forwardRef<
  React.ElementRef<typeof RadioGroupPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof RadioGroupPrimitive.Root>
>(({ className, ...props }, ref) => {
  return <RadioGroupPrimitive.Root className={cn("grid gap-2", className)} {...props}
  ref={ref} />;
});
RadioGroup.displayName = RadioGroupPrimitive.Root.displayName;

const RadioGroupItem = React.forwardRef<
  React.ElementRef<typeof RadioGroupPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof RadioGroupPrimitive.Item>
>(({ className, ...props }, ref) => {
  return (
    <RadioGroupPrimitive.Item
      ref={ref}
      className={cn(
        "aspect-square h-4 w-4 rounded-full border border-primary text-primary shadow
        cursor-pointer focus:outline-none focus-visible:ring-1 focus-visible:ring-ring
        disabled:cursor-not-allowed disabled:opacity-50",
        className,

```

```

    })
    {...props}
  >
    <RadioGroupPrimitive.Indicator className="flex items-center justify-center">
      <Circle className="h-3.5 w-3.5 fill-primary" />
    </RadioGroupPrimitive.Indicator>
  </RadioGroupPrimitive.Item>
);
});
RadioGroupItem.displayName = RadioGroupPrimitive.Item.displayName;

export { RadioGroup, RadioGroupItem };

import { GripVertical } from "lucide-react";
import { Group, Panel, Separator } from "react-resizable-panels";

import { cn } from "@lib/utils";

const ResizablePanelGroup = ({ className, ...props }: React.ComponentProps<typeof
Group>) => (
  <Group
    className={cn("flex h-full w-full data-[panel-group-direction=vertical]:flex-col",
className)}
    {...props}
  />
);

const ResizablePanel = Panel;

const ResizableHandle = ({
  withHandle,
  className,
  ...props
}: React.ComponentProps<typeof Separator> & {
  withHandle?: boolean;
}) => (
  <Separator
    className={cn(
      "relative flex w-px items-center justify-center bg-border after:absolute after:inset-y-0
after:left-1/2 after:w-1 after:-translate-x-1/2 focus-visible:outline-none focus-visible:ring-1
focus-visible:ring-ring focus-visible:ring-offset-1 data-[panel-group-direction=vertical]:h-px
data-[panel-group-direction=vertical]:w-full data-[panel-group-direction=vertical]:after:left-0
data-[panel-group-direction=vertical]:after:h-1
data-[panel-group-direction=vertical]:after:w-full
data-[panel-group-direction=vertical]:after:-translate-y-1/2
data-[panel-group-direction=vertical]:after:translate-x-0
[&[data-panel-group-direction=vertical]>div]:rotate-90",
      className,

```

```

    })
    {...props}
  >
    {withHandle && (
      <div className="z-10 flex h-4 w-3 items-center justify-center rounded-sm border
bg-border">
        <GripVertical className="h-2.5 w-2.5" />
      </div>
    )}
  </Separator>
);

```

```

export { ResizablePanelGroup, ResizablePanel, ResizableHandle };

```

```

import * as React from "react";
import * as ScrollAreaPrimitive from "@radix-ui/react-scroll-area";

```

```

import { cn } from "@lib/utils";

```

```

const ScrollArea = React.forwardRef<
  React.ElementRef<typeof ScrollAreaPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof ScrollAreaPrimitive.Root>
>(({ className, children, ...props }, ref) => (
  <ScrollAreaPrimitive.Root
    ref={ref}
    className={cn("relative overflow-hidden", className)}
    {...props}
  >
    <ScrollAreaPrimitive.Viewport className="h-full w-full rounded-[inherit]">
      {children}
    </ScrollAreaPrimitive.Viewport>
    <ScrollBar />
    <ScrollAreaPrimitive.Corner />
  </ScrollAreaPrimitive.Root>
));
ScrollArea.displayName = ScrollAreaPrimitive.Root.displayName;

```

```

const ScrollBar = React.forwardRef<
  React.ElementRef<typeof ScrollAreaPrimitive.ScrollAreaScrollbar>,
  React.ComponentPropsWithoutRef<typeof ScrollAreaPrimitive.ScrollAreaScrollbar>
>(({ className, orientation = "vertical", ...props }, ref) => (
  <ScrollAreaPrimitive.ScrollAreaScrollbar
    ref={ref}
    orientation={orientation}
    className={cn(
      "flex touch-none select-none transition-colors",
      orientation === "vertical" && "h-full w-2.5 border-l border-l-transparent p-[1px]",
      orientation === "horizontal" && "h-2.5 flex-col border-t border-t-transparent p-[1px]",
    )}
  >

```

```

        className,
      })
      {...props}
    >
      <ScrollAreaPrimitive.ScrollAreaThumb className="relative flex-1 rounded-full bg-border"
    />
  </ScrollAreaPrimitive.ScrollAreaScrollbar>
));
ScrollBar.displayName = ScrollAreaPrimitive.ScrollAreaScrollbar.displayName;

export { ScrollArea, ScrollBar };

"use client";

import * as React from "react";
import * as SelectPrimitive from "@radix-ui/react-select";
import { Check, ChevronDown, ChevronUp } from "lucide-react";

import { cn } from "@lib/Utils";

const Select = SelectPrimitive.Root;

const SelectGroup = SelectPrimitive.Group;

const SelectValue = SelectPrimitive.Value;

const SelectTrigger = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Trigger>
>(({ className, children, ...props }, ref) => (
  <SelectPrimitive.Trigger
    ref={ref}
    className={cn(
      "flex h-9 w-full items-center justify-between whitespace-nowrap rounded-md border
border-input bg-transparent px-3 py-2 text-sm shadow-sm ring-offset-background
cursor-pointer data-[placeholder]:text-muted-foreground focus:outline-none focus:ring-1
focus:ring-ring disabled:cursor-not-allowed disabled:opacity-50 [>span]:line-clamp-1",
      className,
    )}
    {...props}
  >
    {children}
    <SelectPrimitive.Icon asChild>
      <ChevronDown className="h-4 w-4 opacity-50" />
    </SelectPrimitive.Icon>
  </SelectPrimitive.Trigger>
));
SelectTrigger.displayName = SelectPrimitive.Trigger.displayName;

```

```

const SelectScrollUpButton = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.ScrollUpButton>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.ScrollUpButton>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.ScrollUpButton
    ref={ref}
    className={cn("flex cursor-default items-center justify-center py-1", className)}
    {...props}
  >
    <ChevronUp className="h-4 w-4" />
  </SelectPrimitive.ScrollUpButton>
));
SelectScrollUpButton.displayName = SelectPrimitive.ScrollUpButton.displayName;

```

```

const SelectScrollDownButton = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.ScrollDownButton>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.ScrollDownButton>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.ScrollDownButton
    ref={ref}
    className={cn("flex cursor-default items-center justify-center py-1", className)}
    {...props}
  >
    <ChevronDown className="h-4 w-4" />
  </SelectPrimitive.ScrollDownButton>
));
SelectScrollDownButton.displayName = SelectPrimitive.ScrollDownButton.displayName;

```

```

const SelectContent = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Content>
>(({ className, children, position = "popper", ...props }, ref) => (
  <SelectPrimitive.Portal>
    <SelectPrimitive.Content
      ref={ref}
      className={cn(
        "relative z-50 max-h-(--radix-select-content-available-height) min-w-[8rem]
        overflow-y-auto overflow-x-hidden rounded-md border bg-popover text-popover-foreground
        shadow-md data-[state=open]:animate-in data-[state=closed]:animate-out
        data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
        data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
        data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2
        data-[side=top]:slide-in-from-bottom-2 origin-(--radix-select-content-transform-origin)",
        position === "popper" &&
        "data-[side=bottom]:translate-y-1 data-[side=left]:-translate-x-1
        data-[side=right]:translate-x-1 data-[side=top]:-translate-y-1",
        className,

```

```

    })
    position={position}
    {...props}
  >
    <SelectScrollUpButton />
    <SelectPrimitive.Viewport
      className={cn(
        "p-1",
        position === "popper" &&
        "h-[var(--radix-select-trigger-height)] w-full min-w-[var(--radix-select-trigger-width)]",
      )}
    >
      {children}
    </SelectPrimitive.Viewport>
    <SelectScrollDownButton />
  </SelectPrimitive.Content>
</SelectPrimitive.Portal>
));
SelectContent.displayName = SelectPrimitive.Content.displayName;

const SelectLabel = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Label>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Label>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.Label
    ref={ref}
    className={cn("px-2 py-1.5 text-sm font-semibold", className)}
    {...props}
  />
));
SelectLabel.displayName = SelectPrimitive.Label.displayName;

const SelectItem = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Item>
>(({ className, children, ...props }, ref) => (
  <SelectPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex w-full cursor-default select-none items-center rounded-sm py-1.5 pl-2 pr-8
text-sm outline-none focus:bg-accent focus:text-accent-foreground
data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
      className,
    )}
    {...props}
  >
    <span className="absolute right-2 flex h-3.5 w-3.5 items-center justify-center">
      <SelectPrimitive.ItemIndicator>

```

```

        <Check className="h-4 w-4" />
      </SelectPrimitive.ItemIndicator>
    </span>
    <SelectPrimitive.ItemText>{children}</SelectPrimitive.ItemText>
  </SelectPrimitive.Item>
));
SelectItem.displayName = SelectPrimitive.Item.displayName;

const SelectSeparator = React.forwardRef<
  React.ElementRef<typeof SelectPrimitive.Separator>,
  React.ComponentPropsWithoutRef<typeof SelectPrimitive.Separator>
>(({ className, ...props }, ref) => (
  <SelectPrimitive.Separator
    ref={ref}
    className={cn("-mx-1 my-1 h-px bg-muted", className)}
    {...props}
  />
));
SelectSeparator.displayName = SelectPrimitive.Separator.displayName;

export {
  Select,
  SelectGroup,
  SelectValue,
  SelectTrigger,
  SelectContent,
  SelectLabel,
  SelectItem,
  SelectSeparator,
  SelectScrollUpButton,
  SelectScrollDownButton,
};

import * as React from "react";
import * as SeparatorPrimitive from "@radix-ui/react-separator";

import { cn } from "@lib/utils";

const Separator = React.forwardRef<
  React.ElementRef<typeof SeparatorPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof SeparatorPrimitive.Root>
>(({ className, orientation = "horizontal", decorative = true, ...props }, ref) => (
  <SeparatorPrimitive.Root
    ref={ref}
    decorative={decorative}
    orientation={orientation}
    className={cn(
      "shrink-0 bg-border",

```

```

    orientation === "horizontal" ? "h-[1px] w-full" : "h-full w-[1px]",
    className,
  })
  {...props}
/>
));
Separator.displayName = SeparatorPrimitive.Root.displayName;

export { Separator };

"use client";

import * as React from "react";
import * as SheetPrimitive from "@radix-ui/react-dialog";
import { cva, type VariantProps } from "class-variance-authority";
import { X } from "lucide-react";

import { cn } from "@lib/utls";

const Sheet = SheetPrimitive.Root;

const SheetTrigger = SheetPrimitive.Trigger;

const SheetClose = SheetPrimitive.Close;

const SheetPortal = SheetPrimitive.Portal;

const SheetOverlay = React.forwardRef<
  React.ElementRef<typeof SheetPrimitive.Overlay>,
  React.ComponentPropsWithoutRef<typeof SheetPrimitive.Overlay>
>(({ className, ...props }, ref) => (
  <SheetPrimitive.Overlay
    className={cn(
      "fixed inset-0 z-50 bg-black/80 data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",
      className,
    )}
    {...props}
    ref={ref}
  />
));
SheetOverlay.displayName = SheetPrimitive.Overlay.displayName;

const sheetVariants = cva(
  "fixed z-50 gap-4 bg-background p-6 shadow-lg transition ease-in-out
data-[state=closed]:duration-300 data-[state=open]:duration-500
data-[state=open]:animate-in data-[state=closed]:animate-out",
  {

```

```

variants: {
  side: {
    top: "inset-x-0 top-0 border-b data-[state=closed]:slide-out-to-top
data-[state=open]:slide-in-from-top",
    bottom:
      "inset-x-0 bottom-0 border-t data-[state=closed]:slide-out-to-bottom
data-[state=open]:slide-in-from-bottom",
    left: "inset-y-0 left-0 h-full w-3/4 border-r data-[state=closed]:slide-out-to-left
data-[state=open]:slide-in-from-left sm:max-w-sm",
    right:
      "inset-y-0 right-0 h-full w-3/4 border-l data-[state=closed]:slide-out-to-right
data-[state=open]:slide-in-from-right sm:max-w-sm",
  },
},
defaultVariants: {
  side: "right",
},
},
);

```

```

interface SheetContentProps

```

```

  extends

```

```

  React.ComponentPropsWithoutRef<typeof SheetPrimitive.Content>,
  VariantProps<typeof sheetVariants> {}

```

```

const SheetContent = React.forwardRef<

```

```

  React.ElementRef<typeof SheetPrimitive.Content>,

```

```

  SheetContentProps

```

```

>(({ side = "right", className, children, ...props }, ref) => (

```

```

  <SheetPortal>

```

```

    <SheetOverlay />

```

```

    <SheetPrimitive.Content ref={ref} className={cn(sheetVariants({ side }), className)}

```

```

    {...props}>

```

```

      <SheetPrimitive.Close className="absolute right-4 top-4 rounded-sm opacity-70
ring-offset-background cursor-pointer transition-opacity hover:opacity-100 focus:outline-none
focus:ring-2 focus:ring-ring focus:ring-offset-2 disabled:pointer-events-none
data-[state=open]:bg-secondary">

```

```

        <X className="h-4 w-4" />

```

```

        <span className="sr-only">Close</span>

```

```

      </SheetPrimitive.Close>

```

```

      {children}

```

```

    </SheetPrimitive.Content>

```

```

  </SheetPortal>

```

```

));

```

```

SheetContent.displayName = SheetPrimitive.Content.displayName;

```

```

const SheetHeader = ({ className, ...props }: React.HTMLAttributes<HTMLDivElement>)
=> (

```

```

    <div className={cn("flex flex-col space-y-2 text-center sm:text-left", className)} {...props}
  />
);
SheetHeader.displayName = "SheetHeader";

const SheetFooter = ({ className, ...props }: React.HTMLAttributes<HTMLDivElement>) =>
(
  <div
    className={cn("flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
  className)}
    {...props}
  />
);
SheetFooter.displayName = "SheetFooter";

const SheetTitle = React.forwardRef<
  React.ElementRef<typeof SheetPrimitive.Title>,
  React.ComponentPropsWithoutRef<typeof SheetPrimitive.Title>
>(({ className, ...props }, ref) => (
  <SheetPrimitive.Title
    ref={ref}
    className={cn("text-lg font-semibold text-foreground", className)}
    {...props}
  />
));
SheetTitle.displayName = SheetPrimitive.Title.displayName;

const SheetDescription = React.forwardRef<
  React.ElementRef<typeof SheetPrimitive.Description>,
  React.ComponentPropsWithoutRef<typeof SheetPrimitive.Description>
>(({ className, ...props }, ref) => (
  <SheetPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props}
  />
));
SheetDescription.displayName = SheetPrimitive.Description.displayName;

export {
  Sheet,
  SheetPortal,
  SheetOverlay,
  SheetTrigger,
  SheetClose,
  SheetContent,
  SheetHeader,
  SheetFooter,

```

```
    SheetTitle,  
    SheetDescription,  
  };
```

```
import * as React from "react";  
import { Slot } from "@radix-ui/react-slot";  
import { cva, type VariantProps } from "class-variance-authority";  
import { PanelLeft } from "lucide-react";
```

```
import { useIsMobile } from "@/hooks/use-mobile";  
import { cn } from "@/lib/utils";  
import { Button } from "@/components/ui/button";  
import { Input } from "@/components/ui/input";  
import { Separator } from "@/components/ui/separator";  
import {  
  Sheet,  
  SheetContent,  
  SheetDescription,  
  SheetHeader,  
  SheetTitle,  
} from "@/components/ui/sheet";  
import { Skeleton } from "@/components/ui/skeleton";  
import { Tooltip, TooltipContent, TooltipProvider, TooltipTrigger } from  
"@/components/ui/tooltip";
```

```
const SIDEBAR_COOKIE_NAME = "sidebar_state";  
const SIDEBAR_COOKIE_MAX_AGE = 60 * 60 * 24 * 7;  
const SIDEBAR_WIDTH = "16rem";  
const SIDEBAR_WIDTH_MOBILE = "18rem";  
const SIDEBAR_WIDTH_ICON = "3rem";  
const SIDEBAR_KEYBOARD_SHORTCUT = "b";
```

```
type SidebarContextProps = {  
  state: "expanded" | "collapsed";  
  open: boolean;  
  setOpen: (open: boolean) => void;  
  openMobile: boolean;  
  setOpenMobile: (open: boolean) => void;  
  isMobile: boolean;  
  toggleSidebar: () => void;  
};
```

```
const SidebarContext = React.createContext<SidebarContextProps | null>(null);
```

```
function useSidebar() {  
  const context = React.useContext(SidebarContext);  
  if (!context) {  
    throw new Error("useSidebar must be used within a SidebarProvider.");  
  }  
}
```

```

    }

    return context;
  }

const SidebarProvider = React.forwardRef<
  HTMLDivElement,
  React.ComponentProps<"div"> & {
    defaultOpen?: boolean;
    open?: boolean;
    onOpenChange?: (open: boolean) => void;
  }
>(
  (
    {
      defaultOpen = true,
      open: openProp,
      onOpenChange: setOpenProp,
      className,
      style,
      children,
      ...props
    },
    ref,
  ) => {
    const isMobile = useIsMobile();
    const [openMobile, setOpenMobile] = React.useState(false);

    // This is the internal state of the sidebar.
    // We use openProp and setOpenProp for control from outside the component.
    const [_open, _setOpen] = React.useState(defaultOpen);
    const open = openProp ?? _open;
    const setOpen = React.useCallback(
      (value: boolean | ((value: boolean) => boolean)) => {
        const openState = typeof value === "function" ? value(open) : value;
        if (setOpenProp) {
          setOpenProp(openState);
        } else {
          _setOpen(openState);
        }
      },

      // This sets the cookie to keep the sidebar state.
      document.cookie = `${SIDEBAR_COOKIE_NAME}=${openState}; path=/;
max-age=${SIDEBAR_COOKIE_MAX_AGE}`;
    ),
    [setOpenProp, open],
  );

```

```

// Helper to toggle the sidebar.
const toggleSidebar = React.useCallback(() => {
  return isMobile ? setOpenMobile((open) => !open) : setOpen((open) => !open);
}, [isMobile, setOpen, setOpenMobile]);

// Adds a keyboard shortcut to toggle the sidebar.
React.useEffect(() => {
  const handleKeyDown = (event: KeyboardEvent) => {
    if (event.key === SIDEBAR_KEYBOARD_SHORTCUT && (event.metaKey ||
event.ctrlKey)) {
      event.preventDefault();
      toggleSidebar();
    }
  };

  window.addEventListener("keydown", handleKeyDown);
  return () => window.removeEventListener("keydown", handleKeyDown);
}, [toggleSidebar]);

// We add a state so that we can do data-state="expanded" or "collapsed".
// This makes it easier to style the sidebar with Tailwind classes.
const state = open ? "expanded" : "collapsed";

const contextValue = React.useMemo<SidebarContextProps>(
  () => ({
    state,
    open,
    setOpen,
    isMobile,
    openMobile,
    setOpenMobile,
    toggleSidebar,
  }),
  [state, open, setOpen, isMobile, openMobile, setOpenMobile, toggleSidebar],
);

return (
  <SidebarContext.Provider value={contextValue}>
    <TooltipProvider delayDuration={0}>
      <div
        style={
          {
            "--sidebar-width": SIDEBAR_WIDTH,
            "--sidebar-width-icon": SIDEBAR_WIDTH_ICON,
            ...style,
          } as React.CSSProperties
        }
        className={cn(

```

```

        "group/sidebar-wrapper flex min-h-svh w-full has-[[data-variant=inset]]:bg-sidebar",
        className,
      ))
      ref={ref}
      {...props}
    >
      {children}
    </div>
  </TooltipProvider>
</SidebarContext.Provider>
);
},
);
SidebarProvider.displayName = "SidebarProvider";

```

```

const Sidebar = React.forwardRef<
  HTMLDivElement,
  React.ComponentProps<"div"> & {
    side?: "left" | "right";
    variant?: "sidebar" | "floating" | "inset";
    collapsible?: "offcanvas" | "icon" | "none";
  }
>(
  (
    {
      side = "left",
      variant = "sidebar",
      collapsible = "offcanvas",
      className,
      children,
      ...props
    },
    ref,
  ) => {
    const { isMobile, state, openMobile, setOpenMobile } = useSidebar();

    if (collapsible === "none") {
      return (
        <div
          className={cn(
            "flex h-full w-(--sidebar-width) flex-col bg-sidebar text-sidebar-foreground",
            className,
          )}
          ref={ref}
          {...props}
        >
          {children}
        </div>

```

```

    );
  }

  if (isMobile) {
    return (
      <Sheet open={openMobile} onOpenChange={setOpenMobile} {...props}>
        <SheetContent
          data-sidebar="sidebar"
          data-mobile="true"
          className="w-(--sidebar-width) bg-sidebar p-0 text-sidebar-foreground
[&>button]:hidden"
          style={
            {
              "--sidebar-width": SIDEBAR_WIDTH_MOBILE,
            } as React.CSSProperties
          }
          side={side}
        >
          <SheetHeader className="sr-only">
            <SheetTitle>Sidebar</SheetTitle>
            <SheetDescription>Displays the mobile sidebar.</SheetDescription>
          </SheetHeader>
          <div className="flex h-full w-full flex-col">{children}</div>
        </SheetContent>
      </Sheet>
    );
  }

  return (
    <div
      ref={ref}
      className="group peer hidden text-sidebar-foreground md:block"
      data-state={state}
      data-collapsible={state === "collapsed" ? collapsible : ""}
      data-variant={variant}
      data-side={side}
    >
      {/* This is what handles the sidebar gap on desktop */}
      <div
        className={cn(
          "relative w-(--sidebar-width) bg-transparent transition-[width] duration-200
ease-linear",
          "group-data-[collapsible=offcanvas]:w-0",
          "group-data-[side=right]:rotate-180",
          variant === "floating" || variant === "inset"
            ?
"group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon) + _theme(spacing.4))]"
            : "group-data-[collapsible=icon]:w-(--sidebar-width-icon)",

```

```

    })
  />
  <div
    className={cn(
      "fixed inset-y-0 z-10 hidden h-svh w-(--sidebar-width) transition-[left,right,width]
duration-200 ease-linear md:flex",
      side === "left"
        ? "left-0 group-data-[collapsible=offcanvas]:left-[calc(var(--sidebar-width)*-1)]"
        : "right-0 group-data-[collapsible=offcanvas]:right-[calc(var(--sidebar-width)*-1)]",
      // Adjust the padding for floating and inset variants.
      variant === "floating" || variant === "inset"
        ? "p-2
group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon)_+_theme(spacing.4)_+2px)]"
        : "group-data-[collapsible=icon]:w-(--sidebar-width-icon)
group-data-[side=left]:border-r group-data-[side=right]:border-l",
      className,
    )}
    {...props}
  >
    <div
      data-sidebar="sidebar"
      className="flex h-full w-full flex-col bg-sidebar
group-data-[variant=floating]:rounded-lg group-data-[variant=floating]:border
group-data-[variant=floating]:border-sidebar-border group-data-[variant=floating]:shadow"
    >
      {children}
    </div>
  </div>
</div>
);
},
);
Sidebar.displayName = "Sidebar";

const SidebarTrigger = React.forwardRef<
  React.ElementRef<typeof Button>,
  React.ComponentProps<typeof Button>>
>(({ className, onClick, ...props }, ref) => {
  const { toggleSidebar } = useSidebar();

  return (
    <Button
      ref={ref}
      data-sidebar="trigger"
      variant="ghost"
      size="icon"
      className={cn("h-7 w-7", className)}
      onClick={(event) => {

```

```

    onClick?.(event);
    toggleSidebar();
  }}
  {...props}
>
  <PanelLeft />
  <span className="sr-only">Toggle Sidebar</span>
</Button>
);
});
SidebarTrigger.displayName = "SidebarTrigger";

```

```

const SidebarRail = React.forwardRef<HTMLButtonElement,
React.ComponentProps<"button">>(
  ({ className, ...props }, ref) => {
    const { toggleSidebar } = useSidebar();

    return (
      <button
        ref={ref}
        data-sidebar="rail"
        aria-label="Toggle Sidebar"
        tabIndex={-1}
        onClick={toggleSidebar}
        title="Toggle Sidebar"
        className={cn(
          "absolute inset-y-0 z-20 hidden w-4 -translate-x-1/2 transition-all ease-linear
after:absolute after:inset-y-0 after:left-1/2 after:w-[2px] hover:after:bg-sidebar-border
group-data-[side=left]:-right-4 group-data-[side=right]:left-0 sm:flex",
          "[[data-side=left]_&]:cursor-w-resize [[data-side=right]_&]:cursor-e-resize",
          "[[data-side=left][data-state=collapsed]_&]:cursor-e-resize
[[data-side=right][data-state=collapsed]_&]:cursor-w-resize",
          "group-data-[collapsible=offcanvas]:translate-x-0
group-data-[collapsible=offcanvas]:after:left-full
group-data-[collapsible=offcanvas]:hover:bg-sidebar",
          "[[data-side=left][data-collapsible=offcanvas]_&]:-right-2",
          "[[data-side=right][data-collapsible=offcanvas]_&]:-left-2",
          className,
        )}
      <div>
        {props.children}
      </div>
    );
  },
);
SidebarRail.displayName = "SidebarRail";

```

```

const SidebarInset = React.forwardRef<HTMLDivElement,
React.ComponentProps<"main">>(

```

```

({ className, ...props }, ref) => {
  return (
    <main
      ref={ref}
      className={cn(
        "relative flex w-full flex-1 flex-col bg-background",
        "md:peer-data-[variant=inset]:m-2
md:peer-data-[state=collapsed]:peer-data-[variant=inset]:ml-2
md:peer-data-[variant=inset]:ml-0 md:peer-data-[variant=inset]:rounded-xl
md:peer-data-[variant=inset]:shadow",
        className,
      )}
      {...props}
    />
  );
},
);
SidebarInset.displayName = "SidebarInset";

```

```

const SidebarInput = React.forwardRef<
  React.ElementRef<typeof Input>,
  React.ComponentProps<typeof Input>
>(({ className, ...props }, ref) => {
  return (
    <Input
      ref={ref}
      data-sidebar="input"
      className={cn(
        "h-8 w-full bg-background shadow-none focus-visible:ring-2
focus-visible:ring-sidebar-ring",
        className,
      )}
      {...props}
    />
  );
});
SidebarInput.displayName = "SidebarInput";

```

```

const SidebarHeader = React.forwardRef<HTMLDivElement,
  React.ComponentProps<"div">>
>(({ className, ...props }, ref) => {
  return (
    <div
      ref={ref}
      data-sidebar="header"
      className={cn("flex flex-col gap-2 p-2", className)}
      {...props}
    />
  );
});

```

```

    );
  },
);
SidebarHeader.displayName = "SidebarHeader";

```

```

const SidebarFooter = React.forwardRef<HTMLDivElement,
React.ComponentProps<"div">>(>
  ({ className, ...props }, ref) => {
    return (
      <div
        ref={ref}
        data-sidebar="footer"
        className={cn("flex flex-col gap-2 p-2", className)}
        {...props}
      />
    );
  },
);
SidebarFooter.displayName = "SidebarFooter";

```

```

const SidebarSeparator = React.forwardRef<
  React.ElementRef<typeof Separator>,
  React.ComponentProps<typeof Separator>
>(({ className, ...props }, ref) => {
  return (
    <Separator
      ref={ref}
      data-sidebar="separator"
      className={cn("mx-2 w-auto bg-sidebar-border", className)}
      {...props}
    />
  );
});
SidebarSeparator.displayName = "SidebarSeparator";

```

```

const SidebarContent = React.forwardRef<HTMLDivElement,
React.ComponentProps<"div">>(>
  ({ className, ...props }, ref) => {
    return (
      <div
        ref={ref}
        data-sidebar="content"
        className={cn(
          "flex min-h-0 flex-1 flex-col gap-2 overflow-auto
group-data-[collapsible=icon]:overflow-hidden",
          className,
        )}
        {...props}
      />
    );
  },
);

```

```

    />
  );
},
);
SidebarContent.displayName = "SidebarContent";

const SidebarGroup = React.forwardRef<HTMLDivElement,
React.ComponentProps<"div">>({
  className, ...props }, ref) => {
  return (
    <div
      ref={ref}
      data-sidebar="group"
      className={cn("relative flex w-full min-w-0 flex-col p-2", className)}
      {...props}
    />
  );
},
);
SidebarGroup.displayName = "SidebarGroup";

const SidebarGroupLabel = React.forwardRef<
HTMLDivElement,
React.ComponentProps<"div"> & { asChild?: boolean }
>(({ className, asChild = false, ...props }, ref) => {
  const Comp = asChild ? Slot : "div";

  return (
    <Comp
      ref={ref}
      data-sidebar="group-label"
      className={cn(
        "flex h-8 shrink-0 items-center rounded-md px-2 text-xs font-medium
text-sidebar-foreground/70 outline-none ring-sidebar-ring transition-[margin,opacity]
duration-200 ease-linear focus-visible:ring-2 [&>svg]:size-4 [&>svg]:shrink-0",
        "group-data-[collapsible=icon]:-mt-8 group-data-[collapsible=icon]:opacity-0",
        className,
      )}
      {...props}
    />
  );
});
SidebarGroupLabel.displayName = "SidebarGroupLabel";

const SidebarGroupAction = React.forwardRef<
HTMLButtonElement,
React.ComponentProps<"button"> & { asChild?: boolean }
>(({ className, asChild = false, ...props }, ref) => {

```

```

const Comp = asChild ? Slot : "button";

return (
  <Comp
    ref={ref}
    data-sidebar="group-action"
    className={cn(
      "absolute right-3 top-3.5 flex aspect-square w-5 items-center justify-center rounded-md
p-0 text-sidebar-foreground outline-none ring-sidebar-ring cursor-pointer transition-transform
hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2
[&gt;svg]:size-4 [&gt;svg]:shrink-0",
      // Increases the hit area of the button on mobile.
      "after:absolute after:-inset-2 after:md:hidden",
      "group-data-[collapsible=icon]:hidden",
      className,
    )}
    {...props}
  />
);
});
SidebarGroupAction.displayName = "SidebarGroupAction";

const SidebarGroupContent = React.forwardRef<HTMLDivElement,
React.ComponentProps<"div">>(
  ({ className, ...props }, ref) => (
    <div
      ref={ref}
      data-sidebar="group-content"
      className={cn("w-full text-sm", className)}
      {...props}
    />
  ),
);
SidebarGroupContent.displayName = "SidebarGroupContent";

const SidebarMenu = React.forwardRef<HTMLUListElement,
React.ComponentProps<"ul">>(
  ({ className, ...props }, ref) => (
    <ul
      ref={ref}
      data-sidebar="menu"
      className={cn("flex w-full min-w-0 flex-col gap-1", className)}
      {...props}
    />
  ),
);
SidebarMenu.displayName = "SidebarMenu";

```

```

const SidebarMenuItem = React.forwardRef<HTMLLIElement,
React.ComponentProps<"li">>(
  ({ className, ...props }, ref) => (
    <li
      ref={ref}
      data-sidebar="menu-item"
      className={cn("group/menu-item relative", className)}
      {...props}
    />
  ),
);
SidebarMenuItem.displayName = "SidebarMenuItem";

```

```

const sidebarMenuButtonVariants = cva(
  "peer/menu-button flex w-full items-center gap-2 overflow-hidden rounded-md p-2 text-left
text-sm outline-none ring-sidebar-ring cursor-pointer transition-[width,height,padding]
hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2
active:bg-sidebar-accent active:text-sidebar-accent-foreground disabled:pointer-events-none
disabled:opacity-50 disabled:cursor-not-allowed
group-has-[[data-sidebar=menu-action]]/menu-item:pr-8 aria-disabled:pointer-events-none
aria-disabled:opacity-50 data-[active=true]:bg-sidebar-accent data-[active=true]:font-medium
data-[active=true]:text-sidebar-accent-foreground data-[state=open]:hover:bg-sidebar-accent
data-[state=open]:hover:text-sidebar-accent-foreground group-data-[collapsible=icon]:!size-8
group-data-[collapsible=icon]:!p-2 [&>span:last-child]:truncate [&>svg]:size-4
[&>svg]:shrink-0",
  {
    variants: {
      variant: {
        default: "hover:bg-sidebar-accent hover:text-sidebar-accent-foreground",
        outline:
          "bg-background shadow-[0_0_0_1px_var(--sidebar-border)] hover:bg-sidebar-accent
hover:text-sidebar-accent-foreground hover:shadow-[0_0_0_1px_var(--sidebar-accent)]",
      },
      size: {
        default: "h-8 text-sm",
        sm: "h-7 text-xs",
        lg: "h-12 text-sm group-data-[collapsible=icon]:!p-0",
      },
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  },
);

```

```

const SidebarMenuButton = React.forwardRef<
HTMLButtonElement,

```

```

React.ComponentProps<"button"> & {
  asChild?: boolean;
  isActive?: boolean;
  tooltip?: string | React.ComponentProps<typeof TooltipContent>;
} & VariantProps<typeof sidebarMenuButtonVariants>
>(
  (
    {
      asChild = false,
      isActive = false,
      variant = "default",
      size = "default",
      tooltip,
      className,
      ...props
    },
    ref,
  ) => {
    const Comp = asChild ? Slot : "button";
    const { isMobile, state } = useSidebar();

    const button = (
      <Comp
        ref={ref}
        data-sidebar="menu-button"
        data-size={size}
        data-active={isActive}
        className={cn(sidebarMenuButtonVariants({ variant, size }), className)}
        {...props}
      />
    );

    if (!tooltip) {
      return button;
    }

    if (typeof tooltip === "string") {
      tooltip = {
        children: tooltip,
      };
    }

    return (
      <Tooltip>
        <TooltipTrigger asChild>{button}</TooltipTrigger>
        <TooltipContent
          side="right"
          align="center"

```

```

        hidden={state !== "collapsed" || isMobile}
        {...tooltip}
      />
    </Tooltip>
  );
},
);
SidebarMenuButton.displayName = "SidebarMenuButton";

const SidebarMenuAction = React.forwardRef<
  HTMLButtonElement,
  React.ComponentProps<"button"> & {
    asChild?: boolean;
    showOnHover?: boolean;
  }
>(({ className, asChild = false, showOnHover = false, ...props }, ref) => {
  const Comp = asChild ? Slot : "button";

  return (
    <Comp
      ref={ref}
      data-sidebar="menu-action"
      className={cn(
        "absolute right-1 top-1.5 flex aspect-square w-5 items-center justify-center rounded-md
p-0 text-sidebar-foreground outline-none ring-sidebar-ring cursor-pointer transition-transform
hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2
peer-hover/menu-button:text-sidebar-accent-foreground [&gt;svg]:size-4 [&gt;svg]:shrink-0",
        // Increases the hit area of the button on mobile.
        "after:absolute after:-inset-2 after:md:hidden",
        "peer-data-[size=sm]/menu-button:top-1",
        "peer-data-[size=default]/menu-button:top-1.5",
        "peer-data-[size=lg]/menu-button:top-2.5",
        "group-data-[collapsible=icon]:hidden",
        showOnHover &&
        "group-focus-within/menu-item:opacity-100 group-hover/menu-item:opacity-100
data-[state=open]:opacity-100
peer-data-[active=true]/menu-button:text-sidebar-accent-foreground md:opacity-0",
        className,
      )}
      {...props}
    />
  );
});
SidebarMenuAction.displayName = "SidebarMenuAction";

const SidebarMenuBadge = React.forwardRef<HTMLDivElement,
  React.ComponentProps<"div">>(
  ({ className, ...props }, ref) => (

```

```

<div
  ref={ref}
  data-sidebar="menu-badge"
  className={cn(
    "pointer-events-none absolute right-1 flex h-5 min-w-5 select-none items-center
justify-center rounded-md px-1 text-xs font-medium tabular-nums text-sidebar-foreground",
    "peer-hover/menu-button:text-sidebar-accent-foreground
peer-data-[active=true]/menu-button:text-sidebar-accent-foreground",
    "peer-data-[size=sm]/menu-button:top-1",
    "peer-data-[size=default]/menu-button:top-1.5",
    "peer-data-[size=lg]/menu-button:top-2.5",
    "group-data-[collapsible=icon]:hidden",
    className,
  )}
  {...props}
/>
),
);
SidebarMenuBadge.displayName = "SidebarMenuBadge";

```

```

const SidebarMenuSkeleton = React.forwardRef<
  HTMLDivElement,
  React.ComponentProps<"div"> & {
    showIcon?: boolean;
  }
>(({ className, showIcon = false, ...props }, ref) => {
  // Random width between 50 to 90%.
  const width = React.useMemo(() => {
    return `${Math.floor(Math.random() * 40) + 50}%`;
  }, []);

  return (
    <div
      ref={ref}
      data-sidebar="menu-skeleton"
      className={cn("flex h-8 items-center gap-2 rounded-md px-2", className)}
      {...props}
    >
      {showIcon && <Skeleton className="size-4 rounded-md"
data-sidebar="menu-skeleton-icon" />}
      <Skeleton
        className="h-4 max-w-(--skeleton-width) flex-1"
        data-sidebar="menu-skeleton-text"
        style={
          {
            "--skeleton-width": width,
          } as React.CSSProperties
        }
      />
    </div>
  );
});

```

```

    />
  </div>
);
});
SidebarMenuSkeleton.displayName = "SidebarMenuSkeleton";

const SidebarMenuSub = React.forwardRef<HTMLUListElement,
React.ComponentProps<"ul">>(
  ({ className, ...props }, ref) => (
    <ul
      ref={ref}
      data-sidebar="menu-sub"
      className={cn(
        "mx-3.5 flex min-w-0 translate-x-px flex-col gap-1 border-l border-sidebar-border px-2.5
py-0.5",
        "group-data-[collapsible=icon]:hidden",
        className,
      )}
      {...props}
    />
  ),
);
SidebarMenuSub.displayName = "SidebarMenuSub";

const SidebarMenuSubItem = React.forwardRef<HTMLLIElement,
React.ComponentProps<"li">>(
  ({ ...props }, ref) => <li ref={ref} {...props} />,
);
SidebarMenuSubItem.displayName = "SidebarMenuSubItem";

const SidebarMenuSubButton = React.forwardRef<
HTMLAnchorElement,
React.ComponentProps<"a"> & {
  asChild?: boolean;
  size?: "sm" | "md";
  isActive?: boolean;
}
>(({ asChild = false, size = "md", isActive, className, ...props }, ref) => {
  const Comp = asChild ? Slot : "a";

  return (
    <Comp
      ref={ref}
      data-sidebar="menu-sub-button"
      data-size={size}
      data-active={isActive}
      className={cn(

```

```

    "flex h-7 min-w-0 -translate-x-px items-center gap-2 overflow-hidden rounded-md px-2
text-sidebar-foreground outline-none ring-sidebar-ring cursor-pointer
hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2
active:bg-sidebar-accent active:text-sidebar-accent-foreground disabled:pointer-events-none
disabled:opacity-50 disabled:cursor-not-allowed aria-disabled:pointer-events-none
aria-disabled:opacity-50 [>span:last-child]:truncate [>svg]:size-4 [>svg]:shrink-0
[>svg]:text-sidebar-accent-foreground",
    "data-[active=true]:bg-sidebar-accent
data-[active=true]:text-sidebar-accent-foreground",
    size === "sm" && "text-xs",
    size === "md" && "text-sm",
    "group-data-[collapsible=icon]:hidden",
    className,
  )}
  {...props}
/>
);
});
SidebarMenuSubButton.displayName = "SidebarMenuSubButton";

export {
  Sidebar,
  SidebarContent,
  SidebarFooter,
  SidebarGroup,
  SidebarGroupAction,
  SidebarGroupContent,
  SidebarGroupLabel,
  SidebarHeader,
  SidebarInput,
  SidebarInset,
  SidebarMenu,
  SidebarMenuAction,
  SidebarMenuBadge,
  SidebarMenuButton,
  SidebarMenuItem,
  SidebarMenuSkeleton,
  SidebarMenuSub,
  SidebarMenuSubButton,
  SidebarMenuSubItem,
  SidebarProvider,
  SidebarRail,
  SidebarSeparator,
  SidebarTrigger,
  useSidebar,
};

import { cn } from "@lib/utils";

```

```

function Skeleton({ className, ...props }: React.HTMLAttributes<HTMLDivElement>) {
  return <div className={cn("animate-pulse rounded-md bg-primary/10", className)}
    {...props} />;
}

export { Skeleton };

import * as React from "react";
import * as SliderPrimitive from "@radix-ui/react-slider";

import { cn } from "@lib/utls";

const Slider = React.forwardRef<
  React.ElementRef<typeof SliderPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof SliderPrimitive.Root>
>(({ className, ...props }, ref) => (
  <SliderPrimitive.Root
    ref={ref}
    className={cn("relative flex w-full touch-none select-none items-center", className)}
    {...props}
  >
    <SliderPrimitive.Track className="relative h-1.5 w-full grow overflow-hidden rounded-full
bg-primary/20">
      <SliderPrimitive.Range className="absolute h-full bg-primary" />
    </SliderPrimitive.Track>
    <SliderPrimitive.Thumb className="block h-4 w-4 rounded-full border border-primary/50
bg-background shadow transition-colors focus-visible:outline-none focus-visible:ring-1
focus-visible:ring-ring disabled:pointer-events-none disabled:opacity-50" />
    </SliderPrimitive.Root>
  ));
Slider.displayName = SliderPrimitive.Root.displayName;

export { Slider };

import { Toaster as Sonner } from "sonner";

type ToasterProps = React.ComponentProps<typeof Sonner>;

const Toaster = ({ ...props }: ToasterProps) => {
  return (
    <Sonner
      className="toaster group"
      toastOptions={{
        classNames: {
          toast:
            "group toast group-[.toaster]:bg-background group-[.toaster]:text-foreground
group-[.toaster]:border-border group-[.toaster]:shadow-lg",

```

```

        description: "group-[.toast]:text-muted-foreground",
        actionButton: "group-[.toast]:bg-primary group-[.toast]:text-primary-foreground",
        cancelButton: "group-[.toast]:bg-muted group-[.toast]:text-muted-foreground",
      },
    }}
    {...props}
  />
);
};

export { Toaster };

import { Toaster as Sonner } from "sonner";

type ToasterProps = React.ComponentProps<typeof Sonner>;

const Toaster = ({ ...props }: ToasterProps) => {
  return (
    <Sonner
      className="toaster group"
      toastOptions={{
        classNames: {
          toast:
            "group toast group-[.toaster]:bg-background group-[.toaster]:text-foreground
group-[.toaster]:border-border group-[.toaster]:shadow-lg",
          description: "group-[.toast]:text-muted-foreground",
          actionButton: "group-[.toast]:bg-primary group-[.toast]:text-primary-foreground",
          cancelButton: "group-[.toast]:bg-muted group-[.toast]:text-muted-foreground",
        },
      }}
      {...props}
    />
  );
};

export { Toaster };

import * as React from "react";

import { cn } from "@lib/utils";

const Table = React.forwardRef<HTMLTableElement,
React.HTMLAttributes<HTMLTableElement>>(>
  ({ className, ...props }, ref) => (
    <div className="relative w-full overflow-auto">
      <table ref={ref} className={cn("w-full caption-bottom text-sm", className)} {...props} />
    </div>
  ),

```

```

);
Table.displayName = "Table";

const TableHeader = React.forwardRef<
  HTMLTableSectionElement,
  React.HTMLAttributes<HTMLTableSectionElement>
>(({ className, ...props }, ref) => (
  <thead ref={ref} className={cn("[&_tr]:border-b", className)} {...props} />
));
TableHeader.displayName = "TableHeader";

const TableBody = React.forwardRef<
  HTMLTableSectionElement,
  React.HTMLAttributes<HTMLTableSectionElement>
>(({ className, ...props }, ref) => (
  <tbody ref={ref} className={cn("[&_tr:last-child]:border-0", className)} {...props} />
));
TableBody.displayName = "TableBody";

const TableFooter = React.forwardRef<
  HTMLTableSectionElement,
  React.HTMLAttributes<HTMLTableSectionElement>
>(({ className, ...props }, ref) => (
  <tfoot
    ref={ref}
    className={cn("border-t bg-muted/50 font-medium [&>tr]:last:border-b-0", className)}
    {...props}
  />
));
TableFooter.displayName = "TableFooter";

const TableRow = React.forwardRef<HTMLTableRowElement,
  React.HTMLAttributes<HTMLTableRowElement>>(>({
  className, ...props }, ref) => (
    <tr
      ref={ref}
      className={cn(
        "border-b transition-colors hover:bg-muted/50 data-[state=selected]:bg-muted",
        className,
      )}
      {...props}
    />
  ),
);
TableRow.displayName = "TableRow";

const TableHead = React.forwardRef<
  HTMLTableCellElement,

```

```

    React.ThHTMLAttributes<HTMLTableCellElement>
>(({ className, ...props }, ref) => (
  <th
    ref={ref}
    className={cn(
      "h-10 px-2 text-left align-middle font-medium text-muted-foreground
[&:has([role=checkbox]):pr-0 [>[role=checkbox]]:translate-y-[2px]",
      className,
    )}
    {...props}
  />
));
TableHead.displayName = "TableHead";

const TableCell = React.forwardRef<
  HTMLTableCellElement,
  React.TdHTMLAttributes<HTMLTableCellElement>
>(({ className, ...props }, ref) => (
  <td
    ref={ref}
    className={cn(
      "p-2 align-middle [&:has([role=checkbox]):pr-0 [>[role=checkbox]]:translate-y-[2px]",
      className,
    )}
    {...props}
  />
));
TableCell.displayName = "TableCell";

const TableCaption = React.forwardRef<
  HTMLTableCaptionElement,
  React.HTMLAttributes<HTMLTableCaptionElement>
>(({ className, ...props }, ref) => (
  <caption ref={ref} className={cn("mt-4 text-sm text-muted-foreground", className)}
    {...props} />
));
TableCaption.displayName = "TableCaption";

export { Table, TableHeader, TableBody, TableFooter, TableHead, TableRow, TableCell,
TableCaption };

import * as React from "react";
import * as TabsPrimitive from "@radix-ui/react-tabs";

import { cn } from "@lib/utils";

const Tabs = TabsPrimitive.Root;

```

```

const TabsList = React.forwardRef<
  React.ElementRef<typeof TabsPrimitive.List>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.List>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.List
    ref={ref}
    className={cn(
      "inline-flex h-9 items-center justify-center rounded-lg bg-muted p-1
text-muted-foreground",
      className,
    )}
    {...props}
  />
));
TabsList.displayName = TabsPrimitive.List.displayName;

```

```

const TabsTrigger = React.forwardRef<
  React.ElementRef<typeof TabsPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.Trigger>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Trigger
    ref={ref}
    className={cn(
      "inline-flex items-center justify-center whitespace-nowrap rounded-md px-3 py-1 text-sm
font-medium ring-offset-background cursor-pointer transition-all focus-visible:outline-none
focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2
disabled:pointer-events-none disabled:opacity-50 disabled:cursor-not-allowed
data-[state=active]:bg-background data-[state=active]:text-foreground
data-[state=active]:shadow",
      className,
    )}
    {...props}
  />
));
TabsTrigger.displayName = TabsPrimitive.Trigger.displayName;

```

```

const TabsContent = React.forwardRef<
  React.ElementRef<typeof TabsPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.Content>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Content
    ref={ref}
    className={cn(
      "mt-2 ring-offset-background focus-visible:outline-none focus-visible:ring-2
focus-visible:ring-ring focus-visible:ring-offset-2",
      className,
    )}
    {...props}
  />
));

```

```

    />
  ));
  TabsContent.displayName = TabsPrimitive.Content.displayName;

export { Tabs, TabsList, TabsTrigger, TabsContent };

import * as React from "react";

import { cn } from "@lib/utils";

const Textarea = React.forwardRef<HTMLTextAreaElement,
React.ComponentProps<"textarea">>(>
  ({ className, ...props }, ref) => {
    return (
      <textarea
        className={cn(
          "flex min-h-[60px] w-full rounded-md border border-input bg-transparent px-3 py-2
text-base shadow-sm placeholder:text-muted-foreground focus-visible:outline-none
focus-visible:ring-1 focus-visible:ring-ring disabled:cursor-not-allowed disabled:opacity-50
md:text-sm",
          className,
        )}
        ref={ref}
        {...props}
      />
    );
  },
);
Textarea.displayName = "Textarea";

export { Textarea };

"use client";

import * as React from "react";
import * as ToggleGroupPrimitive from "@radix-ui/react-toggle-group";
import { type VariantProps } from "class-variance-authority";

import { cn } from "@lib/utils";
import { toggleVariants } from "@components/ui/toggle";

const ToggleGroupContext = React.createContext<VariantProps<typeof toggleVariants>>(>({
  size: "default",
  variant: "default",
}));

const ToggleGroup = React.forwardRef<
  React.ElementRef<typeof ToggleGroupPrimitive.Root>,

```

```

    React.ComponentPropsWithoutRef<typeof ToggleGroupPrimitive.Root> &
    VariantProps<typeof toggleVariants>
  >(({ className, variant, size, children, ...props }, ref) => (
    <ToggleGroupPrimitive.Root
      ref={ref}
      className={cn("flex items-center justify-center gap-1", className)}
      {...props}
    >
      <ToggleGroupContext.Provider value={{ variant, size
    }}>{children}</ToggleGroupContext.Provider>
    </ToggleGroupPrimitive.Root>
  ));

```

```

ToggleGroup.displayName = ToggleGroupPrimitive.Root.displayName;

```

```

const ToggleGroupItem = React.forwardRef<
  React.ElementRef<typeof ToggleGroupPrimitive.Item>,
  React.ComponentPropsWithoutRef<typeof ToggleGroupPrimitive.Item> &
  VariantProps<typeof toggleVariants>
>(({ className, children, variant, size, ...props }, ref) => {
  const context = React.useContext(ToggleGroupContext);

  return (
    <ToggleGroupPrimitive.Item
      ref={ref}
      className={cn(
        toggleVariants({
          variant: context.variant || variant,
          size: context.size || size,
        }),
        className,
      )}
      {...props}
    >
      {children}
    </ToggleGroupPrimitive.Item>
  );
});

```

```

ToggleGroupItem.displayName = ToggleGroupPrimitive.Item.displayName;

```

```

export { ToggleGroup, ToggleGroupItem };

```

```

import * as React from "react";
import * as TogglePrimitive from "@radix-ui/react-toggle";
import { cva, type VariantProps } from "class-variance-authority";

import { cn } from "@lib/Utils";

```

```

const toggleVariants = cva(
  "inline-flex items-center justify-center gap-2 rounded-md text-sm font-medium
  cursor-pointer transition-colors hover:bg-muted hover:text-muted-foreground
  focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring
  disabled:pointer-events-none disabled:opacity-50 disabled:cursor-not-allowed
  data-[state=on]:bg-accent data-[state=on]:text-accent-foreground
  [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
  {
    variants: {
      variant: {
        default: "bg-transparent",
        outline:
          "border border-input bg-transparent shadow-sm hover:bg-accent
          hover:text-accent-foreground",
      },
      size: {
        default: "h-9 px-2 min-w-9",
        sm: "h-8 px-1.5 min-w-8",
        lg: "h-10 px-2.5 min-w-10",
      },
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  },
);

const Toggle = React.forwardRef<
  React.ElementRef<typeof TogglePrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof TogglePrimitive.Root> & VariantProps<typeof
toggleVariants>
>(({ className, variant, size, ...props }, ref) => (
  <TogglePrimitive.Root
    ref={ref}
    className={cn(toggleVariants({ variant, size, className })}
    {...props}
  />
));

Toggle.displayName = TogglePrimitive.Root.displayName;

export { Toggle, toggleVariants };

"use client";

import * as React from "react";

```

```

import * as TooltipPrimitive from "@radix-ui/react-tooltip";

import { cn } from "@lib/utls";

const TooltipProvider = TooltipPrimitive.Provider;

const Tooltip = TooltipPrimitive.Root;

const TooltipTrigger = TooltipPrimitive.Trigger;

const TooltipContent = React.forwardRef<
  React.ElementRef<typeof TooltipPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof TooltipPrimitive.Content>
>(({ className, sideOffset = 4, ...props }, ref) => (
  <TooltipPrimitive.Portal>
    <TooltipPrimitive.Content
      ref={ref}
      sideOffset={sideOffset}
      className={cn(
        "z-50 overflow-hidden rounded-md bg-primary px-3 py-1.5 text-xs
text-primary-foreground animate-in fade-in-0 zoom-in-95 data-[state=closed]:animate-out
data-[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2
data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2
origin(--radix-tooltip-content-transform-origin)",
        className,
      )}
      {...props}
    />
  </TooltipPrimitive.Portal>
));
TooltipContent.displayName = TooltipPrimitive.Content.displayName;

export { Tooltip, TooltipTrigger, TooltipContent, TooltipProvider };

export function Footer() {
  return (
    <footer className="border-t border-border/60 mt-auto">
      <div className="max-w-6xl mx-auto px-6 py-10 text-center">
        <p
          className="text-lg italic text-muted-foreground"
          style={{ fontFamily: "var(--font-serif)" }}
        >
          Check out these{" "}
          <a
            href="https://payhip.com/Improvlife"
            target="_blank"
            rel="noopener noreferrer"

```

```
        className="text-foreground underline decoration-foreground/30 underline-offset-4
hover:decoration-foreground transition"
```

```
    >
    Notion templates
  </a>
</p>
</div>
</footer>
```

```
);
}
import * as React from "react";
```

```
const MOBILE_BREAKPOINT = 768;
```

```
export function useIsMobile() {
  const [isMobile, setIsMobile] = React.useState<boolean | undefined>(undefined);

  React.useEffect(() => {
    const mql = window.matchMedia(`(max-width: ${MOBILE_BREAKPOINT - 1}px)`);
    const onChange = () => {
      setIsMobile(window.innerWidth < MOBILE_BREAKPOINT);
    };
    mql.addEventListener("change", onChange);
    setIsMobile(window.innerWidth < MOBILE_BREAKPOINT);
    return () => mql.removeEventListener("change", onChange);
  }, []);

  return !!isMobile;
}
```

```
import { useEffect, useState } from "react";
import type { User } from "@supabase/supabase-js";
import { supabase } from "@integrations/supabase/client";
```

```
export function useAuth() {
  const [user, setUser] = useState<User | null>(null);
  const [loading, setLoading] = useState(true);

  useEffect(() => {
    supabase.auth.getSession().then(({ data }) => {
      setUser(data.session?.user ?? null);
      setLoading(false);
    });
    const { data: sub } = supabase.auth.onAuthStateChange((_e, session) => {
      setUser(session?.user ?? null);
    });
    return () => sub.subscription.unsubscribe();
  }, []);
```

```
    return { user, loading };
}
```

```
export const ADMIN_EMAIL = "sophie@schumacher.plus";
// This file is automatically generated. Do not edit it directly.
import { createMiddleware } from '@tanstack/react-start'
import { supabase } from './client'
```

```
// Must be registered as a global `functionMiddleware` in `src/start.ts`; otherwise
// the browser never attaches the bearer token to serverFn RPCs.
export const attachSupabaseAuth = createMiddleware({ type: 'function' }).client(
  async ({ next }) => {
    const { data } = await supabase.auth.getSession()
    const token = data.session?.access_token
    return next({
      headers: token ? { Authorization: `Bearer ${token}` } : {},
    })
  },
)
```

```
// This file is automatically generated. Do not edit it directly.
import { createMiddleware } from '@tanstack/react-start'
import { getRequest } from '@tanstack/react-start/server'
import { createClient } from '@supabase/supabase-js'
import type { Database } from './types'
```

```
function isNewSupabaseApiKey(value: string): boolean {
  return value.startsWith('sb_publishable_') || value.startsWith('sb_secret_');
}
```

```
function createSupabaseFetch(supabaseKey: string): typeof fetch {
  return (input, init) => {
    const headers = new Headers(
      typeof Request !== 'undefined' && input instanceof Request ? input.headers : undefined,
    );

    if (init?.headers) {
      new Headers(init.headers).forEach((value, key) => headers.set(key, value));
    }
  }
}
```

```
// New Supabase API keys are opaque strings, not bearer JWTs.
if (isNewSupabaseApiKey(supabaseKey) && headers.get('Authorization') === `Bearer
${supabaseKey}`) {
  headers.delete('Authorization');
}
```

```

    headers.set('apikey', supabaseKey);
    return fetch(input, { ...init, headers });
  };
}

export const requireSupabaseAuth = createMiddleware({ type: 'function' }).server(
  async ({ next }) => {

    const SUPABASE_URL = process.env.SUPABASE_URL;
    const SUPABASE_PUBLISHABLE_KEY =
process.env.SUPABASE_PUBLISHABLE_KEY;

    if (!SUPABASE_URL || !SUPABASE_PUBLISHABLE_KEY) {
      const missing = [
        ...(SUPABASE_URL ? ['SUPABASE_URL'] : []),
        ...(SUPABASE_PUBLISHABLE_KEY ? ['SUPABASE_PUBLISHABLE_KEY'] : []),
      ];
      const message = `Missing Supabase environment variable(s): ${missing.join(', ')}.
Connect Supabase in Lovable Cloud.`;
      console.error(`[Supabase] ${message}`);
      throw new Error(message);
    }

    const request = getRequest();

    if (!request?.headers) {
      throw new Error('Unauthorized: No request headers available');
    }

    const authHeader = request.headers.get('authorization');

    if (!authHeader) {
      throw new Error('Unauthorized: No authorization header provided');
    }

    if (!authHeader.startsWith('Bearer ')) {
      throw new Error('Unauthorized: Only Bearer tokens are supported');
    }

    const token = authHeader.replace('Bearer ', '');
    if (!token) {
      throw new Error('Unauthorized: No token provided');
    }

    if (token.split('.').length !== 3) {
      throw new Error('Unauthorized: Invalid token');
    }
  }

```

```

const supabase = createClient<Database>(
  SUPABASE_URL!,
  SUPABASE_PUBLISHABLE_KEY!,
  {
    global: {
      fetch: createSupabaseFetch(SUPABASE_PUBLISHABLE_KEY!),
      headers: {
        Authorization: `Bearer ${token}`,
      },
    },
    auth: {
      storage: undefined,
      persistSession: false,
      autoRefreshToken: false,
    },
  }
);

const { data, error } = await supabase.auth.getClaims(token);
if (error || !data?.claims) {
  throw new Error('Unauthorized: Invalid token');
}

if (!data.claims.sub) {
  throw new Error('Unauthorized: No user ID found in token');
}

return next({
  context: {
    supabase,
    userId: data.claims.sub,
    claims: data.claims,
  },
});
},
);

// This file is automatically generated. Do not edit it directly.
// Server-side Supabase client with service role key - bypasses RLS.
// Use this for admin operations in server functions and server routes only.
// For user-authenticated queries (with RLS), use the auth middleware instead.
import { createClient } from '@supabase/supabase-js';
import type { Database } from './types';

function isNewSupabaseApiKey(value: string): boolean {
  return value.startsWith('sb_publishable_') || value.startsWith('sb_secret_');
}

```

```

function createSupabaseFetch(supabaseKey: string): typeof fetch {
  return (input, init) => {
    const headers = new Headers(
      typeof Request !== 'undefined' && input instanceof Request ? input.headers : undefined,
    );

    if (init?.headers) {
      new Headers(init.headers).forEach((value, key) => headers.set(key, value));
    }

    // New Supabase API keys are opaque strings, not bearer JWTs.
    if (isNewSupabaseApiKey(supabaseKey) && headers.get('Authorization') === `Bearer
    ${supabaseKey}`) {
      headers.delete('Authorization');
    }

    headers.set('apikey', supabaseKey);
    return fetch(input, { ...init, headers });
  };
}

```

```

function createSupabaseAdminClient() {
  const SUPABASE_URL = process.env.SUPABASE_URL;
  const SUPABASE_SERVICE_ROLE_KEY =
  process.env.SUPABASE_SERVICE_ROLE_KEY;

  if (!SUPABASE_URL || !SUPABASE_SERVICE_ROLE_KEY) {
    const missing = [
      ...(!SUPABASE_URL ? ['SUPABASE_URL'] : []),
      ...(!SUPABASE_SERVICE_ROLE_KEY ? ['SUPABASE_SERVICE_ROLE_KEY'] : []),
    ];
    const message = `Missing Supabase environment variable(s): ${missing.join(', ')}.
    Connect Supabase in Lovable Cloud.`;
    console.error(`[Supabase] ${message}`);
    throw new Error(message);
  }

  return createClient<Database>(SUPABASE_URL, SUPABASE_SERVICE_ROLE_KEY, {
    global: {
      fetch: createSupabaseFetch(SUPABASE_SERVICE_ROLE_KEY),
    },
    auth: {
      storage: undefined,
      persistSession: false,
      autoRefreshToken: false,
    }
  });
}

```

```
}
```

```
let _supabaseAdmin: ReturnType<typeof createSupabaseAdminClient> | undefined;
```

```
// Server-side Supabase client with service role - bypasses RLS
```

```
// SECURITY: Only use this for trusted server-side operations, never expose to client code
```

```
// Load inside server handlers: const { supabaseAdmin } = await
```

```
import("@/integrations/supabase/client.server");
```

```
// Top-level import is safe only in other .server.ts modules - route files and *.functions.ts ship  
to the client bundle.
```

```
export const supabaseAdmin = new Proxy({} as ReturnType<typeof
```

```
createSupabaseAdminClient>, {
```

```
  get(_, prop, receiver) {
```

```
    if (!_supabaseAdmin) _supabaseAdmin = createSupabaseAdminClient();
```

```
    return Reflect.get(_supabaseAdmin, prop, receiver);
```

```
  },
```

```
});
```

```
// This file is automatically generated. Do not edit it directly.
```

```
import { createClient } from '@supabase/supabase-js';
```

```
import type { Database } from './types';
```

```
function isNewSupabaseApiKey(value: string): boolean {
```

```
  return value.startsWith('sb_publishable_') || value.startsWith('sb_secret_');
```

```
}
```

```
function createSupabaseFetch(supabaseKey: string): typeof fetch {
```

```
  return (input, init) => {
```

```
    const headers = new Headers(
```

```
      typeof Request !== 'undefined' && input instanceof Request ? input.headers : undefined,
```

```
    );
```

```
    if (init?.headers) {
```

```
      new Headers(init.headers).forEach((value, key) => headers.set(key, value));
```

```
    }
```

```
    // New Supabase API keys are opaque strings, not bearer JWTs.
```

```
    if (isNewSupabaseApiKey(supabaseKey) && headers.get('Authorization') === `Bearer  
${supabaseKey}`) {
```

```
      headers.delete('Authorization');
```

```
    }
```

```
    headers.set('apikey', supabaseKey);
```

```
    return fetch(input, { ...init, headers });
```

```
  };
```

```
}
```

```

function createSupabaseClient() {
  // Use import.meta.env for client-side (Vite build-time replacement)
  // Fall back to process.env for SSR (server-side rendering)
  const SUPABASE_URL = import.meta.env.VITE_SUPABASE_URL ||
process.env.SUPABASE_URL;
  const SUPABASE_PUBLISHABLE_KEY =
import.meta.env.VITE_SUPABASE_PUBLISHABLE_KEY ||
process.env.SUPABASE_PUBLISHABLE_KEY;

  if (!SUPABASE_URL || !SUPABASE_PUBLISHABLE_KEY) {
    const missing = [
      ...(SUPABASE_URL ? ['SUPABASE_URL'] : []),
      ...(SUPABASE_PUBLISHABLE_KEY ? ['SUPABASE_PUBLISHABLE_KEY'] : []),
    ];
    const message = `Missing Supabase environment variable(s): ${missing.join(', ')}.
Connect Supabase in Lovable Cloud.`;
    console.error(`[Supabase] ${message}`);
    throw new Error(message);
  }

  return createClient<Database>(SUPABASE_URL, SUPABASE_PUBLISHABLE_KEY, {
    global: {
      fetch: createSupabaseFetch(SUPABASE_PUBLISHABLE_KEY),
    },
    auth: {
      storage: typeof window !== 'undefined' ? localStorage : undefined,
      persistSession: true,
      autoRefreshToken: true,
    }
  });
}

let _supabase: ReturnType<typeof createSupabaseClient> | undefined;

// Import the supabase client like this:
// import { supabase } from "@integrations/supabase/client";
export const supabase = new Proxy({} as ReturnType<typeof createSupabaseClient>, {
  get(_, prop, receiver) {
    if (!_supabase) _supabase = createSupabaseClient();
    return Reflect.get(_supabase, prop, receiver);
  },
});

export type Json =
  | string
  | number
  | boolean
  | null

```

```
| { [key: string]: Json | undefined }  
| Json[]
```

```
export type Database = {  
  // Allows to automatically instantiate createClient with right options  
  // instead of createClient<Database, { PostgrestVersion: 'XX' }>(URL, KEY)  
  __InternalSupabase: {  
    PostgrestVersion: "14.5"  
  }  
  public: {  
    Tables: {  
      widgets: {  
        Row: {  
          created_at: string  
          html: string  
          id: string  
          name: string  
          thumbnail_url: string | null  
        }  
        Insert: {  
          created_at?: string  
          html: string  
          id?: string  
          name: string  
          thumbnail_url?: string | null  
        }  
        Update: {  
          created_at?: string  
          html?: string  
          id?: string  
          name?: string  
          thumbnail_url?: string | null  
        }  
        Relationships: []  
      }  
    }  
    Views: {  
      [_ in never]: never  
    }  
    Functions: {  
      [_ in never]: never  
    }  
    Enums: {  
      [_ in never]: never  
    }  
    CompositeTypes: {  
      [_ in never]: never  
    }  
  }  
}
```

```
}  
}
```

```
type DatabaseWithoutInternals = Omit<Database, "__InternalSupabase">
```

```
type DefaultSchema = DatabaseWithoutInternals[Extract<keyof Database, "public">]
```

```
export type Tables<
```

```
  DefaultSchemaTableNameOrOptions extends
```

```
    | keyof (DefaultSchema["Tables"] & DefaultSchema["Views"])
```

```
    | { schema: keyof DatabaseWithoutInternals },
```

```
  TableName extends DefaultSchemaTableNameOrOptions extends {
```

```
    schema: keyof DatabaseWithoutInternals
```

```
  }  
  ? keyof
```

```
(DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Tables"] &
```

```
  DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Views"])
```

```
  : never = never,
```

```
> = DefaultSchemaTableNameOrOptions extends {
```

```
  schema: keyof DatabaseWithoutInternals
```

```
}  
  ? (DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Tables"] &
```

```
DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Views"])[TableN  
ame] extends {
```

```
  Row: infer R
```

```
}  
  ? R
```

```
  : never
```

```
: DefaultSchemaTableNameOrOptions extends keyof (DefaultSchema["Tables"] &  
  DefaultSchema["Views"])
```

```
  ? (DefaultSchema["Tables"] &
```

```
    DefaultSchema["Views"])[DefaultSchemaTableNameOrOptions] extends {
```

```
  Row: infer R
```

```
}  
  ? R
```

```
  : never
```

```
  : never
```

```
export type TablesInsert<
```

```
  DefaultSchemaTableNameOrOptions extends
```

```
    | keyof DefaultSchema["Tables"]
```

```
    | { schema: keyof DatabaseWithoutInternals },
```

```
  TableName extends DefaultSchemaTableNameOrOptions extends {
```

```
    schema: keyof DatabaseWithoutInternals
```

```
  }  
  ? keyof
```

```
DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Tables"]
```

```

    : never = never,
  > = DefaultSchemaTableNameOrOptions extends {
    schema: keyof DatabaseWithoutInternals
  }
  ?
DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Tables"][TableName] extends {
  Insert: infer I
}
? I
: never
: DefaultSchemaTableNameOrOptions extends keyof DefaultSchema["Tables"]
  ? DefaultSchema["Tables"][DefaultSchemaTableNameOrOptions] extends {
    Insert: infer I
  }
  ? I
  : never
: never

```

```

export type TablesUpdate<
  DefaultSchemaTableNameOrOptions extends
    | keyof DefaultSchema["Tables"]
    | { schema: keyof DatabaseWithoutInternals },
  TableName extends DefaultSchemaTableNameOrOptions extends {
    schema: keyof DatabaseWithoutInternals
  }
    ? keyof
DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Tables"]
    : never = never,
  > = DefaultSchemaTableNameOrOptions extends {
    schema: keyof DatabaseWithoutInternals
  }
  ?
DatabaseWithoutInternals[DefaultSchemaTableNameOrOptions["schema"]]["Tables"][TableName] extends {
  Update: infer U
}
? U
: never
: DefaultSchemaTableNameOrOptions extends keyof DefaultSchema["Tables"]
  ? DefaultSchema["Tables"][DefaultSchemaTableNameOrOptions] extends {
    Update: infer U
  }
  ? U
  : never
: never

```

```

export type Enums<

```

```

DefaultSchemaEnumNameOrOptions extends
  | keyof DefaultSchema["Enums"]
  | { schema: keyof DatabaseWithoutInternals },
EnumName extends DefaultSchemaEnumNameOrOptions extends {
  schema: keyof DatabaseWithoutInternals
}
? keyof
DatabaseWithoutInternals[DefaultSchemaEnumNameOrOptions["schema"]]["Enums"]
: never = never,
> = DefaultSchemaEnumNameOrOptions extends {
  schema: keyof DatabaseWithoutInternals
}
?
DatabaseWithoutInternals[DefaultSchemaEnumNameOrOptions["schema"]]["Enums"][Enum
Name]
: DefaultSchemaEnumNameOrOptions extends keyof DefaultSchema["Enums"]
? DefaultSchema["Enums"][DefaultSchemaEnumNameOrOptions]
: never

export type CompositeTypes<
  PublicCompositeTypeNameOrOptions extends
    | keyof DefaultSchema["CompositeTypes"]
    | { schema: keyof DatabaseWithoutInternals },
  CompositeTypeName extends PublicCompositeTypeNameOrOptions extends {
    schema: keyof DatabaseWithoutInternals
  }
  ? keyof
DatabaseWithoutInternals[PublicCompositeTypeNameOrOptions["schema"]]["CompositeTyp
es"]
: never = never,
> = PublicCompositeTypeNameOrOptions extends {
  schema: keyof DatabaseWithoutInternals
}
?
DatabaseWithoutInternals[PublicCompositeTypeNameOrOptions["schema"]]["CompositeTyp
es"][CompositeTypeName]
: PublicCompositeTypeNameOrOptions extends keyof DefaultSchema["CompositeTypes"]
? DefaultSchema["CompositeTypes"][PublicCompositeTypeNameOrOptions]
: never

export const Constants = {
  public: {
    Enums: {},
  },
} as const

// Captures the original Error out-of-band so server.ts can recover the stack
// when h3 has already swallowed the throw into a generic 500 Response.

```

```
let lastCapturedError: { error: unknown; at: number } | undefined;
const TTL_MS = 5_000;
```

```
function record(error: unknown) {
  lastCapturedError = { error, at: Date.now() };
}
```

```
if (typeof globalThis.addEventListener === "function") {
  globalThis.addEventListener("error", (event) => record((event as ErrorEvent).error ??
event));
  globalThis.addEventListener("unhandledrejection", (event) =>
    record((event as PromiseRejectionEvent).reason),
  );
}
```

```
export function consumeLastCapturedError(): unknown {
  if (!lastCapturedError) return undefined;
  if (Date.now() - lastCapturedError.at > TTL_MS) {
    lastCapturedError = undefined;
    return undefined;
  }
  const { error } = lastCapturedError;
  lastCapturedError = undefined;
  return error;
}
```

```
// Captures the original Error out-of-band so server.ts can recover the stack
// when h3 has already swallowed the throw into a generic 500 Response.
```

```
let lastCapturedError: { error: unknown; at: number } | undefined;
const TTL_MS = 5_000;
```

```
function record(error: unknown) {
  lastCapturedError = { error, at: Date.now() };
}
```

```
if (typeof globalThis.addEventListener === "function") {
  globalThis.addEventListener("error", (event) => record((event as ErrorEvent).error ??
event));
  globalThis.addEventListener("unhandledrejection", (event) =>
    record((event as PromiseRejectionEvent).reason),
  );
}
```

```
export function consumeLastCapturedError(): unknown {
  if (!lastCapturedError) return undefined;
  if (Date.now() - lastCapturedError.at > TTL_MS) {
```

```

    lastCapturedError = undefined;
    return undefined;
  }
  const { error } = lastCapturedError;
  lastCapturedError = undefined;
  return error;
}

// Captures the original Error out-of-band so server.ts can recover the stack
// when h3 has already swallowed the throw into a generic 500 Response.

let lastCapturedError: { error: unknown; at: number } | undefined;
const TTL_MS = 5_000;

function record(error: unknown) {
  lastCapturedError = { error, at: Date.now() };
}

if (typeof globalThis.addEventListener === "function") {
  globalThis.addEventListener("error", (event) => record((event as ErrorEvent).error ??
event));
  globalThis.addEventListener("unhandledrejection", (event) =>
    record((event as PromiseRejectionEvent).reason),
  );
}

export function consumeLastCapturedError(): unknown {
  if (!lastCapturedError) return undefined;
  if (Date.now() - lastCapturedError.at > TTL_MS) {
    lastCapturedError = undefined;
    return undefined;
  }
  const { error } = lastCapturedError;
  lastCapturedError = undefined;
  return error;
}

// Captures the original Error out-of-band so server.ts can recover the stack
// when h3 has already swallowed the throw into a generic 500 Response.

let lastCapturedError: { error: unknown; at: number } | undefined;
const TTL_MS = 5_000;

function record(error: unknown) {
  lastCapturedError = { error, at: Date.now() };
}

if (typeof globalThis.addEventListener === "function") {

```

```

    globalThis.addEventListener("error", (event) => record((event as ErrorEvent).error ??
event));
    globalThis.addEventListener("unhandledrejection", (event) =>
    record((event as PromiseRejectionEvent).reason),
    );
}

```

```

export function consumeLastCapturedError(): unknown {
  if (!lastCapturedError) return undefined;
  if (Date.now() - lastCapturedError.at > TTL_MS) {
    lastCapturedError = undefined;
    return undefined;
  }
  const { error } = lastCapturedError;
  lastCapturedError = undefined;
  return error;
}

```

```

import { QueryClient, QueryClientProvider } from "@tanstack/react-query";
import {
  Outlet,
  Link,
  createRootRouteWithContext,
  useRouter,
  HeadContent,
  Scripts,
} from "@tanstack/react-router";
import { useEffect, type ReactNode } from "react";

```

```

import appCss from "../styles.css?url";
import { reportLovableError } from "../lib/lovable-error-reporting";

```

```

function NotFoundComponent() {
  return (
    <div className="flex min-h-screen items-center justify-center bg-background px-4">
      <div className="max-w-md text-center">
        <h1 className="text-7xl font-bold text-foreground">404</h1>
        <h2 className="mt-4 text-xl font-semibold text-foreground">Page not found</h2>
        <p className="mt-2 text-sm text-muted-foreground">
          The page you're looking for doesn't exist or has been moved.
        </p>
        <div className="mt-6">
          <Link
            to="/"
            className="inline-flex items-center justify-center rounded-md bg-primary px-4 py-2
text-sm font-medium text-primary-foreground transition-colors hover:bg-primary/90"
          >
            Go home

```

```

        </Link>
      </div>
    </div>
  </div>
);
}

```

```

function ErrorComponent({ error, reset }: { error: Error; reset: () => void }) {
  console.error(error);
  const router = useRouter();
  useEffect(() => {
    reportLovableError(error, { boundary: "tanstack_root_error_component" });
  }, [error]);

  return (
    <div className="flex min-h-screen items-center justify-center bg-background px-4">
      <div className="max-w-md text-center">
        <h1 className="text-xl font-semibold tracking-tight text-foreground">
          This page didn't load
        </h1>
        <p className="mt-2 text-sm text-muted-foreground">
          Something went wrong on our end. You can try refreshing or head back home.
        </p>
        <div className="mt-6 flex flex-wrap justify-center gap-2">
          <button
            onClick={() => {
              router.invalidate();
              reset();
            }}
            className="inline-flex items-center justify-center rounded-md bg-primary px-4 py-2
text-sm font-medium text-primary-foreground transition-colors hover:bg-primary/90"
          >
            Try again
          </button>
          <a
            href="/"
            className="inline-flex items-center justify-center rounded-md border border-input
bg-background px-4 py-2 text-sm font-medium text-foreground transition-colors
hover:bg-accent"
          >
            Go home
          </a>
        </div>
      </div>
    </div>
  );
}

```

```

export const Route = createRootRouteWithContext<{ queryClient: QueryClient }>()({
  head: () => ({
    meta: [
      { charSet: "utf-8" },
      { name: "viewport", content: "width=device-width, initial-scale=1" },
      { title: "Widgetry — Notion Widget Creator" },
      { name: "description", content: "Design, preview, and embed beautiful Notion widgets. Paste HTML, publish a shareable embed URL." },
      { property: "og:title", content: "Widgetry — Notion Widget Creator" },
      { property: "og:description", content: "Design, preview, and embed beautiful Notion widgets. Paste HTML, publish a shareable embed URL." },
      { property: "og:type", content: "website" },
      { name: "twitter:card", content: "summary_large_image" },
      { name: "twitter:title", content: "Widgetry — Notion Widget Creator" },
      { name: "twitter:description", content: "Design, preview, and embed beautiful Notion widgets. Paste HTML, publish a shareable embed URL." },
      { property: "og:image", content:
"https://pub-bb2e103a32db4e198524a2e9ed8f35b4.r2.dev/6f0d1707-f727-48a8-b08f-b6b30135611d/id-preview-0c708aa4--4e70a0d5-fec3-4640-b466-16a36199912a.lovable.app-1784083123638.png" },
      { name: "twitter:image", content:
"https://pub-bb2e103a32db4e198524a2e9ed8f35b4.r2.dev/6f0d1707-f727-48a8-b08f-b6b30135611d/id-preview-0c708aa4--4e70a0d5-fec3-4640-b466-16a36199912a.lovable.app-1784083123638.png" },
    ],
    links: [
      {
        rel: "stylesheet",
        href: appCss,
      },
      { rel: "preconnect", href: "https://fonts.googleapis.com" },
      { rel: "preconnect", href: "https://fonts.gstatic.com", crossOrigin: "anonymous" },
      { rel: "stylesheet", href:
"https://fonts.googleapis.com/css2?family=Cormorant+Garamond:ital,wght@0,400;0,500;0,600;1,400&family=Inter:wght@400;500;600&display=swap" },
      { rel: "icon", href: "/favicon.ico", type: "image/x-icon" },
    ],
  }),
  shellComponent: RootShell,
  component: RootComponent,
  notFoundComponent: NotFoundComponent,
  errorComponent: ErrorComponent,
});

function RootShell({ children }: { children: ReactNode }) {
  return (
    <html lang="en">
      <head>

```

```

        <HeadContent />
    </head>
    <body>
        {children}
        <Scripts />
    </body>
</html>
);
}

function RootComponent() {
    const { queryClient } = Route.useRouteContext();

    return (
        <QueryClientProvider client={queryClient}>
            { /* Required: nested routes render here. Removing <Outlet /> breaks all child routes. */ }
            <Outlet />
        </QueryClientProvider>
    );
}

```

```

import { createFileRoute, useNavigate, Link } from "@tanstack/react-router";
import { useState } from "react";
import { supabase } from "@integrations/supabase/client";

export const Route = createFileRoute("/auth")({
    component: AuthPage,
});

```

```

function AuthPage() {
    const navigate = useNavigate();
    const [email, setEmail] = useState("");
    const [password, setPassword] = useState("");
    const [error, setError] = useState<string | null>(null);
    const [busy, setBusy] = useState(false);
    const [mode, setMode] = useState<"signin" | "signup">("signin");
    const [notice, setNotice] = useState<string | null>(null);

    async function handleSubmit(e: React.FormEvent) {
        e.preventDefault();
        setBusy(true);
        setError(null);
        setNotice(null);
        if (mode === "signup") {
            const { error } = await supabase.auth.signUp({ email, password });
            setBusy(false);
            if (error) return setError(error.message);
        }
    }
}

```

```

    setNotice("Account created. If email confirmation is enabled, check your inbox, then sign
in.");
    setMode("signin");
    return;
  }
  const { error } = await supabase.auth.signInWithPassword({ email, password });
  setBusy(false);
  if (error) return setError(error.message);
  navigate({ to: "/" });
}

return (
  <div className="min-h-screen bg-background text-foreground flex items-center
justify-center px-6">
    <div className="w-full max-w-sm">
      <Link to="/" className="text-sm text-muted-foreground hover:text-foreground">←
Back</Link>
      <h1 className="mt-6 text-3xl" style={{ fontFamily: "var(--font-serif)" }}>
        {mode === "signin" ? "Sign in" : "Create account"}
      </h1>
      <form onSubmit={handleSubmit} className="mt-6 space-y-4">
        <input
          type="email"
          required
          autoComplete="email"
          value={email}
          onChange={(e) => setEmail(e.target.value)}
          placeholder="Email"
          className="w-full rounded-md border border-border bg-card px-3 py-2 text-sm
outline-none focus:border-foreground/40"
        />
        <input
          type="password"
          required
          autoComplete="current-password"
          value={password}
          onChange={(e) => setPassword(e.target.value)}
          placeholder="Password"
          className="w-full rounded-md border border-border bg-card px-3 py-2 text-sm
outline-none focus:border-foreground/40"
        />
        {error ? <p className="text-xs text-red-600">{error}</p> : null}
        {notice ? <p className="text-xs text-muted-foreground">{notice}</p> : null}
        <button
          type="submit"
          disabled={busy}
          className="w-full rounded-full bg-primary text-primary-foreground px-5 py-2 text-sm
font-medium hover:opacity-90 transition disabled:opacity-60"

```

```

    >
    {busy ? "Working..." : mode === "signin" ? "Sign in" : "Sign up"}
  </button>
  <button
    type="button"
    onClick={() => { setMode(mode === "signin" ? "signup" : "signin"); setError(null);
setNotice(null); }}
    className="w-full text-xs text-muted-foreground hover:text-foreground transition"
  >
    {mode === "signin" ? "No account yet? Create one" : "Have an account? Sign in"}
  </button>
</form>
</div>
</div>
);
}
import { createFileRoute, Link, useNavigate } from "@tanstack/react-router";
import { useRef, useState, useMemo } from "react";
import { toPng } from "html-to-image";
import { supabase } from "@integrations/supabase/client";
import { Footer } from "@components/footer";

export const Route = createFileRoute("/create")({
  head: () => ({
    meta: [
      { title: "Create a widget — Widgetry" },
      { name: "description", content: "Paste HTML, preview it live, and publish a shareable
Notion embed." },
    ],
  }),
  component: CreatePage,
});

// Very simple client-side rate limit — one submission per 10s per browser.
const RATE_LIMIT_KEY = "widgetry:last-publish";
const RATE_LIMIT_MS = 10_000;

const DEFAULT_HTML = "";

// Basic client-side profanity filter. Keep in sync with any server-side checks.
const PROFANITY_LIST = [
  "ass", "asshole", "bitch", "bastard", "crap", "cunt", "damn", "dick", "fuck",
  "fucking", "hell", "shit", "shitty", "slut", "whore", "piss", "pussy", "cock",
  "nigger", "faggot",
];

function containsProfanity(text: string) {
  const lower = text.toLowerCase();

```

```

return PROFANITY_LIST.some((word) => {
  const regex = new RegExp(`\\b${word}\\b`, "i");
  return regex.test(lower);
});
}

function CreatePage() {
  const navigate = useNavigate();
  const [name, setName] = useState("");
  const [html, setHtml] = useState(DEFAULT_HTML);
  const [honeypot, setHoneypot] = useState(""); // bots fill this
  const [busy, setBusy] = useState(false);
  const [error, setError] = useState<string | null>(null);
  const previewRef = useRef<HTMLDivElement | null>(null);

  const canSubmit = useMemo(
    () => name.trim().length > 0 && html.trim().length > 0 && !busy,
    [name, html, busy],
  );

  async function handlePublish() {
    setError(null);
    if (honeypot) {
      // silently drop bot submissions
      setError("Submission rejected.");
      return;
    }
    if (containsProfanity(name) || containsProfanity(html)) {
      setError("Inappropriate content detected");
      return;
    }
    const trimmedName = name.trim();
    if (trimmedName.length === 0 || trimmedName.length > 100) {
      setError("Name is required (max 100 chars).");
      return;
    }
    if (html.length === 0 || html.length > 100_000) {
      setError("HTML is required (max 100k chars).");
      return;
    }
    const last = Number(localStorage.getItem(RATE_LIMIT_KEY) || 0);
    if (Date.now() - last < RATE_LIMIT_MS) {
      setError("Please wait a few seconds before publishing again.");
      return;
    }

    setBusy(true);
    try {

```

```

// 1. Screenshot the preview container.
let thumbnailUrl: string | null = null;
if (previewRef.current) {
  try {
    const dataUrl = await toPng(previewRef.current, {
      cacheBust: true,
      pixelRatio: 2,
      backgroundColor: "#ffffff",
    });
    const blob = await (await fetch(dataUrl)).blob();
    const path = `${crypto.randomUUID()}.png`;
    const { error: upErr } = await supabase.storage
      .from("thumbnails")
      .upload(path, blob, { contentType: "image/png", upsert: false });
    if (upErr) throw upErr;
    const { data: signed } = await supabase.storage
      .from("thumbnails")
      .createSignedUrl(path, 60 * 60 * 24 * 365 * 10); // 10 years
    thumbnailUrl = signed?.signedUrl ?? null;
  } catch (err) {
    console.warn("thumbnail capture failed", err);
  }
}

// 2. Insert widget row.
const { data, error: insErr } = await supabase
  .from("widgets")
  .insert({ name: trimmedName, html, thumbnail_url: thumbnailUrl })
  .select("id")
  .single();
if (insErr) throw insErr;

localStorage.setItem(RATE_LIMIT_KEY, String(Date.now()));
navigate({ to: "/v/$id", params: { id: data.id } });
} catch (err) {
  console.error(err);
  setError(err instanceof Error ? err.message : "Failed to publish widget.");
} finally {
  setBusy(false);
}
}

return (
  <div className="min-h-screen bg-background text-foreground flex flex-col">
    <header className="border-b border-border/60">
      <div className="max-w-6xl mx-auto px-6 py-6 flex items-center justify-between">
        <Link to="/" className="text-2xl tracking-tight" style={{ fontFamily: "var(--font-serif)"
  >>

```

```

Widgetry
</Link>
<Link to="/" className="text-sm text-muted-foreground hover:text-foreground">
  ← Back to gallery
</Link>
</div>
</header>

<main className="max-w-6xl mx-auto w-full px-6 py-10 flex-1">
  <h1 className="text-3xl md:text-4xl tracking-tight" style={{ fontFamily:
"var(--font-serif)" }}>
    Create a widget
  </h1>
  <p className="text-muted-foreground mt-2">
    Give it a name, paste your HTML, and hit publish.
  </p>

  <div className="grid lg:grid-cols-2 gap-8 mt-10">
    <div className="space-y-6">
      <div>
        <label className="block text-sm font-medium mb-2">Widget name</label>
        <input
          value={name}
          onChange={(e) => setName(e.target.value)}
          maxLength={100}
          placeholder="Minimal countdown"
          className="w-full rounded-lg bg-card border border-border px-4 py-3 text-sm
outline-none focus:border-foreground/40"
        />
      </div>
      <div>
        <label className="block text-sm font-medium mb-2">HTML code</label>
        <textarea
          value={html}
          onChange={(e) => setHtml(e.target.value)}
          maxLength={100_000}
          spellCheck={false}
          className="w-full h-[420px] rounded-lg bg-card border border-border px-4 py-3
text-xs font-mono outline-none focus:border-foreground/40"
        />
        <p className="text-xs text-muted-foreground mt-2">
          {html.length.toLocaleString()} / 100,000 characters
        </p>
      </div>

      {/* Honeypot — hidden from users, only bots fill it. */}
      <div style={{ position: "absolute", left: "-9999px" }} aria-hidden="true">

```

```

<label>
  Leave this field empty
  <input
    type="text"
    tabIndex={-1}
    autoComplete="off"
    value={honeypot}
    onChange={(e) => setHoneypot(e.target.value)}
  />
</label>
</div>

{error && (
  <div className="text-sm text-destructive bg-destructive/10 rounded-lg px-4 py-3">
    {error}
  </div>
)}

<button
  onClick={handlePublish}
  disabled={!canSubmit}
  className="w-full rounded-full bg-primary text-primary-foreground py-3
font-medium disabled:opacity-50 hover:opacity-90 transition"
>
  {busy ? "Publishing..." : "Publish widget"}
</button>
</div>

<div>
  <label className="block text-sm font-medium mb-2">Live preview</label>
  <div
    ref={previewRef}
    className="rounded-lg overflow-hidden border border-border bg-white"
    style={{ height: 480 }}
  >
    <iframe
      title="widget preview"
      srcDoc={html}
      sandbox="allow-scripts"
      className="w-full h-full border-0"
    />
  </div>
  <p className="text-xs text-muted-foreground mt-2">
    Rendered inside a sandboxed iframe. Scripts run, but they can't
    touch the parent page.
  </p>
</div>
</div>

```

```

    </main>

    <Footer />
  </div>
);
}
import { createFileRoute, Link } from "@tanstack/react-router";
import { useQuery, useQueryClient } from "@tanstack/react-query";
import { useState } from "react";
import { supabase } from "@integrations/supabase/client";
import { Footer } from "@components/footer";
import { useAuth, ADMIN_EMAIL } from "@hooks/useAuth";

export const Route = createFileRoute("/")({
  component: Index,
});

// Stable production URL for Notion embeds — the preview URL only works while
// the tunnel is alive, which is what causes the "connecting to forwarded
// port" error inside Notion.
const PRODUCTION_URL =
  "https://project--4e70a0d5-fec3-4640-b466-16a36199912a.lovable.app";

type Widget = {
  id: string;
  name: string;
  thumbnail_url: string | null;
  created_at: string;
  html: string;
};

function Index() {
  const { user } = useAuth();
  const isAdmin = user?.email === ADMIN_EMAIL;
  const { data, isLoading } = useQuery({
    queryKey: ["widgets"],
    queryFn: async () => {
      const { data, error } = await supabase
        .from("widgets")
        .select("id, name, thumbnail_url, created_at, html")
        .order("created_at", { ascending: false })
        .limit(60);
      if (error) throw error;
      return data as Widget[];
    },
  });

  return (

```

```

<div className="min-h-screen bg-background text-foreground flex flex-col">
  <header className="border-b border-border/60">
    <div className="max-w-6xl mx-auto px-6 py-6 flex items-center justify-between">
      <Link to="/" className="flex items-baseline gap-2">
        <span className="text-2xl tracking-tight" style={{ fontFamily: "var(--font-serif)" }}>
          Widgetry
        </span>
        <span className="text-xs text-muted-foreground uppercase tracking-widest">
          Notion widgets
        </span>
      </Link>
      <div className="flex items-center gap-3">
        {user ? (
          <button
            type="button"
            onClick={async () => { await supabase.auth.signOut(); }}
            className="text-xs text-muted-foreground hover:text-foreground transition"
            title={user.email ?? ""}
          >
            Sign out
          </button>
        ) : (
          <Link to="/auth" className="text-xs text-muted-foreground hover:text-foreground
transition">
            Sign in
          </Link>
        )}
      <Link
        to="/create"
        className="inline-flex items-center rounded-full bg-primary
text-primary-foreground px-5 py-2 text-sm font-medium hover:opacity-90 transition"
      >
        Create widget
      </Link>
    </div>
  </div>
</header>

<section className="max-w-6xl mx-auto w-full px-6 pt-16 pb-10 text-center">
  <h1
    className="text-5xl md:text-6xl leading-tight tracking-tight"
    style={{ fontFamily: "var(--font-serif)" }}
  >
    A quiet place for<br />beautiful Notion widgets.
  </h1>
  <p className="mt-6 text-muted-foreground max-w-xl mx-auto">
    Paste any HTML, publish a sandboxed embed, and drop it into Notion.
    Fast, minimal, and made to disappear into your page.
  </p>

```

```

    </p>
  </section>

  <main className="max-w-6xl mx-auto w-full px-6 pb-20 flex-1">
    <div className="flex items-baseline justify-between mb-6">
      <h2 className="text-lg font-medium">Community widgets</h2>
      <span className="text-xs text-muted-foreground">
        {data ? `${data.length} published` : ""}
      </span>
    </div>

    {isLoading ? (
      <div className="flex flex-col items-center justify-center py-24 gap-4">
        <div className="h-8 w-8 rounded-full border-2 border-foreground/20
border-t-foreground animate-spin" />
        <p className="text-sm text-muted-foreground">Loading widgets...</p>
      </div>
    ) : !data || data.length === 0 ? (
      <div className="rounded-2xl border border-dashed border-border bg-card p-16
text-center">
        <p className="text-muted-foreground">
          No widgets yet. Be the first to publish one.
        </p>
        <Link
          to="/create"
          className="inline-block mt-6 rounded-full bg-primary text-primary-foreground px-5
py-2 text-sm"
        >
          Create the first widget
        </Link>
      </div>
    ) : (
      <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-6">
        {data.map((w) => (
          <WidgetCard key={w.id} widget={w} isAdmin={isAdmin} />
        ))}
      </div>
    )}
  </main>

  <Footer />
</div>
);
}

```

```

function WidgetCard({ widget, isAdmin }: { widget: Widget; isAdmin: boolean }) {
  const [copied, setCopied] = useState(false);
  const [deleting, setDeleting] = useState(false);

```

```

const queryClient = useQueryClient();
const hasPreview = typeof widget.html === "string" && widget.html.trim().length > 0;
const embedUrl = `${PRODUCTION_URL}/v/${widget.id}?embed=1`;

```

```

async function handleCopy(e: React.MouseEvent) {
  e.preventDefault();
  e.stopPropagation();
  try {
    await navigator.clipboard.writeText(embedUrl);
    setCopied(true);
    setTimeout(() => setCopied(false), 1600);
  } catch {
    setCopied(false);
  }
}

```

```

async function handleDelete(e: React.MouseEvent) {
  e.preventDefault();
  e.stopPropagation();
  if (!confirm(`Delete "${widget.name}"? This cannot be undone.`)) return;
  setDeleting(true);
  const { error } = await supabase.from("widgets").delete().eq("id", widget.id);
  setDeleting(false);
  if (error) {
    alert(`Delete failed: ${error.message}`);
    return;
  }
  queryClient.invalidateQueries({ queryKey: ["widgets"] });
}

```

```

return (
  <div className="group rounded-2xl overflow-hidden bg-card border border-border
hover:border-foreground/30 transition shadow-sm hover:shadow-md flex flex-col">
    <Link
      to="/v/$id"
      params={{ id: widget.id }}
      className="block aspect-[4/3] bg-white relative overflow-hidden"
    >
      {hasPreview ? (
        <>
          <iframe
            title={widget.name}
            srcDoc={widget.html}
            sandbox="allow-scripts"
            loading="lazy"
            className="absolute inset-0 w-full h-full border-0 pointer-events-none"
          />
          <div className="absolute inset-0" />

```

```

    </>
  ) : (
    <div className="absolute inset-0 flex items-center justify-center text-xs
text-muted-foreground bg-muted/40">
      Preview not available
    </div>
  )}
</Link>
<div className="p-4 flex items-start justify-between gap-3">
  <div className="min-w-0">
    <p className="font-medium truncate">{widget.name}</p>
    <p className="text-xs text-muted-foreground mt-1">
      {new Date(widget.created_at).toLocaleDateString()}
    </p>
  </div>
  <div className="flex items-center gap-2 shrink-0">
    {isAdmin ? (
      <button
        type="button"
        onClick={handleDelete}
        disabled={deleting}
        className="text-xs rounded-full border border-border bg-background
hover:bg-red-50 hover:border-red-300 hover:text-red-700 px-3 py-1.5 transition
disabled:opacity-60"
        >
        {deleting ? "Deleting..." : "Delete"}
      </button>
    ) : null}
    <div className="relative group/tip">
      <button
        type="button"
        onClick={handleCopy}
        className="text-xs rounded-full border border-border bg-background
hover:bg-accent hover:border-foreground/30 px-3 py-1.5 transition"
        >
        {copied ? "Copied ✓" : "Copy embed"}
      </button>
      <span
        role="tooltip"
        className="pointer-events-none absolute right-0 top-full mt-2 w-56 rounded-md
border border-border bg-card text-[11px] leading-snug text-muted-foreground px-3 py-2
shadow-sm opacity-0 group-hover/tip:opacity-100 transition z-10"
        >
        Embeds only load inside Notion once this site is Published. Preview
        URLs won't resolve from Notion.
      </span>
    </div>
  </div>
</div>

```

```

    </div>
  </div>
);
}

```

Routes

TanStack Start uses **file-based routing**. Every `.tsx` file in this directory defines a route. Do **not** create `src/pages/`, `src/routes/_app/index.tsx`, or `app/layout.tsx` — those are Next.js / Remix conventions. The only root layout is `src/routes/__root.tsx`.

Conventions

```

| File | URL |
| --- | --- |
| `index.tsx` | `/` |
| `about.tsx` | `/about` |
| `users/index.tsx` | `/users` |
| `users/$id.tsx` | `/users/:id` (dynamic — bare `$`, no curly braces) |
| `posts/{-$category}.tsx` | `/posts/:category?` (optional segment) |
| `files/$.tsx` | `/files/*` (splat — read via `_splat` param, never `**`) |
| `_layout.tsx` | layout route (renders children via `

```

`routeTree.gen.ts` is auto-generated. Don't edit it by hand.

```

import { createFileRoute, Link, notFound } from "@tanstack/react-router";
import { useRouter } from "@tanstack/react-router";
import { useEffect } from "react";
import { supabase } from "@integrations/supabase/client";
import { useQuery } from "@tanstack/react-query";
import { Footer } from "@components/footer";

```

```

export const Route = createFileRoute("/v/$id")({
  component: WidgetPage,
  errorComponent: WidgetError,
  notFoundComponent: WidgetNotFound,
});

```

```

function useWidget(id: string) {
  return useQuery({
    queryKey: ["widget", id],
    queryFn: async () => {
      const { data, error } = await supabase
        .from("widgets")
        .select("id, name, html, created_at")
        .eq("id", id)

```

```

        .maybeSingle();
        if (error) throw error;
        if (!data) throw notFound();
        return data as { id: string; name: string; html: string; created_at: string };
    },
  });
}

```

```

function WidgetPage() {
  const { id } = Route.useParams();
  const { data, isLoading, error } = useWidget(id);

  // Detect "raw embed" mode via ?embed=1 — Notion embeds fetch this directly
  // as an iframe src, so strip all chrome and render only the widget iframe.
  const embed =
    typeof window !== "undefined" &&
    new URLSearchParams(window.location.search).get("embed") === "1";

  useEffect(() => {
    if (embed) document.body.style.margin = "0";
  }, [embed]);

  if (isLoading) {
    return <div className="min-h-screen bg-background" />;
  }
  if (error || !data) {
    return <WidgetNotFound />;
  }

  if (embed) {
    return (
      <iframe
        title={data.name}
        srcDoc={data.html}
        sandbox="allow-scripts"
        style={{ width: "100vw", height: "100vh", border: 0, display: "block" }}
      />
    );
  }

  const embedUrl =
    typeof window !== "undefined"
      ? `${window.location.origin}/v/${data.id}?embed=1`
      : "";

  return (
    <div className="min-h-screen bg-background text-foreground flex flex-col">
      <header className="border-b border-border/60">

```

```

    <div className="max-w-5xl mx-auto px-6 py-6 flex items-center justify-between">
      <Link to="/" className="text-2xl tracking-tight" style={{ fontFamily: "var(--font-serif)"
    }}>
        Widgetry
      </Link>
      <Link to="/create" className="text-sm text-muted-foreground hover:text-foreground">
        Create your own →
      </Link>
    </div>
  </header>

```

```

<main className="max-w-5xl mx-auto w-full px-6 py-10 flex-1">
  <h1 className="text-3xl tracking-tight" style={{ fontFamily: "var(--font-serif)" }}>
    {data.name}
  </h1>
  <p className="text-xs text-muted-foreground mt-1">
    Published {new Date(data.created_at).toLocaleDateString()}
  </p>

```

```

<div
  className="mt-6 rounded-2xl overflow-hidden border border-border bg-white"
  style={{ height: 560 }}
>
  <iframe
    title={data.name}
    srcDoc={data.html}
    sandbox="allow-scripts"
    className="w-full h-full border-0"
  />
</div>

```

```

<div className="mt-8 rounded-2xl border border-border bg-card p-6">
  <p className="text-sm font-medium">Embed in Notion</p>
  <p className="text-xs text-muted-foreground mt-1">
    Paste this URL into a Notion <em>/embed</em> block.
  </p>
  <code className="mt-3 block text-xs bg-muted rounded-lg px-3 py-2 break-all">
    {embedUrl}
  </code>
</div>
</main>

```

```

  <Footer />
</div>
);
}

```

```

function WidgetNotFound() {

```

```

return (
  <div className="min-h-screen bg-background flex items-center justify-center px-6
text-center">
    <div>
      <h1 className="text-3xl tracking-tight" style={{ fontFamily: "var(--font-serif)" }}>
        Widget not found
      </h1>
      <p className="text-muted-foreground mt-2">This widget may have been
removed.</p>
      <Link to="/" className="inline-block mt-6 rounded-full bg-primary
text-primary-foreground px-5 py-2 text-sm">
        Back to gallery
      </Link>
    </div>
  </div>
);
}

```

```

function WidgetError({ reset }: { error: Error; reset: () => void }) {
  const router = useRouter();
  return (
    <div className="min-h-screen bg-background flex items-center justify-center px-6
text-center">
      <div>
        <h1 className="text-2xl" style={{ fontFamily: "var(--font-serif)" }}>
          Couldn't load this widget
        </h1>
        <button
          onClick={() => {
            router.invalidate();
            reset();
          }}
          className="mt-6 rounded-full bg-primary text-primary-foreground px-5 py-2 text-sm"
        >
          Try again
        </button>
      </div>
    </div>
  );
}

```

```

import { QueryClient } from "@tanstack/react-query";
import { createRouter } from "@tanstack/react-router";
import { routeTree } from "./routeTree.gen";

```

```

export const getRouter = () => {
  const queryClient = new QueryClient();

  const router = createRouter({

```

```

    routeTree,
    context: { queryClient },
    scrollRestoration: true,
    defaultPreloadStateTime: 0,
  });

  return router;
};

/* eslint-disable */

// @ts-nocheck

// noinspection JSUnusedGlobalSymbols

// This file was automatically generated by TanStack Router.
// You should NOT make any changes in this file as it will be overwritten.
// Additionally, you should also exclude this file from your linter and/or formatter to prevent it
// from being checked or modified.

import { Route as rootRouteImport } from './routes/__root'
import { Route as CreateRouteImport } from './routes/create'
import { Route as AuthRouteImport } from './routes/auth'
import { Route as IndexRouteImport } from './routes/index'
import { Route as VIdRouteImport } from './routes/v.$id'

const CreateRoute = CreateRouteImport.update({
  id: '/create',
  path: '/create',
  getParentRoute: () => rootRouteImport,
} as any)
const AuthRoute = AuthRouteImport.update({
  id: '/auth',
  path: '/auth',
  getParentRoute: () => rootRouteImport,
} as any)
const IndexRoute = IndexRouteImport.update({
  id: '/',
  path: '/',
  getParentRoute: () => rootRouteImport,
} as any)
const VIdRoute = VIdRouteImport.update({
  id: '/v/$id',
  path: '/v/$id',
  getParentRoute: () => rootRouteImport,
} as any)

export interface FileRoutesByFullPath {

```

```

  '/': typeof IndexRoute
  '/auth': typeof AuthRoute
  '/create': typeof CreateRoute
  '/v/$id': typeof VldRoute
}
export interface FileRoutesByTo {
  '/': typeof IndexRoute
  '/auth': typeof AuthRoute
  '/create': typeof CreateRoute
  '/v/$id': typeof VldRoute
}
export interface FileRoutesById {
  __root__: typeof rootRouteImport
  '/': typeof IndexRoute
  '/auth': typeof AuthRoute
  '/create': typeof CreateRoute
  '/v/$id': typeof VldRoute
}
export interface FileRouteTypes {
  fileRoutesByFullPath: FileRoutesByFullPath
  fullPaths: '/' | '/auth' | '/create' | '/v/$id'
  fileRoutesByTo: FileRoutesByTo
  to: '/' | '/auth' | '/create' | '/v/$id'
  id: '__root__' | '/' | '/auth' | '/create' | '/v/$id'
  fileRoutesById: FileRoutesById
}
export interface RootRouteChildren {
  IndexRoute: typeof IndexRoute
  AuthRoute: typeof AuthRoute
  CreateRoute: typeof CreateRoute
  VldRoute: typeof VldRoute
}

declare module '@tanstack/react-router' {
  interface FileRoutesByPath {
    '/create': {
      id: '/create'
      path: '/create'
      fullPath: '/create'
      preLoaderRoute: typeof CreateRouteImport
      parentRoute: typeof rootRouteImport
    }
    '/auth': {
      id: '/auth'
      path: '/auth'
      fullPath: '/auth'
      preLoaderRoute: typeof AuthRouteImport
      parentRoute: typeof rootRouteImport
    }
  }
}

```

```

    }
    '/': {
      id: '/'
      path: '/'
      fullPath: '/'
      preLoaderRoute: typeof IndexRouteImport
      parentRoute: typeof rootRouteImport
    }
    '/v/$id': {
      id: '/v/$id'
      path: '/v/$id'
      fullPath: '/v/$id'
      preLoaderRoute: typeof VIdRouteImport
      parentRoute: typeof rootRouteImport
    }
  }
}

const rootRouteChildren: RootRouteChildren = {
  IndexRoute: IndexRoute,
  AuthRoute: AuthRoute,
  CreateRoute: CreateRoute,
  VIdRoute: VIdRoute,
}
export const routeTree = rootRouteImport
  ._addFileChildren(rootRouteChildren)
  ._addFileTypes<FileRouteTypes>()

import type { getRouter } from './router.tsx'
import type { startInstance } from './start.ts'
declare module '@tanstack/react-start' {
  interface Register {
    ssr: true
    router: Awaited<ReturnType<typeof getRouter>>
    config: Awaited<ReturnType<typeof startInstance.getOptions>>
  }
}

import './lib/error-capture';

import { consumeLastCapturedError } from './lib/error-capture';
import { renderErrorPage } from './lib/error-page';

type ServerEntry = {
  fetch: (request: Request, env: unknown, ctx: unknown) => Promise<Response> |
  Response;
};

```

```

let serverEntryPromise: Promise<ServerEntry> | undefined;

async function getServerEntry(): Promise<ServerEntry> {
  if (!serverEntryPromise) {
    serverEntryPromise = import("@tanstack/react-start/server-entry").then(
      (m) => (m.default ?? m) as ServerEntry,
    );
  }
  return serverEntryPromise;
}

// h3 swallows in-handler throws into a normal 500 Response with body
// {"unhandled":true,"message":"HTTPError"} — try/catch alone never fires for those.
async function normalizeCatastrophicSsrResponse(response: Response):
Promise<Response> {
  if (response.status < 500) return response;
  const contentType = response.headers.get("content-type") ?? "";
  if (!contentType.includes("application/json")) return response;

  const body = await response.clone().text();
  if (!isH3SwallowedErrorBody(body)) return response;

  console.error(consumeLastCapturedError() ?? new Error(`h3 swallowed SSR error:
${body}`));
  return new Response(renderErrorPage(), {
    status: 500,
    headers: { "content-type": "text/html; charset=utf-8" },
  });
}

function isH3SwallowedErrorBody(body: string): boolean {
  try {
    const payload = JSON.parse(body) as { unhandled?: unknown; message?: unknown };
    return payload.unhandled === true && payload.message === "HTTPError";
  } catch {
    return false;
  }
}

export default {
  async fetch(request: Request, env: unknown, ctx: unknown) {
    try {
      const handler = await getServerEntry();
      const response = await handler.fetch(request, env, ctx);
      return await normalizeCatastrophicSsrResponse(response);
    } catch (error) {
      console.error(error);
      return new Response(renderErrorPage(), {

```

```

        status: 500,
        headers: { "content-type": "text/html; charset=utf-8" },
    });
}
},
};

```

```
import { createStart, createMiddleware } from "@tanstack/react-start";
```

```
import { renderErrorPage } from "../lib/error-page";
```

```
import { attachSupabaseAuth } from "@integrations/supabase/auth-attacher";
```

```

const errorMiddleware = createMiddleware().server(async ({ next }) => {
  try {
    return await next();
  } catch (error) {
    if (error != null && typeof error === "object" && "statusCode" in error) {
      throw error;
    }
    console.error(error);
    return new Response(renderErrorPage(), {
      status: 500,
      headers: { "content-type": "text/html; charset=utf-8" },
    });
  }
});

```

```

export const startInstance = createStart(() => ({
  functionMiddleware: [attachSupabaseAuth],
  requestMiddleware: [errorMiddleware],
}));

```

```
@import "tailwindcss" source(none);
```

```
@source "../src";
```

```
@import "tw-animate-css";
```

```
@custom-variant dark (&:is(.dark *));
```

```
/*
```

```
* Design system definition.
```

```
*
```

```

* The @theme inline block maps CSS custom properties to Tailwind utility
* classes (e.g. --color-primary -> bg-primary, text-primary).

```

```
*
```

```
* The :root and .dark blocks define the actual color values using oklch.
```

```
* All colors MUST use oklch format.
```

```
*
```

```
* To add a new semantic color:
```

- * 1. Add the variable to :root (light value) and .dark (dark value)
 - * 2. Register it in @theme inline as --color-<name>: var(--<name>)
- */

```
@theme inline {
  --radius-sm: calc(var(--radius) - 4px);
  --radius-md: calc(var(--radius) - 2px);
  --radius-lg: var(--radius);
  --radius-xl: calc(var(--radius) + 4px);
  --radius-2xl: calc(var(--radius) + 8px);
  --radius-3xl: calc(var(--radius) + 12px);
  --radius-4xl: calc(var(--radius) + 16px);
  --color-background: var(--background);
  --color-foreground: var(--foreground);
  --color-card: var(--card);
  --color-card-foreground: var(--card-foreground);
  --color-popover: var(--popover);
  --color-popover-foreground: var(--popover-foreground);
  --color-primary: var(--primary);
  --color-primary-foreground: var(--primary-foreground);
  --color-secondary: var(--secondary);
  --color-secondary-foreground: var(--secondary-foreground);
  --color-muted: var(--muted);
  --color-muted-foreground: var(--muted-foreground);
  --color-accent: var(--accent);
  --color-accent-foreground: var(--accent-foreground);
  --color-destructive: var(--destructive);
  --color-destructive-foreground: var(--destructive-foreground);
  --color-border: var(--border);
  --color-input: var(--input);
  --color-ring: var(--ring);
  --color-ring-offset-background: var(--background);
  --color-chart-1: var(--chart-1);
  --color-chart-2: var(--chart-2);
  --color-chart-3: var(--chart-3);
  --color-chart-4: var(--chart-4);
  --color-chart-5: var(--chart-5);
  --color-sidebar: var(--sidebar);
  --color-sidebar-foreground: var(--sidebar-foreground);
  --color-sidebar-primary: var(--sidebar-primary);
  --color-sidebar-primary-foreground: var(--sidebar-primary-foreground);
  --color-sidebar-accent: var(--sidebar-accent);
  --color-sidebar-accent-foreground: var(--sidebar-accent-foreground);
  --color-sidebar-border: var(--sidebar-border);
  --color-sidebar-ring: var(--sidebar-ring);
}

:root {
```

```

--radius: 0.625rem;
/* Beige (#F5F5DC) + white minimal aesthetic */
--background: oklch(0.965 0.028 95);    /* beige #F5F5DC */
--foreground: oklch(0.22 0.01 60);    /* deep warm charcoal */
--card: oklch(1 0 0);    /* white cards */
--card-foreground: oklch(0.22 0.01 60);
--popover: oklch(1 0 0);
--popover-foreground: oklch(0.22 0.01 60);
--primary: oklch(0.28 0.02 60);    /* near-black warm */
--primary-foreground: oklch(0.98 0.01 90);
--secondary: oklch(0.94 0.02 90);
--secondary-foreground: oklch(0.28 0.02 60);
--muted: oklch(0.93 0.02 90);
--muted-foreground: oklch(0.5 0.02 70);
--accent: oklch(0.9 0.03 90);
--accent-foreground: oklch(0.28 0.02 60);
--destructive: oklch(0.55 0.2 27);
--destructive-foreground: oklch(0.98 0.01 90);
--border: oklch(0.87 0.025 85);
--input: oklch(0.87 0.025 85);
--ring: oklch(0.55 0.03 75);
--chart-1: oklch(0.646 0.222 41.116);
--chart-2: oklch(0.6 0.118 184.704);
--chart-3: oklch(0.398 0.07 227.392);
--chart-4: oklch(0.828 0.189 84.429);
--chart-5: oklch(0.769 0.188 70.08);
--sidebar: oklch(0.965 0.028 95);
--sidebar-foreground: oklch(0.22 0.01 60);
--sidebar-primary: oklch(0.28 0.02 60);
--sidebar-primary-foreground: oklch(0.98 0.01 90);
--sidebar-accent: oklch(0.9 0.03 90);
--sidebar-accent-foreground: oklch(0.28 0.02 60);
--sidebar-border: oklch(0.87 0.025 85);
--sidebar-ring: oklch(0.55 0.03 75);

--font-serif: "Cormorant Garamond", "EB Garamond", Georgia, "Times New Roman", serif;
}

.dark {
--background: oklch(0.129 0.042 264.695);
--foreground: oklch(0.984 0.003 247.858);
--card: oklch(0.208 0.042 265.755);
--card-foreground: oklch(0.984 0.003 247.858);
--popover: oklch(0.208 0.042 265.755);
--popover-foreground: oklch(0.984 0.003 247.858);
--primary: oklch(0.929 0.013 255.508);
--primary-foreground: oklch(0.208 0.042 265.755);
--secondary: oklch(0.279 0.041 260.031);

```

```

--secondary-foreground: oklch(0.984 0.003 247.858);
--muted: oklch(0.279 0.041 260.031);
--muted-foreground: oklch(0.704 0.04 256.788);
--accent: oklch(0.279 0.041 260.031);
--accent-foreground: oklch(0.984 0.003 247.858);
--destructive: oklch(0.704 0.191 22.216);
--destructive-foreground: oklch(0.984 0.003 247.858);
--border: oklch(1 0 0 / 10%);
--input: oklch(1 0 0 / 15%);
--ring: oklch(0.551 0.027 264.364);
--chart-1: oklch(0.488 0.243 264.376);
--chart-2: oklch(0.696 0.17 162.48);
--chart-3: oklch(0.769 0.188 70.08);
--chart-4: oklch(0.627 0.265 303.9);
--chart-5: oklch(0.645 0.246 16.439);
--sidebar: oklch(0.208 0.042 265.755);
--sidebar-foreground: oklch(0.984 0.003 247.858);
--sidebar-primary: oklch(0.488 0.243 264.376);
--sidebar-primary-foreground: oklch(0.984 0.003 247.858);
--sidebar-accent: oklch(0.279 0.041 260.031);
--sidebar-accent-foreground: oklch(0.984 0.003 247.858);
--sidebar-border: oklch(1 0 0 / 10%);
--sidebar-ring: oklch(0.551 0.027 264.364);
}

```

```

@layer base {
  * {
    border-color: var(--color-border);
  }

  body {
    background-color: var(--color-background);
    color: var(--color-foreground);
  }
}

```

```

CREATE TABLE public.widgets (
  id UUID NOT NULL DEFAULT gen_random_uuid() PRIMARY KEY,
  name TEXT NOT NULL CHECK (char_length(name) > 0 AND char_length(name) <= 100),
  html TEXT NOT NULL CHECK (char_length(html) <= 100000),
  thumbnail_url TEXT,
  created_at TIMESTAMPTZ NOT NULL DEFAULT now()
);

```

```

GRANT SELECT, INSERT ON public.widgets TO anon;
GRANT SELECT, INSERT ON public.widgets TO authenticated;
GRANT ALL ON public.widgets TO service_role;

```

```
ALTER TABLE public.widgets ENABLE ROW LEVEL SECURITY;
```

```
CREATE POLICY "Anyone can view widgets"  
ON public.widgets FOR SELECT  
USING (true);
```

```
CREATE POLICY "Anyone can create widgets"  
ON public.widgets FOR INSERT  
WITH CHECK (true);
```

```
CREATE INDEX widgets_created_at_idx ON public.widgets (created_at DESC);
```

```
DROP POLICY "Anyone can create widgets" ON public.widgets;  
CREATE POLICY "Anyone can create widgets"  
ON public.widgets FOR INSERT  
WITH CHECK (  
    char_length(name) BETWEEN 1 AND 100  
    AND char_length(html) BETWEEN 1 AND 100000  
);
```

-- Allow anyone to read thumbnail images from the private bucket via signed URLs generated at upload time.

```
CREATE POLICY "Anyone can upload thumbnails"  
ON storage.objects FOR INSERT TO anon, authenticated  
WITH CHECK (bucket_id = 'thumbnails');
```

```
CREATE POLICY "Anyone can read thumbnails"  
ON storage.objects FOR SELECT TO anon, authenticated  
USING (bucket_id = 'thumbnails');
```

```
GRANT DELETE ON public.widgets TO authenticated;  
CREATE POLICY "Admin can delete widgets" ON public.widgets FOR DELETE TO  
authenticated USING ((auth.jwt() ->> 'email') = 'sophie@schumacher.plus');  
project_id = "zuoxkcxphaxcydyrmyvz"  
SUPABASE_PROJECT_ID="zuoxkcxphaxcydyrmyvz"  
SUPABASE_PUBLISHABLE_KEY="eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSIsInJlZiI6Im1b3hrY3hwaGF4Y3IkeXJteXZ6liwicm9sZSI6ImFub24iLCJpYXQiOiJlODQwNzI2MzEsImV4cCI6ImJhOTY0ODYzMX0uTBAdzlp9jdR88gGRvysuUBFeiL1PPBVdpX_Boh81zWM"  
SUPABASE_URL="https://zuoxkcxphaxcydyrmyvz.supabase.co"  
VITE_SUPABASE_PROJECT_ID="zuoxkcxphaxcydyrmyvz"  
VITE_SUPABASE_PUBLISHABLE_KEY="eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSIsInJlZiI6Im1b3hrY3hwaGF4Y3IkeXJteXZ6liwicm9sZSI6ImFub24iLCJpYXQiOiJlODQwNzI2MzEsImV4cCI6ImJhOTY0ODYzMX0uTBAdzlp9jdR88gGRvysuUBFeiL1PPBVdpX_Boh81zWM"  
VITE_SUPABASE_URL="https://zuoxkcxphaxcydyrmyvz.supabase.co"
```

Logs

logs

*.log

npm-debug.log*

yarn-debug.log*

yarn-error.log*

pnpm-debug.log*

lerna-debug.log*

node_modules

dist

dist-ssr

.output

.vinxi

.tanstack/**

.nitro

*.local

Wrangler / Cloudflare

.wrangler/

.dev.vars

Editor directories and files

.vscode/*

!.vscode/extensions.json

.idea

.DS_Store

*.suo

.ntvs

*.njsproj

*.sln

*.sw?

node_modules

dist

.output

.vinxi

pnpm-lock.yaml

package-lock.json

bun.lock

routeTree.gen.ts

{

"printWidth": 100,

"semi": true,

"singleQuote": false,

"trailingComma": "all"

```
}
```

```
<!-- LOVABLE:BEGIN -->
```

```
> [!IMPORTANT]
```

```
> This project is connected to [Lovable](https://lovable.dev). Avoid rewriting
```

```
> published git history — force pushing, or rebasing/amending/squashing commits
```

```
> that are already pushed — as it rewrites history on Lovable's side and the
```

```
> user will likely lose their project history.
```

```
>
```

```
> Commits you push to the connected branch sync back to Lovable and show up in
```

```
> the editor, so keep the branch in a working state.
```

```
<!-- LOVABLE:END -->
```

```
{
```

```
  "lockfileVersion": 1,
```

```
  "configVersion": 1,
```

```
  "workspaces": {
```

```
    "": {
```

```
      "name": "tanstack_start_ts",
```

```
      "dependencies": {
```

```
        "@hookform/resolvers": "^5.2.2",
```

```
        "@radix-ui/react-accordion": "^1.2.12",
```

```
        "@radix-ui/react-alert-dialog": "^1.1.15",
```

```
        "@radix-ui/react-aspect-ratio": "^1.1.8",
```

```
        "@radix-ui/react-avatar": "^1.1.11",
```

```
        "@radix-ui/react-checkbox": "^1.3.3",
```

```
        "@radix-ui/react-collapsible": "^1.1.12",
```

```
        "@radix-ui/react-context-menu": "^2.2.16",
```

```
        "@radix-ui/react-dialog": "^1.1.15",
```

```
        "@radix-ui/react-dropdown-menu": "^2.1.16",
```

```
        "@radix-ui/react-hover-card": "^1.1.15",
```

```
        "@radix-ui/react-label": "^2.1.8",
```

```
        "@radix-ui/react-menubar": "^1.1.16",
```

```
        "@radix-ui/react-navigation-menu": "^1.2.14",
```

```
        "@radix-ui/react-popover": "^1.1.15",
```

```
        "@radix-ui/react-progress": "^1.1.8",
```

```
        "@radix-ui/react-radio-group": "^1.3.8",
```

```
        "@radix-ui/react-scroll-area": "^1.2.10",
```

```
        "@radix-ui/react-select": "^2.2.6",
```

```
        "@radix-ui/react-separator": "^1.1.8",
```

```
        "@radix-ui/react-slider": "^1.3.6",
```

```
        "@radix-ui/react-slot": "^1.2.4",
```

```
        "@radix-ui/react-switch": "^1.2.6",
```

```
        "@radix-ui/react-tabs": "^1.1.13",
```

```
        "@radix-ui/react-toggle": "^1.1.10",
```

```
        "@radix-ui/react-toggle-group": "^1.1.11",
```

```
        "@radix-ui/react-tooltip": "^1.2.8",
```

```
        "@supabase/supabase-js": "^2.110.2",
```

```

"@tailwindcss/vite": "^4.2.1",
"@tanstack/react-query": "^5.101.1",
"@tanstack/react-router": "^1.170.16",
"@tanstack/react-start": "^1.168.26",
"@tanstack/router-plugin": "^1.168.18",
"class-variance-authority": "^0.7.1",
"clsx": "^2.1.1",
"cmdk": "^1.1.1",
"date-fns": "^4.1.0",
"embla-carousel-react": "^8.6.0",
"html-to-image": "^1.11.13",
"input-otp": "^1.4.2",
"lucide-react": "^0.575.0",
"react": "^19.2.0",
"react-day-picker": "^9.14.0",
"react-dom": "^19.2.0",
"react-hook-form": "^7.71.2",
"react-resizable-panels": "^4.6.5",
"recharts": "^2.15.4",
"sonner": "^2.0.7",
"tailwind-merge": "^3.5.0",
"tailwindcss": "^4.2.1",
"tw-animate-css": "^1.3.4",
"vaul": "^1.1.2",
"vite-tsconfig-paths": "^6.0.2",
"zod": "^3.24.2",
},
"devDependencies": {
"@eslint/js": "^9.32.0",
"@lovable.dev/vite-tanstack-config": "^2.7.1",
"@types/node": "^22.16.5",
"@types/react": "^19.2.0",
"@types/react-dom": "^19.2.0",
"@vitejs/plugin-react": "^5.2.0",
"eslint": "^9.32.0",
"eslint-config-prettier": "^10.1.1",
"eslint-plugin-prettier": "^5.2.6",
"eslint-plugin-react-hooks": "^5.2.0",
"eslint-plugin-react-refresh": "^0.4.20",
"globals": "^15.15.0",
"nitro": "3.0.260603-beta",
"prettier": "^3.7.3",
"typescript": "^5.8.3",
"typescript-eslint": "^8.56.1",
"vite": "^8.0.16",
},
},
},

```

```
"packages": {
  "@alloc/quick-lru": ["@alloc/quick-lru@5.2.0", "", {}],
  "sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecfcdGQ
85jglMW6juS3+z5TsKLw=="],
```

```
  "@babel/code-frame": ["@babel/code-frame@7.29.0", "", { "dependencies": {
"@babel/helper-validator-identifier": "^7.28.5", "js-tokens": "^4.0.0", "picocolors": "^1.1.1" } }],
  "sha512-9NhCeYjq9+3uxgdtP20LSiJXJvN0FeCtNGpJxuMFZ1Kv3cWUNb6DOhJwUvcVCzK
GR66cw4njwM6hrJLqgOwbcw=="],
```

```
  "@babel/compat-data": ["@babel/compat-data@7.29.0", "", {}],
  "sha512-T1NCJqT/j9+cn8fvkt7jtwbLBfLC/1y1c7NtCeXFRgzGTsaf68MRv8yzkYSapBnFA6L
3U2VSc02ciDzoAJhJg=="],
```

```
  "@babel/core": ["@babel/core@7.29.0", "", { "dependencies": { "@babel/code-frame":
"^7.29.0", "@babel/generator": "^7.29.0", "@babel/helper-compilation-targets": "^7.28.6",
"@babel/helper-module-transforms": "^7.28.6", "@babel/helpers": "^7.28.6",
"@babel/parser": "^7.29.0", "@babel/template": "^7.28.6", "@babel/traverse": "^7.29.0",
"@babel/types": "^7.29.0", "@jridgewell/remapping": "^2.3.5", "convert-source-map":
"^2.0.0", "debug": "^4.1.0", "gensync": "^1.0.0-beta.2", "json5": "^2.2.3", "semver": "^6.3.1" }
}],
  "sha512-CGOfoJqWjg2qW/Mb6zNsDm+u5vFQ8DxXfbM09z69p5Z6+mE1ikP2jUXw+j42Pf1
XTYED2Rni5f95npYeuwMDQA=="],
```

```
  "@babel/generator": ["@babel/generator@7.29.1", "", { "dependencies": {
"@babel/parser": "^7.29.0", "@babel/types": "^7.29.0", "@jridgewell/gen-mapping":
"^0.3.12", "@jridgewell/trace-mapping": "^0.3.28", "jsesc": "^3.0.2" } }],
  "sha512-qsaf+9Qcm2Qv8SRIMMscAvG4O3Ij0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeG
s4ls/oPz9v+Bsmzkbke+0dUw=="],
```

```
  "@babel/helper-compilation-targets": ["@babel/helper-compilation-targets@7.28.6", "", {
"dependencies": { "@babel/compat-data": "^7.28.6", "@babel/helper-validator-option":
"^7.27.1", "browserslist": "^4.24.0", "lru-cache": "^5.1.1", "semver": "^6.3.1" } }],
  "sha512-JYtIs3hq15fcx5GaSNL7SCTJ2MnmjrKHxg4FSpOA/grxK8KwyZ5bubHsCq8FXCku
a6xhuaaBit+3b7+VZRfcA=="],
```

```
  "@babel/helper-globals": ["@babel/helper-globals@7.28.0", "", {}],
  "sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8Sguux
pSp3gKPiuYfSWopkLQ4hw=="],
```

```
  "@babel/helper-module-imports": ["@babel/helper-module-imports@7.28.6", "", {
"dependencies": { "@babel/traverse": "^7.28.6", "@babel/types": "^7.28.6" } }],
  "sha512-l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9Dzk
SBWEcK25jmvubfpw2dnAMdbw=="],
```

```
  "@babel/helper-module-transforms": ["@babel/helper-module-transforms@7.28.6", "", {
"dependencies": { "@babel/helper-module-imports": "^7.28.6",
"@babel/helper-validator-identifier": "^7.28.5", "@babel/traverse": "^7.28.6" } },
```

"peerDependencies": { "@babel/core": "^7.0.0" } },
"sha512-67oXFAYr2cDLXTEABjdBZ6drEIUSI7WKp70NrpylSso3plG9SAGEF6y7zbh
a/wOzUByWWTJvEDVNIUGcA=="],

"@babel/helper-plugin-utils": ["@babel/helper-plugin-utils@7.28.6", "", {},
"sha512-S9gzZ/bz83GRysl7gAD4wPT/AI3uCnY+9xn+Mx/KPs2JwHJlZ1W8PZkg2cqyt3RNO
BM8ejcXhV6y8Og7ly/Dug=="],

"@babel/helper-string-parser": ["@babel/helper-string-parser@7.27.1", "", {},
"sha512-qMISxKbpRIArIdDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMlihl9+zv4LP
yZdRje2cavWPbCbWm3eA=="],

"@babel/helper-validator-identifier": ["@babel/helper-validator-identifier@7.28.5", "", {},
"sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03sOh2OcHF9UHfVPqWWALUsNUVzhSBiltj
RZoLHx7nlarVjqKVusUZ1Q=="],

"@babel/helper-validator-option": ["@babel/helper-validator-option@7.27.1", "", {},
"sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEaWJEU8lrZVIda6N0uHwzZrU
M1il7NC9Mlp4MaJYbYd9JSg=="],

"@babel/helpers": ["@babel/helpers@7.29.2", "", { "dependencies": { "@babel/template":
"^7.28.6", "@babel/types": "^7.29.0" } },
"sha512-HoGuUs4sCZNezVEKdVcwqmZN8GoHirLUcLaYVNBK2J0DadGtdcqgr3BCbvH8+
XUo4NGjNI3VOtSjEKNzqfFgKw=="],

"@babel/parser": ["@babel/parser@7.29.2", "", { "dependencies": { "@babel/types":
"^7.29.0" }, "bin": ".bin/babel-parser.js" },
"sha512-4GgRzy/+fsBa72/RZVJmGKPMZu9Byn8o4MoLpmNe1m8ZfYnz5emHLQz3U4gLud
6Zwl0RZlclLD7Uq7ySFuDLA=="],

"@babel/plugin-transform-react-jsx-self":
["@babel/plugin-transform-react-jsx-self@7.27.1", "", { "dependencies": {
"@babel/helper-plugin-utils": "^7.27.1" }, "peerDependencies": { "@babel/core": "^7.0.0-0" } },
"sha512-6UzkCs+ejGdZ5mFFC/OCUrv028ab2fp1znZmCZjAOBKIBK2jXD1O+BPSfX8X2qjJ
75fZBMSnQn3Rq2mrBJK2mw=="],

"@babel/plugin-transform-react-jsx-source":
["@babel/plugin-transform-react-jsx-source@7.27.1", "", { "dependencies": {
"@babel/helper-plugin-utils": "^7.27.1" }, "peerDependencies": { "@babel/core": "^7.0.0-0" } },
"sha512-zbwoTsBruTeKB9hSq73ha66iFeJHuaFkUbvwqElnygoNbj/jHRsSeokowZFN3CZ64I
vEqcmmkVe89OPXc7ldAw=="],

"@babel/runtime": ["@babel/runtime@7.29.2", "", {},
"sha512-JiDShH45zKHWyGe4ZNVRCjBz8Nh9TMmZG1kh4QTK8hCBTWBi8Da+i7s1fJw7/I
YpM4ccepSNfqzZ/QvABBi5g=="],

"@babel/template": ["@babel/template@7.28.6", "", { "dependencies": {
"@babel/code-frame": "^7.28.6", "@babel/parser": "^7.28.6", "@babel/types": "^7.28.6" } },

"sha512-YA6Ma2KsCdGb+WC6UpBVFJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GX
XyU84/lhRw/2D1Os1B/giz+BQ=="],

"@babel/traverse": ["@babel/traverse@7.29.0", "", { "dependencies": {
"@babel/code-frame": "^7.29.0", "@babel/generator": "^7.29.0", "@babel/helper-globals":
"^7.28.0", "@babel/parser": "^7.29.0", "@babel/template": "^7.28.6", "@babel/types":
"^7.29.0", "debug": "^4.3.1" } }],
"sha512-4HPiQr0X7+waHfyXPZpWPfWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMs8tCxN7oH
ddJE9fhNE7+lxnlyemKfJRuA=="],

"@babel/types": ["@babel/types@7.29.0", "", { "dependencies": {
"@babel/helper-string-parser": "^7.27.1", "@babel/helper-validator-identifier": "^7.28.5" } }],
"sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvofQICy7W7v4caru4EaAmyUuO6BGrbyQ2
mYV11W0U8j5mBhd14dd3B0A=="],

"@date-fns/tz": ["@date-fns/tz@1.4.1", "", {}],
"sha512-P5LUNhtbj6Yfl3iJjw5EL9eUAG6OitD0W3fWQcpQjDRc/QIsL0tRNuO1PcDvPccWL
1fSTXXdE1ds+I95DV/OFA=="],

"@emnapi/core": ["@emnapi/core@1.10.0", "", { "dependencies": {
"@emnapi/wasi-threads": "1.2.1", "tslib": "^2.4.0" } }],
"sha512-yq6OkJ4p82CAfPI0u9mQebQHkPJkY7Wrluk205cTYnYe+k2Z8YBh11FrbRG/H6ihir
qcacOgl2BIO8oyMQLeXw=="],

"@emnapi/runtime": ["@emnapi/runtime@1.10.0", "", { "dependencies": { "tslib": "^2.4.0" }
}],
"sha512-ewwYIk86xUoGI0zQRNq/mC+16R1QeDIKQy21Ki3oSYXNgLb45GV1P6A0M+/s6ny
CuNDqe5VpaY84BzXGwVbwFA=="],

"@emnapi/wasi-threads": ["@emnapi/wasi-threads@1.2.1", "", { "dependencies": { "tslib":
"^2.4.0" } }],
"sha512-uTII7OYF+/Mes/MrcIOYp5yOtSMLBWSIoLPpcgwipoiKbli6k322tcoFsxolIXPDqW01
SQGAgko4EzZi2BNv2w=="],

"@esbuild/aix-ppc64": ["@esbuild/aix-ppc64@0.25.12", "", { "os": "aix", "cpu": "ppc64" }],
"sha512-Hhmwd6ClnZ3dwpuGTF8fJG6yoWmsToE+vYgD4nytZVxcu1ulHpUQRAB1UJ8+N1
Am3Mz4+xOByoQoSZf4D+CpkA=="],

"@esbuild/android-arm": ["@esbuild/android-arm@0.25.12", "", { "os": "android", "cpu":
"arm" }],
"sha512-VJ+sKvNA/GE7Ccacc9Cha7bpS8nyzVv0jdVgwNDaR4gDMC/2TTRc33lp8qrNYUc
pkOHUT5OZ0bUcNNVZQ9RLlg=="],

"@esbuild/android-arm64": ["@esbuild/android-arm64@0.25.12", "", { "os": "android",
"cpu": "arm64" }],
"sha512-6AAmLG7zwD1Z159jCKPvAxZd4y/VTO0VkprYy+3N2FtJ8+BQWFXU+OxARlWA46
c5tdD9SsKGZ/1ocqBS/gAKHg=="],

"@esbuild/android-x64": ["@esbuild/android-x64@0.25.12", "", { "os": "android", "cpu": "x64" },
"sha512-5jbb+2hhDHx5phYR2By8GTWEzn6I9UqR11Kwf22iKbNpYrsmRB18aX/9ivc5cabCU
iAT/wM+YIZ6SG9QO6a8kg=="],

"@esbuild/darwin-arm64": ["@esbuild/darwin-arm64@0.25.12", "", { "os": "darwin", "cpu": "arm64" },
"sha512-N3zl+lxHCifglcMUP5016ESkeQjLj/959RxxNYlthlg+CQHInujFuXeWbWMgnTo4cp5
XVHqFPmpyu9J65C1Yg=="],

"@esbuild/darwin-x64": ["@esbuild/darwin-x64@0.25.12", "", { "os": "darwin", "cpu": "x64" },
"sha512-HQ9ka4Kx21qHXwtlTUVbKJOAnmG1ipXhdWTmNXiPzPfWKpXqASVcWdnf2bnL7
3wgjNrFXAa3yYvBSd9pzfElpA=="],

"@esbuild/freebsd-arm64": ["@esbuild/freebsd-arm64@0.25.12", "", { "os": "freebsd", "cpu": "arm64" },
"sha512-gA0Bx759+7Jve03K1S0vkOu5Lg/85dou3EseOGUes8fIVOGxbhDDh/iZaoek11Y8m
tyKPGF3vP8XhmkDEAmzeg=="],

"@esbuild/freebsd-x64": ["@esbuild/freebsd-x64@0.25.12", "", { "os": "freebsd", "cpu": "x64" },
"sha512-TGbO26Yw2xsHzxtbVFGEXBFH0FRAP7gtcPE7P5yP7wGy7cXK2oO7RyOhL5NLI
qTIBh47XhmlUXuGciXEqYfFBQ=="],

"@esbuild/linux-arm": ["@esbuild/linux-arm@0.25.12", "", { "os": "linux", "cpu": "arm" },
"sha512-IPDGyC1JPDou8kGcywY0YILzWlhhnRjdof3UlcoqYmS9EI818LLfJJc3PXXgZHrHC
AKs/Z2SeZtDJr5MrkxtOw=="],

"@esbuild/linux-arm64": ["@esbuild/linux-arm64@0.25.12", "", { "os": "linux", "cpu": "arm64" },
"sha512-8bwX7a8Fghlgrupcxb4aUmYDLp8pX06rGh5HqDT7bB+8Rdells6mHvrFHHW2JAO
PZUbnjUpKTLg6ECyzvas2AQ=="],

"@esbuild/linux-ia32": ["@esbuild/linux-ia32@0.25.12", "", { "os": "linux", "cpu": "ia32" },
"sha512-0y9KrdVnbMM2/vG8KfU0byhUN+EFcny9+8g202gYqSSVMonbsCfLjUO+rCci7pM0
WBetz+oK/PlwHkzxkyharA=="],

"@esbuild/linux-loong64": ["@esbuild/linux-loong64@0.25.12", "", { "os": "linux", "cpu": "none" },
"sha512-h///Lr5a9rib/v1GGqXVGzjL4TMvVTv+s1DPoxQdz7I/AYv6LDSxdlwzkrPW438oUXi
DtwM10o9PmwS/6Z0Ng=="],

"@esbuild/linux-mips64el": ["@esbuild/linux-mips64el@0.25.12", "", { "os": "linux", "cpu": "none" },
"sha512-iyRrM1Pzy9GFMDLsXn1iHUm18nhKnNMWscjmp4+hpafcZjrr2WbT//d20xaGljXDB
YHqRcl8HnxbX6uaA/eGVw=="],

"@esbuild/linux-ppc64": ["@esbuild/linux-ppc64@0.25.12", "", { "os": "linux", "cpu": "ppc64" },
"sha512-9meM/IRXxMi5PSUqEXRCtVjEZBGwB7P/D4yT8UG/mwldze2aV4Vo6U5gD3+Rso
HXKkHCfSxZKzmDssVIRj1QQA=="],

"@esbuild/linux-riscv64": ["@esbuild/linux-riscv64@0.25.12", "", { "os": "linux", "cpu":
"none" },
"sha512-Zr7KR4hgKUpWAwB1f3o5ygT04MzqVrGEGXGLnj15YQDJErYu/BGg+wmFIIDOdJp
0PmB0ILvxFIOXZgFRdjR0w=="],

"@esbuild/linux-s390x": ["@esbuild/linux-s390x@0.25.12", "", { "os": "linux", "cpu":
"s390x" },
"sha512-MsKncOcgTNvdtiSc/jZs/Zf8d0cl/t3gYWX8J9ubBnVOwlk65UIEEvgBORTiljloIWnBz
Ls4qhzPkJcitlzlg=="],

"@esbuild/linux-x64": ["@esbuild/linux-x64@0.25.12", "", { "os": "linux", "cpu": "x64" },
"sha512-uqZMTLr/zR/ed4jIGnwSLkaHmPjOjJvnm6TVVitAa08SLS9Z0VM8wIRx7gWbJB5/J5
4YulMlnDquWyYvQLZkgw=="],

"@esbuild/netbsd-arm64": ["@esbuild/netbsd-arm64@0.25.12", "", { "os": "none", "cpu":
"arm64" },
"sha512-xXwcTq4GhRM7J9A8Gv5boanHhRa/Q9KLVmcyXHCtaM4wKflpWkdXiMog/Ksnxz
J0A1+nD+zoecuzqPmCRyBGjg=="],

"@esbuild/netbsd-x64": ["@esbuild/netbsd-x64@0.25.12", "", { "os": "none", "cpu": "x64" },
"sha512-Ld5pTlzPy3YwGec4OuHh1aCVCRvOXdH8DgRjfdy/oumVovmuSzWfnSJg+VtakB9
Cm0gxNO9BzWkj6mtO1FMXkQ=="],

"@esbuild/openbsd-arm64": ["@esbuild/openbsd-arm64@0.25.12", "", { "os": "openbsd",
"cpu": "arm64" },
"sha512-fF96T6KsBo/pkQI950FARU9apGNTSIZGsv1jZBAIcLL1MLjLNIWPBkj5NISz8aAzYK
g+eNqknrUJ24QBybeR5A=="],

"@esbuild/openbsd-x64": ["@esbuild/openbsd-x64@0.25.12", "", { "os": "openbsd", "cpu":
"x64" },
"sha512-MZyXUkZHjQxUvzK7rN8DJ3SRmrVrke8ZyRusHIP+kuwqTcfWLyqMOE3sScPPyeI
XN/mDJIfGXvcMqCgYKekoQw=="],

"@esbuild/openharmony-arm64": ["@esbuild/openharmony-arm64@0.25.12", "", { "os":
"none", "cpu": "arm64" },
"sha512-rm0YWsqUSRjncSXGA7Zv78Nbnw4XL6/dzr20cyrQf7ZmRcsovpcRBdhD43Nuk3y
7XloW2OxMVvwuRvk9XdASg=="],

"@esbuild/sunos-x64": ["@esbuild/sunos-x64@0.25.12", "", { "os": "sunos", "cpu": "x64" },
"sha512-3wGSCDyuTHQUzt0nV7bocDy72r2lI33QL3gkDNGkod22EsYI04sMf0qLb8luNKTO
mgF/eDEDP5BFNwoBKH441w=="],

"@esbuild/win32-arm64": ["@esbuild/win32-arm64@0.25.12", "", { "os": "win32", "cpu": "arm64" },
"sha512-rMmLrur64A7+DKInSuwqUdRKyd3UE7oPJZmnIjqEptesKM8wx9J8gx5u0+9Pq0fQ
QW8vqeKebwNXdfOyP+8Bsg=="],

"@esbuild/win32-ia32": ["@esbuild/win32-ia32@0.25.12", "", { "os": "win32", "cpu": "ia32"
},
"sha512-HkqnmmBoCbCwxUKKNPBixiWDGCpQGVsrQfJoVGYLPT41XWF8IHuE5N6WhVi
a2n4o5QK5M4tYr21827fNhi4byQ=="],

"@esbuild/win32-x64": ["@esbuild/win32-x64@0.25.12", "", { "os": "win32", "cpu": "x64" },
"sha512-aIJC0uCZpTFRSL0CCDjcgleBXPnCrEAhTBILpeAp7M/OFgoqtAetfBzX0xM00MUsV
VPpVjIPuMbREqnZCXaTnA=="],

"@eslint-community/eslint-utils": ["@eslint-community/eslint-utils@4.9.1", "", {
"dependencies": { "eslint-visitor-keys": "^3.4.3" }, "peerDependencies": { "eslint": "^6.0.0 ||
^7.0.0 || >=8.0.0" } },
"sha512-phrYmNiYppR7znFEdqgFWHXR6NCkZEK7hwWDHZUjit/2/U0r6XvkDI0SYnoM51Hq
7FhCGdLDT6zxCCOY1hexsQ=="],

"@eslint-community/regexpp": ["@eslint-community/regexpp@4.12.2", "", {}],
"sha512-EriSTlt5OC9/7SXkRSCAhfSxxoSUGBm33OH+IkwbdpgqsSsUg7y3uh+IICI/Qg4BB
Wr3U2i39RpmYcbxMq4ew=="],

"@eslint/config-array": ["@eslint/config-array@0.21.2", "", { "dependencies": {
"@eslint/object-schema": "^2.1.7", "debug": "^4.3.1", "minimatch": "^3.1.5" } },
"sha512-nJl2KGtIrf9GjLimglru+V/mzgSK0ABCDQRvxw5BjURL7WfH5uoWmizbH7QB6Mm
nMBd8clC9uceWnezL1VZWWw=="],

"@eslint/config-helpers": ["@eslint/config-helpers@0.4.2", "", { "dependencies": {
"@eslint/core": "^0.17.0" } },
"sha512-gBrxN88gOlf3R7ja5K9slwNayVcZgK6SOUORm2uBzTelEfeValhOpCtTox3P6R7o2j
LFwLFTLnC7kU/RGcYEgw=="],

"@eslint/core": ["@eslint/core@0.17.0", "", { "dependencies": { "@types/json-schema":
"^7.0.15" } },
"sha512-yL/sLrpmtDaFEiUj1osRP4TI2MDz1AddJL+jZ7KSqvBuliN4xqYY54IfdN8qD8Toa6g1
iloph1fxQNkjOxrrpQ=="],

"@eslint/eslintrc": ["@eslint/eslintrc@3.3.5", "", { "dependencies": { "ajv": "^6.14.0",
"debug": "^4.3.2", "esprex": "^10.0.1", "globals": "^14.0.0", "ignore": "^5.2.0", "import-fresh":
"^3.2.1", "js-yaml": "^4.1.1", "minimatch": "^3.1.5", "strip-json-comments": "^3.1.1" } },
"sha512-4IJx0X0qftVsN5E+/vGujTRIFtwuLbNsVUe7TO6zYPDR1O6nFwwwhIKEKSrl6dZch
mYBITazxKoUYOjdtjIRg=="],

"@eslint/js": ["@eslint/js@9.39.4", "", {}],
"sha512-nE7DElchvtiFTwBw4Lfbu59PG+kCofhjsKaCWzxTpt4IfRjRMqG6uMBzKXuEcyXhO
HoUp9riAm7/aWYGhXZ9cw=="],

"@eslint/object-schema": ["@eslint/object-schema@2.1.7", "", {},
"sha512-VtAOaymWVfZcmZbp6E2mympDIHvyjXs/12LqWYjVw6qjrfF+VK+fyG33kChz3nnK
+SU5/NeHOqrTEHS8sXO3OA=="],

"@eslint/plugin-kit": ["@eslint/plugin-kit@0.4.1", "", { "dependencies": { "@eslint/core":
"^0.17.0", "levn": "^0.4.1" } },
"sha512-43/qtrDUokr7LJqoF2c3+RIInu/t4zfrpYdoSDfYyhg52rwLV6TnOvdG4fXm7IkSB3wErk
cmJS9iEhjVtOSEjjA=="],

"@floating-ui/core": ["@floating-ui/core@1.7.5", "", { "dependencies": { "@floating-ui/utils":
"^0.2.11" } },
"sha512-1lh4WTWYw0+IKyFMcBHGbb5U5FtuHJuujoyr5zTaWS5EYMeT6Jb2AuDeftsCsEu
chO+mM2ij5+q9crhydZLhQ=="],

"@floating-ui/dom": ["@floating-ui/dom@1.7.6", "", { "dependencies": { "@floating-ui/core":
"^1.7.5", "@floating-ui/utils": "^0.2.11" } },
"sha512-9gZSAI5XM36880PPMm//9dfiEngYoC6Am2izES1FF406YFsJvyBMmeJ2g4SAju3x
WwtuynNRFL2s9hgxpLI5SQ=="],

"@floating-ui/react-dom": ["@floating-ui/react-dom@2.1.8", "", { "dependencies": {
"@floating-ui/dom": "^1.7.6" }, "peerDependencies": { "react": ">=16.8.0", "react-dom":
">=16.8.0" } },
"sha512-cC52bHwM/n/CxS87FH0yWdngEZrjdtLW/qVruo68qg+prK7ZQ4YGdut2GyDVpoGe
AYe/h899rVeOVm6Oi40k2A=="],

"@floating-ui/utils": ["@floating-ui/utils@0.2.11", "", {},
"sha512-RiB/yIh78pCxl6ILMG0CgBXAZ2Y0eVHqMPYugu+9U0AeT6YBeiJpf7IbdJNlugFP5
SljwNRgo4DhR1Qxi26Gg=="],

"@hookform/resolvers": ["@hookform/resolvers@5.2.2", "", { "dependencies": {
"@standard-schema/utils": "^0.3.0" }, "peerDependencies": { "react-hook-form": "^7.55.0" } },
"sha512-A/lxIMLShx3KjV/HeTcTfaMxdwy690+L/ZADoeaTltLx+CVuzkeVIPuybK3jrRfw7YZn
mdKsVVHAIEPIAEUNIA=="],

"@humanfs/core": ["@humanfs/core@0.19.2", "", { "dependencies": { "@humanfs/types":
"^0.15.0" } },
"sha512-UhXNm+CFMWcbChXywFwkmhqjs3PRCmcSa/hfBgLib7oQ5HNb1wS0icWsGtSA
UNgefHel+eBrA8l1fxmbHsGdvA=="],

"@humanfs/node": ["@humanfs/node@0.16.8", "", { "dependencies": { "@humanfs/core":
"^0.19.2", "@humanfs/types": "^0.15.0", "@humanwhocodes/retry": "^0.4.0" } },
"sha512-gE1eQNZ3R++kTzFUpdGlpmy8kDZD/MLyHqDwqjkVQl0JMDl1D51sy1H958PNXY
kM2rAac7e5/CnlKZrHtPh3BQ=="],

"@humanfs/types": ["@humanfs/types@0.15.0", "", {},
"sha512-ZZ1w0aoQkwuUuC7Yf+7sdeaNfqQiiLcSRbfl08oAxqLtpXQr9AIVX7Ay7HLDuiLYAa
FPu8oBYNq/Qli9URHJ3Q=="],

"@humanwhocodes/module-importer": ["@humanwhocodes/module-importer@1.0.1", "", {},
"sha512-bxveV4V8v5Yb4ncFTT3rPSgZBOPCkjk0y4oVVVJwluDVBRMDXrPyXRL988i5ap9
m9bnyEEjWfm5WkBmtffLfA=="]],

"@humanwhocodes/retry": ["@humanwhocodes/retry@0.4.3", "", {},
"sha512-bV0Tgo9K4hfPCek+aMA81RppFKv2ySDQeMoSZuvTASywnTnVJCACZE2FWqp
vlatKu7VMRLWIR1EazvVhDyhQ=="]],

"@jridgewell/gen-mapping": ["@jridgewell/gen-mapping@0.3.13", "", { "dependencies": {
"@jridgewell/sourcemap-codec": "^1.5.0", "@jridgewell/trace-mapping": "^0.3.24" } },
"sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5
dvM+uUyfCg6UKCBbA=="]],

"@jridgewell/remapping": ["@jridgewell/remapping@2.3.5", "", { "dependencies": {
"@jridgewell/gen-mapping": "^0.3.5", "@jridgewell/trace-mapping": "^0.3.24" } },
"sha512-LI9u/+laYG4Ds1TDKSJW2YPrllcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX
+tQKXx97T4IKHbhyHEQ=="]],

"@jridgewell/resolve-uri": ["@jridgewell/resolve-uri@3.1.2", "", {},
"sha512-bRISgCijP20/tbWSPWMEi54QVPRZExkuD9IJL+UlxUKtwVJA8wW1Trb1jMs1RFXo
1CBTNZ/5hpC9QvmKWdopKw=="]],

"@jridgewell/sourcemap-codec": ["@jridgewell/sourcemap-codec@1.5.5", "", {},
"sha512-cYQ9310grqxueWbl+WulUlaiUaDcj7WOq5fVhEijNVgRfOUhY9fy2zTvfoqWsnebh8
SI70VScFbICvJnLKB0Og=="]],

"@jridgewell/trace-mapping": ["@jridgewell/trace-mapping@0.3.31", "", { "dependencies": {
"@jridgewell/resolve-uri": "^3.1.0", "@jridgewell/sourcemap-codec": "^1.4.14" } },
"sha512-zzNR+SdQSDJzc8joaeP8QqoCQr8NuYx2dllyt1QeBEZHJ9uW6hebsrYgbz8hJwU
Qao3TWCMTmfV8Nu1twOLAw=="]],

"@lovable.dev/vite-plugin-dev-server-bridge":
["@lovable.dev/vite-plugin-dev-server-bridge@1.0.2", "", { "peerDependencies": { "vite":
">=5.0.0 <9.0.0" } },
"sha512-1c4XLFkpS614VxPyq+IX0us52vm5JWxdO1NfG2L1FjH0asKvHNu5//6wpmKHWmx
60Y4HR1gcLaliLACXIdeFyg=="]],

"@lovable.dev/vite-plugin-hmr-gate": ["@lovable.dev/vite-plugin-hmr-gate@1.1.1", "", {
"peerDependencies": { "vite": ">=5.0.0 <9.0.0" } },
"sha512-ySRUzOoGQYhj4Pd9EjaA7i1+2RiaS5ISVZasun72wVZZmJfFiciGYGQQDUu88HIS
n4icz0sugQxFRJGcNITggg=="]],

"@lovable.dev/vite-tanstack-config": ["@lovable.dev/vite-tanstack-config@2.7.1", "", {
"dependencies": { "@lovable.dev/vite-plugin-dev-server-bridge": "^1.0.2",
"@lovable.dev/vite-plugin-hmr-gate": "^1.1.1", "@tanstack/devtools-vite": "^0.8.1",
"lightningcss": "^1.30.0", "lovable-tagger": "1.2.0" }, "peerDependencies": {

"@tailwindcss/vite": ">=4.0.0", "@tanstack/react-start": ">=1.100.0", "@vitejs/plugin-react": ">=4.0.0", "nitro": ">=3.0.260603-beta", "vite": ">=5.0.0 <9.0.0", "vite-tsconfig-paths": ">=6.0.0" }, "optionalPeers": ["nitro"] },
"sha512-PCb3Rh65bCxm/rITx8g5xxMyaV3A/Mn+JkSM/2MYYksYJQx4v/AhE1qTi+JI4o/FCAzJVljM01SKzTqz0icA5A=="],

"@napi-rs/wasm-runtime": ["@napi-rs/wasm-runtime@1.1.4", "", { "dependencies": { "@tybys/wasm-util": "^0.10.1" }, "peerDependencies": { "@emnapi/core": "^1.7.1", "@emnapi/runtime": "^1.7.1" } },
"sha512-3NQNNgA1YSIJb/kMH1ildASP9HW7/7kYnRI2szWJaofaS1hWmbGI4H+d3+22aGzXXN9IJ+n+GiFVcGipJP18ow=="],

"@nodelib/fs.scandir": ["@nodelib/fs.scandir@2.1.5", "", { "dependencies": { "@nodelib/fs.stat": "2.0.5", "run-parallel": "^1.1.9" } },
"sha512-vq24Bq3ym5HEQm2NKCcr3yXDWjc7vTsEThRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62g=="],

"@nodelib/fs.stat": ["@nodelib/fs.stat@2.0.5", "", {}],
"sha512-RkhPPp2zrqDAQA/2jNhnztcPAIv64Xdhlp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A=="],

"@nodelib/fs.walk": ["@nodelib/fs.walk@1.2.8", "", { "dependencies": { "@nodelib/fs.scandir": "2.1.5", "fastq": "^1.6.0" } },
"sha512-oGB+UxlgWcgQkgwo8GcEGwemoTFt3FIO9ababBmaGwXloBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg=="],

"@oozcitak/dom": ["@oozcitak/dom@2.0.2", "", { "dependencies": { "@oozcitak/infra": "^2.0.2", "@oozcitak/url": "^3.0.0", "@oozcitak/util": "^10.0.0" } },
"sha512-GjpKhkSYC3Mj4+lfwEyl1dqnsKTgwGy48ytZEhm4A/xnH/8z9M3ZVXKr/YGQi3uCLs1AEBS+x5T2JPiueEDW8w=="],

"@oozcitak/infra": ["@oozcitak/infra@2.0.2", "", { "dependencies": { "@oozcitak/util": "^10.0.0" } },
"sha512-2g+E7hoE2dgCz/APPOEK5s3rMhJvNxSMBR+U+j1OWslbtSpWxxlUjq1IU8RIsFJNYv7NMInVsCuHcUzJW+8vA=="],

"@oozcitak/url": ["@oozcitak/url@3.0.0", "", { "dependencies": { "@oozcitak/infra": "^2.0.2", "@oozcitak/util": "^10.0.0" } },
"sha512-ZKfET8Ak1wsLAIlWNfFkZc/BraDccuTJKR6svTYc7sVjbR+lu0vtXdiDMY4o6jaFI5TW2TIS7jbLI4VovtAJWQ=="],

"@oozcitak/util": ["@oozcitak/util@10.0.0", "", {}],
"sha512-hAX0pT/73190NLqBPPWSdBVGtbY6VOhWYK3qqHqtXQ1gK7kS2yz4+ivsN07hpJ6l3aeMtKP6J6npsEKOAzutLA=="],

"@oxc-parser/binding-android-arm-eabi":
["@oxc-parser/binding-android-arm-eabi@0.120.0", "", { "os": "android", "cpu": "arm" }],

"sha512-WU3qtINx802wOI8RxAF1v0VvmC2O4D9M8Sv486nLeQ7iPHVmncYZrtBhB4SYyX+XZxj2PNnCcN+PW21jHgiOxg=="],

"@oxc-parser/binding-android-arm64": ["@oxc-parser/binding-android-arm64@0.120.0", "", { "os": "android", "cpu": "arm64" },
"sha512-SEf80EHdhbjZEgzeWm0ZA/br4GKMenDW3QB/gtyeTV1gStvvZeFi40ioHDZvds2m4Z9J1bUAUL8yn1/+A6iGg=="],

"@oxc-parser/binding-darwin-arm64": ["@oxc-parser/binding-darwin-arm64@0.120.0", "", { "os": "darwin", "cpu": "arm64" },
"sha512-xVrrbCai8R8CUIBu3CjryutQnEYhZqs1malqDvtUCFZb8vY33H7uh9mHpL3a0JBikoBUKjPH8+rzyAeXnS2d6A=="],

"@oxc-parser/binding-darwin-x64": ["@oxc-parser/binding-darwin-x64@0.120.0", "", { "os": "darwin", "cpu": "x64" },
"sha512-xyHBbnJ6mydnQUH7MAcafOkkrNzQC6T+LXgDH/3lnEq2BWI/g424IMRiJVSpVqGjB+p2bd0h0WRR8ilwzjU7rw=="],

"@oxc-parser/binding-freebsd-x64": ["@oxc-parser/binding-freebsd-x64@0.120.0", "", { "os": "freebsd", "cpu": "x64" },
"sha512-UMnVRllquXUYTeNfFKmxTTEdZ/ix1nLI0ducDzMSREoWYGVlHnOOxoKMWICOvRr9Wk/HZqo2rh1jeumbPGPV9A=="],

"@oxc-parser/binding-linux-arm-gnueabihf":
["@oxc-parser/binding-linux-arm-gnueabihf@0.120.0", "", { "os": "linux", "cpu": "arm" },
"sha512-tkvn2CQ7QdcsMnpfiX3fd3wA3EFsWKYlcQzq9cFw/xc89AI7W6Y4O0FgLVkVQpo0Tnq/qtE1XfkJOnRRA9S/NA=="],

"@oxc-parser/binding-linux-arm-musleabihf":
["@oxc-parser/binding-linux-arm-musleabihf@0.120.0", "", { "os": "linux", "cpu": "arm" },
"sha512-WN5y135lc42gQDk9grbwY9++fDhqf8knN6fnP+0WALIAUh4odY/BDK1nftJRSfpJD9P3r1BwU0m3pW2DU89whQ=="],

"@oxc-parser/binding-linux-arm64-gnu":
["@oxc-parser/binding-linux-arm64-gnu@0.120.0", "", { "os": "linux", "cpu": "arm64" },
"sha512-1GgQBCcXvFMw99EPdMy+4NZ3aYyXsxjf9kbUUg8HuAy3ZBXzOry5KfFEzT9nqmgZI1cuetvApkiJBZLAPo8uaw=="],

"@oxc-parser/binding-linux-arm64-musl":
["@oxc-parser/binding-linux-arm64-musl@0.120.0", "", { "os": "linux", "cpu": "arm64" },
"sha512-gmMQ70gsPdDBgpcErvJEoWNBr7bJooSLlvOBVBSGfOziP5NvJ3bFvnUeZZ9d+dPrqSngtonf7nyzWUTUj/U+lw=="],

"@oxc-parser/binding-linux-ppc64-gnu":
["@oxc-parser/binding-linux-ppc64-gnu@0.120.0", "", { "os": "linux", "cpu": "ppc64" },
"sha512-T/kZuU0ajop0xhzVMwH5r3srC9Nqup5Halo+3uFjIN5uPxa0LvSx1ZqP4aQGJVW5G0z8/nCkjlSfSMS91P/wzw=="],

"@oxc-parser/binding-linux-riscv64-gnu":
["@oxc-parser/binding-linux-riscv64-gnu@0.120.0", "", { "os": "linux", "cpu": "none" },
"sha512-vn21KXLAXzaI3N5CZWIBr1iWeXLI9QFIMor7S1hUjUGTeUuWCoE6JZB040/ZNDwf
+JXPX8Ao9KbmJq9FMC2iGw=="],

"@oxc-parser/binding-linux-riscv64-musl":
["@oxc-parser/binding-linux-riscv64-musl@0.120.0", "", { "os": "linux", "cpu": "none" },
"sha512-SUBUxlar007LTGmSLGIC5x/WJvwHdX+PwNzFJ9f/nOZZOrCFbOT4ikt7pJIRg1tXVs
Efzk5mWpGO1NFiSs4Plw=="],

"@oxc-parser/binding-linux-s390x-gnu":
["@oxc-parser/binding-linux-s390x-gnu@0.120.0", "", { "os": "linux", "cpu": "s390x" },
"sha512-hYiPJTxYfJY2+IMBFk3p2bo0R9GN+TtpPFIRqVchL1qvLG+pzNstramHNvJlw9Ajao
RUHwp9IKR7UZQnRPGjgQ=="],

"@oxc-parser/binding-linux-x64-gnu": ["@oxc-parser/binding-linux-x64-gnu@0.120.0", "", {
"os": "linux", "cpu": "x64" },
"sha512-q+5jSVZkprJCly3dzJpApat0InJaoxQLsJuD6DkX8hrUS61z2IHQ1Fe9L2+TYbKHXC
LWbL0zXe7ovklDopBGMQ=="],

"@oxc-parser/binding-linux-x64-musl": ["@oxc-parser/binding-linux-x64-musl@0.120.0",
"", { "os": "linux", "cpu": "x64" },
"sha512-D9QDDZNhH24e7X4ftSa6ar/2hCavETfW3uk0zgcMlrZNY459O5deTbWrjGzZiVrSW
igGtlQwzs2McBP0QsfV1w=="],

"@oxc-parser/binding-openharmony-arm64":
["@oxc-parser/binding-openharmony-arm64@0.120.0", "", { "os": "none", "cpu": "arm64" },
"sha512-TBU8ZwOUWAOUWVfml16CYWbvh4uQb9zHnGBHsw5Cp2JUUVG044OIY1CSHO
DLifqzQIMTXvDvLzcL89GGdUIqNrA=="],

"@oxc-parser/binding-wasm32-wasi": ["@oxc-parser/binding-wasm32-wasi@0.120.0", "",
{ "dependencies": { "@napi-rs/wasm-runtime": "^1.1.1" }, "cpu": "none" },
"sha512-WG/FOZgDJCpJnuF3ToG/K28rcOmSY7FmFmfBKYb2fmLyhDzPpUldFGV7/Fz4ru0
Iz/v4KPmf8xVgO8N3IO4KHA=="],

"@oxc-parser/binding-win32-arm64-msvc":
["@oxc-parser/binding-win32-arm64-msvc@0.120.0", "", { "os": "win32", "cpu": "arm64" },
"sha512-1T0HKGcsz/BKo77t7+89L8Qvu4f9DoleKWHp3C5sJEcbCjDOLx3m9m722bWZTY+
hANIUEs+yjIK+IBFsA+vrVQ=="],

"@oxc-parser/binding-win32-ia32-msvc":
["@oxc-parser/binding-win32-ia32-msvc@0.120.0", "", { "os": "win32", "cpu": "ia32" },
"sha512-L7vfLzbOXsjBXV0rv/6Y3Jd9BRjPeCivINZAqrSyAOZN3moCopDN+Psq9ZrGNZtJz
P8946MtlRFZ0Als0wBCOw=="],

"@oxc-parser/binding-win32-x64-msvc":
["@oxc-parser/binding-win32-x64-msvc@0.120.0", "", { "os": "win32", "cpu": "x64" },

"sha512-ys+upfqNtSu58huAhJMBKI3XCkGzyVFBIMIGPzHeFKgpFF/OdgNs1MMf8oaJlbgMH8ZxgGF7qfue39eJohmKIg=="],

"@oxc-project/types": ["@oxc-project/types@0.134.0", "", {}],
"sha512-T0xuRRKrQFmocH8y+jGfpmSkGcheaJExY9IEihmR1Gm2aH+75B8CzgU2rABRQSSzzDxLjZ15Sc0bRVLj5lVeNXQ=="],

"@pkgr/core": ["@pkgr/core@0.2.9", "", {}],
"sha512-QNqXyfVS2wm9hweSYD2O7F0G06uurj9kZ96TRQE5Y9hU7+tgDZWlkbAKc5Ocy1HxEY2kuDQa6cQ1WRs/O5LFKA=="],

"@radix-ui/number": ["@radix-ui/number@1.1.1", "", {}],
"sha512-MkKCwXlXTgz6CFoJx3pCwn07GKp36+aZyu/u2Ln2VrA5DcdyCZkASEDBTd8x5whTQQL5CiYf4prXKLcgQdv29g=="],

"@radix-ui/primitive": ["@radix-ui/primitive@1.1.3", "", {}],
"sha512-JTF99U/6XlJCB0wqkU5sK10glYe27MRRsfwoiq5zzOEZLHU3A3KCMa5X/azekYRCJ0Hlwl0crAXS/5dEHTzDg=="],

"@radix-ui/react-accordion": ["@radix-ui/react-accordion@1.2.12", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-collapsible": "1.1.12",
"@radix-ui/react-collection": "1.1.7", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-direction": "1.1.1", "@radix-ui/react-id":
"1.1.1", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-use-controllable-state": "1.2.2" },
"peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 ||
^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" },
"optionalPeers": { "@types/react", "@types/react-dom" } },
"sha512-T4nygeh9YE9dLRPhAHSeOZI7HBXo+0KYIPJXayZfvWOWA0+n3dESrZbjfDPUABkUNym6Hd+f2IR113To8D2GPA=="],

"@radix-ui/react-alert-dialog": ["@radix-ui/react-alert-dialog@1.1.15", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-dialog": "1.1.15",
"@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-slot": "1.2.3" }, "peerDependencies": {
"@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": {
"@types/react", "@types/react-dom" } },
"sha512-oTVLkEw5GpdRe29BqJ0LSDFWI3qu0vR1M0mUkOQWDIUnY/QlKLpgDMWuKxP94c2NAC2LGcgVhG1lmF3jkZ5wXw=="],

"@radix-ui/react-arrow": ["@radix-ui/react-arrow@1.1.7", "", { "dependencies": {
"@radix-ui/react-primitive": "2.1.3" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": { "@types/react",
"@types/react-dom" } },
"sha512-F+M1tLhO+mlQaOWspE8Wstg+z6PwxwRd8oQ8IXceWz92kfAmalTRf0EjrrouQeo7QssEPfCn05B4lhs1K9WQ/7w=="],

"@radix-ui/react-aspect-ratio": ["@radix-ui/react-aspect-ratio@1.1.8", "", { "dependencies": { "@radix-ui/react-primitive": "2.1.4" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-5nZrJTF7gH+e0nZS7/QxFz6tJV4VimhQb1avEgtsJxvvlp5JiIL+c58HICsKzPxghdwaDt48hEfPM1au4zGy+w=="],

"@radix-ui/react-avatar": ["@radix-ui/react-avatar@1.1.11", "", { "dependencies": { "@radix-ui/react-context": "1.1.3", "@radix-ui/react-primitive": "2.1.4", "@radix-ui/react-use-callback-ref": "1.1.1", "@radix-ui/react-use-is-hydrated": "0.1.0", "@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-0Qk603AHGV28BOBO34p7lgD5m+V5Sg/YovfayABkoDDBM5d3NCx0Mp4gGrjzLGes1jV5eNOE1r3itqOR33VC6Q=="],

"@radix-ui/react-checkbox": ["@radix-ui/react-checkbox@1.3.3", "", { "dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2", "@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-use-controllable-state": "1.2.2", "@radix-ui/react-use-previous": "1.1.1", "@radix-ui/react-use-size": "1.1.1" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-wBbpv+NQftHDdG86Qc0plyXk5IR3tM8Vd0nWLKDCX8nNn4nXFOFwsKuqw2okA/1D/mpaAkmuyndrPJTYDNZtFw=="],

"@radix-ui/react-collapsible": ["@radix-ui/react-collapsible@1.1.12", "", { "dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2", "@radix-ui/react-id": "1.1.1", "@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-use-controllable-state": "1.2.2", "@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-Uu+mSh4agx2ib1uIGPP4/CKNULyajb3p92LsVXmH2EHVMTfZWpII88XJ0j4W0z3f8NK1eYI1+Mf/szHPmcHzyA=="],

"@radix-ui/react-collection": ["@radix-ui/react-collection@1.1.7", "", { "dependencies": { "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-slot": "1.2.3" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-Fh9rGN0Mol4ZFUNyFVNU4y9LUz93u9/0K+yLgA2bwRojxM8JU1DyvvMBabnZPBgMWREAjvU2jjVzq+LrFUGlw=="],

"@radix-ui/react-compose-refs": ["@radix-ui/react-compose-refs@1.1.2", "", {
"peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-z4eqJvfiNnFMHllvXP3CY57y2WJs5g2v3X0zm9mEJkrkNv4rDxu+sg9Jh8EkXyeqBk
B7SOcboo9dMVqhyrAClg=="],

"@radix-ui/react-context": ["@radix-ui/react-context@1.1.2", "", { "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-jCi/QKUM2r1Ju5a3J64TH2A5SpKAgh0LpknyqdQ4m6DCV0xJ2HG1xARRwNGPQf
i1SLdLWZ1OJz6F4OMBBNiGJA=="],

"@radix-ui/react-context-menu": ["@radix-ui/react-context-menu@2.2.16", "", {
"dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-menu": "2.1.16", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-callback-ref": "1.1.1", "@radix-ui/react-use-controllable-state": "1.2.2" },
"peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 ||
^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" },
"optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-O8morBEW+HsVG28gYDZPTTrT9UUovQUIJue5YO836tiTJhuIWBm/zQHc7j388sH
WtdH/xUZurK9oID2+pcqx5ww=="],

"@radix-ui/react-dialog": ["@radix-ui/react-dialog@1.1.15", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-focus-guards": "1.1.3", "@radix-ui/react-focus-scope": "1.1.7",
"@radix-ui/react-id": "1.1.1", "@radix-ui/react-portal": "1.1.9", "@radix-ui/react-presence":
"1.1.5", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-slot": "1.2.3",
"@radix-ui/react-use-controllable-state": "1.2.2", "aria-hidden": "^1.2.4",
"react-remove-scroll": "^2.6.3" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-TCglVrtzlffRNxRMEyR36DGBLJpeusFcgMVD9PZEzAKnUs1IKCgX5u9BmC2Yg+
LL9MgZDugFFs1VI+Jp4t/PGw=="],

"@radix-ui/react-direction": ["@radix-ui/react-direction@1.1.1", "", { "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-1UEWRX6jnOA2y4H5WczZ44gOOjTEmlqv1uNW4GAJEO5+bauCBhv8snY65lw5/
VOS/ghKN9gr2KjnLKxrsvoMVw=="],

"@radix-ui/react-dismissable-layer": ["@radix-ui/react-dismissable-layer@1.1.11", "", {
"dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-use-callback-ref": "1.1.1",
"@radix-ui/react-use-escape-keydown": "1.1.1" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":

"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-Nqcp+t5cTB8BinFkZgXiMjNiQH0PsUt2k51FUhbdfeKvc4ACcG2uQniY/8+h1Yv6Kz
a4Q7ID7PQV0z0oicE0Mg=="],

"@radix-ui/react-dropdown-menu": ["@radix-ui/react-dropdown-menu@2.1.16", "", {
"dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-id": "1.1.1", "@radix-ui/react-menu":
"2.1.16", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-use-controllable-state": "1.2.2"
}, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0
|| ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" },
"optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-1PLGQEynI/3OX/ftV54COn+3Sud/Mn8vALg2rWnBLnRaGtJDduNW/22XjIGgPdpci
biQxjKtb7BkcjP00nqfJw=="],

"@radix-ui/react-focus-guards": ["@radix-ui/react-focus-guards@1.1.3", "", {
"peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-0rFg/Rj2Q62NCm62jZw0QX7a3sz6QCQU0LpZdNrJX8byRGaGVTqbrW9jAoIAHyM
QqsNpeZ81YgSizOt5WXq0Pw=="],

"@radix-ui/react-focus-scope": ["@radix-ui/react-focus-scope@1.1.7", "", {
"dependencies": { "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-primitive":
"2.1.3", "@radix-ui/react-use-callback-ref": "1.1.1" }, "peerDependencies": { "@types/react":
"*, "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-t2ODikXBQyn7jkl6TNaw/MtVEVviGelJDCG41Okq/KwUsJBwQ4XVZsHAVUkK4mB
v3ewiAS3PGuUWuY2BoK4ZUw=="],

"@radix-ui/react-hover-card": ["@radix-ui/react-hover-card@1.1.15", "", { "dependencies":
{ "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-popover": "1.2.8", "@radix-ui/react-portal": "1.1.9",
"@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-controllable-state": "1.2.2" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-qgTkjNT1CfKM0P0rcasmIH2r1DAiYicWsDsufxI940sT2wHNEWVv6FMWIQXWhVd
mC1d/HYfbhQx60KYyAtKxjg=="],

"@radix-ui/react-id": ["@radix-ui/react-id@1.1.1", "", { "dependencies": {
"@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": { "@types/react": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-kGkGegYldQsOb4XjsfM97rXsiHaBwco+hFI66oO4s9LU+PLAC5oJ7khdOVfxkxsmI
bpUqDAvXw11CluXP+jkHg=="],

"@radix-ui/react-label": ["@radix-ui/react-label@2.1.8", "", { "dependencies": {
"@radix-ui/react-primitive": "2.1.4" }, "peerDependencies": { "@types/react": "**",
"@types/react-dom": "**", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-FmXs37I6hSBVDIO4y764TNz1rLgKwjJMQ0EGte6F3Cb3f4bluHB/iLa/8l9VKkmOy+
gNHq8rqI3j686ACVV21A=="],

"@radix-ui/react-menu": ["@radix-ui/react-menu@2.1.16", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-collection": "1.1.7",
"@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1", "@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-focus-guards": "1.1.3", "@radix-ui/react-focus-scope": "1.1.7",
"@radix-ui/react-id": "1.1.1", "@radix-ui/react-popover": "1.2.8", "@radix-ui/react-portal":
"1.1.9", "@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-roving-focus": "1.1.11", "@radix-ui/react-slot": "1.2.3",
"@radix-ui/react-use-callback-ref": "1.1.1", "aria-hidden": "^1.2.4", "react-remove-scroll":
"^2.6.3" }, "peerDependencies": { "@types/react": "**", "@types/react-dom": "**", "react": "^16.8
|| ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-72F2T+PLlphrqLcAotYPp0uJMr5SjP5SL01wfEspJbr5Zs5vQaSHb4VB3ZMJPimg
HHCHG7gMOeOB9H3Hdmtxg=="],

"@radix-ui/react-menubar": ["@radix-ui/react-menubar@1.1.16", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-collection": "1.1.7",
"@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1", "@radix-ui/react-id": "1.1.1", "@radix-ui/react-menu":
"2.1.16", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-roving-focus": "1.1.11",
"@radix-ui/react-use-controllable-state": "1.2.2" }, "peerDependencies": { "@types/react": "**",
"@types/react-dom": "**", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-EB1FktZ5xRRi2Er974AUQZWg2yVBb1yjip38/lgtwCVRd3a+maUoGHN/xs9Yv8SY
8QwbSEb+YrxGadVWbEutA=="],

"@radix-ui/react-navigation-menu": ["@radix-ui/react-navigation-menu@1.2.14", "", {
"dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-collection": "1.1.7",
"@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1", "@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-id": "1.1.1", "@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive":
"2.1.3", "@radix-ui/react-use-callback-ref": "1.1.1", "@radix-ui/react-use-controllable-state":
"1.2.2", "@radix-ui/react-use-layout-effect": "1.1.1", "@radix-ui/react-use-previous": "1.1.1",
"@radix-ui/react-visually-hidden": "1.2.3" }, "peerDependencies": { "@types/react": "**",
"@types/react-dom": "**", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-YB9mTFQvCOAQMhU+C/jVI96WmuWeltyUEpRJJky51huhds5W2FQr1J8D/16sQIf
0ozxkPK8uF3niQMdUwZPv5w=="],

"@radix-ui/react-popover": ["@radix-ui/react-popover@1.1.15", "", { "dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2", "@radix-ui/react-dismissable-layer": "1.1.11", "@radix-ui/react-focus-guards": "1.1.3", "@radix-ui/react-focus-scope": "1.1.7", "@radix-ui/react-id": "1.1.1", "@radix-ui/react-popper": "1.2.8", "@radix-ui/react-portal": "1.1.9", "@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-slot": "1.2.3", "@radix-ui/react-use-controllable-state": "1.2.2", "aria-hidden": "^1.2.4", "react-remove-scroll": "2.6.3" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-kr0X2+6Yy/vJzLYJUPCZEc8SfQcf+1COFoAqauJm74umQhta9M7INJHP7QQS3vkv cGLQuBwPmZwrXYwrYztHKA=="],

"@radix-ui/react-popper": ["@radix-ui/react-popper@1.2.8", "", { "dependencies": { "@floating-ui/react-dom": "^2.0.0", "@radix-ui/react-arrow": "1.1.7", "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-use-callback-ref": "1.1.1", "@radix-ui/react-use-layout-effect": "1.1.1", "@radix-ui/react-use-rect": "1.1.1", "@radix-ui/react-use-size": "1.1.1", "@radix-ui/rect": "1.1.1" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-0NJQ4LFFUuWkE7Oxf0htBKS6zLkkjBH+hM1uk7Ng705ReR8m/uelduy1DBo0PyB XPKVnBA6YBIU94MBGXrSBCw=="],

"@radix-ui/react-portal": ["@radix-ui/react-portal@1.1.9", "", { "dependencies": { "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-bplxvq03if6UNwXZ+HTK71JLh4APvnXntDc6XOX8UVq4XQOVI7lwok0AvII+b8zgC w3fSaVTZMpAPPagXbKmhQ=="],

"@radix-ui/react-presence": ["@radix-ui/react-presence@1.1.5", "", { "dependencies": { "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-/jfEwNDdQVBCNvjKGit4h6pMOzq8bHkopq458dPt2IMjx+eBQUohZNG9A7DtO/O5u kSbxuaNGXMjHicgwy6rQQ=="],

"@radix-ui/react-primitive": ["@radix-ui/react-primitive@2.1.3", "", { "dependencies": { "@radix-ui/react-slot": "1.2.3" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] },

"sha512-m9gTwRkhy2lvCPe6QJp4d3G1TYEUHn/FzJUtg9MjH46an1wJU+GdoGC5VLof8R
X8Ft/DlpshApkhsWDLZzHlcQ=="],

"@radix-ui/react-progress": ["@radix-ui/react-progress@1.1.8", "", { "dependencies": {
"@radix-ui/react-context": "1.1.3", "@radix-ui/react-primitive": "2.1.4" }, "peerDependencies":
{ "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react", "@types/react-dom"] },
"sha512-+gISHcSPUJ7ktBy9RnTqbdKW78bcGke3t6taawyZ71pio1JewwGSJizyCs7rLhGTv
MJYCQB1DBK4KQsxs7U8dA=="],

"@radix-ui/react-radio-group": ["@radix-ui/react-radio-group@1.3.8", "", { "dependencies":
{ "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-direction": "1.1.1",
"@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-roving-focus": "1.1.11", "@radix-ui/react-use-controllable-state": "1.2.2",
"@radix-ui/react-use-previous": "1.1.1", "@radix-ui/react-use-size": "1.1.1" },
"peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 ||
^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" },
"optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-VBKYIYImA5zsxACdisNQ3BjCBfmbGH3kQlnFVqIWU4tXwjy7cGX8ta80BcrO+WJX
ln5iBylEH3K6ZTlee//lgQ=="],

"@radix-ui/react-roving-focus": ["@radix-ui/react-roving-focus@1.1.11", "", {
"dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-collection": "1.1.7",
"@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1", "@radix-ui/react-id": "1.1.1", "@radix-ui/react-primitive":
"2.1.3", "@radix-ui/react-use-callback-ref": "1.1.1", "@radix-ui/react-use-controllable-state":
"1.2.2" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8
|| ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-7A6S9jSgm/S+7MdtNDSb+IU859vQqJ/QAtcYQcfc6W8RS4lxIZDldLR0xqCFZ6D
CyrQLjLPsxtTNch5jVA4IA=="],

"@radix-ui/react-scroll-area": ["@radix-ui/react-scroll-area@1.2.10", "", { "dependencies": {
"@radix-ui/number": "1.1.1", "@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs":
"1.1.2", "@radix-ui/react-context": "1.1.2", "@radix-ui/react-direction": "1.1.1",
"@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-callback-ref": "1.1.1", "@radix-ui/react-use-layout-effect": "1.1.1" },
"peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 ||
^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" },
"optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-tAXla1g3sM5CGpVT0ulbUx/U3Gs5N8T52IIcuCtObaos1S8fzsrPXG5WObkQN3S6
NVI6wKgPhAliBGbWnvc97A=="],

"@radix-ui/react-select": ["@radix-ui/react-select@2.2.6", "", { "dependencies": {
"@radix-ui/number": "1.1.1", "@radix-ui/primitive": "1.1.3", "@radix-ui/react-collection":
"1.1.7", "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2",

"@radix-ui/react-direction": "1.1.1", "@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-focus-guards": "1.1.3", "@radix-ui/react-focus-scope": "1.1.7",
"@radix-ui/react-id": "1.1.1", "@radix-ui/react-popover": "1.2.8", "@radix-ui/react-portal":
"1.1.9", "@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-slot": "1.2.3",
"@radix-ui/react-use-callback-ref": "1.1.1", "@radix-ui/react-use-controllable-state": "1.2.2",
"@radix-ui/react-use-layout-effect": "1.1.1", "@radix-ui/react-use-previous": "1.1.1",
"@radix-ui/react-visually-hidden": "1.2.3", "aria-hidden": "^1.2.4", "react-remove-scroll":
"^2.6.3" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8
|| ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-l30RydO+bnn2PQztvo25tswPH+wFBjehVGtmagkU78yMdwTwVf12wnAOF+AeP8S
2N8xD+5UPbGhkUfPyvT+mwQ=="],

"@radix-ui/react-separator": ["@radix-ui/react-separator@1.1.8", "", { "dependencies": {
"@radix-ui/react-primitive": "2.1.4" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-sDvqVY4itsKwwSMEe0jtKgfTh+72Sy3gPmQpjqcQneqQ4PFmr/1l0YA+2/puilhggCe
2gJcx5EBAYFkWkdpa5g=="],

"@radix-ui/react-slider": ["@radix-ui/react-slider@1.3.6", "", { "dependencies": {
"@radix-ui/number": "1.1.1", "@radix-ui/primitive": "1.1.3", "@radix-ui/react-collection":
"1.1.7", "@radix-ui/react-compose-refs": "1.1.2", "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-controllable-state": "1.2.2", "@radix-ui/react-use-layout-effect": "1.1.1",
"@radix-ui/react-use-previous": "1.1.1", "@radix-ui/react-use-size": "1.1.1" },
"peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 ||
^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" },
"optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-JPYb1GuM1bxfjMRINLE+BcmBC8onfCi60Blk7OBqi2MLTFdS+8401U4uFjnwKOr49
BLmXxLC6JHkvAsx5OJvHw=="],

"@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.4", "", { "dependencies": {
"@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": { "@types/react": "*", "react":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-Jl+bCv8HxKnITLVRcDE8zTMJ09R9/ukw4qBs/oZCfOfoQk/cOTbDn+NceXfV7j09YP
VQUryJPHurafcSg6EVKA=="],

"@radix-ui/react-switch": ["@radix-ui/react-switch@1.2.6", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-controllable-state": "1.2.2", "@radix-ui/react-use-previous": "1.1.1",
"@radix-ui/react-use-size": "1.1.1" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },

"sha512-bByzr1+ep1zk4VubeEVViV592vu2IHE2BZY5OnzehZqOOgogN80+mNtCqPkhn2gkI
JqOpxWgPoYTSnhBCqpOXQ=="],

"@radix-ui/react-tabs": ["@radix-ui/react-tabs@1.1.13", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-context": "1.1.2", "@radix-ui/react-direction":
"1.1.1", "@radix-ui/react-id": "1.1.1", "@radix-ui/react-presence": "1.1.5",
"@radix-ui/react-primitive": "2.1.3", "@radix-ui/react-roving-focus": "1.1.11",
"@radix-ui/react-use-controllable-state": "1.2.2" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-7xdcatg7/U+7+Udyoj2zodtI9H/Ilopqo+YOlcZOq1nJwXWBZ9p8xiu5lIXlekDbZkca79
a/fozEYQXIA4sW6A=="],

"@radix-ui/react-toggle": ["@radix-ui/react-toggle@1.1.10", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-controllable-state": "1.2.2" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-IS1odchhFTeZv3xwHH31YPObmJn8gOg7Lq12inrr0+BH/I3Tsq32VfjqH1oh80ARM3
mlkfMic15n0kg4sD1poQ=="],

"@radix-ui/react-toggle-group": ["@radix-ui/react-toggle-group@1.1.11", "", {
"dependencies": { "@radix-ui/primitive": "1.1.3", "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-roving-focus": "1.1.11", "@radix-ui/react-toggle": "1.1.10",
"@radix-ui/react-use-controllable-state": "1.2.2" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-5umnS0T8JQzQT6HbPyO7Hh9dgd82NmS36DQr+X/YJ9ctFNCiiQd6lJAYYZ33LUw
m8M+taCz5t2ui29fHZc4Y6Q=="],

"@radix-ui/react-tooltip": ["@radix-ui/react-tooltip@1.2.8", "", { "dependencies": {
"@radix-ui/primitive": "1.1.3", "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2", "@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-id": "1.1.1", "@radix-ui/react-popover": "1.2.8", "@radix-ui/react-portal":
"1.1.9", "@radix-ui/react-presence": "1.1.5", "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-slot": "1.2.3", "@radix-ui/react-use-controllable-state": "1.2.2",
"@radix-ui/react-visually-hidden": "1.2.3" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-tY7sVt1yL9ozlxvmbtN5qtmH2krXcBCfjEiCgKGLqunJHvgvZG2Pcl2oQ3kbcZARb1B
GEHdkLzcYGO8ynVlieg=="],

"@radix-ui/react-use-callback-ref": ["@radix-ui/react-use-callback-ref@1.1.1", "", {
"peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-FkBMwD+qbGQeMu1cOHnuGB6x4yzPjho8ap5WtbEJ26umhgqVXbhekKUQO+hZ
EL1vU92a3wHwdp0HAcqAUF5iDg=="],

"@radix-ui/react-use-controllable-state": ["@radix-ui/react-use-controllable-state@1.2.2",
"", { "dependencies": { "@radix-ui/react-use-effect-event": "0.0.2",
"@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": { "@types/react": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-BjasUjixPFdS+NKkypcyyN5Pmg83Olst0+c6vGov0diwTEo6mgdqVR6hxcEgFuh4Qr
As7Rc+9KuGJ9TVCj0Zzg=="],

"@radix-ui/react-use-effect-event": ["@radix-ui/react-use-effect-event@0.0.2", "", {
"dependencies": { "@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-Qp8WbZObE+blgpuUT+lw2xheLP8q0oatc9UpmiemEICxGvFLYmHm9QowVZGHtJ
IGbS6A6yJ3iViad/2cVjnOiA=="],

"@radix-ui/react-use-escape-keydown": ["@radix-ui/react-use-escape-keydown@1.1.1",
"", { "dependencies": { "@radix-ui/react-use-callback-ref": "1.1.1" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-Il0+boE7w/XebUHyBjroE+DbByORGR9KKmITzbR7MyQ4akpORYP/ZmbhAr0DG7
RmmBqoOnZdy2QlvajJ2QA59g=="],

"@radix-ui/react-use-is-hydrated": ["@radix-ui/react-use-is-hydrated@0.1.0", "", {
"dependencies": { "use-sync-external-store": "^1.5.0" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-U+UORVEq+cTnRlaostJv9AGdV3G6Y+zbVd+12e18jQ5A3c0xL03lhnHuiU4UV69w
oIOQp5GfR58NW/EgdQhwoA=="],

"@radix-ui/react-use-layout-effect": ["@radix-ui/react-use-layout-effect@1.1.1", "", {
"peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-RbJRS4UWQFkzHTTwVymMTUv8EqYhOp8dOOviLj2ugtTiXRaRQS7GLGxZTLL1j
WhMeoSCf5zmcZkqTI9liYfXcQ=="],

"@radix-ui/react-use-previous": ["@radix-ui/react-use-previous@1.1.1", "", {
"peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-2dHfToCj/pzca2Ck724OZ5L0EVrr3eHRNsG/b3xQJLA2hZpVCS99bLAX+hm1IHxD
EnzU6by5z/5MIY794/a8NQ=="],

"@radix-ui/react-use-rect": ["@radix-ui/react-use-rect@1.1.1", "", { "dependencies": {
"@radix-ui/rect": "1.1.1" }, "peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0

|| ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": [["@types/react"]],
"sha512-QTYuDesS0VtuHNNvMh+CjIKJ4LJickCMUAqjIE3+j8w+RIRpwyX3apEQKGFzbZGd
o7XNG1tXa+bQqIE7HIXT2w=="],

"@radix-ui/react-use-size": [["@radix-ui/react-use-size@1.1.1", "", { "dependencies": {
"@radix-ui/react-use-layout-effect": "1.1.1" }, "peerDependencies": { "@types/react": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": [["@types/react"]],
"sha512-ewrXRDTAqAXIkI6t/fkXWNAhFX9I+CkKlw6zjEwk86RSPKwZr3xpBRso655aqYafwt
nbpHLj6toFzmd6xdVptQ=="],

"@radix-ui/react-visually-hidden": [["@radix-ui/react-visually-hidden@1.2.3", "", {
"dependencies": { "@radix-ui/react-primitive": "2.1.3" }, "peerDependencies": {
"@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react", "@types/react-dom"]],
"sha512-pzJq12tEaalhqjbzpCuv/OypJY/BPavOofm+dbab+MHLajy277+1lLm6JFcGgF5eskJ
6mquGirhXY2GD/8u8Ug=="],

"@radix-ui/rect": [["@radix-ui/rect@1.1.1", "", {}],
"sha512-HPwpGlzkl28mWyZqG52jiqDJ12waP11Pa1lGoiyUklEuMLBP0oeK/C89esbXrxsky5
we7dfd8U58nm0SgAWpVw=="],

"@rolldown/binding-android-arm64": [["@rolldown/binding-android-arm64@1.1.0", "", {
"os": "android", "cpu": "arm64" }],
"sha512-gCYzGOSkYY6Z034suzd20euvds7IPzMEEla62DJGE/ZAIR4OMBnNbnvBSsIGUC
Ar52gaWMsloGxP4tVGtN5aCA=="],

"@rolldown/binding-darwin-arm64": [["@rolldown/binding-darwin-arm64@1.1.0", "", { "os":
"darwin", "cpu": "arm64" }],
"sha512-JQBD77MNgU+4Z6RAyg69acugdrhhVoWesr3l47zohYZ2YV2fwkWMARKN/2p4l6Ei+
Sno7W5q+UsKdVWq5Ens0w=="],

"@rolldown/binding-darwin-x64": [["@rolldown/binding-darwin-x64@1.1.0", "", { "os":
"darwin", "cpu": "x64" }],
"sha512-p/8cXUTK4Sob604e+xxPhVSbDFf29E6J0l/xESM9rdCfn3aDai3nEs6TnMHUsdD5a
NIFz0+gDbiGlozLKGa2YA=="],

"@rolldown/binding-freebsd-x64": [["@rolldown/binding-freebsd-x64@1.1.0", "", { "os":
"freebsd", "cpu": "x64" }],
"sha512-KbtOSIVv6fElujiZWMcC3aQYhEwLVVf073RcwlSmpGQvlsKZFUqc0ef4sjUuurRwfbI
l6JJXji9DQn+86hawmQ=="],

"@rolldown/binding-linux-arm-gnueabihf":
[["@rolldown/binding-linux-arm-gnueabihf@1.1.0", "", { "os": "linux", "cpu": "arm" }],
"sha512-9fZ9i0o0/MQaw7om6Z6TsT7tfCk0jtbEFtC+aPqZL5RNsGWNcHvn6EHgGL3dAprjq+A
ZzPTAQjg2JtpJaMt+6pg=="],

"@rolldown/binding-linux-arm64-gnu": ["@rolldown/binding-linux-arm64-gnu@1.1.0", "", {
"os": "linux", "cpu": "arm64" },
"sha512-+tog7T66i+yFyluuAnjL6xmW182W/qTBOUt6BtQ6lBIM1Eikh/fSMz4HGgvuCp5uU0
zulVWng7kDYthjCMOHcg=="],

"@rolldown/binding-linux-arm64-musl": ["@rolldown/binding-linux-arm64-musl@1.1.0", "",
{ "os": "linux", "cpu": "arm64" },
"sha512-4b7yruLIj/oZ3GpcLOvxcLCLDMraohn3lhQfN2hBP4w9UekG0DTIajWguJosRGfySf/
+h/NwRUiMKoCpxCrqQ=="],

"@rolldown/binding-linux-ppc64-gnu": ["@rolldown/binding-linux-ppc64-gnu@1.1.0", "", {
"os": "linux", "cpu": "ppc64" },
"sha512-QRDOVZd0bhQ5jLsUsCC3dUxDWdTSVY9WMznowZgCGOrZfLLgctWpelhUASEi
BwsXfat/JwYnVd1EaxMhgyT+UQ=="],

"@rolldown/binding-linux-s390x-gnu": ["@rolldown/binding-linux-s390x-gnu@1.1.0", "", {
"os": "linux", "cpu": "s390x" },
"sha512-ypxT+Hq76NFG7woFbNbySnGEajFuYulXeKz/jfCU+IXUoxfi3zLE6OG/ZQNeK3RpZ
SYJIAe2bokpsQ046CaieQ=="],

"@rolldown/binding-linux-x64-gnu": ["@rolldown/binding-linux-x64-gnu@1.1.0", "", { "os":
"linux", "cpu": "x64" },
"sha512-ldovCmfROFmpTLahdecTDFL74aLERVYN68F/mLZjfVh6LfopIPfl6deyHNMTcVujbo
kDV5k05XrFO22zfv+qjg=="],

"@rolldown/binding-linux-x64-musl": ["@rolldown/binding-linux-x64-musl@1.1.0", "", {
"os": "linux", "cpu": "x64" },
"sha512-pcA8xIFp2tyk9T2R6Fi/rPe3bQ1MA+sSMDNUU5Ogu80GHOatkE4P8YCreGAvZER
m5Ho2YRXnyvNrWiRncfVysQ=="],

"@rolldown/binding-openharmony-arm64":
["@rolldown/binding-openharmony-arm64@1.1.0", "", { "os": "none", "cpu": "arm64" },
"sha512-4+fexHayrLCWpriPh4c6dNvL4an34DEZCG7zOM/FD5QNF6h8DT+bDXzyB/kfC8lD
JbaFb7jKShtnjDQFXVQEjg=="],

"@rolldown/binding-wasm32-wasi": ["@rolldown/binding-wasm32-wasi@1.1.0", "", {
"dependencies": { "@emnapi/core": "1.10.0", "@emnapi/runtime": "1.10.0",
"@napi-rs/wasm-runtime": "^1.1.4" }, "cpu": "none" },
"sha512-SbL++MNmOw6QamrwIGDMSSfM4ceTzFr+RjbOExJSLLBinScU4WI5OdA413h1q
wPw2yH7IVF1+H4svQ+6mSXKTQ=="],

"@rolldown/binding-win32-arm64-msvc": ["@rolldown/binding-win32-arm64-msvc@1.1.0",
"", { "os": "win32", "cpu": "arm64" },
"sha512-+xTE6XC7wBgk0VKRXGG+QAnyW5S9b8vFsFpiMjf0waQTmSQSU8onsH/beyZ8X
4aXVveJnotiy7VDjLOaW8bTrg=="],

"@rolldown/binding-win32-x64-msvc": ["@rolldown/binding-win32-x64-msvc@1.1.0", "", {
"os": "win32", "cpu": "x64" },

"sha512-Oggi1TQNqH3ACLnYr+1Ns1nyrJ0CO2P585u9Hsh02pXvtFiFpgtgT2b3P4PnCOU86VVCvqtAeCN4OfMT8KU4w=="],

"@rolldown/pluginutils": ["@rolldown/pluginutils@1.0.0-rc.3", "", {}],
"sha512-eybk3TjzzzV97Dlj5c+XrBFW57eTNhzod66y9HrBlzJ6NsCrWCp/2kaPS3K9wJmurBC0Tdw4yPjXKZqlznim3Q=="],

"@rollup/rollup-android-arm-eabi": ["@rollup/rollup-android-arm-eabi@4.60.2", "", { "os": "android", "cpu": "arm" },
"sha512-dnlp69efPPg6Uaw2dVqzWRfAWRnYVb1XJ8CyyhlbZeaq4CA5/mLeZ1IEt9QqQxmbdvagjLlm2ZL8BxXv5IH4Yw=="],

"@rollup/rollup-android-arm64": ["@rollup/rollup-android-arm64@4.60.2", "", { "os": "android", "cpu": "arm64" },
"sha512-OqZTwDRDchGRHHm/hwLOL7uVPB9aUvI0am/eQuWMNyFHf5PSEQmyEeYYheA0EPPKUO/I0uigCp+iaTjoLjVoHg=="],

"@rollup/rollup-darwin-arm64": ["@rollup/rollup-darwin-arm64@4.60.2", "", { "os": "darwin", "cpu": "arm64" },
"sha512-UwRE7CGpvSVEQS8gUMBe1uADWjNnVgP3lusyda1nSRwNDCsRjnGc7w6EI6WLQsXmZTbLZx9cecegumcitNfpmA=="],

"@rollup/rollup-darwin-x64": ["@rollup/rollup-darwin-x64@4.60.2", "", { "os": "darwin", "cpu": "x64" },
"sha512-gjEtURKLCC5VXm1I+2i1u9OhxFsKAQJKTVB8WvDAHf+oZlq0GTVFOITIO1q3AICTE/DF32c16ESvfgqR7343/g=="],

"@rollup/rollup-freebsd-arm64": ["@rollup/rollup-freebsd-arm64@4.60.2", "", { "os": "freebsd", "cpu": "arm64" },
"sha512-Bcl6CYDeAgE70cqZaMojOi/eK63h5Me97ZqAQoh77VPjMysA/4ORQBRGo3rRy45x4MzVIU9uZxs8Uwy7ZaKnBw=="],

"@rollup/rollup-freebsd-x64": ["@rollup/rollup-freebsd-x64@4.60.2", "", { "os": "freebsd", "cpu": "x64" },
"sha512-LU+TPda3mAE2QB0/Hp5VyeKJivpC6+tlOXD1VMoXV/YFMvk/MNk5iXeBfB4MQGRWyOYVJ01625vjkr0Az98OJQ=="],

"@rollup/rollup-linux-arm-gnueabi": ["@rollup/rollup-linux-arm-gnueabi@4.60.2", "", { "os": "linux", "cpu": "arm" },
"sha512-2QxQrM+KQ7DAW4o22j+XZ6RKdxjLD7BOWTP0Bv0tmjdyhXSsr2UI1oJDQqh9Zf5qOwTuTc7Ek83mOFaKnodPjg=="],

"@rollup/rollup-linux-arm-musleabi": ["@rollup/rollup-linux-arm-musleabi@4.60.2", "", { "os": "linux", "cpu": "arm" },
"sha512-TbziEu2DVSTeOPif2mKWkMeDMLoYjx95oESa9fkQQK7r/Orta0gnkcDpzwufEcAO2BLBsD7mZkXGFqEdMRRwfw=="],

"@rollup/rollup-linux-arm64-gnu": ["@rollup/rollup-linux-arm64-gnu@4.60.2", "", { "os": "linux", "cpu": "arm64" },
"sha512-bO/rVDiDUuM2YfuCUwZ1t1cP+/yjqz+Xf2VtkdppefuOFS2OSeAfgafaHNkFn0t02hEyXngZkxtGqXcXwO8Rg=="],

"@rollup/rollup-linux-arm64-musl": ["@rollup/rollup-linux-arm64-musl@4.60.2", "", { "os": "linux", "cpu": "arm64" },
"sha512-hr26p7e93RI0Za+JwW7EAnwAvKkehh12BU1LIm9Ykiibg4ulr2rbpxG9WCf56GuvidlTG9KiiQT/TXT1yAWxTA=="],

"@rollup/rollup-linux-loong64-gnu": ["@rollup/rollup-linux-loong64-gnu@4.60.2", "", { "os": "linux", "cpu": "none" },
"sha512-pOjB/uSlyDt+ow3k/RcLvUAOGpysT2phDn7TTUB3n75SIlgZzM6NKAqlErPhoFU+npgY3/n+2HYIQVbF70P9/A=="],

"@rollup/rollup-linux-loong64-musl": ["@rollup/rollup-linux-loong64-musl@4.60.2", "", { "os": "linux", "cpu": "none" },
"sha512-2/w+q8jszv9Ww1c+6uJT3OwqhdmGP2/4T17cu8WuwyUuuaCDDJ2ojdyYwZzCxx0GcsZBhzi3HmH+J5pZNXnd+Q=="],

"@rollup/rollup-linux-ppc64-gnu": ["@rollup/rollup-linux-ppc64-gnu@4.60.2", "", { "os": "linux", "cpu": "ppc64" },
"sha512-11+aL5vKheYgczxtPVVRhdptAM2H7fcDR5Gw4/bTcteuZBIH4oP9f5s9zYO9aGZvoGeBpqXI/9TZZihZ609wKw=="],

"@rollup/rollup-linux-ppc64-musl": ["@rollup/rollup-linux-ppc64-musl@4.60.2", "", { "os": "linux", "cpu": "ppc64" },
"sha512-i16fokAGK46IVZuV8LlIwMdtqhin9hfYkCh8pf8iC3QU3LpwL+1FSFGej+O7I3E/AoknL6Dclh2oTdnRMpTzFQ=="],

"@rollup/rollup-linux-riscv64-gnu": ["@rollup/rollup-linux-riscv64-gnu@4.60.2", "", { "os": "linux", "cpu": "none" },
"sha512-49FkKS6RGQoriDSK/6E2GkAsAuU5kETFCh7pG4yD/ylj9rKhTmO3elsnmBvRD4PgJPds5W2PkhC82aVwmUcJ7A=="],

"@rollup/rollup-linux-riscv64-musl": ["@rollup/rollup-linux-riscv64-musl@4.60.2", "", { "os": "linux", "cpu": "none" },
"sha512-mjYNkHPfGpUR00DuM1ZZlgs64Hpf4bWcz9Z41+4Q+pgDx73UwWdAYyf6EG/IRFI dmdHHzgrYyge5akFUW0D3mQ=="],

"@rollup/rollup-linux-s390x-gnu": ["@rollup/rollup-linux-s390x-gnu@4.60.2", "", { "os": "linux", "cpu": "s390x" },
"sha512-ALyvJz965BQk8E9AI/JDKKDLH2kfKFLTGMlgkAbbYtZuJt9LU8DW3ZoDMCtQpXAltZxwBHevXz5u+gf0yA0YoA=="],

"@rollup/rollup-linux-x64-gnu": ["@rollup/rollup-linux-x64-gnu@4.60.2", "", { "os": "linux", "cpu": "x64" },

"sha512-UQjrkldWrKI626Du8ICQ6MJp/6V1LAo2bOK9OTu4mSn8GGXIkPXk/Vsp4bLHCd9Z9Iz2OTEaokUE90VweJgIYQ=="],

"@rollup/rollup-linux-x64-musl": ["@rollup/rollup-linux-x64-musl@4.60.2", "", { "os": "linux", "cpu": "x64" },
"sha512-bTsRGj6VISdn/XD4CGyzMnzaBs9bsRxy79eTqTCBsA8TMIEky7qg48aPkvJvFe1Hy
zQ5oMZdg7AnVIWQSKLTnw=="],

"@rollup/rollup-openbsd-x64": ["@rollup/rollup-openbsd-x64@4.60.2", "", { "os":
"openbsd", "cpu": "x64" },
"sha512-6d4Z3534xitaA1FcMWP7mQPq5zGwBmGbhphh2DwaA1aNIXUu3KTOfwrWpbwl4/
Gr0uANo7NTtaykFyO2hPuFLg=="],

"@rollup/rollup-openharmony-arm64": ["@rollup/rollup-openharmony-arm64@4.60.2", "", {
"os": "none", "cpu": "arm64" },
"sha512-NetAg5iO2uN7eB8zE5qrZ3CSil+7IJt4WDFLcC75Ymywq1VZVD6qJ6EvNLjZ3rEm6
gB7XW5JdT60c6MN35Z85Q=="],

"@rollup/rollup-win32-arm64-msvc": ["@rollup/rollup-win32-arm64-msvc@4.60.2", "", {
"os": "win32", "cpu": "arm64" },
"sha512-NCYhOotpgWZ5kdxCZsv6Iudx0wX8980Q/oW4pNFNihpBKsDbEA1zpkfxJGC0yugs
UuyDZ7gL37dbzwhR0VI7pQ=="],

"@rollup/rollup-win32-ia32-msvc": ["@rollup/rollup-win32-ia32-msvc@4.60.2", "", { "os":
"win32", "cpu": "ia32" },
"sha512-RXsaOqXxfoUBQoOgvmmijVxJnW2IGB0eoMO7F8FAjaj0UTywUO/luSqimWBJn04
WNgUkeNhh7fs7pESXajWmkg=="],

"@rollup/rollup-win32-x64-gnu": ["@rollup/rollup-win32-x64-gnu@4.60.2", "", { "os":
"win32", "cpu": "x64" },
"sha512-qdAzEULD+/hzObedtmV6iBpdL5TlbKVztGiK7O3/KYSf+HizU257+MX1EXJcylidbM
AqmbwaufcYPvyRryeZtA=="],

"@rollup/rollup-win32-x64-msvc": ["@rollup/rollup-win32-x64-msvc@4.60.2", "", { "os":
"win32", "cpu": "x64" },
"sha512-Nd/SgG27WoA9e+/TdK74KnHz852TLA94ovOYySo/yMPuTmPckK/jlF2jSwS3g7EL
SKXK13/cVdmg1Z/DaCWKxA=="],

"@standard-schema/utils": ["@standard-schema/utils@0.3.0", "", {}],
"sha512-e7Mew686owMaPJVNnLs55PUvgz371nKgwsc4vxE49zsODpJEnxgxRo2y/OKrque
avXgZNMDVj3DdHFlaSAeU8g=="],

"@supabase/auth-js": ["@supabase/auth-js@2.110.2",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/@supabase/auth-
js/-/auth-js-2.110.2.tgz", { "dependencies": { "tslib": "2.8.1" } },
"sha512-Qj7a6EDP+AMMQFWqGv+qFa8r6re//dk+qQl5bA0KK+PZmnl3JPu97TDeNt6SMiQ
2FkklP79hP2yDFYSnA989OA=="],

"@supabase/functions-js": ["@supabase/functions-js@2.110.2",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/@supabase/functions-js/-/functions-js-2.110.2.tgz", { "dependencies": { "tslib": "2.8.1" } },
"sha512-ZjjqrXpxM9/rE+eAtZxiK45EWy9EB0JQ322Q5Y75LccYQNh212neHTgXP/o4MlzmH0LNXT8UzvTZtQOfOzyoeQ=="],

"@supabase/phoenix": ["@supabase/phoenix@0.4.4",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/@supabase/phoenix/-/phoenix-0.4.4.tgz", {},
"sha512-Gt0pqoXulqX/8dvG0OKp/wMCobXNH3kINbUPBNyOfN0YA1lswrM3HyWFMOPk1Jy+BRalyDPcFx4jLBwHNmlyfQ=="],

"@supabase/postgrest-js": ["@supabase/postgrest-js@2.110.2",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/@supabase/postgrest-js/-/postgrest-js-2.110.2.tgz", { "dependencies": { "tslib": "2.8.1" } },
"sha512-++LBmclMwCtgO4tISQUmo9+2xkRwHQqS8ZKMCnhXLe9P8k8YQRXuMoh/RiSzQSoev8gqet0W7yOboW0cUxnt0Q=="],

"@supabase/realtime-js": ["@supabase/realtime-js@2.110.2",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/@supabase/realtime-js/-/realtime-js-2.110.2.tgz", { "dependencies": { "@supabase/phoenix": "0.4.4", "tslib": "2.8.1" } },
"sha512-z3jT0TPgyn6E3r6dVOOQ10He4yAMB2czjFw7xVdX3s16MHElna5rY1gVaePs0Nlo6xvtMYbtmOXIFaFt/ePLpg=="],

"@supabase/storage-js": ["@supabase/storage-js@2.110.2",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/@supabase/storage-js/-/storage-js-2.110.2.tgz", { "dependencies": { "iceberg-js": "^0.8.1", "tslib": "2.8.1" } },
"sha512-EhsRSwSnmQefKJsAxoRUZ0hvHr92ECM8DDGAKR5z0HdoJx4hel60PjHUTruVNZxKX6XeobLGdYLud020Bw1iwg=="],

"@supabase/supabase-js": ["@supabase/supabase-js@2.110.2",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/@supabase/supabase-js/-/supabase-js-2.110.2.tgz", { "dependencies": { "@supabase/auth-js": "2.110.2", "@supabase/functions-js": "2.110.2", "@supabase/postgrest-js": "2.110.2", "@supabase/realtime-js": "2.110.2", "@supabase/storage-js": "2.110.2" } },
"sha512-r9q9w4ZQ6mOjh36aqUNFSisBF611vzpO8JphBESr2Q1SWvmGFQel7Jq7Y+PaNMZ6Zszz+S2yTIJStCpnaMSnQg=="],

"@tabby_ai/hijri-converter": ["@tabby_ai/hijri-converter@1.0.5", "", {},
"sha512-r5bCIKrcIusDoo049dSL8CawnHR6mRdDwhlQulgZRNty68q0x8k3Lf1BtPAMxRf/GgnHBnIO4ujd3+GQdLWzxQ=="],

"@tailwindcss/node": ["@tailwindcss/node@4.2.4", "", { "dependencies": { "@jridgewell/remapping": "^2.3.5", "enhanced-resolve": "^5.19.0", "jiti": "^2.6.1", "lightningcss": "1.32.0", "magic-string": "^0.30.21", "source-map-js": "^1.2.1", "tailwindcss": "4.2.4" } },

"sha512-Ai7+yQPxz3ddrDQzFfBKdHEVBg0w3Zl83jnuwxnZOsnH9pGn93QHQtU0p/8rYW
xvbFZHneni6p1BSLK4DkGA=="],

"@tailwindcss/oxide": ["@tailwindcss/oxide@4.2.4", "", { "optionalDependencies": {
"@tailwindcss/oxide-android-arm64": "4.2.4", "@tailwindcss/oxide-darwin-arm64": "4.2.4",
"@tailwindcss/oxide-darwin-x64": "4.2.4", "@tailwindcss/oxide-freebsd-x64": "4.2.4",
"@tailwindcss/oxide-linux-arm-gnueabi": "4.2.4", "@tailwindcss/oxide-linux-arm64-gnu":
"4.2.4", "@tailwindcss/oxide-linux-arm64-musl": "4.2.4", "@tailwindcss/oxide-linux-x64-gnu":
"4.2.4", "@tailwindcss/oxide-linux-x64-musl": "4.2.4", "@tailwindcss/oxide-wasm32-wasi":
"4.2.4", "@tailwindcss/oxide-win32-arm64-msvc": "4.2.4",
"@tailwindcss/oxide-win32-x64-msvc": "4.2.4" } },
"sha512-9EI/iI069DKDSXwTvB9J4BwdO5JhRrOweGaK25taBAvBXyXqJAX+Jqdvs8r8gKpsl/
1m0LeJLyQYTf/WLrBT1Q=="],

"@tailwindcss/oxide-android-arm64": ["@tailwindcss/oxide-android-arm64@4.2.4", "", {
"os": "android", "cpu": "arm64" },
"sha512-e7MOr1SAn9U8KIZzPi1ZXGZHeC5anY36qjNwmZv9pOJ8E4Q6jmD1vyEHkQFmN
OIN7twGPEMXRHmitN4zCMN03g=="],

"@tailwindcss/oxide-darwin-arm64": ["@tailwindcss/oxide-darwin-arm64@4.2.4", "", { "os":
"darwin", "cpu": "arm64" },
"sha512-tSC/Kbqz/5/o/C2sG7QvOxAKqyd10bq+ypZNf+9Fi2TvbVbv1zNpcEptcsU7DPROa
SbVgUXmrzKhurFvo5eDg=="],

"@tailwindcss/oxide-darwin-x64": ["@tailwindcss/oxide-darwin-x64@4.2.4", "", { "os":
"darwin", "cpu": "x64" },
"sha512-yPyUXn3yO/ufR6+Kzv0t4fCg2qNr90jXxc5QqBpjIPNd0NqyDXcmQb/6weunH/MED
XW5dhyEi+agTDiqa3WsGg=="],

"@tailwindcss/oxide-freebsd-x64": ["@tailwindcss/oxide-freebsd-x64@4.2.4", "", { "os":
"freebsd", "cpu": "x64" },
"sha512-BoMIB4vMQtZsXdGLVc2z+P9DbETkiopogfWZKbWwM8b/1Vinbs4YcUwo+kM/KeL
kX3Ygrf4/PsRndKaYhS8Eiw=="],

"@tailwindcss/oxide-linux-arm-gnueabi":
["@tailwindcss/oxide-linux-arm-gnueabi@4.2.4", "", { "os": "linux", "cpu": "arm" },
"sha512-7pIHLTHYRAIS7V22JNuTh33yLH4VElwKtB3bwchK/UaKUPpQ0IPQiOWcbm4V3
WP2I6fNIJ23vABlvoy2izdwA=="],

"@tailwindcss/oxide-linux-arm64-gnu": ["@tailwindcss/oxide-linux-arm64-gnu@4.2.4", "", {
"os": "linux", "cpu": "arm64" },
"sha512-+E4wxJ0ZGOzSH325reXTWB48l42i93kQqMvDyz5gqfRzRZ7faNhnmvIV4EPGJU3
QJM/3Ab5jhJ5pCRUsKn6OQw=="],

"@tailwindcss/oxide-linux-arm64-musl": ["@tailwindcss/oxide-linux-arm64-musl@4.2.4",
"", { "os": "linux", "cpu": "arm64" },
"sha512-bBADEGAbo4ASnpplziaQJelekCxdMaxisrk+fB7Thit72IBnALp9K6ffA2G4ruj90G9X
RS2VQ6q2bCKbfV82g=="],

"@tailwindcss/oxide-linux-x64-gnu": ["@tailwindcss/oxide-linux-x64-gnu@4.2.4", "", { "os": "linux", "cpu": "x64" },
"sha512-7Mx25E4WTfnht0TVRTyC00j3i0M+EeFe7wguMDTIX4mRxafznw0CA8WJkFjWYH5BlgELd1kSjuU2JiPnNZbJDA=="],

"@tailwindcss/oxide-linux-x64-musl": ["@tailwindcss/oxide-linux-x64-musl@4.2.4", "", {
"os": "linux", "cpu": "x64" },
"sha512-2wwJRF7nyhOR0hhHoChc04xngV3iS+akccHTGtz965FwF0up4b2lOdo6kl1EbDaE
XKgvcrFBYcYQQ/rnWfVfA=="],

"@tailwindcss/oxide-wasm32-wasi": ["@tailwindcss/oxide-wasm32-wasi@4.2.4", "", {
"dependencies": { "@emnapi/core": "^1.8.1", "@emnapi/runtime": "^1.8.1",
"@emnapi/wasi-threads": "^1.1.0", "@napi-rs/wasm-runtime": "^1.1.1", "@tybys/wasm-util":
"^0.10.1", "tslib": "^2.8.1" }, "cpu": "none" },
"sha512-FQsqApeor8Fo6gUEklzmaa9994orJZZDBAIQpK2Mq+DsIRKFJeD6AjHpBQ0kZfQ
ohVr8o85PPH8eOy86VIScmw=="],

"@tailwindcss/oxide-win32-arm64-msvc":
["@tailwindcss/oxide-win32-arm64-msvc@4.2.4", "", { "os": "win32", "cpu": "arm64" },
"sha512-L9BXqx4ToVgwMFqj3pmZRqyHEztulpUJzCxUtLjobMCzTPsGt1Fa9enKbOpY2ily
VtaHNeNvAK8ERP/64sqGQ=="],

"@tailwindcss/oxide-win32-x64-msvc": ["@tailwindcss/oxide-win32-x64-msvc@4.2.4", "", {
"os": "win32", "cpu": "x64" },
"sha512-ESIKG0EpVJQwRjXDDa9rLvHEAh0mhP1sF7sap9dNZT0yyI9SAG6T7gdP09EH0vl
v0UNTlo6jPWYujD6559fZvw=="],

"@tailwindcss/vite": ["@tailwindcss/vite@4.2.4", "", { "dependencies": {
"@tailwindcss/node": "4.2.4", "@tailwindcss/oxide": "4.2.4", "tailwindcss": "4.2.4" },
"peerDependencies": { "vite": "^5.2.0 || ^6 || ^7 || ^8" } },
"sha512-pCvohwOCspk3ZF6eJzrrX3g4n2JY73H6MmYC87XfGPYTty4YsCjYTMARZm/zOI
8dlf3+EcrLHAFPe5A4bgtw=="],

"@tanstack/devtools-client": ["@tanstack/devtools-client@0.0.8", "", { "dependencies": {
"@tanstack/devtools-event-client": "^0.5.0" } },
"sha512-cG3iZkGWCwN330bLBKa8+9r4Of2AXNoz2zUqcsy/4XsD3105ghVBx78cGyvJj9fSc
INomPxoqAnDGXXhg1WLvA=="],

"@tanstack/devtools-event-bus": ["@tanstack/devtools-event-bus@0.4.2", "", {
"dependencies": { "ws": "^8.18.3" } },
"sha512-2LHzhwBFIKHccklsQrGe8TeyjHd4XAF8nuCO6wHmva5fePUkJUULbu6CsCNAIGI
Ci0KkEsMXZSvRdR4HgMq4yA=="],

"@tanstack/devtools-event-client": ["@tanstack/devtools-event-client@0.5.0", "", { "bin": {
"intent": "./bin/intent.js" } },
"sha512-H+OH3zC6Vhu/K0NaVfQKknEKawc/+2PT+D3SB3Ox0V8SiMITo0abbmH2rH0721
R2aNYbjdMXA1oENOd8E2UVoA=="],

"@tanstack/devtools-vite": ["@tanstack/devtools-vite@0.8.1", "", { "dependencies": { "@tanstack/devtools-client": "0.0.8", "@tanstack/devtools-event-bus": "0.4.2", "chalk": "^5.6.2", "launch-editor": "^2.11.1", "magic-string": "^0.30.0", "oxc-parser": "^0.120.0", "picomatch": "^4.0.3" }, "peerDependencies": { "vite": "^6.0.0 || ^7.0.0 || ^8.0.0" }, "bin": { "intent": "./bin/intent.js" } }, "sha512-oQxOo0fI0bwhHtw/psFIIR0OS/bsKrIRBxwnw2vuhCM4bjt3k4EZZsW/lvZ1+Vpouhts7LSyvngnxvGXbQ1sUQ=="],

"@tanstack/history": ["@tanstack/history@1.162.0", "", {}], "sha512-79pf/RkhteYZTRgcR4F9kbk84P2N8rugQJswxflqovlbRiT3yl7eBE+5QorlrZaOKktsgzRIXh1l/du/xpl4iA=="],

"@tanstack/query-core": ["@tanstack/query-core@5.101.1", "", {}], "sha512-Y6Y92dkXtNqx67m2pMSxUsA3zOCwv862JexZRP8/EPwvKXMPu9m8rv43spiXWzOUIggQ3SQApttALStzhA8B4g=="],

"@tanstack/react-query": ["@tanstack/react-query@5.101.1", "", { "dependencies": { "@tanstack/query-core": "5.101.1" }, "peerDependencies": { "react": "^18 || ^19" } }, "sha512-ZnONUuQKJe1bJMStXUL1s5uKN9FcfC28j5cK+iDZcdSHtUv1wtin1cGc/Oewhf2Oc4eKY7lggtpvT/AbMmhHew=="],

"@tanstack/react-router": ["@tanstack/react-router@1.170.16", "", { "dependencies": { "@tanstack/history": "1.162.0", "@tanstack/react-store": "^0.9.3", "@tanstack/router-core": "1.171.13", "isbot": "^5.1.22" }, "peerDependencies": { "react": ">=18.0.0 || >=19.0.0", "react-dom": ">=18.0.0 || >=19.0.0" } }, "sha512-w6eq1lJkluj51tESazaK/FxH0+H2l8vm/QPuu1cD3oRW/ubgKneQpd7b64ti/8gUyEimzimJQZDmJr6YHfP5+g=="],

"@tanstack/react-start": ["@tanstack/react-start@1.168.26", "", { "dependencies": { "@tanstack/react-router": "1.170.16", "@tanstack/react-start-client": "1.168.14", "@tanstack/react-start-rsc": "0.1.25", "@tanstack/react-start-server": "1.167.20", "@tanstack/router-utils": "1.162.2", "@tanstack/start-client-core": "1.170.12", "@tanstack/start-plugin-core": "1.171.18", "@tanstack/start-server-core": "1.169.15", "pathe": "^2.0.3" }, "peerDependencies": { "@rsbuild/core": "^2.0.0", "react": ">=18.0.0 || >=19.0.0", "react-dom": ">=18.0.0 || >=19.0.0", "vite": ">=7.0.0" }, "optionalPeers": ["@rsbuild/core", "vite"] }, "sha512-ZzNecqKWC0p2643/klcFUdsMrXZ8A4dXm4Yfe9zV/Y0u14MtSkh/Sk76RQYIU5S84VyDyKhHo0Ffh8HQBldvFw=="],

"@tanstack/react-start-client": ["@tanstack/react-start-client@1.168.14", "", { "dependencies": { "@tanstack/react-router": "1.170.16", "@tanstack/router-core": "1.171.13", "@tanstack/start-client-core": "1.170.12" }, "peerDependencies": { "react": ">=18.0.0 || >=19.0.0", "react-dom": ">=18.0.0 || >=19.0.0" } }, "sha512-oaz43fdOhBWfOPsdLkp3lejwYEXRyeaZ4CYexOPZx3eVXzm4LLozvNkkkBE9aje1sM5MVC2Yo6+cyv2HdVzkHQ=="],

```
"@tanstack/react-start-rsc": ["@tanstack/react-start-rsc@0.1.25", "", { "dependencies": {
"@tanstack/react-router": "1.170.16", "@tanstack/router-core": "1.171.13",
"@tanstack/router-utils": "1.162.2", "@tanstack/start-client-core": "1.170.12",
"@tanstack/start-fn-stubs": "1.162.0", "@tanstack/start-plugin-core": "1.171.18",
"@tanstack/start-server-core": "1.169.15", "@tanstack/start-storage-context": "1.167.15",
"path": "^2.0.3" }, "peerDependencies": { "@rspack/core": ">=2.0.0-0", "@vitejs/plugin-rsc":
">=0.5.20", "react": ">=18.0.0 || >=19.0.0", "react-dom": ">=18.0.0 || >=19.0.0",
"react-server-dom-rspack": ">=0.0.2" }, "optionalPeers": ["@rspack/core",
"@vitejs/plugin-rsc", "react-server-dom-rspack"] },
"sha512-Rwm6cjcS148y2XAebr8jyrwU0SqsRSkW4/CuXesoHg+G3IOnVRHV0HOylJfnznUT
VuH1nVhfQRPI5uWPJaw2TA=="],
```

```
"@tanstack/react-start-server": ["@tanstack/react-start-server@1.167.20", "", {
"dependencies": { "@tanstack/react-router": "1.170.16", "@tanstack/router-core": "1.171.13",
"@tanstack/start-server-core": "1.169.15" }, "peerDependencies": { "react": ">=18.0.0 ||
>=19.0.0", "react-dom": ">=18.0.0 || >=19.0.0" } },
"sha512-hg9xVI6yNDu+6NCaIKz1h3Ea18HZEuU35i/ZMJz1WadwqcArLMp41nM1GNhOAtG
ldpycrp9tT7ccqc9zuRMRpQ=="],
```

```
"@tanstack/react-store": ["@tanstack/react-store@0.9.3", "", { "dependencies": {
"@tanstack/store": "0.9.3", "use-sync-external-store": "^1.6.0" }, "peerDependencies": {
"react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0", "react-dom": "^16.8.0 || ^17.0.0 || ^18.0.0 ||
^19.0.0" } },
"sha512-y2iHd/N9OkoQbFJLUX1T9vbc2O9tjH0pQRgTcx1/Nz4llwLvkgpuglXUx+mXt0g5ZD
FrEeDnONPqkbfXJKwRg=="],
```

```
"@tanstack/router-core": ["@tanstack/router-core@1.171.13", "", { "dependencies": {
"@tanstack/history": "1.162.0", "cookie-es": "^3.0.0", "seroval": "^1.5.4", "seroval-plugins":
"^1.5.4" } },
"sha512-+NOwEj1kO/6IGmpHRIZHasYxYWpyBQGNIZAST9aNrK9Q3YIU9SgqVnl1pbLa9qA
KfEeDnXQIRve0RQb/0kyDeDA=="],
```

```
"@tanstack/router-generator": ["@tanstack/router-generator@1.167.17", "", {
"dependencies": { "@babel/types": "^7.28.5", "@tanstack/router-core": "1.171.13",
"@tanstack/router-utils": "1.162.2", "@tanstack/virtual-file-routes": "1.162.0", "jiti": "^2.7.0",
"magic-string": "^0.30.21", "prettier": "^3.5.0", "zod": "^4.4.3" } },
"sha512-xtB9tB2Ws0tWR6Pi7nc3Qk9IYgoh1mQCKWjHqll9tf6BNUpKoqniJoPAQ4+LGrK8F
eZYU0o0p/qIZEyj9FAulA=="],
```

```
"@tanstack/router-plugin": ["@tanstack/router-plugin@1.168.18", "", { "dependencies": {
"@babel/core": "^7.28.5", "@babel/template": "^7.27.2", "@babel/types": "^7.28.5",
"@tanstack/router-core": "1.171.13", "@tanstack/router-generator": "1.167.17",
"@tanstack/router-utils": "1.162.2", "chokidar": "^5.0.0", "unplugin": "^3.0.0", "zod": "^4.4.3" },
"peerDependencies": { "@rsbuild/core": ">=1.0.2 || ^2.0.0", "@tanstack/react-router":
"^1.170.15", "vite": ">=5.0.0 || >=6.0.0 || >=7.0.0 || >=8.0.0", "vite-plugin-solid": "^2.11.10 ||
^3.0.0-0", "webpack": ">=5.92.0" }, "optionalPeers": ["@rsbuild/core",
"@tanstack/react-router", "vite", "vite-plugin-solid", "webpack"] },
```

"sha512-MofS28/axfnfnhOD2RSgJEaU882aX5RsAzhGz5Vc4XhAmvCjy919u9JrNs4QsTWF
bTD1P7Ij8WFIFVsrg0pStg=="],

"@tanstack/router-utils": ["@tanstack/router-utils@1.162.2", "", { "dependencies": {
"@babel/generator": "^7.28.5", "@babel/parser": "^7.28.5", "@babel/types": "^7.28.5",
"ansis": "^4.1.0", "babel-dead-code-elimination": "^1.0.12", "diff": "^8.0.2", "pathe": "^2.0.3",
"tinyglobby": "^0.2.15" } },
"sha512-hTWqJtqIFFdvuCl8WXNyrodP2L9zo2G37xKRrcVmVRWpAB2h+U1LuRAfS4tsFTi
WOIoE/B+WDFVB8JpoEdw6jQ=="],

"@tanstack/start-client-core": ["@tanstack/start-client-core@1.170.12", "", {
"dependencies": { "@tanstack/router-core": "1.171.13", "@tanstack/start-fn-stubs": "1.162.0",
"@tanstack/start-storage-context": "1.167.15", "seroval": "^1.5.4" } },
"sha512-gwtZRMPIUAxmDV2AIQUhC0kSW262SV7BkHXEgy5B1woHQdrdsELuGOdJwdwe
LxryefORxk+9MYGqDY0Cxn0bw=="],

"@tanstack/start-fn-stubs": ["@tanstack/start-fn-stubs@1.162.0", "", {},
"sha512-QWfUZ3Yo923tdQn38LyKMU8rcTw69zc+T4dAvgTWV4O56SqFRsGfS0ISWIMhJR
wXlx/bvdi7nTUBDdZtTHtpTQ=="],

"@tanstack/start-plugin-core": ["@tanstack/start-plugin-core@1.171.18", "", {
"dependencies": { "@babel/code-frame": "7.27.1", "@babel/core": "^7.28.5", "@babel/types":
"^7.28.5", "@tanstack/router-core": "1.171.13", "@tanstack/router-generator": "1.167.17",
"@tanstack/router-plugin": "1.168.18", "@tanstack/router-utils": "1.162.2",
"@tanstack/start-server-core": "1.169.15", "exsolve": "^1.0.7", "lightningcss": "^1.32.0",
"pathe": "^2.0.3", "picomatch": "^4.0.3", "seroval": "^1.5.4", "source-map": "^0.7.6", "svrx":
"^0.11.9", "tinyglobby": "^0.2.15", "ufo": "^1.5.4", "vitefu": "^1.1.1", "xmlbuilder2": "^4.0.3",
"zod": "^4.4.3" }, "peerDependencies": { "@rsbuild/core": "^2.0.0", "vite": ">=7.0.0" },
"optionalPeers": ["@rsbuild/core", "vite" }],
"sha512-weuOOjRD03BiKcF9NYKL5QADEQOp3yGHb0qlsOX42ENZ5XUE4in2fXcVYHjSw
wpzs+XGhWIFLp5J385pOVPuZQ=="],

"@tanstack/start-server-core": ["@tanstack/start-server-core@1.169.15", "", {
"dependencies": { "@tanstack/history": "1.162.0", "@tanstack/router-core": "1.171.13",
"@tanstack/start-client-core": "1.170.12", "@tanstack/start-storage-context": "1.167.15",
"fetchdts": "^0.1.6", "h3-v2": "npm:h3@2.0.1-rc.20", "seroval": "^1.5.4" } },
"sha512-V8ie2G2Ecb3Nklk8/QuKzulxb+tDUqgz6rjJe8lsdp4iKVXZu/TscltkUP/4Q5Bu7W4gU
y3P25O6soC1oW1SXQ=="],

"@tanstack/start-storage-context": ["@tanstack/start-storage-context@1.167.15", "", {
"dependencies": { "@tanstack/router-core": "1.171.13" } },
"sha512-Jy0q4vdG6pv76N92+X+ag3fuOV2zINQagYyMN1/es7tPI1vzpKECIU8AqHqzl6ahkw
aph7XDvmfUkiLJ3i4LOA=="],

"@tanstack/store": ["@tanstack/store@0.9.3", "", {},
"sha512-8reSzI/qGWGGVKhBoxXPMWzATSbZLZFWHwBAFO9NAyp0TxzfBP0mlrGb8CP8
KrQTmvzXIR/vFPPUrHTLBGyFyw=="],

"@tanstack/virtual-file-routes": ["@tanstack/virtual-file-routes@1.162.0", "", {},
"sha512-uhOeFyxLcU41HzvrxsGpiWdcMbScY1EDgbZ5K7DVRMYInbLYWAC0EA/kx9wXAo
SM8q82bUG2hRI8+EAjE6XAbA=="],

"@tybys/wasm-util": ["@tybys/wasm-util@0.10.1", "", { "dependencies": { "tslib": "^2.4.0" }
},
"sha512-9tTaPJLSiejZKx+Bmog4uSubteqTvFrVrURwkmHixBo0G4seD0zUxp98E1DzUBJxL
Q3NPwXrGKDiVjwx/DpPsg=="],

"@types/babel__core": ["@types/babel__core@7.20.5", "", { "dependencies": {
"@babel/parser": "^7.20.7", "@babel/types": "^7.20.7", "@types/babel__generator": "*",
"@types/babel__template": "*", "@types/babel__traverse": "*" } },
"sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVYWhbx9X47POIA6i/+dXefEmZKo
AgOaTdalgNSMqMIU61yRyzA=="],

"@types/babel__generator": ["@types/babel__generator@7.27.0", "", { "dependencies": {
"@babel/types": "^7.0.0" } },
"sha512-ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0bOPup
XtVJPHY19zk6EwWqUQ8lg=="],

"@types/babel__template": ["@types/babel__template@7.4.4", "", { "dependencies": {
"@babel/parser": "^7.1.0", "@babel/types": "^7.0.0" } },
"sha512-h/NUaSyG5EyxBlp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4IkFMrhgZ
hUe5z3L3MiLDuvyJ/CaPa2A8A=="],

"@types/babel__traverse": ["@types/babel__traverse@7.28.0", "", { "dependencies": {
"@babel/types": "^7.28.2" } },
"sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJtji1+CdGbHgm77om1GrSPxsiE+u
XlpNSK64UYalwQXd4Q=="],

"@types/d3-array": ["@types/d3-array@3.2.2", "", {},
"sha512-hOLWVbm7uRza0BYXpIIW5pxfrKe0W+D5lrFI AEYR+pb6w3N2SwSMAJbXdufSEv
+dT4MfHBLtn5js0LAWaO6otw=="],

"@types/d3-color": ["@types/d3-color@3.1.3", "", {},
"sha512-iO90scth9WAbmgv7ogoq57O9YpKmFBbmoEoCHDB2xMBY0+/KVrqAaCDyCE16d
UspeOvlxFFRI+0sEtqDqy2b4A=="],

"@types/d3-ease": ["@types/d3-ease@3.0.2", "", {},
"sha512-NcV1JjO5oDzoK26oMzbILE6HW7uVXOHLQvHshBUW4UMdZGfiY6v5BeQwh9a9t
Czv+CeefZQHJt5SRgK154RtiA=="],

"@types/d3-interpolate": ["@types/d3-interpolate@3.0.4", "", { "dependencies": {
"@types/d3-color": "*" } },
"sha512-mgLPETlrpVV1YRJlglr4Ez47g7Yxjl1lj7YKsiMCb27VJH9W8NVM6Bb9d8kkgG/uAQ
S5AmbA48q2IAoIKKo1MA=="],

"@types/d3-path": ["@types/d3-path@3.1.1", "", {},
"sha512-VMZBYyQvbGmWyWVea0EHs/BwLgxc+MKi1zLDCONksozI4YJMcTt8ZEulR4Sb1
MMTE8MMW49v0Iwl5+b7RmfWlg=="],

"@types/d3-scale": ["@types/d3-scale@4.0.9", "", { "dependencies": { "@types/d3-time":
"*" } }],
"sha512-dLmtwB8zkAeO/juAMfnV+sItKjlsW2IKdZVVy6LRr0cBmegxSABiLEpGVmSJJ8O08i
4+sGR6qQtb6WtuwJdvVw=="],

"@types/d3-shape": ["@types/d3-shape@3.1.8", "", { "dependencies": { "@types/d3-path":
"*" } }],
"sha512-lae0iWfcDeR7qt7rA88BNiqdvPS5pFVPpo5OfjElwNaT2yyekbM0C9vK+yqBqEmHr6
IDkRnYNoTBYIAgJa7a4w=="],

"@types/d3-time": ["@types/d3-time@3.0.4", "", {},
"sha512-yuzZug1nkAAaBIBBikKZTgzCeA+k1uy4ZFwWANOOfKw5z5LRhV0gNA7gNkKm7Ho
K+HRN0wX3EkxGk0fpbWhmB7g=="],

"@types/d3-timer": ["@types/d3-timer@3.0.2", "", {},
"sha512-Ps3T8E8dZDam6fUyNiMkekK3XUsaUEik+idO9/YjPtj2qruF8tFBXS7XhtE4iIXBLxh
mLjP3SXpLhVf21I9Lw=="],

"@types/estree": ["@types/estree@1.0.8", "", {},
"sha512-dWHzHa2WqEXI/O1E9OjrocMTKJI2mSrEolh1lomrv6U+JuNwaHXsXx9bLu5gG7B
UWFIN0skIQJQ/L1rlex4X6w=="],

"@types/json-schema": ["@types/json-schema@7.0.15", "", {},
"sha512-5+fP8P8MFNC+AyZCDxrB2pkZFPgZqQWUzpSeuuVLvm8VMcorNYavBqoFcxK8b
Qz4Qsbn4oUEEm4wDLfcysGHA=="],

"@types/node": ["@types/node@22.19.17", "", { "dependencies": { "undici-types":
"~6.21.0" } }],
"sha512-wGdMcf+vPYM6jipS/qhg6WiqSV/OhG+jeeHT/KIVqxYfD40iYJf9/AE1uQxVWFvU7
MipKRkRv8NSHiCGgPr8Q=="],

"@types/react": ["@types/react@19.2.14", "", { "dependencies": { "csstype": "^3.2.2" } },
"sha512-ilcTH/UniCkMdtexkoCN0bl7pMcJDvmQFPvuPvmEaYA/NSfFTAgdUSLAoVjaRJm7
+6PvcM+q1zYOWs4wTYMF9w=="],

"@types/react-dom": ["@types/react-dom@19.2.3", "", { "peerDependencies": {
"@types/react": "^19.2.0" } }],
"sha512-jp2L/eY6fn+KgVVQAOqYltbF0VY/YApe5Mz2F0aykSO8gx31bYCYyvSeYxCHKvzH
G5eZjc+zYaS5BrBWya2+kQ=="],

"@typescript-eslint/eslint-plugin": ["@typescript-eslint/eslint-plugin@8.59.0", "", {
"dependencies": { "@eslint-community/regexp": "^4.12.2",
"@typescript-eslint/scope-manager": "8.59.0", "@typescript-eslint/type-utils": "8.59.0",
"@typescript-eslint/utils": "8.59.0", "@typescript-eslint/visitor-keys": "8.59.0", "ignore":

"^7.0.5", "natural-compare": "^1.4.0", "ts-api-utils": "^2.5.0" }, "peerDependencies": {
"@typescript-eslint/parser": "8.59.0", "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0", "typescript":
">=4.8.4 <6.1.0" } },
"sha512-HyAZtpdkgZwpq8Sz3FSUvCR4c+ScbuWa9AksK2Jweub7w4M3yTz4O11AqVJzLYj
y/B9ZWPyc81l+mOdJU/bDQw=="],

"@typescript-eslint/parser": ["@typescript-eslint/parser@8.59.0", "", { "dependencies": {
"@typescript-eslint/scope-manager": "8.59.0", "@typescript-eslint/types": "8.59.0",
"@typescript-eslint/typescript-estree": "8.59.0", "@typescript-eslint/visitor-keys": "8.59.0",
"debug": "^4.4.3" }, "peerDependencies": { "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0", "typescript":
">=4.8.4 <6.1.0" } },
"sha512-Tl1XGwKbDpo9tRW8UDIXCOeLk55qe9ZFGs8MTKU6/M08HWTw52DD/IYhfQtOE
hEdPhLMT26Ka/x7p70nd3dzDg=="],

"@typescript-eslint/project-service": ["@typescript-eslint/project-service@8.59.0", "", {
"dependencies": { "@typescript-eslint/tsconfig-utils": "8.59.0", "@typescript-eslint/types":
"8.59.0", "debug": "^4.4.3" }, "peerDependencies": { "typescript": ">=4.8.4 <6.1.0" } },
"sha512-Lw5lTrR5s5TbC19YSvlr63ZfLaJoU6vtKTHyB0GQOpX0W7d5/lr6vUahWi/8Sps/nO
ukZQ0IB3SmlxZnjaKVnw=="],

"@typescript-eslint/scope-manager": ["@typescript-eslint/scope-manager@8.59.0", "", {
"dependencies": { "@typescript-eslint/types": "8.59.0", "@typescript-eslint/visitor-keys":
"8.59.0" } },
"sha512-UzR16Ut8lpA3Mc4DbgAShIPPkVm8xXMWafXxB0BocaVRHs8ZGakAxGRskF7FId
3sdk9lgGD73GSFaWmWFDE4dg=="],

"@typescript-eslint/tsconfig-utils": ["@typescript-eslint/tsconfig-utils@8.59.0", "", {
"peerDependencies": { "typescript": ">=4.8.4 <6.1.0" } },
"sha512-91Sbl3s4Kb3SyblilY6muFBmHVv+pYXfybC4Oolp3dvk8BvIE3wOPc+403CWIT7mJ
NkfQRGtdqghzs2+Z91Tqg=="],

"@typescript-eslint/type-utils": ["@typescript-eslint/type-utils@8.59.0", "", {
"dependencies": { "@typescript-eslint/types": "8.59.0", "@typescript-eslint/typescript-estree":
"8.59.0", "@typescript-eslint/utils": "8.59.0", "debug": "^4.4.3", "ts-api-utils": "^2.5.0" },
"peerDependencies": { "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0", "typescript": ">=4.8.4 <6.1.0" } },
"sha512-3TRiZaQSltGqGeNrJzzr1+8YcEobKH9rHnqlp/1psfKFmhRQDNMGP5hBufanYTGz
nwShzVLs3Mz+gDN7HkWfXg=="],

"@typescript-eslint/types": ["@typescript-eslint/types@8.59.0", "", {},
"sha512-nLzdsT1gdOgFxxwrlNVUBzSNBEEHJ86bbImk4QAS6stfig7rcJzWKqCyxFy3YRR
HXDWEkb2NralA1nOYkkm/A=="],

"@typescript-eslint/typescript-estree": ["@typescript-eslint/typescript-estree@8.59.0", "", {
"dependencies": { "@typescript-eslint/project-service": "8.59.0",
"@typescript-eslint/tsconfig-utils": "8.59.0", "@typescript-eslint/types": "8.59.0",
"@typescript-eslint/visitor-keys": "8.59.0", "debug": "^4.4.3", "minimatch": "^10.2.2",
"semver": "^7.7.3", "tinyglobby": "^0.2.15", "ts-api-utils": "^2.5.0" }, "peerDependencies": {
"typescript": ">=4.8.4 <6.1.0" } },

"sha512-O9Re9P1BmBLFJyikRbQpLku/QA3/AueZNO9WePLBwQrvkixTmDe8u76B6CYUAI
TRI/rHawggEqUGn5QIkVRLMw=="],

"@typescript-eslint/utils": ["@typescript-eslint/utils@8.59.0", "", { "dependencies": {
"@eslint-community/eslint-utils": "^4.9.1", "@typescript-eslint/scope-manager": "8.59.0",
"@typescript-eslint/types": "8.59.0", "@typescript-eslint/typescript-estree": "8.59.0" },
"peerDependencies": { "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0", "typescript": ">=4.8.4 <6.1.0" } },
"sha512-l1R/K7V07XsMJ12Oaxg/O9GfrysGTmCRhvZJBv0RE0NcULMzjqVpR5kRRQjHsz3
J/bEIU7HwCO7zkqL+MSUz+g=="],

"@typescript-eslint/visitor-keys": ["@typescript-eslint/visitor-keys@8.59.0", "", {
"dependencies": { "@typescript-eslint/types": "8.59.0", "eslint-visitor-keys": "^5.0.0" } },
"sha512-/uejZt4dSere1bx12WLIPfv8GktzcaDtuJ7s42/HEZ5zGj9oxRaD4bj7qwSunXkf+pbAh
Ft2zjpHYUiT5IHf0Q=="],

"@vitejs/plugin-react": ["@vitejs/plugin-react@5.2.0", "", { "dependencies": {
"@babel/core": "^7.29.0", "@babel/plugin-transform-react-jsx-self": "^7.27.1",
"@babel/plugin-transform-react-jsx-source": "^7.27.1", "@rollup/pluginutils": "1.0.0-rc.3",
"@types/babel__core": "^7.20.5", "react-refresh": "^0.18.0" }, "peerDependencies": { "vite":
"^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0" } },
"sha512-YmKkfHOAi3wsB1PhJq5Scj3GXMn3WvtQ/JC0xooPuHoXSdmtDStOpFrYaT1kie2Yg
FBcle64ROzMYRjCrYOdYw=="],

"acorn": ["acorn@8.16.0", "", { "bin": { "acorn": "bin/acorn" } },
"sha512-UVJyE9MttOsBQIDKw1skb9nAwQuR5wuGD3+82K6JgJlm/Y+KI92oNsMNGZCYd
DsVtRHSak0pcV5Dno5+4jh9sw=="],

"acorn-jsx": ["acorn-jsx@5.3.2", "", { "peerDependencies": { "acorn": "^6.0.0 || ^7.0.0 ||
^8.0.0" } },
"sha512-rq9s+JNhfoIChjtDXxllJ7g41oZk5SIXtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65s
AsegbXtlinmDFDXgQ=="],

"ajv": ["ajv@6.14.0", "", { "dependencies": { "fast-deep-equal": "^3.1.1",
"fast-json-stable-stringify": "^2.0.0", "json-schema-traverse": "^0.4.1", "uri-js": "^4.2.2" } },
"sha512-IWrosm/yxn43eiKqkfkHis7QioDleaXQHdDVPKq0FSwwd/DuvyX79TZnFOnYpB7dcs
FAMmtFztZuXPdvSePkFw=="],

"ansi-styles": ["ansi-styles@4.3.0", "", { "dependencies": { "color-convert": "^2.0.1" } },
"sha512-zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQQCnnSi1Lkx+IDohd
PIFP222wVALIheZJQSEg=="],

"ansis": ["ansis@4.2.0", "", {},
"sha512-HqZ5rWIFjGiV0tDm3UxxgNRqsOTniqoKZu0pIAfh7TZQMGuZK+hH0drySty0si0QXj
1ieop4+SkSfPZBPPkHig=="],

"any-promise": ["any-promise@1.3.0", "", {},
"sha512-7UvmKalWRt1wgjL1RrGxoSJW/0QZFlegpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9
uLbcuhxm3lqX9OB4MZR1b2A=="],

"anymatch": ["anymatch@3.1.3", "", { "dependencies": { "normalize-path": "^3.0.0",
"picomatch": "^2.0.4" } },
"sha512-KMReFUr0B4t+D+OBkjR3KYqvocp2XaSzO55UcB6mgQMd3KbcE+mWTyvVV7D/z
sdEbNnV6acZUutkiHQXvTr1Rw=="],

"arg": ["arg@5.0.2", "", {},
"sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqswH8M1RMJYdQduT6xbWSgK36P/Z/v+p888pM
69jMMfS8Xd8F6l1kQ/I9HUGg=="],

"argparse": ["argparse@2.0.1", "", {},
"sha512-8+9WqebbFzpX9OR+Wa6O29aslogeRMzcGtAIndpMHHyAg10f05aSFVBbcEqGf/
PXw1EjAZ+q2/bEBg3DvurK3Q=="],

"aria-hidden": ["aria-hidden@1.2.6", "", { "dependencies": { "tslib": "^2.0.0" } },
"sha512-ik3ZgC9dY/IYVVM++OISsaYDeg1tb0VtP5uL3ouh1koGOaUMDPpbFlei4JkFimWU
FPn90sbMNMXQAIVOIInYKJA=="],

"babel-dead-code-elimination": ["babel-dead-code-elimination@1.0.12", "", {
"dependencies": { "@babel/core": "^7.23.7", "@babel/parser": "^7.23.6", "@babel/traverse":
"^7.23.7", "@babel/types": "^7.23.6" } },
"sha512-GERT7L2TiYcYDtYk1IpD+ASAYXjKbLTDPbBtYj7X1NuRMDTMtAx9kyBenub1Ev41
lo91OHCKdmP+egTDMfQ7lg=="],

"balanced-match": ["balanced-match@1.0.2", "", {},
"sha512-3oSeUO0TMV67hN1AmbXsK4yaqU7tjiHlbbxRDZOpH0KW9+CeX4bRAaX0Anxt0tx2
MrpRpWwQaPwIIlSEJhYU5Pw=="],

"baseline-browser-mapping": ["baseline-browser-mapping@2.10.21", "", { "bin": {
"baseline-browser-mapping": "dist/cli.cjs" } },
"sha512-Q+rUQ7Uz8AHM7DEaNdwwfFCTq7a43INTzuS94eiWqwyxfV/wJv+oUivef51T91mm
RY4d4A1u9rcSvkeufCVXIA=="],

"binary-extensions": ["binary-extensions@2.3.0", "", {},
"sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+8Ocg0a3UuSoYz
avmylwuLWQOf3hl0jjMMlw=="],

"brace-expansion": ["brace-expansion@1.1.14", "", { "dependencies": { "balanced-match":
"^1.0.0", "concat-map": "0.0.1" } },
"sha512-MWPGfDxnyzKU7rNOW9SP/c50vi3xrmrua/+6hfPbCS2ABNWfx24vPidzvC7krjU/RT
o235sV776ymIsMtGKj8g=="],

"braces": ["braces@3.0.3", "", { "dependencies": { "fill-range": "^7.1.1" } },
"sha512-yQbXgO/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdlzGupr5Fj
+EDe8gO/lxc1BzfMpxvA=="],

"browserslist": ["browserslist@4.28.2", "", { "dependencies": { "baseline-browser-mapping":
"^2.10.12", "caniuse-lite": "^1.0.30001782", "electron-to-chromium": "^1.5.328",

"node-releases": "^2.0.36", "update-browserslist-db": "^1.2.3" }, "bin": { "browserslist": "cli.js" } },
"sha512-48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYnYKPTTr0LvD89Jqk2Or5ogxz0NUMfljhh2IIUX/LyX9B4olg=="],

"callsites": ["callsites@3.1.0", "", {} ,
"sha512-P8BjAsXvZS+VIDUI11hHCQEv74YT67YUi5JJFNWIqL235sBmjX4+qx9Muvls5ivyNENctx46xQLQ3aTuE7ssaQ=="],

"camelcase-css": ["camelcase-css@2.0.1", "", {} ,
"sha512-QOSvevhslijYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/eBnsy9kit5aj23AgGu3pa4t9AgwbnXWqS+iOY+2aA=="],

"caniuse-lite": ["caniuse-lite@1.0.30001790", "", {} ,
"sha512-bOoxfJPyYo+ds6W0YfptaCWbFnJYjh2Y1Eow5IRv+vI2u8ganPZqNm1JwNh0t2ELQCqIWg4B3dWEusgAmsoyOw=="],

"chalk": ["chalk@4.1.2", "", { "dependencies": { "ansi-styles": "^4.1.0", "supports-color": "^7.1.0" } } ,
"sha512-oKnbnhFyRIXpUuez8iBMmyEa4nbj4IOQyuhc/wy9kY7/WVPcwIO9VA668Pu8RkO7+0G76SLROeyw9CpQ061i4mA=="],

"chokidar": ["chokidar@5.0.0", "", { "dependencies": { "readdirp": "^5.0.0" } } ,
"sha512-TQMmc3w+5AxjpL8iliwebF73dRDF4fBlieAqGn9RGCWwEVwQ6Fb2cGe31Yns0RRlzii5goJ1Y7xbMwo1TxMplw=="],

"class-variance-authority": ["class-variance-authority@0.7.1", "", { "dependencies": { "clsx": "^2.1.1" } } ,
"sha512-Ka+9Trutv7G8M6WT6SeiRWz792K5qEqIGEGzXKhAE6xOWAY6pPH8U+9IY3oCMv6kqTmLsv7Xh/2w2RigkePMsg=="],

"clsx": ["clsx@2.1.1", "", {} ,
"sha512-eYm0QWBtUrBWZWG0d386OGAw16Z995PiOV02B7bjWSbHedGI5e0ZWaq65kOGgUSNesEIDkB9ISbTg/JK9dhCZA=="],

"cmdk": ["cmdk@1.1.1", "", { "dependencies": { "@radix-ui/react-compose-refs": "^1.1.1", "@radix-ui/react-dialog": "^1.1.6", "@radix-ui/react-id": "^1.1.0", "@radix-ui/react-primitive": "^2.0.2" }, "peerDependencies": { "react": "^18 || ^19 || ^19.0.0-rc", "react-dom": "^18 || ^19 || ^19.0.0-rc" } } ,
"sha512-Vsv7kFaXm+ptHDMZ7izaRsP70GgrW9NBNGswt9OZaVBLIE0SNpDq8eu/VGXyF9r7M0azK3Wy7OIYXsuyYLFzHg=="],

"color-convert": ["color-convert@2.0.1", "", { "dependencies": { "color-name": "~1.1.4" } } ,
"sha512-RRECPsj7iu/xb5oKYcsFHSppFNnsj/52OVTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ=="],

"color-name": ["color-name@1.1.4", "", {}],
"sha512-dOy+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff4O8yVp5Bf0efS8uEoYo5q4Fx7dY9OgQGXgAsQA=="],

"commander": ["commander@4.1.1", "", {}],
"sha512-NOKm8xhkzAjzFx8B2v5OAHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pEhfbMULvShKj26WA=="],

"concat-map": ["concat-map@0.0.1", "", {}],
"sha512-/Srv4dswyQNBfohGpz9o6Yb3Gz3SrUDqBH5rTuhGR7ahtlbYKnVxw2bCFMRljaA7EXHaXZ8wsHdodFvbkKhKmqg=="],

"consola": ["consola@3.4.2", "", {}],
"sha512-5IKcdX0nnYavi6G7TtOhwkYzyjfJlatbjMjuLSfE2kYT5pMDOilZ4OvMhi637CcDICTmz3wARPoyhgyX1Y+XvA=="],

"convert-source-map": ["convert-source-map@2.0.0", "", {}],
"sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg=="],

"cookie-es": ["cookie-es@3.1.1", "", {}],
"sha512-UaXxwISYJPT9hwQxMFYZ7kNhSXboMXP+Z3TRX6f1/NyaGPfuNUZOWP1pUEb75B2HjfkIIYLVRfWiFZJyC6Npg=="],

"cross-spawn": ["cross-spawn@7.0.6", "", {"dependencies": {"path-key": "^3.1.0",
"shebang-command": "^2.0.0", "which": "^2.0.1" }},
"sha512-uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca3OzKUd3vA=="],

"crossws": ["crossws@0.4.5", "", {"peerDependencies": {"srvx": ">=0.11.5" }},
"optionalPeers": ["srvx"]},
"sha512-wUR89x/Rw7/8t+vn0CmGDYM9TD6VtARGb0LD5jq2wjtMy1vCP4M+sm6N6TigWeTYvnA8MoW29NqqXD0ep0rfBA=="],

"cssesc": ["cssesc@3.0.0", "", {"bin": {"cssesc": "bin/cssesc" } }],
"sha512-/Tb/JcjK111nNScGob5MNtsntNM1aCNUDipB/TkwZFhyDrrE47SOx/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg=="],

"csstype": ["csstype@3.2.3", "", {}],
"sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFc8KusUX8T/0kCiOYpAIQ=="],

"d3-array": ["d3-array@3.2.4", "", {"dependencies": {"internmap": "1 - 2" }},
"sha512-tdQAMyA18i4J7wprpYq8ClcxZy3SC31QMeByyCFyRt7BVHdREQZ5lpzoe5mFEYZUWe+oq8HBvk9JjpibyEV4Jg=="],

"d3-color": ["d3-color@3.1.0", "", {}],
"sha512-zg/chbXyeBtMQ1LbD/WSOw2DpC3l0mpmPdW+ynRTj/x2DAWYrIY7qeZIHidozwV
24m4iavr15lNwLwLxRmOxhA=="],

"d3-ease": ["d3-ease@3.0.1", "", {}],
"sha512-wR/XK3D3XcLIZwpbvQwQ5fK+8Ykds1ip7A2Txe0yxncXSdq1L9skcG7blcedkOX+Z
cgxGAmLX1FrRgBAdwzi0w=="],

"d3-format": ["d3-format@3.1.2", "", {}],
"sha512-AJDdYODnyRDV5b6ArlzCPPwc1ejkHcoyFarqIPqT7zRYjhavcT3uSrqcMvsgh2Cgo
PbK3RCwyHaVyxYcP2Arg=="],

"d3-interpolate": ["d3-interpolate@3.0.1", "", {"dependencies": {"d3-color": "1 - 3"}},
"sha512-3bYs1rOD33uo8aqJfKP3JWPAibgw8Zm2+L9vBKEHJ2Rg+viTR7o5Mmv5mZcieN+
FRYaAOWX5SJATX6k1PWz72g=="],

"d3-path": ["d3-path@3.1.0", "", {}],
"sha512-p3KP5HCf/bvjBSSKuXid6Zqijx7wlfNW+J/maPs+iwR35at5JCbLUT0LzF1cnjbCHWh
qzQTIN2Jpe8pRebIEFQ=="],

"d3-scale": ["d3-scale@4.0.2", "", {"dependencies": {"d3-array": "2.10.0 - 3", "d3-format":
"1 - 3", "d3-interpolate": "1.2.0 - 3", "d3-time": "2.1.1 - 3", "d3-time-format": "2 - 4"}},
"sha512-GZW464g1SH7ag3Y7hXjf8RoUuAFIqkIOAq3MRI4OaWabTFJY9PN/E1YklhXLh+O
Q3fM9yS2nOkCoS+WLZ6kvxQ=="],

"d3-shape": ["d3-shape@3.2.0", "", {"dependencies": {"d3-path": "^3.1.0"}},
"sha512-SaLBuwGm3MOVIRq2ABk3eLoxwZELpH6zhI3FbAoJ7Vm1gofKx6EI1lb5z23NUEh
F9AsGI7y+dzLe5Cw2AArGTA=="],

"d3-time": ["d3-time@3.1.0", "", {"dependencies": {"d3-array": "2 - 3"}},
"sha512-VqKjzBLEjbSMT4lgbmVgDjpkYrNWUYJnbCGo874u7MMKIWslLRX+OpX/gTk8Mqj
pT1A/c6HY2dCA77ZN0lkQ2Q=="],

"d3-time-format": ["d3-time-format@4.1.0", "", {"dependencies": {"d3-time": "1 - 3"}},
"sha512-dJxPBlzC7NugB2PDLwo9Q8JiTR3M3e4/XANkreKSUxF8vvXKqm1Yfq4Q5dl8budlu
nRVIUuaDUgFt7eA8D6NLg=="],

"d3-timer": ["d3-timer@3.0.1", "", {}],
"sha512-ndfJ/JxxMd3nw31uyKoY2naivF+r29V+Lc0svZxe1JvvlRmi8hUsrMvdOwgS1o6uBH
miz91geQ0yIPP0aj1VUA=="],

"date-fns": ["date-fns@4.1.0", "", {}],
"sha512-Ukq0owbQXxa/U3EGtsdVBkR1w7KOQ5glBqdH2hkvknzZPYvBxb/aa6E8L7tmjFtkw
ZBu3UXBbjlgPo/Ez4xaNg=="],

"date-fns-jalali": ["date-fns-jalali@4.1.0-0", "", {}],
"sha512-hTIP/z+t+qKwBDcmmsnmjWTduxCg+5KfdqWQvb2X/8C9+knYY6epN/pfxdDuyVIS
VeFz0sM5eEfwiUQ70U4ckg=="],

"db0": ["db0@0.3.4", "", { "peerDependencies": { "@electric-sql/pglite": "*", "@libsql/client": "*", "better-sqlite3": "*", "drizzle-orm": "*", "mysql2": "*", "sqlite3": "*" }, "optionalPeers": ["@electric-sql/pglite", "@libsql/client", "better-sqlite3", "drizzle-orm", "mysql2", "sqlite3"] }, "sha512-RiXXi4WaNzPTHEOu8UPQKMoolbqOEyqA1t7Z6MsdxSCeb8iUC9ko3LcmsLmeUt2SM5bctfArZKkRQggKZz7JNw=="],

"debug": ["debug@4.4.3", "", { "dependencies": { "ms": "^2.1.3" }, "peerDependencies": { "supports-color": "*" }, "optionalPeers": ["supports-color"] }, "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTILpuvgl9GiiJtAjNbcqA=="],

"decimal.js-light": ["decimal.js-light@2.5.1", "", {}], "sha512-qIMFpTMZmny+MMlitAB6D7iVPEorVw6YQRWkvarTkT4tBeSLLiHzcwj6q0MmYSFCiVpiqPJTJEYIrpcPzVElv=="],

"deep-is": ["deep-is@0.1.4", "", {}], "sha512-olPzksmTg4/MriiaYGO+okXDT7ztn/w3Eptv/+gSldMdKsJo0u4CfYNFJPY+4SKMuCqGw2wxnA+URMg3t8a/bQ=="],

"detect-libc": ["detect-libc@2.1.2", "", {}], "sha512-Btj2BOOO83o3WyH59e8MgXsxEQVcarkUOpEYrubB0urwnN10yQ364rsiByU11nZlqWYZm05i/of7io4mzihBtQ=="],

"detect-node-es": ["detect-node-es@1.1.0", "", {}], "sha512-ypdmJU/TbBby2Dxibuv7ZLW3Bs1QEmM7nHjEANfohJLvE0XVujisn1qPjCzXg+qDucsr+bP6fLD1rPS3AhJ7EQ=="],

"didyoumean": ["didyoumean@1.2.2", "", {}], "sha512-gxtyfqMg7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvAOdc3XymqDDPHx1BgPgdsAA5Slifona89YtRATDzw=="],

"diff": ["diff@8.0.4", "", {}], "sha512-DPI0FmjiSU5EvQV0++GFDOJ9ASQUVFh5kD+OzOnYdi7n3Wpm9hWWGfB/O2blfHcMVTl5WkQXSnRiK9makhrnw=="],

"dlv": ["dlv@1.1.3", "", {}], "sha512-+HlytyjIPKnlG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJUQkjXwA=="],

"dom-helpers": ["dom-helpers@5.2.1", "", { "dependencies": { "@babel/runtime": "^7.8.7", "csstype": "^3.0.2" } }, "sha512-nRCa7CK3VTrM2NmGkly4cbK7IZlgBE/PYMn55rrXefr5xXDP0LdtfPnbIFDoVdcAfsIj7or6iqAUnx0CCGIWQA=="],

"electron-to-chromium": ["electron-to-chromium@1.5.344", "", {}], "sha512-4MxfbmNDm+KPh066Ezy+eUnkcDPcZ35wNmOWzFuh/ijvHsve6kbLTLURy88uCNK5FbpN+yk2nQY6BYh1GEt+wg=="],

"embla-carousel": ["embla-carousel@8.6.0", "", {},
"sha512-SjWyZBHJPbqxHOzckOfo8IHsEaJWmwd23XppYFYVh10bU66/Pn5tkVkbkCMZVd
bUE5eTCI2nD8OyIP4Z+uwkA=="],

"embla-carousel-react": ["embla-carousel-react@8.6.0", "", { "dependencies": {
"embla-carousel": "8.6.0", "embla-carousel-reactive-utils": "8.6.0" }, "peerDependencies": {
"react": "^16.8.0 || ^17.0.1 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc" } },
"sha512-0/PjqU7geVmo6F734pmPqpyHqiM99olvycY7zdweCw+6tKEXnrE90pBiBbMMU8s
5tlCemzpQ3hi5EpxzGW+JA=="],

"embla-carousel-reactive-utils": ["embla-carousel-reactive-utils@8.6.0", "", {
"peerDependencies": { "embla-carousel": "8.6.0" } },
"sha512-fMVUDUEX0/uIEDM0Mz3dHznDhfX+znCCDCelophYb1QGVM7YThSWX+wz11zIY
wWFO74b4QLGg0hrGPJeG2s4A=="],

"enhanced-resolve": ["enhanced-resolve@5.20.1", "", { "dependencies": { "graceful-fs":
"^4.2.4", "tapable": "^2.3.0" } },
"sha512-Qohcme7V1inbAfvjltgw0EaxVX5q2rdVEZHRBrEQdRZTssLDGsL8LwrznI8oQ/6kuT
JONLaDcGjkNP247XEhcA=="],

"env-runner": ["env-runner@0.1.9", "", { "dependencies": { "crossws": "^0.4.5", "exsolve":
"^1.0.8", "httpxy": "^0.5.3", "srvx": "^0.11.15" }, "peerDependencies": { "@netlify/runtime":
"^4.1.23", "@vercel/queue": "^0.2.0", "miniflare": "^4.20260515.0" }, "optionalPeers":
["@netlify/runtime", "@vercel/queue", "miniflare"], "bin": { "env-runner": "dist/cli.mjs" } },
"sha512-W9AiZIPx0uXtghAJiTBkeZOgyQdecVvoln3cHoOEZswPq0cVMi+WBhUQjdUn+JcZ
FAFgOt+i5fcO7C2zniZoCg=="],

"es-errors": ["es-errors@1.3.0", "", {},
"sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIllypy4xcBg1vKVnx89WY0GbS+kf5cwCV
FFzdCFh2XSCFNULS6csw=="],

"esbuild": ["esbuild@0.25.12", "", { "optionalDependencies": { "@esbuild/aix-ppc64":
"0.25.12", "@esbuild/android-arm": "0.25.12", "@esbuild/android-arm64": "0.25.12",
"@esbuild/android-x64": "0.25.12", "@esbuild/darwin-arm64": "0.25.12",
"@esbuild/darwin-x64": "0.25.12", "@esbuild/freebsd-arm64": "0.25.12",
"@esbuild/freebsd-x64": "0.25.12", "@esbuild/linux-arm": "0.25.12", "@esbuild/linux-arm64":
"0.25.12", "@esbuild/linux-ia32": "0.25.12", "@esbuild/linux-loong64": "0.25.12",
"@esbuild/linux-mips64el": "0.25.12", "@esbuild/linux-ppc64": "0.25.12",
"@esbuild/linux-riscv64": "0.25.12", "@esbuild/linux-s390x": "0.25.12", "@esbuild/linux-x64":
"0.25.12", "@esbuild/netbsd-arm64": "0.25.12", "@esbuild/netbsd-x64": "0.25.12",
"@esbuild/openbsd-arm64": "0.25.12", "@esbuild/openbsd-x64": "0.25.12",
"@esbuild/openharmony-arm64": "0.25.12", "@esbuild/sunos-x64": "0.25.12",
"@esbuild/win32-arm64": "0.25.12", "@esbuild/win32-ia32": "0.25.12",
"@esbuild/win32-x64": "0.25.12" }, "bin": { "esbuild": "bin/esbuild" } },
"sha512-bbPBYYrtZbkt6Os6FiTLCTFxfvq4tt3JKall1vRwshA3fdVztsLAatFaZobhkBC8/BrPeto
a0oksYoKXoG4ryJg=="],

"escalade": ["escalade@3.2.0", "", {},
"sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG
6xkJUyVhboMS+bje/jA=="],

"escape-string-regexp": ["escape-string-regexp@4.0.0", "", {},
"sha512-TtpcNJ3XAzx3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAyA3n5vtElZef
Pk5Wa4UXbKuS5fKkJWdgA=="],

"eslint": ["eslint@9.39.4", "", { "dependencies": { "@eslint-community/eslint-utils": "^4.8.0",
"@eslint-community/regexpp": "^4.12.1", "@eslint/config-array": "^0.21.2",
"@eslint/config-helpers": "^0.4.2", "@eslint/core": "^0.17.0", "@eslint/eslintrc": "^3.3.5",
"@eslint/js": "9.39.4", "@eslint/plugin-kit": "^0.4.1", "@humanfs/node": "^0.16.6",
"@humanwhocodes/module-importer": "^1.0.1", "@humanwhocodes/retry": "^0.4.2",
"@types/estree": "^1.0.6", "ajv": "^6.14.0", "chalk": "^4.0.0", "cross-spawn": "^7.0.6", "debug":
"^4.3.2", "escape-string-regexp": "^4.0.0", "eslint-scope": "^8.4.0", "eslint-visitor-keys":
"^4.2.1", "espree": "^10.4.0", "esquery": "^1.5.0", "esutils": "^2.0.2", "fast-deep-equal":
"^3.1.3", "file-entry-cache": "^8.0.0", "find-up": "^5.0.0", "glob-parent": "^6.0.2", "ignore":
"^5.2.0", "imurmurhash": "^0.1.4", "is-glob": "^4.0.0", "json-stable-stringify-without-jsonify":
"^1.0.1", "lodash.merge": "^4.6.2", "minimatch": "^3.1.5", "natural-compare": "^1.4.0",
"optionator": "^0.9.3" }, "peerDependencies": { "jiti": "*" }, "optionalPeers": ["jiti"], "bin": {
"eslint": "bin/eslint.js" } },
"sha512-XoMjdBOwe/esVgEvLmNsD3IRHkm7fbKIUGvrleloJXUZgDHig2IPWNNiv+GwjyJXz
uNqVJlr5+4yVUZjycJwfQ=="],

"eslint-config-prettier": ["eslint-config-prettier@10.1.8", "", { "peerDependencies": { "eslint":
">=7.0.0" }, "bin": { "eslint-config-prettier": "bin/cli.js" } },
"sha512-82GZUjRS0p/jganf6q1rEO25VSoHH0hKPCTrgillPjdl/3bgBhAE1QzHrHTizjpRvy6p
GAvKjDjtk2pF9NDq8w=="],

"eslint-plugin-prettier": ["eslint-plugin-prettier@5.5.5", "", { "dependencies": {
"prettier-linter-helpers": "^1.0.1", "synckit": "^0.11.12" }, "peerDependencies": {
"@types/eslint": ">=8.0.0", "eslint": ">=8.0.0", "eslint-config-prettier": ">= 7.0.0 <10.0.0 ||
>=10.1.0", "prettier": ">=3.0.0" }, "optionalPeers": ["@types/eslint", "eslint-config-prettier"] },
"sha512-hscXkbqUZ2sPithAuLm5MXL+Wph+U7wHngPBv9OMWwIP8iaflyxpjTYZkmdgB4/v
PlhemRIBEOlrH7UC1n7aUw=="],

"eslint-plugin-react-hooks": ["eslint-plugin-react-hooks@5.2.0", "", { "peerDependencies": {
"eslint": "^3.0.0 || ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0-0 || ^9.0.0" } },
"sha512-+f15FfK64YQwZdJNELETdn5ibXEUQmW1DZL6KXhNnc2heoy/sg9VJJJeT7n8TIM
WouzWqSWavFklhHylblAEapg=="],

"eslint-plugin-react-refresh": ["eslint-plugin-react-refresh@0.4.26", "", {
"peerDependencies": { "eslint": ">=8.40" } },
"sha512-1RETEylht2O6FM/MvgnyvT+8K21wLqDNq4qD51Zj3guhjt433XbnnkVttHMyaVyAF
D03QSV4LPS5iE3VQmO7XQ=="],

"eslint-scope": ["eslint-scope@8.4.0", "", { "dependencies": { "esrecurse": "^4.3.0",
"estraverse": "^5.2.0" } },

"sha512-sNXOfKCn74rt8RICKMvJS7XKV/Xk9kA7DyJr8mJik3S7Cwgy3qlkkmyS2uQB3jiJg6VNdZd/pDBJu0nvG2NITg=="],

"eslint-visitor-keys": ["eslint-visitor-keys@4.2.1", "", {}],
"sha512-Uhdk5sfqcee/9H/rCOJikYz67o0a2Tw2hGRPOG2Y1R2dg7brRe1uG0yaNQDHu+T
O/uQPF/5eCapvYSmHUjt7JQ=="],

"esprez": ["esprez@10.4.0", "", { "dependencies": { "acorn": "^8.15.0", "acorn-jsx":
"^5.3.2", "eslint-visitor-keys": "^4.2.1" } }],
"sha512-j6PAQ2uUr79PZhBjP5C5fhl8e39FmRnOjsD5lGnWrFU8i2G776tBK7+nP8KuQUtTy
AZUwfQqXAgVH5MbH9CYQ=="],

"esquery": ["esquery@1.7.0", "", { "dependencies": { "estraverse": "^5.1.0" } }],
"sha512-Ap6G0WQwcU/LHsvLwON1fAQX9Zp0A2Y6Y/cJBI9r/JbW90Zyg4/zbG6zzKa2OTA
LELarYHmKu0GhpM5EO+7T0g=="],

"esrecurse": ["esrecurse@4.3.0", "", { "dependencies": { "estraverse": "^5.2.0" } }],
"sha512-KmfKL3b6G+RXvP8N1vr3Tq1kL/oCFgn2NYXEtqP8/L3pKapUA4G8cFVaoF3SU32
3CD4XypR/ffioHmkti6/Tag=="],

"estraverse": ["estraverse@5.3.0", "", {}],
"sha512-MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8fFeilNEbX36Zd
NlfU/7A9f3gUw49B3oQsvwBA=="],

"esutils": ["esutils@2.0.3", "", {}],
"sha512-kVscqXk4OCp68SZ0dkgEKVi6/8ij300KBWTJq32P/dYeWTSwK41WyTxaIn1eRmA
5Z9UU/LX9D7FWSmV9SAYx6g=="],

"eventemitter3": ["eventemitter3@4.0.7", "", {}],
"sha512-8guHBZCwKnFhYdHr2ysuRWErTwhoN2X8XELRlrRwpmfeY2jjuUN4taQMsULKUV
o1K4DvZl+0pgfyOysHxvmvEw=="],

"exsolve": ["exsolve@1.0.8", "", {}],
"sha512-LmDxfWXwcTArk8fUEnOfSZpHOJ6zOMUJKOtFLFqJLoKJetuQG874Uc7/Kki7zFLz
YybmZhp1M7+98pfMqeX8yA=="],

"fast-deep-equal": ["fast-deep-equal@3.1.3", "", {}],
"sha512-f3qQ9oQy9j2AhBe/H9VC91wLmKBCCU/gDOnKNAYG5hswO7BLKj09Hc5HYNz9c
Gl++xlpDCIgDaitVs03ATR84Q=="],

"fast-diff": ["fast-diff@1.3.0", "", {}],
"sha512-VxPP4NqbUjj6MaAOafWeUn2cXWLcCtljklUtZf0Ind4XQ+QPtmA0b18zZy0jIQx+Ex
RVCR/ZQpBmik5lXshNsw=="],

"fast-equals": ["fast-equals@5.4.0", "", {}],
"sha512-jt2DW/aNfNwke7AUd+Z+e6pz39KO5rzdbbFCg2sGafS4mk13MI7Z8O5z9cADNn5l
hGODlglWug6TZO2ctf7kcw=="],

"fast-glob": ["fast-glob@3.3.3", "", { "dependencies": { "@nodelib/fs.stat": "^2.0.2", "@nodelib/fs.walk": "^1.2.3", "glob-parent": "^5.1.2", "merge2": "^1.3.0", "micromatch": "^4.0.8" } },
"sha512-7MptL8U0ccqcfDzlwOTHOilX9x5BrNqye7Z/LuC7kCMRio1EMSyqRK3BEAUD7sXRq4iT4AzTVuZdhgQ2TCvYLg=="],

"fast-json-stable-stringify": ["fast-json-stable-stringify@2.1.0", "", {}],
"sha512-lhd/wF+Lk98HZoTCtlVraHtfh5XYijIjalXck7saUtuanSDyLMxnHhSXEDJqHxD7msR8D0uCmqIklwCV8xvwHw=="],

"fast-levenshtein": ["fast-levenshtein@2.0.6", "", {}],
"sha512-DCXu6lfhqcks7TZKY3Hxp3y6qphY5SJZmrWMDrKcERSOXWQdMhU9Ig/PYrzyw/uI9jOlyh0N4M0tbC5hodg8dw=="],

"fastq": ["fastq@1.20.1", "", { "dependencies": { "reusify": "^1.0.4" } },
"sha512-GGToxJ/w1x32s/D2EKND7kTil4n8OVk/9mycTc4VDza13IOvpUZTGX3mFSCtV9ksdGBVzvsyAVLM6mHFTxXw=="],

"fdir": ["fdir@6.5.0", "", { "peerDependencies": { "picomatch": "^3 || ^4" }, "optionalPeers": { "picomatch" } },
"sha512-tlbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8ggy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg=="],

"fetchdts": ["fetchdts@0.1.7", "", {}],
"sha512-YoZjBdafyLlop9ISxXVI33oLD5kN31q4Td+CasofLLYeLXRFeOsuOw0Uo+XNRi9PZIbfdIN2GmRtm4tCEQ9/KA=="],

"file-entry-cache": ["file-entry-cache@8.0.0", "", { "dependencies": { "flat-cache": "^4.0.0" } },
"sha512-XXTUwCvisa5oacNGRP9SfNtYBNAMi+RPwBFmbIZEF7N7swHYQS6/Zfk7SRwx4D5j3CH211YNRco1DEMNVfZCnQ=="],

"fill-range": ["fill-range@7.1.1", "", { "dependencies": { "to-regex-range": "^5.0.1" } },
"sha512-YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnCOi9ztDJitvtQvaI9KaLyKrc+hBW0yg=="],

"find-up": ["find-up@5.0.0", "", { "dependencies": { "locate-path": "^6.0.0", "path-exists": "^4.0.0" } },
"sha512-78/PXT1wlLLDgTzDs7sjq9hzz0vXD+zn+7wypEe4fXQxCmdmqfGsEPQxmiCSQI3ajFV91bVSsvNtrJRiW6nGng=="],

"flat-cache": ["flat-cache@4.0.1", "", { "dependencies": { "flatted": "^3.2.9", "keyv": "^4.5.4" } },
"sha512-f7ccFPK3SXFHpx15UIGyRJ/FJQctuKZ0zVuN3frBo4HnK3cay9VEW0R6yPYFHC0AgqhukPzKjq22t5DmAyqGyw=="],

"flatted": ["flatted@3.4.2", "", {}],
"sha512-PjDse7RzhcPklJwy5t7KPWQSZ9cAbzQXcafsetQoD7sOJRQIGikNbx7yZp2OotDnJ
yrDcbyRq3Ttb18iYOqkxA=="],

"fsevents": ["fsevents@2.3.3", "", { "os": "darwin" },
"sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ344
1tMj5n63k0212XNoJwzlhffQw=="],

"function-bind": ["function-bind@1.1.2", "", {}],
"sha512-7XHNxH7qX9xG5mlwxkhumTox/MIRNcOgDrxWsMt2pAr23WHp6MrRIN7FBSFpCp
r+oVO0F744iUgR82nJMfG2SA=="],

"gensync": ["gensync@1.0.0-beta.2", "", {}],
"sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYeqFo/TI
Yz6eQiFcp1HcsCZO+nGgS8zg=="],

"get-nonce": ["get-nonce@1.0.1", "", {}],
"sha512-FJhYRoDaiatfEkUK8HKlicmu/3SGFD51q3itKGoSTysQJBnfOcxU5GxnhE1E6soB
76MbT0MBtnKJuXyAx+96Q=="],

"get-tsconfig": ["get-tsconfig@4.14.0", "", { "dependencies": { "resolve-pkg-maps": "^1.0.0" } }],
"sha512-yTb+8DXzDREzgvYmh6s9vHsSVCHec0G3PI5bEXNBHtmshPnO+S5O7qgLEOnO1
5QvMy6kpZN8K1NKGyilLb93wA=="],

"glob-parent": ["glob-parent@6.0.2", "", { "dependencies": { "is-glob": "^4.0.3" } }],
"sha512-Xxwl8EOhVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4
TEju/11rt4KJPTMgbfmv4A=="],

"globals": ["globals@15.15.0", "", {}],
"sha512-7ACyT3wmy3l61S4fG682L0VA2RGD9otkqGJlwNUMF1SWUombllk+af1unuDYg
Mm082aHYwD+mzJvv9lu8dsgg=="],

"globrex": ["globrex@0.1.2", "", {}],
"sha512-uHJgbwAMwNf5mLst7IWLNg14x1CkeqgJlb/K3doi4dw6q2lvAAmM/Y81kevy83wP
+Sst+nutFTYOGg3d1lsxg=="],

"graceful-fs": ["graceful-fs@4.2.11", "", {}],
"sha512-RbJ5/jmFcNNCcDV5o9eTnBLJ/HszWV0P73bc+Ff4nS/rJj+YaS6IGyiOL0VoBYX+I1
Wrl3k63h/KrH+nhJ0XvQ=="],

"h3": ["h3@2.0.1-rc.22", "", { "dependencies": { "rou3": "^0.8.1", "srvx": "^0.11.15" },
"peerDependencies": { "crossws": "^0.4.1" }, "optionalPeers": ["crossws"], "bin": { "h3":
"bin/h3.mjs" } }],
"sha512-Esv0DMLuPkCTSWCA0vO73vcTqwzH1wjSrAO1TXNu/K3up1sZHa9EKMapbmxCD
YBeymC3fVTk4qxp7ogQWQ+KgA=="],

"h3-v2": ["h3@2.0.1-rc.20", "", { "dependencies": { "rou3": "^0.8.1", "srvx": "^0.11.13" },
"peerDependencies": { "crossws": "^0.4.1" }, "optionalPeers": ["crossws"], "bin": { "h3":
"bin/h3.mjs" } },
"sha512-28ljodXuUp0fZovdiSRq4G9OgrxCztrJe5VdYzXAB7ueRvI7pIUqLU14Xi3XqdYJ/khX
jfpUOOD2EQa6CmBgsg=="],

"has-flag": ["has-flag@4.0.0", "", {},
"sha512-EykJT/Q1KjTWctppglAgfSO0tKVuZUjhGMr17kqTumMl6Afv3EISleU7qZUzoXDFTA
HTDC4NOoG/ZxU3EvIMPQ=="],

"hasown": ["hasown@2.0.3", "", { "dependencies": { "function-bind": "^1.1.2" } },
"sha512-ej4AhfhfL2Q2zpMmLo7U1Uv9+PyhIZpgQLGT1F9milGmiCJloCgSmczFdrc97mWT
4kVY72KA+WnnhJ5pghSvSg=="],

"hookable": ["hookable@6.1.1", "", {},
"sha512-U9LYDy1CwhMCnprUfeAZWZGByVbhd54hwepegYTK7Pi5NvqEj63ifz5z+xukzneh
T7i6NIZRu89Ay1AZmRsLEQ=="],

"html-to-image": ["html-to-image@1.11.13",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/html-to-image/-/ht
ml-to-image-1.11.13.tgz", {},
"sha512-cuOPol7WApYhBEITtb9oqsawRvZ0rHhaHwghRLITuffoD1B2aDemlCruLeZrUlldvG
7gs9xeELEPm6PhuASqrg=="],

"httpxy": ["httpxy@0.5.3", "", {},
"sha512-SMS9V6Sn7VWaS11IYhoAr0ceoaiolTWf4jYdJn0NJhCdKMu9R2H9Fh0LBDWBHQ
F6HRL1PmaePYsjanSpE5PEw=="],

"iceberg-js": ["iceberg-js@0.8.1",
"https://europe-west4-npm.pkg.dev/lovable-core-prod/sandbox-npm-cache/iceberg-js/-/icebe
rg-js-0.8.1.tgz", {},
"sha512-1dhVQZXhcHje7798IVM+xoo/1ZdVfzOMlc8/rgVSijRK38EDqOJoGula9N/8ZI5RD8
QTxNQtk/Gozpr+qUqRRA=="],

"ignore": ["ignore@5.3.2", "", {},
"sha512-hsBTNUqQTDwkWtcdYI2i06Y/nUBEsNEDJKjWdigLvegy8kDuJAS8uRlpkkcQpyEX
L0Z/pjDy5HBmMjRCJ2gq+g=="],

"import-fresh": ["import-fresh@3.3.1", "", { "dependencies": { "parent-module": "^1.0.0",
"resolve-from": "^4.0.0" } },
"sha512-TR3KfrTZTYLPB6jUjfx6MF9WcWrHL9su5TObK4ZkYgBdWKPOFoSoQldEuTuR82
pmtxH2spWG9h6etwfr1pLBqQ=="],

"imurmurhash": ["imurmurhash@0.1.4", "", {},
"sha512-JmXMZ6wuvDmLiHEml9yzqO6lwFbof0GG4lkcGaENdCRDDmMVnny7s5HslgHC
baq0w2MyPhDqkhTUgS2LU2PHA=="],

"input-otp": ["input-otp@1.4.2", "", { "peerDependencies": { "react": "^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc" } },
"sha512-l3jWwYNvrEa6NTCt7BECfCm48GvwuZzkoeG3gBL2w4CHeOXW3eKFmf9UNYkNfYc3mxMrthMnxjIE07MT0zLBQA=="],

"internmap": ["internmap@2.0.3", "", {} ,
"sha512-5Hh7Y1wQbvY5ooGgPbDaL5iYLAPzMTUjMulskHLH6wnv/A+1q5rgEaiuqEjB+oxGXIVZs1FF+R/KPN3ZSQYYg=="],

"is-binary-path": ["is-binary-path@2.1.0", "", { "dependencies": { "binary-extensions": "
^2.0.0" } },
"sha512-ZMERYes6pDydyuGidse7OsHxtbl7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjWy725lfelLeVcEM97mmtRGXw=="],

"is-core-module": ["is-core-module@2.16.1", "", { "dependencies": { "hasown": "^2.0.2" } },
"sha512-UfoeMA6fIJ8wTYFEUjelnAGl67v6+N7qXJEvQuIGa99I4xsCruSYOVVSQ0uPANn4dAzm8lkYPaKLrrijLq7x23w=="],

"is-extglob": ["is-extglob@2.1.1", "", {} ,
"sha512-SbKbANKN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsQ=="],

"is-glob": ["is-glob@4.0.3", "", { "dependencies": { "is-extglob": "^2.1.1" } },
"sha512-xelSayHH36ZgE7ZWHLi7pW34hNbNI8Ojv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrwRr4elSSg=="],

"is-number": ["is-number@7.0.0", "", {} ,
"sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDIK9cGvNp6NZWZUBlbGXYxxng=="],

"isbot": ["isbot@5.1.39", "", {} ,
"sha512-obH0yYahGXdzNxo+djmHhBYThUKDkz565cxkllt2L9hXfv1NlaLKOdBHo6KxXsYrIXx2RK3x5vY36CfZcobxEw=="],

"isexe": ["isexe@2.0.0", "", {} ,
"sha512-RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVvWThj4qqLbTLlq7Ssj8B+flQ1EuCEGI2IKsyQelw=="],

"jiti": ["jiti@2.6.1", "", { "bin": { "jiti": "lib/jiti-cli.mjs" } },
"sha512-ekilCSN1jwRvlbgeg/57YFh8qQDNbwDb9xT/qu2DAHbFFZUicll4ygVaAvzveMhMVr3LnpSKTNnwt8PoOfmKhQ=="],

"js-tokens": ["js-tokens@4.0.0", "", {} ,
"sha512-RdJUFfrcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apggJtifcoCtT9bcxOpYBtpD2kCM6Sbzig4CausW/PKQ=="],

"js-yaml": ["js-yaml@4.1.1", "", { "dependencies": { "argparse": "^2.0.1" }, "bin": { "js-yaml": "
bin/js-yaml.js" } },

"sha512-qQKT4zQxXI8ILwBtHMMWwaTcGfFOZviOJet3Oy/xmGk2gZH677CJM9EvtfdSkgWcA
TZhj/55JZ0rmy3myCT5IsA=="],

"jsesc": ["jsesc@3.1.0", "", { "bin": { "jsesc": "bin/jsesc" } },
"sha512-/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4l8vHy6lF9poUp7bKT0/NHE8fPX23Pwfhn
ykfqnC2xRxOnVw5XuGlaA=="],

"json-buffer": ["json-buffer@3.0.1", "", {},
"sha512-4bV5BfR2mqfQTJm+V5tPPdf+ZpuhilvTuAB5g8kcrXOZpTT/QwwVRWBywX1ozr6l
EuPdbHxwaJlm9G6ml2sfSQ=="],

"json-schema-traverse": ["json-schema-traverse@0.4.1", "", {},
"sha512-xbbCH5dCYU5T8LcEhhuh7HJ88HXuW3qsI3Y0zOZFKfZEHcpWiHU/Jxzk629Brsab
/mMiHQti9wMP+845RPe3Vg=="],

"json-stable-stringify-without-jsonify": ["json-stable-stringify-without-jsonify@1.0.1", "", {},
"sha512-Bdboy+I7tA3OGW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1QSmd1KNwq
6VOKYGAu87CisVir6Pw=="],

"json5": ["json5@2.2.3", "", { "bin": { "json5": "lib/cli.js" } },
"sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOI8FWKOgwt
zdb8lXGf6zYwDUzeHMMWfxasyg=="],

"keyv": ["keyv@4.5.4", "", { "dependencies": { "json-buffer": "3.0.1" } },
"sha512-oxVHKHR/EJf2CNXnWxRLW6mg7JyCCUcG0DtEGmL2ctUo1PNTin1PUil+r/+4r5M
pVgC/fn1kjsx7mjSujKqlpw=="],

"launch-editor": ["launch-editor@2.14.1", "", { "dependencies": { "picocolors": "^1.1.1",
"shell-quote": "^1.8.4" } },
"sha512-QWBrQsMpH7gPr965dsKD/3cKWiNoTjpATQf++Xq63N6sKRGmWlVXz41O1IZTMf
ZQgBctD/K5Zt06+/l6pP6+HA=="],

"levn": ["levn@0.4.1", "", { "dependencies": { "prelude-ls": "^1.2.1", "type-check": "~0.4.0" }
},
"sha512-+bT2uH4E5LGE7h/n3evcS/sQlJXCplp6ym8OWJ5eV6+67Dsqli/LaaT7qJBAt2rzfoa/
5QGBGbhxDix1dMt2kQKQ=="],

"lightningcss": ["lightningcss@1.32.0", "", { "dependencies": { "detect-libc": "^2.0.3" },
"optionalDependencies": { "lightningcss-android-arm64": "1.32.0",
"lightningcss-darwin-arm64": "1.32.0", "lightningcss-darwin-x64": "1.32.0",
"lightningcss-freebsd-x64": "1.32.0", "lightningcss-linux-arm-gnueabihf": "1.32.0",
"lightningcss-linux-arm64-gnu": "1.32.0", "lightningcss-linux-arm64-musl": "1.32.0",
"lightningcss-linux-x64-gnu": "1.32.0", "lightningcss-linux-x64-musl": "1.32.0",
"lightningcss-win32-arm64-msvc": "1.32.0", "lightningcss-win32-x64-msvc": "1.32.0" } },
"sha512-NXYBzinNrblfraPGyrbPoD19C1h9lfl/1mzgWYvXUTe414Gz/X1FD2XBZSZM7rRTrM
A8JL3OtAaGifrlKhQ5yQ=="],

"lightningcss-android-arm64": ["lightningcss-android-arm64@1.32.0", "", { "os": "android", "cpu": "arm64" },
"sha512-YK7/CITt4kAK0vo6w3X+Pnm0D2cf2vPHbhOXdoNti1Ga0a1P4TBZhwjATvjNwLEB
CnKvjJc2jQgHXH0NEwIAg=="],

"lightningcss-darwin-arm64": ["lightningcss-darwin-arm64@1.32.0", "", { "os": "darwin", "cpu": "arm64" },
"sha512-RzeG9Ju5bag2Bv1/lwIVJvBE3q6TtXskdZLLCyfg5pt+HLz9BqllCO7LZM7VHNTTn/5
PRhHFBSjk5lc4cmScPQ=="],

"lightningcss-darwin-x64": ["lightningcss-darwin-x64@1.32.0", "", { "os": "darwin", "cpu":
"x64" },
"sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqlCcMLTWp5muCrID+K5UJ6jqD2
BFshejCYXniPDbNh73V8w=="],

"lightningcss-freebsd-x64": ["lightningcss-freebsd-x64@1.32.0", "", { "os": "freebsd", "cpu":
"x64" },
"sha512-JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/ITzXnu1vwiZe3bYe0q+
SpsSH/CTeDXK6WHig=="],

"lightningcss-linux-arm-gnueabihf": ["lightningcss-linux-arm-gnueabihf@1.32.0", "", { "os":
"linux", "cpu": "arm" },
"sha512-x6rnnpRa2GL0zQOkt6rts3YDPzduLpWvwAF6EMhXFVZXD4tPrBkEFqzGowzCsIW
sPjqSK+tyNEODUBXeeVHskw=="],

"lightningcss-linux-arm64-gnu": ["lightningcss-linux-arm64-gnu@1.32.0", "", { "os": "linux",
"cpu": "arm64" },
"sha512-0nnMyoyOLRJXfbMOilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CM
LKF8gVbebmKUN3fa/kQJpQ=="],

"lightningcss-linux-arm64-musl": ["lightningcss-linux-arm64-musl@1.32.0", "", { "os":
"linux", "cpu": "arm64" },
"sha512-UpQkoenr4UJEzgVIYpI80IDFvRmPVg6oqboNHfoH4CQIfNA+HOrZ7Mo7KZP02dC
6LjghPQJeBsvXhJod/wnIBg=="],

"lightningcss-linux-x64-gnu": ["lightningcss-linux-x64-gnu@1.32.0", "", { "os": "linux", "cpu":
"x64" },
"sha512-V7Qr52lhZmdKPVr+Vtw8o+WLSQJYCTd8loIfpDaMRWGUZfBOYEJeyJlkqGIDMZP
wPx24pUMfwSxxl8phr/MbOA=="],

"lightningcss-linux-x64-musl": ["lightningcss-linux-x64-musl@1.32.0", "", { "os": "linux",
"cpu": "x64" },
"sha512-bYcLp+Vb0awsIXg/80uCRezCYHNg1/I3mt0gzHnWV9XP1W5sKa5/TCdGWaR/zB
M2PeF/HbsQv/j2URNOiVuxWg=="],

"lightningcss-win32-arm64-msvc": ["lightningcss-win32-arm64-msvc@1.32.0", "", { "os":
"win32", "cpu": "arm64" },

"sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JIFTOlaD3gWGHfThTcABnNDBda6eTZeqbofallJhFx0qKzgHJmcPTnGdw=="],

"lightningcss-win32-x64-msvc": ["lightningcss-win32-x64-msvc@1.32.0", "", { "os": "win32", "cpu": "x64" },
"sha512-Amq9B/SoZYdDi1kFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PWW6VGtT0WKCe
mJy8aC+louJnjS7U18x3b06Q=="],

"lilconfig": ["lilconfig@3.1.3", "", {},
"sha512-/vIFKAoH5Cgt3le+JLhRbwOsCQePABiU3tJ1egGvyQ+33R/vcwM2ZI2QR/LzjsBeltP
t3oSVXapn+m4nQDvpzw=="],

"lines-and-columns": ["lines-and-columns@1.2.4", "", {},
"sha512-7ylylesZQ/PV29jhEDI3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzv
qhbjhK5QZg6Mt/HkBg=="],

"locate-path": ["locate-path@6.0.0", "", { "dependencies": { "p-locate": "^5.0.0" } },
"sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/MO6KCweDgPfp3eItzt
oKP3KtnVHxTn2NHBSDVUw=="],

"lodash": ["lodash@4.18.1", "", {},
"sha512-dMlnicTPVE8d1e5otfwmmljxkZoUpiVLwyeTdUsi/Caj/gfzzblBcCE5sRHV/AsjuCmx
Wrte2TNGSYuCeCq+0Q=="],

"lodash.merge": ["lodash.merge@4.6.2", "", {},
"sha512-0KpjqXRvYrYCsX1swR/XTK0va6VQkQM6MNo7PqW77ByjAhoARA8EfrP1N4+KI
Kj8YS0ZUCtRT/YUuhYDUjIQ=="],

"loose-envify": ["loose-envify@1.4.0", "", { "dependencies": { "js-tokens": "^3.0.0 || ^4.0.0" }, "bin": { "loose-envify": "cli.js" } },
"sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAlmBDzukY7Y5F/yQiNdko6+fRLevlw1HgMySw
7f611UIY408EtXRSOK3Q=="],

"lovable-tagger": ["lovable-tagger@1.2.0", "", { "dependencies": { "esbuild": "^0.25.0",
"tailwindcss": "^3.4.17" }, "peerDependencies": { "vite": ">=5.0.0 <9.0.0" } },
"sha512-L7Qvc51gYIJSdvdIbUrUw/gS9JFGBWomW9vbVYwW7sBnl436p4M50aTh3wpBr
dfdR38tHavUSNYLxCm8FBesw=="],

"lru-cache": ["lru-cache@5.1.1", "", { "dependencies": { "yallist": "^3.0.2" } },
"sha512-KpNARQA3lww+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52Dlc
H4WP2n6gl8vN1aesBFgo9w=="],

"lucide-react": ["lucide-react@0.575.0", "", { "peerDependencies": { "react": "^16.5.1 ||
^17.0.0 || ^18.0.0 || ^19.0.0" } },
"sha512-VuXgKZrk0uiDIWjGGXmKV6MSk9Yy4l10qgVvzGn2AWBx1Ylt0iBexKOAoA6l7JO3
m+M9oeovJd3yYENfkUbOeg=="],

"magic-string": ["magic-string@0.30.21", "", { "dependencies": { "@jridgewell/sourcemap-codec": "^1.5.5" } }],
"sha512-vd2F4YUyEXKGcLHoq+TEyCjxueSeHnFxyyJNp80yg0XV4vUhnDer/lvvlqM/arB5bX
QN5K2/3oinyCRyx8T2CQ=="],

"merge2": ["merge2@1.4.1", "", {}],
"sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkolzjn/3TGDwtOCYtXGxA3O8tP
zpczCCDgv+P2P5y00ZJOog=="],

"micromatch": ["micromatch@4.0.8", "", { "dependencies": { "braces": "^3.0.3",
"picomatch": "^2.3.1" } }],
"sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84ldF4TyFoC0ysxFd0Goxw7
nSv4T/PzEJQxsYsEiFCKo2BA=="],

"minimatch": ["minimatch@3.1.5", "", { "dependencies": { "brace-expansion": "^1.1.7" } }],
"sha512-VgjWUsnnT6n+NUk6eZq77zeFdpW2LWDzP6zFGrCbHXiYNUl5Dzqk2HHQ5uFH2
DNW5Xbp8+jVzaeNt94ssEEI4w=="],

"ms": ["ms@2.1.3", "", {}],
"sha512-6FizubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9
xAOtHnSO/tXtF3WRTIA=="],

"mz": ["mz@2.7.0", "", { "dependencies": { "any-promise": "^1.0.0", "object-assign":
"^4.0.1", "thenify-all": "^1.0.0" } }],
"sha512-z81GNO7nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQCI+NDX08sCZgUc9/6MH
ni9IWuFLm1Z3HTCXu2z9fN62Q=="],

"nanoid": ["nanoid@3.3.12", "", { "bin": { "nanoid": "bin/nanoid.cjs" } }],
"sha512-ZB9RH/39qpq5Vu6Y+NmUaFhQR6pp+M2Xt76XBnEwDaGcVAqhlvxl3B2bKS5D3
NH3QR76v3aSrKaF/Kiy7IEtQ=="],

"natural-compare": ["natural-compare@1.4.0", "", {}],
"sha512-OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkF
m5sOajh5G116RYA1c8ZMSw=="],

"nf3": ["nf3@0.3.17", "", {}],
"sha512-N9zEWySuJFw+gR0lhS5863YsvNeudOdqRyFvNb+jMXbeTJOdrjDqkCpDginIZfUm
0LzT1t1nCRiDeqQm/8kirQ=="],

"nitro": ["nitro@3.0.260603-beta", "", { "dependencies": { "consola": "^3.4.2", "crossws":
"^0.4.5", "db0": "^0.3.4", "env-runner": "^0.1.9", "h3": "^2.0.1-rc.22", "hookable": "^6.1.1",
"nf3": "^0.3.17", "ocache": "^0.1.4", "ofetch": "^2.0.0-alpha.3", "ohash": "^2.0.11", "rolldown":
"^1.0.3", "srvx": "^0.11.16", "unenv": "^2.0.0-rc.24", "unstorage": "^2.0.0-alpha.7" } },
"peerDependencies": { "@vercel/queue": "^0.2.0", "dotenv": "*", "giget": "*", "jiti": "^2.7.0",
"rollup": "^4.60.4", "vite": "^7 || ^8", "xml2js": "^0.6.2", "zephyr-agent": "^0.2.0" },
"optionalPeers": { "@vercel/queue", "dotenv", "giget", "jiti", "rollup", "vite", "xml2js",
"zephyr-agent" }, "bin": { "nitro": "dist/cli/index.mjs" } }],

"sha512-ffaSHK00a7YDIDizoEHwcxPwpQpdBRRA8k42ymTsRnfl3ipGeKgv4gnPr6DgmCNT
o4tYVPK3bHBEv1gNhWpo/A=="],

"node-releases": ["node-releases@2.0.38", "", {}],
"sha512-3qT/88Y3FbH/Kx4szpQQ4HzUbVrHPKTLVpVocKiLfoYvw9XSGOX2FmD2d6DrXbV
YyAQTF2HeF6My8jmx7/CRw=="],

"normalize-path": ["normalize-path@3.0.0", "", {}],
"sha512-6eZs5Ls3WtCisHWp9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKb
QkY2Pnb/md4WYojCRwcwLA=="],

"object-assign": ["object-assign@4.1.1", "", {}],
"sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JND0XfklElb
LJSnc3FUQHVe4cU5hj+BcUg=="],

"object-hash": ["object-hash@3.0.0", "", {}],
"sha512-RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvla7aN
m5WffBZFpWYr2aWrklWAw=="],

"ocache": ["ocache@0.1.4", "", { "dependencies": { "ohash": "^2.0.11" } }],
"sha512-e7geNdWjxSnvsSgvLuPvgKgu7ubM10ZmTPOgpr7mz2BXYtvjMKTiLhJFi/gWU8chk
uP6hNkZBsa9LzOusyaqkQ=="],

"ofetch": ["ofetch@2.0.0-alpha.3", "", {}],
"sha512-zpYTCs2byOuft65vl3z43Dd6iSdFbOZZLb9/d21aCpx2rGastVU9dOCv0lu4ykc1Ur1
anAYjDi3SUvR0vq50JA=="],

"ohash": ["ohash@2.0.11", "", {}],
"sha512-RdR9FQrFwNBNXAr4GixM8YaRZRJ5PUWbKYbE5eOsrwAjJW0q2REGcf79oYPsL
yskQCZG1PLN+S/K1V00joZAoQ=="],

"optionator": ["optionator@0.9.4", "", { "dependencies": { "deep-is": "^0.1.3",
"fast-levenshtein": "^2.0.6", "levn": "^0.4.1", "prelude-ls": "^1.2.1", "type-check": "^0.4.0",
"word-wrap": "^1.2.5" } }],
"sha512-6lpQ7mKUxRcZNLIObR0hz7lxsapSSIYNZJwXPGeF0mTVqGKFIXj1DQcMoT22S3
ROcLyY/rz0PWaWZ9ayWmad9g=="],

"oxc-parser": ["oxc-parser@0.120.0", "", { "dependencies": { "@oxc-project/types":
"^0.120.0" }, "optionalDependencies": { "@oxc-parser/binding-android-arm-eabi": "0.120.0",
"@oxc-parser/binding-android-arm64": "0.120.0", "@oxc-parser/binding-darwin-arm64":
"0.120.0", "@oxc-parser/binding-darwin-x64": "0.120.0", "@oxc-parser/binding-freebsd-x64":
"0.120.0", "@oxc-parser/binding-linux-arm-gnueabi": "0.120.0",
"@oxc-parser/binding-linux-arm-musleabi": "0.120.0",
"@oxc-parser/binding-linux-arm64-gnu": "0.120.0", "@oxc-parser/binding-linux-arm64-musl":
"0.120.0", "@oxc-parser/binding-linux-ppc64-gnu": "0.120.0",
"@oxc-parser/binding-linux-riscv64-gnu": "0.120.0",
"@oxc-parser/binding-linux-riscv64-musl": "0.120.0",
"@oxc-parser/binding-linux-s390x-gnu": "0.120.0", "@oxc-parser/binding-linux-x64-gnu":

"0.120.0", "@oxc-parser/binding-linux-x64-musl": "0.120.0",
"@oxc-parser/binding-openharmony-arm64": "0.120.0",
"@oxc-parser/binding-wasm32-wasi": "0.120.0", "@oxc-parser/binding-win32-arm64-msvc":
"0.120.0", "@oxc-parser/binding-win32-ia32-msvc": "0.120.0",
"@oxc-parser/binding-win32-x64-msvc": "0.120.0" } },
"sha512-WyPWZlclm+Fkte63FGfgFB8mAAk33aH9h5N9lphXVOHSXEBFFsmYdOBedVKly3
63aWABjZdaj/m9IBfEY4wt+w=="],

"p-limit": ["p-limit@3.1.0", "", { "dependencies": { "yocto-queue": "^0.1.0" } },
"sha512-TYOanM3wGwNGsZN2cVTYPArw454xnXj5qmWF1bEoAc4+cU/ol7GVh7odevjp1F
NHduHc3KZMcFduxU5Xc6uJRQ=="],

"p-locate": ["p-locate@5.0.0", "", { "dependencies": { "p-limit": "^3.0.2" } },
"sha512-LaNjtRWUBY++zB5nE/NwcaoMylSPk+S+ZHNB1TzdbMJMny6dynpAGt7X/tl/QYq3
TleE6nxHppbo2LGymrG5Pw=="],

"parent-module": ["parent-module@1.0.1", "", { "dependencies": { "callsites": "^3.0.0" } },
"sha512-GQ2EWRpQV8/o+Aw8YqtfZZPfNRWZYkbidE9k5rpl/hC3vtHHBfGm2lfi6qWV+coD
GkrUKZAXe3Lot5kcsRlh+g=="],

"path-exists": ["path-exists@4.0.0", "", {}],
"sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZlHLSLOSBmRmygPsGwkVVt0fZa0qrtMz+m6t
JTAHfZQ8FnmB4MG4LWy7/w=="],

"path-key": ["path-key@3.1.1", "", {}],
"sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEklICOu6Q5f41fkswXuKtYrhgoTpLnylchM24U
hqx+5Tqm2lnSwLhE6Q=="],

"path-parse": ["path-parse@1.0.7", "", {}],
"sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pABYgWo/k5YYdYgpY2/2EsOsksJrq7lOHxryr
VOn1ejG6oAp8ahvOIQD8sw=="],

"pathe": ["pathe@2.0.3", "", {}],
"sha512-WUjGcAqP1gQacoQe+OBJsFA7Ld4DyXuUljZ5cc75cLHvJ7dtNsTugphxIADwspS+
AraAUePCKrSVtPLFj/F88w=="],

"picocolors": ["picocolors@1.1.1", "", {}],
"sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X
8KEyMceP2ntpaHrDEVA=="],

"picomatch": ["picomatch@4.0.4", "", {}],
"sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUQ
+5th6P4dv4eW9jX3DSlj7A=="],

"pify": ["pify@2.3.0", "", {}],
"sha512-udgsAY+fTnvv7kl7aaxbqwWNb0AHiB0qBO89PZKPkoTmGOgdbrHDKD+0B2X4uTf
J/FT1R09r9gTsjUjNJotuog=="],

"pirates": ["pirates@4.0.7", "", {}],
"sha512-TfySrs/5nm8fQJDcBDuUng3VOUKsd7S+zqvbOTiGXHfxX4wK31ard+hoNuvkicM/2
YFzlpDgABOevKSsB4G/FA=="],

"postcss": ["postcss@8.5.15", "", { "dependencies": { "nanoid": "^3.3.12", "picocolors":
"^1.1.1", "source-map-js": "^1.2.1" } },
"sha512-FfR8sjd4em2T6fb3l2MwAJU7HWVMr9zba+enmQeeWFfCbm+UOC/0X4DS8XtpUT
MwWMGbjKYP7xjfNekzyGmB3A=="],

"postcss-import": ["postcss-import@15.1.0", "", { "dependencies": { "postcss-value-parser":
"^4.0.0", "read-cache": "^1.0.0", "resolve": "^1.1.7" }, "peerDependencies": { "postcss":
"^8.0.0" } },
"sha512-hpr+J05B2FVYUAXHeK1Yyl267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmt
LHryrjhnDjqpp/49t8FALew=="],

"postcss-js": ["postcss-js@4.1.0", "", { "dependencies": { "camelcase-css": "^2.0.1" },
"peerDependencies": { "postcss": "^8.4.21" } },
"sha512-olAOTqgl07q2EOwbhb8UalYePMvYoleRY2YKntdpFQXNosSu3vLrniGgmH9OKs/q
Akfoj5oB3le/7mINW1LCfw=="],

"postcss-load-config": ["postcss-load-config@6.0.1", "", { "dependencies": { "lilconfig":
"^3.1.1" }, "peerDependencies": { "jiti": ">=1.21.0", "postcss": ">=8.0.9", "tsx": "^4.8.1",
"yaml": "^2.4.2" }, "optionalPeers": { "jiti", "postcss", "tsx", "yaml" } },
"sha512-oPtTM4oerL+UXmx+93yZVN82RrIY/wPUV8leDxFrzljXOLF1pN+EmKPLbubvKHT
2HC20xXsCAH2Z+CKV6Oz/g=="],

"postcss-nested": ["postcss-nested@6.2.0", "", { "dependencies": {
"postcss-selector-parser": "^6.1.1" }, "peerDependencies": { "postcss": "^8.2.14" } },
"sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGIBstkptEZfK5+AN
9hfJocyBFCNiQyS48bpgzQ=="],

"postcss-selector-parser": ["postcss-selector-parser@6.1.2", "", { "dependencies": {
"cssesc": "^3.0.0", "util-deprecate": "^1.0.2" } },
"sha512-Q8qQFpIZ+THO/3ZrOrO0cJJkfpYCagtMUKXbnEfmgUjwXg6z/WBeOyS9APBBPCT
SiDV+s4SwQGu8yFsiMRludg=="],

"postcss-value-parser": ["postcss-value-parser@4.2.0", "", {}],
"sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45lCnif8zWLd5oPSZ50QnwMfK+H3jv408d4jw/7
Bttv5axS5liHoLaVNHeQ=="],

"prelude-ls": ["prelude-ls@1.2.1", "", {}],
"sha512-vkcDPrRZ01QZLbn5RLGPpg/WmIQ65qoWWhcGKf/b5eplkkarX0m9z8ppCat4mlOq
UsWpyNuYgO3VRyrYHSzX5g=="],

"prettier": ["prettier@3.8.3", "", { "bin": { "prettier": "bin/prettier.cjs" } },
"sha512-7igPTM53cGHMW8xWuVTydi2KO233VFITNyF5hLJqpilHfmn8C8gPf+PS7dUT64Yc
XFbiMGZxS9pCSxL/Dxm/Jw=="],

"prettier-linter-helpers": ["prettier-linter-helpers@1.0.1", "", { "dependencies": { "fast-diff": "^1.1.2" } },
"sha512-SxToR7P8Y2IWmv/kTzVLC1t/GDI2WGjMwNhLLE9qtH8Q13C+aEmuRlZDst4Up4s0Wc8sF2M+J57iB3cMLqftfg=="],

"prop-types": ["prop-types@15.8.1", "", { "dependencies": { "loose-envify": "^1.4.0",
"object-assign": "^4.1.1", "react-is": "^16.13.1" } },
"sha512-oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAvOqCeudMDVU0NThNaV+b9Df4dXgSP1gXMTnPdHfe/2qDH5cg=="],

"punycode": ["punycode@2.3.1", "", {}],
"sha512-vYt7UD1U9Wg6138shLtLOvdAu+8DsC/iIFtEVHcH+wydcSpNE20AfSOduf6MkRFa hL5FY7X1oU7nKVZFtfq8Fg=="],

"queue-microtask": ["queue-microtask@1.2.3", "", {}],
"sha512-NuaNSa6fIKT5JaSYQzJok04JzTL1CA6aGhv5rflW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A=="],

"react": ["react@19.2.5", "", {}],
"sha512-llUJLzz1zTUBrskt2pwZgLq59Aemiflftw4aB7JxOqf1HY2FDaGDxgwpAPVzHU1kdW abH7FauP4i1oEeer2WCA=="],

"react-day-picker": ["react-day-picker@9.14.0", "", { "dependencies": { "@date-fns/tz": "^1.4.1", "@tabby_ai/hijri-converter": "1.0.5", "date-fns": "^4.1.0", "date-fns-jalali": "4.1.0-0" },
"peerDependencies": { "react": ">=16.8.0" } },
"sha512-tBaoDWjPwe0M5pGrum4H0SR6Lyk+BO9oHnp9JbKpGKW2mlraNPgP9BMfsg5pW pwrssARmeqk7YBI2oXutZTaHA=="],

"react-dom": ["react-dom@19.2.5", "", { "dependencies": { "scheduler": "^0.27.0" },
"peerDependencies": { "react": "^19.2.5" } },
"sha512-J5bAZz+DXMMwW/wV3xzKke59Af6CHY7G4uYLN1OvBcKEsWOs4pQExj6BBKa mxl/lk5bx9whOrvBISDfWzgSag=="],

"react-hook-form": ["react-hook-form@7.73.1", "", { "peerDependencies": { "react": "^16.8.0 || ^17 || ^18 || ^19" } },
"sha512-VAfVYOPcx3piiEVQy95vyFmBwbVUsP/AUIN+mpFG8h11yshDd444nn0VyfaGWSR nhOLVgiDu7HluBtAlzxn9dA=="],

"react-is": ["react-is@18.3.1", "", {}],
"sha512-/LLMVyas0IjjAtoYiPqYiL8VWXzUUdThrmU5+n20DZv+a+CIroevUzw5JxU+leh5/c8 7ytoTBV9G1FiKfNJdmg=="],

"react-refresh": ["react-refresh@0.18.0", "", {}],
"sha512-QgT5//D3jfbJb6Gsjxv0Slpj23ip+HtOpnNgnb2S5zU3CB26G/IDPGoy4RJB42wzFE46 DRsstbW6tKHoKbhAxw=="],

"react-remove-scroll": ["react-remove-scroll@2.7.2", "", { "dependencies": {
"react-remove-scroll-bar": "^2.3.7", "react-style-singleton": "^2.2.3", "tslib": "^2.1.0",

"use-callback-ref": "^1.3.3", "use-sidecar": "^1.1.3" }, "peerDependencies": { "@types/react": "*", "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-lqb9NjCCTt6Hf+vOdNIZGdTiH1QSqr27H/Ek9sv/a97gfuel/5h1s3yRi1nngzMUaOOToin5dl1dXKdXiF+u0Q=="],

"react-remove-scroll-bar": ["react-remove-scroll-bar@2.3.8", "", { "dependencies": { "react-style-singleton": "^2.2.2", "tslib": "^2.0.0" }, "peerDependencies": { "@types/react": "*", "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0" }, "optionalPeers": ["@types/react"] },
"sha512-9r+yi9+mgU33AKcj6lbT9oRCO78WriSj6t/cF8DWBZJ9aOGPOTEDvdUDz1FwKim7QXWwmHqtdHnRjfhAxEG46Q=="],

"react-resizable-panels": ["react-resizable-panels@4.10.0", "", { "peerDependencies": { "react": "^18.0.0 || ^19.0.0", "react-dom": "^18.0.0 || ^19.0.0" } },
"sha512-frjewRQt7TCv/vCH1pJfjZ7RxAhr5pKuqVQtVgzFq/vherxBFOWyC3xMbryx5Ti2wyIViGUFc93Etg4rB3E0UA=="],

"react-smooth": ["react-smooth@4.0.4", "", { "dependencies": { "fast-equals": "^5.0.1", "prop-types": "^15.8.1", "react-transition-group": "^4.4.5" }, "peerDependencies": { "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0", "react-dom": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0" } },
"sha512-gnGKTpYwqL0lii09gHobNolvX4Kiq4PKx6eWBCYYix+8cdw+cGo3do906l1NBPKkSWx1DghC1dlWG9L2uGd61Q=="],

"react-style-singleton": ["react-style-singleton@2.2.3", "", { "dependencies": { "get-nonce": "^1.0.0", "tslib": "^2.0.0" }, "peerDependencies": { "@types/react": "*", "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-b6jSvxxvVnyptAiLjbkWLE/IOhR4lftTDAI+eUC7RZy+QQWc6wRzIV2CE6xBuMmDxc2qlihtDCZD5NPOFI7fRBQ=="],

"react-transition-group": ["react-transition-group@4.4.5", "", { "dependencies": { "@babel/runtime": "^7.5.5", "dom-helpers": "^5.0.1", "loose-envify": "^1.4.0", "prop-types": "^15.6.2" }, "peerDependencies": { "react": ">=16.6.0", "react-dom": ">=16.6.0" } },
"sha512-pZcd1MCJoiKiBR2NRxeCRg13uCXbydPnmB4EOeRrY7480qNWO8llgQG6zIDkm6uRMsurXPuKq0GWtiM59a5Q6g=="],

"read-cache": ["read-cache@1.0.0", "", { "dependencies": { "pify": "^2.3.0" } },
"sha512-Owdv/Ft7lJlOgm/i0xvNDZ1LrRANRfew4b2prF3OWMQLxLfu3bS8FVhCsrSCMK4IR56Y9ya+ATh0TpDCTxCmpRA=="],

"readdirp": ["readdirp@5.0.0", "", {}],
"sha512-9u/XQ1pvrQtYyMpZe7DXKv2p5CNvyVwzUB6uhLAnQwHMSgKMBR62lc7AHljaeteHXn11XTAaLLUVZYVZyuRBQ=="],

"recharts": ["recharts@2.15.4", "", { "dependencies": { "clsx": "^2.0.0", "eventemitter3": "^4.0.1", "lodash": "^4.17.21", "react-is": "^18.3.1", "react-smooth": "^4.0.4", "recharts-scale": "^0.4.4", "tiny-invariant": "^1.3.1", "victory-vendor": "^36.6.8" }, "peerDependencies": { "react": "^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0", "react-dom": "^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0" } }

```

},
"sha512-UT/q6fwS3c1dHbXv2uFgYJ9BMFHu3fwn7AYZaEQhXuYQ4hgsxLvsUXzGdKeZr
W5xopzDCvuA2N41WJ88l7zlw=="],

"recharts-scale": ["recharts-scale@0.4.5", "", { "dependencies": { "decimal.js-light": "^2.4.1"
} }],
"sha512-kivNFO+0OcUNu7jQquLXAxz1FlwZj8nrj+YkOKc5694NbjCvcT6aSZilzNzd2Kul4o4r
Tto8QVR9IMNtxD4G1w=="],

"resolve": ["resolve@1.22.12", "", { "dependencies": { "es-errors": "^1.3.0",
"is-core-module": "^2.16.1", "path-parse": "^1.0.7", "supports-preserve-symlinks-flag":
"^1.0.0" }, "bin": { "resolve": "bin/resolve" } }],
"sha512-TyeJ1zif53BPfHootBGwPRYT1RUt6oGWsaQr8UyZW/eAm9bKoiJtvruSDEmZHM92
CwS9nj7/fWttqPCgzep8CA=="],

"resolve-from": ["resolve-from@4.0.0", "", {}],
"sha512-pb/MYmXstAkysRFx8piNI1tGFNQIFA3vkE3Gq4EuA1dF6gHp/+vgZqsCGJapvy8N3
Q+4o7FwvquPJcnZ7RYy4g=="],

"resolve-pkg-maps": ["resolve-pkg-maps@1.0.0", "", {}],
"sha512-seS2Tj26TBVOC2Nlc2rOe2y2ZO7efxITtLZcGSONHHNOQ7CkiUBfw0lw2ck6xklhP
wLhKNLS8BO+hEpngQlqzw=="],

"reusify": ["reusify@1.1.0", "", {}],
"sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQOdpAWWspMh5
5TZfVQDPa3NQJfbVRAXdlw=="],

"rolldown": ["rolldown@1.1.0", "", { "dependencies": { "@oxc-project/types": "=0.134.0",
"@rolldown/pluginutils": "^1.0.0" }, "optionalDependencies": {
"@rolldown/binding-android-arm64": "1.1.0", "@rolldown/binding-darwin-arm64": "1.1.0",
"@rolldown/binding-darwin-x64": "1.1.0", "@rolldown/binding-freebsd-x64": "1.1.0",
"@rolldown/binding-linux-arm-gnueabi": "1.1.0", "@rolldown/binding-linux-arm64-gnu":
"1.1.0", "@rolldown/binding-linux-arm64-musl": "1.1.0",
"@rolldown/binding-linux-ppc64-gnu": "1.1.0", "@rolldown/binding-linux-s390x-gnu": "1.1.0",
"@rolldown/binding-linux-x64-gnu": "1.1.0", "@rolldown/binding-linux-x64-musl": "1.1.0",
"@rolldown/binding-openharmony-arm64": "1.1.0", "@rolldown/binding-wasm32-wasi":
"1.1.0", "@rolldown/binding-win32-arm64-msvc": "1.1.0",
"@rolldown/binding-win32-x64-msvc": "1.1.0" }, "bin": { "rolldown": "./bin/cli.mjs" } }],
"sha512-zpMvIJhs5PkXRTtKc0CaLBVI9AR/VDiJFpM+kx//hgToEca7FgMIGjaRlisXBcb19T76
LswgmKECSQ96hjWr5A=="],

"rollup": ["rollup@4.60.2", "", { "dependencies": { "@types/estree": "1.0.8" },
"optionalDependencies": { "@rollup/rollup-android-arm-eabi": "4.60.2",
"@rollup/rollup-android-arm64": "4.60.2", "@rollup/rollup-darwin-arm64": "4.60.2",
"@rollup/rollup-darwin-x64": "4.60.2", "@rollup/rollup-freebsd-arm64": "4.60.2",
"@rollup/rollup-freebsd-x64": "4.60.2", "@rollup/rollup-linux-arm-gnueabi": "4.60.2",
"@rollup/rollup-linux-arm-musleabi": "4.60.2", "@rollup/rollup-linux-arm64-gnu": "4.60.2",
"@rollup/rollup-linux-arm64-musl": "4.60.2", "@rollup/rollup-linux-loong64-gnu": "4.60.2",

```

"@rollup/rollup-linux-loong64-musl": "4.60.2", "@rollup/rollup-linux-ppc64-gnu": "4.60.2",
"@rollup/rollup-linux-ppc64-musl": "4.60.2", "@rollup/rollup-linux-riscv64-gnu": "4.60.2",
"@rollup/rollup-linux-riscv64-musl": "4.60.2", "@rollup/rollup-linux-s390x-gnu": "4.60.2",
"@rollup/rollup-linux-x64-gnu": "4.60.2", "@rollup/rollup-linux-x64-musl": "4.60.2",
"@rollup/rollup-openbsd-x64": "4.60.2", "@rollup/rollup-openharmony-arm64": "4.60.2",
"@rollup/rollup-win32-arm64-msvc": "4.60.2", "@rollup/rollup-win32-ia32-msvc": "4.60.2",
"@rollup/rollup-win32-x64-gnu": "4.60.2", "@rollup/rollup-win32-x64-msvc": "4.60.2",
"fsevents": "~2.3.2" }, "bin": { "rollup": "dist/bin/rollup" } },
"sha512-J9qZyW++QK/09NyN/zeO0dG/1GdGfyp9IV8ajHnRVLfo/uFsbi5mHnDgn/qYdUHyC
kM2N+8VyspgZclfAh0eQ=="],

"rou3": ["rou3@0.8.1", "", {}],
"sha512-ePa+XGk00/3HuCqrEnK3LxJW7I0SdNg6EFzKUJG73hMAdDcOUC/i/aSz7LSDwLr
Gr33kal/rqOGydzwl6U7zBA=="],

"run-parallel": ["run-parallel@1.2.0", "", { "dependencies": { "queue-microtask": "^1.2.2" } },
"sha512-5l4VyZR86LZ/IDxZTR6jqL8AFE2S0IFLMP26AbjsLVADxHdhB/c0GUsH+y39UfCi3d
zz8OIQuPmnaJOMoDHQBA=="],

"scheduler": ["scheduler@0.27.0", "", {}],
"sha512-eNv+WrvbKu1f3vbYJT/xtiF5syA5HPIMtf9lgY/nKg0sWqzAUEvqY/xm7OcZc/qafLx/i
O9FgOmeSAp4v5ti/Q=="],

"semver": ["semver@6.3.1", "", { "bin": { "semver": "bin/semver.js" } },
"sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+KI0mm
q/MprG9yArRkyrQxTO6XjMzA=="],

"seroval": ["seroval@1.5.4", "", {}],
"sha512-46uFvgrXTVxZcUorgSSRZ4y+ieqLLQRMIG4bnCZKW3ql6BZm7Rg4ntMW4p1mIL
EEBZWrfIcpp0AyIIIM6jD9iw=="],

"seroval-plugins": ["seroval-plugins@1.5.4", "", { "peerDependencies": { "seroval": "^1.0" }
},
"sha512-S0xQPhUTefAhNvNWFg0c1J8qJArHt5KdtJ/cFAofo06KD1MVSeFWyl4iiu+ApDIuw0
WhjpOfCdgConOfAnLgkw=="],

"shebang-command": ["shebang-command@2.0.0", "", { "dependencies": {
"shebang-regex": "^3.0.0" } },
"sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWWYUzlraYw
1/yZp6YuDY77YtvbN0dmDA=="],

"shebang-regex": ["shebang-regex@3.0.0", "", {}],
"sha512-7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQOhmTQInHEd6bSrXdiEyzCvG07Z44U
YdLShWUyXt5M/yhz8ekcb1A=="],

"shell-quote": ["shell-quote@1.9.0", "", {}],
"sha512-lov+JwFv/2HcTpcwNMkd8+IWNb8tboQJNQTKAY/LLVK7gGH9jy+LGkVqPxfekHI+y
MmiqXszdGWXgkfml7hjqA=="],

"sonner": ["sonner@2.0.7", "", { "peerDependencies": { "react": "^18.0.0 || ^19.0.0 || ^19.0.0-rc", "react-dom": "^18.0.0 || ^19.0.0 || ^19.0.0-rc" } },
"sha512-W6ZN4p58k8aDKA4XPcx2hplQXBRAGyiWVkyhT7CvK6D3iAu7xjvVyhQHg2/iaKJZ
1XVJ4r7XuwGL+WGEK37i9w=="],

"source-map": ["source-map@0.7.6", "", {},
"sha512-i5uvt8C3ikiWeNZSVZNWcfZPItFQOsYTUAOkcUPGd8DqDy1uOUikjt5dG+uRlwyvR
108Fb9DOd4GvXfT0N2/uQ=="],

"source-map-js": ["source-map-js@1.2.1", "", {},
"sha512-UXWMKhLOWVKb728lUtQPXfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7
MQc7vlsISBG8VQ8+IDQxpfQA=="],

"svrx": ["svrx@0.11.16", "", { "bin": { "svrx": "bin/svrx.mjs" } },
"sha512-bp07zRuycfTY43ljAvvTFnmnJi8ikW0VFiHwOhhYcVW/L4xQ1XY4PAd4Nuum1rsA1
7C39zL7x+CDhrn5AL32Rw=="],

"strip-json-comments": ["strip-json-comments@3.1.1", "", {},
"sha512-6fPc+R4ihwqP6N/alv2f1gMH8lOVtWQHoqC4yK6oSDVVocumAsfCqjkXnqiYMhmM
wS/mEHLp7Vehlt3ql6IEig=="],

"sucrase": ["sucrase@3.35.1", "", { "dependencies": { "@jridgewell/gen-mapping": "^0.3.2",
"commander": "^4.0.0", "lines-and-columns": "^1.1.6", "mz": "^2.7.0", "pirates": "^4.0.1",
"tinyglobby": "^0.2.11", "ts-interface-checker": "^0.1.9" }, "bin": { "sucrase": "bin/sucrase",
"sucrase-node": "bin/sucrase-node" } },
"sha512-DhuTmvZWux4H1UOnWMB3sk0sbaCVOoQZjv8u1rDoTV0HTdGem9hkAZtl4JZy8
P2z4Bg0nT+YMeOFyVr4zcG5Tw=="],

"supports-color": ["supports-color@7.2.0", "", { "dependencies": { "has-flag": "^4.0.0" } },
"sha512-qpCAvRI9stuOHveKsn7HncJRvv501qIacKzQIO/+Lwxc9+0q2wLyv4Dfvt80/DPn2pq
OBsJdDiogXGR9+OvwRw=="],

"supports-preserve-symlinks-flag": ["supports-preserve-symlinks-flag@1.0.0", "", {},
"sha512-ot0WnXS9fgdkglcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1Z
yAc8s6Vvv8DIyWf681MAtoW=="],

"synckit": ["synckit@0.11.12", "", { "dependencies": { "@pkgr/core": "^0.2.9" } },
"sha512-Bh7QjT8/SuKUIfObSXNHNSK6WH06J1tHCqJsuaFDP7gP0fkzSfTxI8y85JrppZ0h8I
0malgc2tfuZQ6/t3GtnQ=="],

"tailwind-merge": ["tailwind-merge@3.5.0", "", {},
"sha512-l8K9wewnVDkL1NTGoqWmVEIUcB9gFriAEkXkfCjX5ib8ezGxtR3xD7iZlxfArjEsH7
F1CHD4RFUtxefdqV/A=="],

"tailwindcss": ["tailwindcss@4.2.4", "", {},
"sha512-HhKppgO81FQof5m6TEnuBWCZGgfRAWbaeOaGT00KOy/Pf/j6oUihdvBpA7ltCeA
vZpFhW3j0PTclksd4lXYDA=="],

"tapable": ["tapable@2.3.3", "", {}],
"sha512-uxc/zpqFg6x7C8vOE7lh6Lbda8eEL9zmVm/PLeTPBRhh1xCgdWaQ+J1CUieGplfm
2HdtsUpRv+HshiasBMcc6A=="],

"thenify": ["thenify@3.3.1", "", { "dependencies": { "any-promise": "^1.0.0" } },
"sha512-RVZSIV5IG10Hk3enotrhzv0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGlCP2KUY0EPx
ndzANBmNllzWPwak+bheSw=="],

"thenify-all": ["thenify-all@1.6.0", "", { "dependencies": { "thenify": ">= 3.1.0 < 4" } },
"sha512-RNxQH/ql8/t3thXJDwcstUO4zeqo64+Uy/+sNVRBx4Xn2OX+OZ9oP+iJnNFqplFra2
ZUVeKCSa2oVWi3T4uVmA=="],

"tiny-invariant": ["tiny-invariant@1.3.3", "", {}],
"sha512-+FbBPE1o9QAYvviau/qC5SE3caw21q3xkvWKBtja5vgqOWIHHJ3ioaq1VPfn/Szqct
z2bU/oYeKd9/z5BL+PVg=="],

"tinyglobby": ["tinyglobby@0.2.17", "", { "dependencies": { "fdir": "^6.5.0", "picomatch":
"^4.0.4" } },
"sha512-wXR/dYpcqKmfWpEdZjiKJOwCNFndD0DMnrW/cYjVGttEkBfVgcLFHoNrlj47mjOVic
9yyNu65alsgF4NQyTa2g=="],

"to-regexp-range": ["to-regexp-range@5.0.1", "", { "dependencies": { "is-number": "^7.0.0" } },
"sha512-65P7iz6X5yEr1cwcgvQxbblw7Uk3gOy5dldtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCy
neCMJiGqrADCSNk8sQ=="],

"ts-api-utils": ["ts-api-utils@2.5.0", "", { "peerDependencies": { "typescript": ">=4.8.4" } },
"sha512-OJ/ibxhPlqrMM0UiNHJ/0CKQkoKF243/AEmplt3qpRgkW8VG7IfOS41h7V8TjITqdB
yHzrjcS/2si+y4llh8NA=="],

"ts-interface-checker": ["ts-interface-checker@0.1.13", "", {}],
"sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52
jOO90PnPSc3Ur3bTQw0gA=="],

"tsconfck": ["tsconfck@3.1.6", "", { "peerDependencies": { "typescript": "^5.0.0" },
"optionalPeers": { "typescript": ["typescript"], "bin": { "tsconfck": "bin/tsconfck.js" } },
"sha512-ks6Vjr/jEw0P1gmOVwutM3B7fWxoWBL2KRDb1JfqGVawBmO5UsvmWOQFGHBP
l5yxYz4eERr19E6L7NMv+Fej4w=="],

"tslib": ["tslib@2.8.1", "", {}],
"sha512-oJFu94HQB+KVduSUQL7wnpmqnmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV
83MkOuHPRHtSXXKU99IBazS/2w=="],

"tsx": ["tsx@4.21.0", "", { "dependencies": { "esbuild": "~0.27.0", "get-tsconfig": "^4.7.5" },
"optionalDependencies": { "fsevents": "~2.3.3" }, "bin": { "tsx": "dist/cli.mjs" } },
"sha512-5C1sg4USs1lfG0GFb2RLXsdpXqBSEhAaA/0kPL01wxzpMqLILNxlXlOKilLz+cdg/pL
nOUxFYOR5yhHU666wbw=="],

"tw-animate-css": ["tw-animate-css@1.4.0", "", {}],
"sha512-7bziOIRqH0hJx80h/3mbicLW7o8qLsH5+RaLR2t+OHM3D0JIWGODQKQ4cxbK7WlvmUxpcj6Kgu6EKqjGFe3QQ=="],

"type-check": ["type-check@0.4.0", "", { "dependencies": { "prelude-ls": "^1.2.1" } }],
"sha512-XleUoc9uwGXqjWwXaUTZAmzMcFZ5858QA2vwx1Ur5xlcixXIP+8LnFDgRplU30us6teqdlSkFfu+ae4K79Ooew=="],

"typescript": ["typescript@5.9.3", "", { "bin": { "tsc": "bin/tsc", "tsserver": "bin/tsserver" } }],
"sha512-jl1vZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bXlb1RHhLpp8wtm6M5TgSw=="],

"typescript-eslint": ["typescript-eslint@8.59.0", "", { "dependencies": {
"@typescript-eslint/eslint-plugin": "8.59.0", "@typescript-eslint/parser": "8.59.0",
"@typescript-eslint/typescript-estree": "8.59.0", "@typescript-eslint/utils": "8.59.0",
"peerDependencies": { "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0", "typescript": ">=4.8.4 <6.1.0" } }},
"sha512-BU3ONW9X+v90EcCH9ZS6LMackcVtxRLIi3XrYyqZlwVSHik7Qf7bFw1z0M9Q0IUxhTMZCf8piY9hTYaNEIASrw=="],

"ufo": ["ufo@1.6.3", "", {}],
"sha512-yDJTmhydvI5IJzBmy/hyOAA0d+aqCBuwl818haVdYCRrWV84o7YyeVm4QIVHStqNrrJSTb6jKuFAVqAFsr+K3Q=="],

"undici-types": ["undici-types@6.21.0", "", {}],
"sha512-iwDZqg0QAGrg9Rav5H4n0M64c3mkR59cJ6wQp+7C4nl0gsmExaedaYLN044eT4AtBBwjbTiGPmIt2Md0T9H9JQ=="],

"unenv": ["unenv@2.0.0-rc.24", "", { "dependencies": { "pathe": "^2.0.3" } }],
"sha512-i7qRCmY42zmCwnYlh9H2SvLEypEFGye5iRmEMKjcGi7zk9UquigRjFtTLz0TYqr0ZGLZhaMHI/foy1bZR+CwIw=="],

"unplugin": ["unplugin@3.0.0", "", { "dependencies": { "@jridgewell/remapping": "^2.3.5",
"picomatch": "^4.0.3", "webpack-virtual-modules": "^0.6.2" } }],
"sha512-0Mqk3AT2TZCXWKdcoafeXNukv2mTrEZExeXIHIOZXdqYoHHr4n51pymnwV8x2BOVxwXbK2HLII7usrqMpycdg=="],

"unstorage": ["unstorage@2.0.0-alpha.7", "", { "peerDependencies": {
"@azure/app-configuration": "^1.11.0", "@azure/cosmos": "^4.9.1", "@azure/data-tables":
"^13.3.2", "@azure/identity": "^4.13.0", "@azure/keyvault-secrets": "^4.10.0",
"@azure/storage-blob": "^12.31.0", "@capacitor/preferences": "^6 || ^7 || ^8", "@deno/kv":
">=0.13.0", "@netlify/blobs": "^6.5.0 || ^7.0.0 || ^8.1.0 || ^9.0.0 || ^10.0.0",
"@planetscale/database": "^1.19.0", "@upstash/redis": "^1.36.2", "@vercel/blob": ">=0.27.3",
"@vercel/functions": "^2.2.12 || ^3.0.0", "@vercel/kv": "^1.0.1", "aws4fetch": "^1.0.20",
"chokidar": "^4 || ^5", "db0": ">=0.3.4", "idb-keyval": "^6.2.2", "ioredis": "^5.9.3", "lru-cache":
"^11.2.6", "mongodb": "^6 || ^7", "ofetch": "*", "uploadthing": "^7.7.4" }, "optionalPeers":
["@azure/app-configuration", "@azure/cosmos", "@azure/data-tables", "@azure/identity",
"@azure/keyvault-secrets", "@azure/storage-blob", "@capacitor/preferences", "@deno/kv",
"@netlify/blobs", "@planetscale/database", "@upstash/redis", "@vercel/blob"],

"@vercel/functions", "@vercel/kv", "aws4fetch", "chokidar", "db0", "idb-keyval", "ioredis",
"lru-cache", "mongodb", "ofetch", "uploadthing" },
"sha512-ELPztchk2zgFJnakyodVY3vJWGW9jy//keJ32IOJVGUMyaPydwcA1FtVvWqT0TNR
ch9H+cMNEGIIfVfScImog=="],

"update-browserslist-db": ["update-browserslist-db@1.2.3", "", { "dependencies": {
"escalade": "^3.2.0", "picocolors": "^1.1.1" }, "peerDependencies": { "browserslist": ">=
4.21.0" }, "bin": { "update-browserslist-db": "cli.js" } },
"sha512-Js0m9cx+qOgDxo0eMiFGEueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8
R1MAC1kF4VbdLt3ARf209w=="],

"uri-js": ["uri-js@4.4.1", "", { "dependencies": { "punycode": "^2.1.0" } },
"sha512-7rKUyy33Q1yc98pQ1DAmLtwX109F77TIfWIW1Ydo8WI1ii1SeHieeh0HHfPeL2fMXK
6z0s8ecKs9frCuLJvndBg=="],

"use-callback-ref": ["use-callback-ref@1.3.3", "", { "dependencies": { "tslib": "^2.0.0" },
"peerDependencies": { "@types/react": "*", "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-jQL3IRnocaFtu3V00JToYz/4QkNWswxijDaCVNZRiRTO3HQDLsdu1ZtmlUvV4yPp+
rvWm5j0y0TG/S61cuijTg=="],

"use-sidecar": ["use-sidecar@1.1.3", "", { "dependencies": { "detect-node-es": "^1.1.0",
"tslib": "^2.0.0" }, "peerDependencies": { "@types/react": "*", "react": "^16.8.0 || ^17.0.0 ||
^18.0.0 || ^19.0.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-Fedw0aZvkhynoPYIA5WXrMCAMm+nSWdZt6lzJQ7Ok8S6Q+VsHmHpRWndVRJ8
Be0ZbkfPc5LRYH+5XrzXcEeLRQ=="],

"use-sync-external-store": ["use-sync-external-store@1.6.0", "", { "peerDependencies": {
"react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0" } },
"sha512-Pp6GSwGP/NrPIrxVFAIkOQeyw8IFenOHijQWkUTrDvrF4ALqyIP2C/KCkeS9dpUM
3KvYRQhna5vt7IL95+ZQ9w=="],

"util-deprecate": ["util-deprecate@1.0.2", "", {}],
"sha512-EPD5q1uXyFxCrLnCc1nHnq3gOa6DZBocAlil2TaSCA7VCJ1UJDMagCzIkXNsU
YfD1daK//LTEQ8xilbrHtcw=="],

"vaul": ["vaul@1.1.2", "", { "dependencies": { "@radix-ui/react-dialog": "^1.1.1" },
"peerDependencies": { "react": "^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc" } },
"sha512-ZFkCIgPWyl2WUQjdLJ/BaGuV6AVQiJ3uELGk3OYtP+B6yCO7Cmn9vPFVXJkRa
GkOJu3m8bQMgtyzNHixULceQA=="],

"victory-vendor": ["victory-vendor@36.9.2", "", { "dependencies": { "@types/d3-array":
"^3.0.3", "@types/d3-ease": "^3.0.0", "@types/d3-interpolate": "^3.0.1", "@types/d3-scale":
"^4.0.2", "@types/d3-shape": "^3.1.0", "@types/d3-time": "^3.0.0", "@types/d3-timer":
"^3.0.0", "d3-array": "^3.1.6", "d3-ease": "^3.0.1", "d3-interpolate": "^3.0.1", "d3-scale":
"^4.0.2", "d3-shape": "^3.1.0", "d3-time": "^3.0.0", "d3-timer": "^3.0.1" } },

"sha512-PnpQQMuxlwYdocC8fIJqVXvkeViHYzotl+NJrCuav0ZYFoq912ZHBk3mCeuj+5/Vpo
dOjPe1z0Fk2ihgzIXqjQ=="],

"vite": ["vite@8.0.16", "", { "dependencies": { "lightningcss": "^1.32.0", "picomatch":
"^4.0.4", "postcss": "^8.5.15", "rolldown": "1.0.3", "tinyglobby": "^0.2.17" },
"optionalDependencies": { "fsevents": "~2.3.3" }, "peerDependencies": { "@types/node":
"^20.19.0 || >=22.12.0", "@vitejs/devtools": "^0.1.18", "esbuild": "^0.27.0 || ^0.28.0", "jiti":
">=1.21.0", "less": "^4.0.0", "sass": "^1.70.0", "sass-embedded": "^1.70.0", "stylus":
">=0.54.8", "sugarss": "^5.0.0", "terser": "^5.16.0", "tsx": "^4.8.1", "yaml": "^2.4.2" },
"optionalPeers": ["@types/node", "@vitejs/devtools", "esbuild", "jiti", "less", "sass",
"sass-embedded", "stylus", "sugarss", "terser", "tsx", "yaml"], "bin": { "vite": "bin/vite.js" } },
"sha512-h9bXPmJichP5fLmVQo3PyaGSDE2n3aPuomeAIVRm0JLmt4rY6zmPKd59HYI4LN
W8oTK7tlTsuC7l/m7awx9Jcw=="],

"vite-tsconfig-paths": ["vite-tsconfig-paths@6.1.1", "", { "dependencies": { "debug":
"^4.1.1", "globrex": "^0.1.2", "tsconfck": "^3.0.3" }, "peerDependencies": { "vite": "*" } },
"sha512-2cihq7zliibCCZ8P9cKJrQBkfgdvcFkOOc3Y02o3GWUDLgqjWsZudaoiuOwO/gzTzy
17cS5F7ZPo4bsnS4DGkg=="],

"vitefu": ["vitefu@1.1.3", "", { "peerDependencies": { "vite": "^3.0.0 || ^4.0.0 || ^5.0.0 ||
^6.0.0 || ^7.0.0 || ^8.0.0" }, "optionalPeers": ["vite"] },
"sha512-ub4okH7Z5KLjb6hDyjqRGXqWtWvoYdU3lGm/NorpgHncKoLTCfRlbnlhBm7r0Ystla
QRYlp4yEbFqDcKSzXSSg=="],

"webpack-virtual-modules": ["webpack-virtual-modules@0.6.2", "", {}],
"sha512-66/V2i5hQanC51vBQKPH4a18NMAcBW59FVBs+rC7eGHupMyfn34q7rZIE+ETIJ+X
TevqfUhVVBgSUNSW2fIEUQ=="],

"which": ["which@2.0.2", "", { "dependencies": { "isexe": "^2.0.0" }, "bin": { "node-which":
"./bin/node-which" } },
"sha512-BLI3Tl1TW3PvlI3yq3Y64i+awpwxqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaY
XGjEW5ogapKNMEKNMjibA=="],

"word-wrap": ["word-wrap@1.2.5", "", {}],
"sha512-BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjFOckS53SQDE3pWk
VoWpHXVb3BrYcEN4Twa55B5cA=="],

"ws": ["ws@8.21.0", "", { "peerDependencies": { "bufferutil": "^4.0.1", "utf-8-validate":
">=5.0.2" }, "optionalPeers": ["bufferutil", "utf-8-validate"] },
"sha512-Vsp28b7DRcimFQvrqu2Wek3z1iYxDCWqHYB8Qsnk/S4RfaCQzPGPyBNuVjJV3cd
6UiKtUtp6sNM77gWvzcCH+g=="],

"xmlbuilder2": ["xmlbuilder2@4.0.3", "", { "dependencies": { "@oozcitak/dom": "^2.0.2",
"@oozcitak/infra": "^2.0.2", "@oozcitak/util": "^10.0.0", "js-yaml": "^4.1.1" } },
"sha512-bx8Q1STctnNaaDymWnkfQLKofs0mGNN7rLLapJlGuV3VlvegD7Ls4ggMjE3aUSWI
tCCzU0PEv45lI87iSigiCA=="],

"yallist": ["yallist@3.1.1", "", {}],
"sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLr
CHPkSFT7h3K6TOoUNn2pb7RoXx4g=="],

"yocto-queue": ["yocto-queue@0.1.0", "", {}],
"sha512-rVksvsNcDj/ohGc6xgPwyN8eheCksiLM8mxuE/t/mOVqJewPuO1miLpTHQiRgTK
CLexL4MeAFVagts7HmNZ2Q=="],

"zod": ["zod@3.25.76", "", {}],
"sha512-gzUt/qt81nXsFGKIFcC3YnfEAX5NkunCfnDlvuBSSFS02bcXu4Lmea0AFIUwbLWx
WPx3d9p8S5QoaujKcNQxcQ=="],

"@eslint-community/eslint-utils/eslint-visitor-keys": ["eslint-visitor-keys@3.4.3", "", {}],
"sha512-wpc+LXeiyisxPIEkUzU6svyS1frlO3Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1WqbOprdl
+uY6wMUI8/a2G+iaG=="],

"@eslint/eslintrc/globals": ["globals@14.0.0", "", {}],
"sha512-oahGvuMGQIPw/ivIYBjVSrWAFWLBeku5tpPE2fOPLi+WHfflWbuh2tCjhyQhTBPMf5
E9jDEH4FOmTYgYwbKwtQ=="],

"@radix-ui/react-alert-dialog/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", {
"dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-aeNmHnBxbi2St0au6VBVC7JXFihLIONvlllePNniyUNACIzmtAUEY8/pBiK3iHjufOlw
A+c20/8jngo7xcrg8A=="],

"@radix-ui/react-aspect-ratio/@radix-ui/react-primitive":
["@radix-ui/react-primitive@2.1.4", "", { "dependencies": { "@radix-ui/react-slot": "1.2.4" },
"peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 ||
^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" },
"optionalPeers": ["@types/react", "@types/react-dom"] },
"sha512-9hQc4+GNVtJAIEPEqYqW5RiYdr8ea5XQ0ZOnD6fgRu+83kqT15mq2OCcbe8Knj
RZl5vF3ks69AKz3kh1jrhg=="],

"@radix-ui/react-avatar/@radix-ui/react-context": ["@radix-ui/react-context@1.1.3", "", {
"peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },
"sha512-ielFACdMpYfMEjF0rEf5KLvfYlkoZ6PDGyNnP+u+4xQ6jny3VCgA4OgXOWNx2aU
kxN8zx9fiVcM8CfFYv9Lxw=="],

"@radix-ui/react-avatar/@radix-ui/react-primitive": ["@radix-ui/react-primitive@2.1.4", "", {
"dependencies": { "@radix-ui/react-slot": "1.2.4" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-9hQc4+GNVtJAIEPEqYqW5RiYdr8ea5XQ0ZOnD6fgRu+83kqT15mq2OCcbe8Knj
RZl5vF3ks69AKz3kh1jrhg=="],

"@radix-ui/react-collection/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", {
"dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-aeNmHnBxbi2St0au6VBVC7JXFhLIONvlllePNniyUNACIzmtAUEY8/pBiK3iHjufOlw
A+c20/8jngo7xcrg8A=="],

"@radix-ui/react-dialog/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", {
"dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-aeNmHnBxbi2St0au6VBVC7JXFhLIONvlllePNniyUNACIzmtAUEY8/pBiK3iHjufOlw
A+c20/8jngo7xcrg8A=="],

"@radix-ui/react-label/@radix-ui/react-primitive": ["@radix-ui/react-primitive@2.1.4", "", {
"dependencies": { "@radix-ui/react-slot": "1.2.4" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom"] },
"sha512-9hQc4+GNVtJAIEPEqYqW5RiYdrr8ea5XQ0ZOnD6fgRu+83kqT15mq2OCcbe8Knj
RZl5vF3ks69AKz3kh1jrhg=="],

"@radix-ui/react-menu/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", {
"dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-aeNmHnBxbi2St0au6VBVC7JXFhLIONvlllePNniyUNACIzmtAUEY8/pBiK3iHjufOlw
A+c20/8jngo7xcrg8A=="],

"@radix-ui/react-popover/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", {
"dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-aeNmHnBxbi2St0au6VBVC7JXFhLIONvlllePNniyUNACIzmtAUEY8/pBiK3iHjufOlw
A+c20/8jngo7xcrg8A=="],

"@radix-ui/react-primitive/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", {
"dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": {
"@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers":
["@types/react"] },
"sha512-aeNmHnBxbi2St0au6VBVC7JXFhLIONvlllePNniyUNACIzmtAUEY8/pBiK3iHjufOlw
A+c20/8jngo7xcrg8A=="],

"@radix-ui/react-progress/@radix-ui/react-context": ["@radix-ui/react-context@1.1.3", "", {
"peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 ||
^19.0.0-rc" }, "optionalPeers": ["@types/react"] },

"sha512-ielFACdMpYfMEjF0rEf5KLvfVylkOz6PDGyNnP+u+4xQ6jny3VCgA4OgXOWNx2aUkxN8zx9fiVcM8CfFYv9Lxw=="],

"@radix-ui/react-progress/@radix-ui/react-primitive": ["@radix-ui/react-primitive@2.1.4", "", { "dependencies": { "@radix-ui/react-slot": "1.2.4" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-9hQc4+GNVtJAIEPEqYqW5RiYdrr8ea5XQ0ZOnD6fgRu+83kqT15mq2OCcbe8KnjRZl5vF3ks69AKz3kh1jrhg=="],

"@radix-ui/react-select/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", { "dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] }, "sha512-aeNmHnBxbi2St0au6VBVC7JXFihLIONvlllePNniyUNAClZmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg8A=="],

"@radix-ui/react-separator/@radix-ui/react-primitive": ["@radix-ui/react-primitive@2.1.4", "", { "dependencies": { "@radix-ui/react-slot": "1.2.4" }, "peerDependencies": { "@types/react": "*", "@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react", "@types/react-dom"] }, "sha512-9hQc4+GNVtJAIEPEqYqW5RiYdrr8ea5XQ0ZOnD6fgRu+83kqT15mq2OCcbe8KnjRZl5vF3ks69AKz3kh1jrhg=="],

"@radix-ui/react-tooltip/@radix-ui/react-slot": ["@radix-ui/react-slot@1.2.3", "", { "dependencies": { "@radix-ui/react-compose-refs": "1.1.2" }, "peerDependencies": { "@types/react": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react"] }, "sha512-aeNmHnBxbi2St0au6VBVC7JXFihLIONvlllePNniyUNAClZmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg8A=="],

"@tailwindcss/oxide-wasm32-wasi/@emnapi/core": ["@emnapi/core@1.10.0", "", { "dependencies": { "@emnapi/wasi-threads": "1.2.1", "tslib": "^2.4.0" }, "bundled": true }, "sha512-yq6OkJ4p82CAfPI0u9mQebQHkPJkY7Wrluk205cTYnYe+k2Z8YBh11FrbRG/H6ihirqcacOgl2BIO8oyMQLeXw=="],

"@tailwindcss/oxide-wasm32-wasi/@emnapi/runtime": ["@emnapi/runtime@1.10.0", "", { "dependencies": { "tslib": "^2.4.0" }, "bundled": true }, "sha512-ewvYIk86xUoGI0zQRNq/mC+16R1QeDIKQy21Ki3oSYXNgLb45GV1P6A0M+/s6nyCuNDqe5VpaY84BzXGwVbwFA=="],

"@tailwindcss/oxide-wasm32-wasi/@emnapi/wasi-threads": ["@emnapi/wasi-threads@1.2.1", "", { "dependencies": { "tslib": "^2.4.0" }, "bundled": true }, "sha512-uTII7OYF+/Mes/MrcIOYp5yOtSMLBWSIoLPpcgwipoiKbli6k322tcoFsxolIXPDqW01SQGAgko4EzZi2BNv2w=="],

"@tailwindcss/oxide-wasm32-wasi/@napi-rs/wasm-runtime":
["@napi-rs/wasm-runtime@1.1.4", "", { "dependencies": { "@tybys/wasm-util": "^0.10.1" },
"peerDependencies": { "@emnapi/core": "^1.7.1", "@emnapi/runtime": "^1.7.1" }, "bundled":
true },
"sha512-3NQNNgA1YSIJb/kMH1ildASP9HW7/7kYnRI2szWJaofaS1hWmbGI4H+d3+22aGz
XXN9IJ+n+GiFVcGipJP18ow=="],

"@tailwindcss/oxide-wasm32-wasi/@tybys/wasm-util": ["@tybys/wasm-util@0.10.1", "", {
"dependencies": { "tslib": "^2.4.0" }, "bundled": true },
"sha512-9tTaPJLSiejZKx+Bmog4uSubteqTvFrVrURwkmHixBo0G4seD0zUxp98E1DzUBJxL
Q3NPwXrGKDiVjwx/DpPsg=="],

"@tailwindcss/oxide-wasm32-wasi/tslib": ["tslib@2.8.1", "", { "bundled": true },
"sha512-oJFu94HQb+KVduSUQL7wnpmqnmfLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV
83MkOuHPRHtSXKKU99IBazS/2w=="],

"@tanstack/devtools-vite/chalk": ["chalk@5.6.2", "", {}],
"sha512-7NzBL0rN6fMUW+f7A6lo4h40qQIG+xGmtMxfbnH/K7TAtt8JQWVQK+6g0UXKMeV
JoyV5EkkNsErQ8pVD3bLHbA=="],

"@tanstack/router-generator/jiti": ["jiti@2.7.0", "", { "bin": { "jiti": "lib/jiti-cli.mjs" } },
"sha512-AC/7JofJvZGrneWNaEnJeOLUx+JIGt7tNa0wZiRPT4MY1wmfKjt2+6O2p2uz2+skl
8OZZmJMNqeke7kKbNgQ=="],

"@tanstack/router-generator/zod": ["zod@4.4.3", "", {}],
"sha512-ytENFjIJFI2UwYglde2jchW2Hwm4GJFLDiSXWdTrJQBIN9Fcyp7n4DhxJEiWNAJM
V1/BqWfW/kkg71UDcHJyTQ=="],

"@tanstack/router-plugin/zod": ["zod@4.4.3", "", {}],
"sha512-ytENFjIJFI2UwYglde2jchW2Hwm4GJFLDiSXWdTrJQBIN9Fcyp7n4DhxJEiWNAJM
V1/BqWfW/kkg71UDcHJyTQ=="],

"@tanstack/start-plugin-core/@babel/code-frame": ["@babel/code-frame@7.27.1", "", {
"dependencies": { "@babel/helper-validator-identifier": "^7.27.1", "js-tokens": "^4.0.0",
"picocolors": "^1.1.1" } },
"sha512-cjQ7ZlQ0Mv3b47hABuTevyTuYN4i+loJKGeV9flcCgIK37cCXRh+L1bd3iBHlynerhQ
7BhCkn2BPbQUL+rGqFg=="],

"@tanstack/start-plugin-core/zod": ["zod@4.4.3", "", {}],
"sha512-ytENFjIJFI2UwYglde2jchW2Hwm4GJFLDiSXWdTrJQBIN9Fcyp7n4DhxJEiWNAJM
V1/BqWfW/kkg71UDcHJyTQ=="],

"@typescript-eslint/eslint-plugin/ignore": ["ignore@7.0.5", "", {}],
"sha512-Hs59xBNfUIunMFgWAbGX5cq6893lbWg4KnrbYwX3tx0ztorVgTDA6B2sxf8ejHJ4w
z8BqGUMYInzNBer5NvGg=="],

"@typescript-eslint/typescript-estree/minimatch": ["minimatch@10.2.5", "", {
"dependencies": { "brace-expansion": "^5.0.5" } },

"sha512-MULkVlfKGYDFYejP07QOurDLLQpcjk7Fw+7jXS2R2czRQzR56yHRveU5NDJEOv
iH+hETZKSkIk5c+T23GjFUMg=="],

"@typescript-eslint/typescript-estree/semver": ["semver@7.7.4", "", { "bin": { "semver":
"bin/semver.js" } }],
"sha512-vFKC2IEtQnVhpT78h1Yp8wzwrF8CM+MzKMHGJZfBtzhZNycRFnXsHk6E5TxIkMs
gNS7mdX3AGB7x2QM2di4IA=="],

"@typescript-eslint/typescript-estree/tinyglobby": ["tinyglobby@0.2.16", "", {
"dependencies": { "fdir": "^6.5.0", "picomatch": "^4.0.4" } }],
"sha512-pn99VhoACYR8nFHxqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52U
xWRLy8pu+kRMniEi6Eq9Zg=="],

"@typescript-eslint/visitor-keys/eslint-visitor-keys": ["eslint-visitor-keys@5.0.1", "", {}],
"sha512-tD40eHxA35h0PElZNeIjkHoDR4YjjJp34biM0mDvplBe//mB+IHCqHdGV7pxF+7Mkl
TvighcCPPZC7ynWyjdTA=="],

"anymatch/picomatch": ["picomatch@2.3.2", "", {}],
"sha512-V7+vQEJ06Z+c5tSye8S+nHUfl51xoXIXjHQ99cQtKukQqqO1kO/KCJUfZXuB47h/Y
BIDhah2H3hdUGXn8ie0oA=="],

"cmdk/@radix-ui/react-primitive": ["@radix-ui/react-primitive@2.1.4", "", { "dependencies":
{ "@radix-ui/react-slot": "1.2.4" }, "peerDependencies": { "@types/react": "*",
"@types/react-dom": "*", "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc", "react-dom":
"^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc" }, "optionalPeers": ["@types/react",
"@types/react-dom" } }],
"sha512-9hQc4+GNVtJAIEPEqIYqW5RiYdr8ea5XQ0ZOnD6fgru+83kqT15mq2OCcbe8Knj
RZl5vF3ks69AKz3kh1jrhg=="],

"env-runner/srvx": ["srvx@0.11.15", "", { "bin": { "srvx": "bin/srvx.mjs" } }],
"sha512-iXsux0UcOjdvs0LCMa2Ws3WwcDUozA3JN3BquNXkaFPP7TpRqgunKdEgoZ/uwb
1J6xaYHfxtz9Twlh6yzwM6Tg=="],

"fast-glob/glob-parent": ["glob-parent@5.1.2", "", { "dependencies": { "is-glob": "^4.0.1" } }],
"sha512-AOIgSQCEpiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcO
c9/SrMyM5RPQrkGz4aS9Zow=="],

"h3-v2/srvx": ["srvx@0.11.15", "", { "bin": { "srvx": "bin/srvx.mjs" } }],
"sha512-iXsux0UcOjdvs0LCMa2Ws3WwcDUozA3JN3BquNXkaFPP7TpRqgunKdEgoZ/uwb
1J6xaYHfxtz9Twlh6yzwM6Tg=="],

"lovable-tagger/tailwindcss": ["tailwindcss@3.4.19", "", { "dependencies": {
"@alloc/quick-lru": "^5.2.0", "arg": "^5.0.2", "chokidar": "^3.6.0", "didyoumean": "^1.2.2", "dlv":
"^1.1.3", "fast-glob": "^3.3.2", "glob-parent": "^6.0.2", "is-glob": "^4.0.3", "jiti": "^1.21.7",
"lilconfig": "^3.1.3", "micromatch": "^4.0.8", "normalize-path": "^3.0.0", "object-hash": "^3.0.0",
"picocolors": "^1.1.1", "postcss": "^8.4.47", "postcss-import": "^15.1.0", "postcss-js": "^4.0.1",
"postcss-load-config": "^4.0.2 || ^5.0 || ^6.0", "postcss-nested": "^6.2.0",
"postcss-selector-parser": "^6.1.2", "resolve": "^1.22.8", "sucrase": "^3.35.0" }, "bin": {

"tailwind": "lib/cli.js", "tailwindcss": "lib/cli.js" } },
"sha512-3ofp+LL8E+pK/JuPLPggVAIaEuhvlz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkBI
uUVaF8PyCHcm48cKLWQ=="],

"micromatch/picomatch": ["picomatch@2.3.2", "", {}],
"sha512-V7+vQEJ06Z+c5tSye8S+nHUfl51xoXIXjHQ99cQtKUkQqqO1kO/KCJUfZXuB47h/Y
BIDhah2H3hdUGXn8ie0oA=="],

"oxc-parser/@oxc-project/types": ["@oxc-project/types@0.120.0", "", {}],
"sha512-k1YNu55DuvAip/MGE1FTsluU3FUCn6v/ujG9V7Nq5Df/kX2CWb13hhwD0ImJGMG
qE+bE1MXvv9SZVnMzEXIWcg=="],

"prop-types/react-is": ["react-is@16.13.1", "", {}],
"sha512-24e6ynE2H+OKt4kqsOvNd8kBPv65zoxbA4BVseOB3ARVWQki/DHzaUoC5KuON/
BiccDaCCTZBuOcfZs70kR8bQ=="],

"rolldown/@rolldown/pluginutils": ["@rolldown/pluginutils@1.0.1", "", {}],
"sha512-2j9bGt5Jh8hj+vPtgzPtl72j0yRxHAYumoo6TNfAjsLB04UtpSvPbPcDcBMxz7n+9CY
B0c1GxQFxyRg2jimqGw=="],

"sucrase/tinyglobby": ["tinyglobby@0.2.16", "", { "dependencies": { "fdir": "^6.5.0",
"picomatch": "^4.0.4" } }],
"sha512-pn99VhoACYR8nFHxqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52U
xWRLy8pu+kRMniEi6Eq9Zg=="],

"tsx/esbuild": ["esbuild@0.27.7", "", { "optionalDependencies": { "@esbuild/aix-ppc64":
"0.27.7", "@esbuild/android-arm": "0.27.7", "@esbuild/android-arm64": "0.27.7",
"@esbuild/android-x64": "0.27.7", "@esbuild/darwin-arm64": "0.27.7",
"@esbuild/darwin-x64": "0.27.7", "@esbuild/freebsd-arm64": "0.27.7",
"@esbuild/freebsd-x64": "0.27.7", "@esbuild/linux-arm": "0.27.7", "@esbuild/linux-arm64":
"0.27.7", "@esbuild/linux-ia32": "0.27.7", "@esbuild/linux-loong64": "0.27.7",
"@esbuild/linux-mips64el": "0.27.7", "@esbuild/linux-ppc64": "0.27.7",
"@esbuild/linux-riscv64": "0.27.7", "@esbuild/linux-s390x": "0.27.7", "@esbuild/linux-x64":
"0.27.7", "@esbuild/netbsd-arm64": "0.27.7", "@esbuild/netbsd-x64": "0.27.7",
"@esbuild/openbsd-arm64": "0.27.7", "@esbuild/openbsd-x64": "0.27.7",
"@esbuild/openharmony-arm64": "0.27.7", "@esbuild/sunos-x64": "0.27.7",
"@esbuild/win32-arm64": "0.27.7", "@esbuild/win32-ia32": "0.27.7", "@esbuild/win32-x64":
"0.27.7" } }, "bin": { "esbuild": "bin/esbuild" } }],
"sha512-lxpibTjyVnmrlQo5aqNpCgoACA/dTKLThMHihVHhdkxKyPO1uBBthumT0rdHmcsk9
uMonlWS0m4FljWzILh3w=="],

"vite/rolldown": ["rolldown@1.0.3", "", { "dependencies": { "@oxc-project/types":
"0.133.0", "@rolldown/pluginutils": "^1.0.0" }, "optionalDependencies": {
"@rolldown/binding-android-arm64": "1.0.3", "@rolldown/binding-darwin-arm64": "1.0.3",
"@rolldown/binding-darwin-x64": "1.0.3", "@rolldown/binding-freebsd-x64": "1.0.3",
"@rolldown/binding-linux-arm-gnueabi": "1.0.3", "@rolldown/binding-linux-arm64-gnu":
"1.0.3", "@rolldown/binding-linux-arm64-musl": "1.0.3",
"@rolldown/binding-linux-ppc64-gnu": "1.0.3", "@rolldown/binding-linux-s390x-gnu": "1.0.3",

"@rolldown/binding-linux-x64-gnu": "1.0.3", "@rolldown/binding-linux-x64-musl": "1.0.3",
"@rolldown/binding-openharmony-arm64": "1.0.3", "@rolldown/binding-wasm32-wasi":
"1.0.3", "@rolldown/binding-win32-arm64-msvc": "1.0.3",
"@rolldown/binding-win32-x64-msvc": "1.0.3" }, "bin": { "rolldown": "./bin/cli.mjs" } },
"sha512-i00IAJ2ks1BYr7rjNjKC7BcqAS7nVfiT3QX1SI5aY+AFHblCmaUf9OE9dbdzDvW6dJ
xbi2ZCZiy9v3CcwOiX3g=="],

"@typescript-eslint/typescript-estree/minimatch/brace-expansion":
["brace-expansion@5.0.5", "", { "dependencies": { "balanced-match": "^4.0.2" } },
"sha512-VZznLgtwhn+Mact9tfiwx64fA9erHH/MCXEUfB/0bX/6Fz6ny5EGTXYltMocqg4xFAQ
ZtnO3DHWWXi8RiuN7cQ=="],

"lovable-tagger/tailwindcss/chokidar": ["chokidar@3.6.0", "", { "dependencies": {
"anymatch": "~3.1.2", "braces": "~3.0.2", "glob-parent": "~5.1.2", "is-binary-path": "~2.1.0",
"is-glob": "~4.0.1", "normalize-path": "~3.0.0", "readdirp": "~3.6.0" }, "optionalDependencies":
{ "fsevents": "~2.3.2" } },
"sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0GOOLMua9NDDo/DWp0Z
AxCr3cPq5ZpBqmPAQgDda2Pw=="],

"lovable-tagger/tailwindcss/jiti": ["jiti@1.21.7", "", { "bin": { "jiti": "bin/jiti.js" } },
"sha512-/imKNG4EbWNRVjoNC/1H5/9GFy+tbjGBHCaSsN+P2RnPqjsLmv6UD3Ej+Kj8nBWa
RAwyk7kK5ZUc+OEatnTR3A=="],

"lovable-tagger/tailwindcss/postcss": ["postcss@8.5.10", "", { "dependencies": { "nanoid":
"^3.3.11", "picocolors": "^1.1.1", "source-map-js": "^1.2.1" } },
"sha512-pMMHxBOZKFU6HgAZ4eyGnwXF/EvPGGqUr0MnZ5+99485wwW41kW91A4LOG
xSHhgugZmSChL5AIEINdwiNgcLQ=="],

"tsx/esbuild/@esbuild/aix-ppc64": ["@esbuild/aix-ppc64@0.27.7", "", { "os": "aix", "cpu":
"ppc64" },
"sha512-EKX3Qwmhz1eMdEJokhALr0YiD0lhQNwDqkPYyPhiSwKrh7/4KRjQc04sZ8db+5D
VVnZ1LmbNDI1uAMPEUBnQPg=="],

"tsx/esbuild/@esbuild/android-arm": ["@esbuild/android-arm@0.27.7", "", { "os": "android",
"cpu": "arm" },
"sha512-jbPXvB4Yj2yBV7HUfE2KHe4GJX51QplCN1pGbYjvsyCZbQmies29EoJbkEc+vYuU
5o45AfQn37vZlyXy4YJ8RQ=="],

"tsx/esbuild/@esbuild/android-arm64": ["@esbuild/android-arm64@0.27.7", "", { "os":
"android", "cpu": "arm64" },
"sha512-62dPZHplXzvChfvfLJow3q5dDtiNMkwiRzPylSCfriLvZeq0a1bWChrGx/BbUbPwOrs
WKMn8idSllklzBy+dgQ=="],

"tsx/esbuild/@esbuild/android-x64": ["@esbuild/android-x64@0.27.7", "", { "os": "android",
"cpu": "x64" },
"sha512-x5VpMODneVDb70PYV2VQOmlUUiBtY3D3mPBG8NxVk5CogneYhkR7MmM3yR/
uMdlTLrC1ml/NV1rj4bMJuy9MCg=="],

"tsx/esbuild/@esbuild/darwin-arm64": ["@esbuild/darwin-arm64@0.27.7", "", { "os": "darwin", "cpu": "arm64" },
"sha512-5lckdqeUBPIKUwvoCXIgl2D9/ABmPq3Rdp7IfL70393YgaAST7tbju3Ac+ePVi3KDH6N2RqePfHnXkaDtY9fkW=="],

"tsx/esbuild/@esbuild/darwin-x64": ["@esbuild/darwin-x64@0.27.7", "", { "os": "darwin", "cpu": "x64" },
"sha512-rYnXrKcXuT7Z+WL5K980jVFdvVKhCHhUwid+dDYQpH+qu+TefcomiMAJpliC2EM3Rjtq0sO3StMV/+3w3MyyqQ=="],

"tsx/esbuild/@esbuild/freebsd-arm64": ["@esbuild/freebsd-arm64@0.27.7", "", { "os": "freebsd", "cpu": "arm64" },
"sha512-B48PqeCsEgOtzME2GbNM2roU29AMTuOIN91dsMO30t+Ydis3z/3Ngoj5hhnsOSSwNzS+6JppqWsuhTp6E82l2w=="],

"tsx/esbuild/@esbuild/freebsd-x64": ["@esbuild/freebsd-x64@0.27.7", "", { "os": "freebsd", "cpu": "x64" },
"sha512-jOBdK5XEjA4m5lJK3bpAQF9/Lelu/Z9ZcdhTRLf4cajIB+8VEhFFRjWgfy3M1O4rO2GQ/b2dLwCUGpiF/eATNQ=="],

"tsx/esbuild/@esbuild/linux-arm": ["@esbuild/linux-arm@0.27.7", "", { "os": "linux", "cpu": "arm" },
"sha512-RkT/YXYBTSULo3+af8lb0ykH8u2MBh57o7q/DAs3ITJlyVQkgQvIrPTnjLzzRPQyavxtPtf0EopvDylt0j1rA=="],

"tsx/esbuild/@esbuild/linux-arm64": ["@esbuild/linux-arm64@0.27.7", "", { "os": "linux", "cpu": "arm64" },
"sha512-RZPHBoxXuNnPQO9rvjh5jdkRmVizktkT7TCDkDmQ0W2SwHlnKCAV95GRuvdSvA7w4VMwfCjUiPwDi0ZO6Nfe9A=="],

"tsx/esbuild/@esbuild/linux-ia32": ["@esbuild/linux-ia32@0.27.7", "", { "os": "linux", "cpu": "ia32" },
"sha512-GA48aKNkyQDbd3KtkpIYWT102C5sn/EZTY4XROkxONgruHPU72l+gW+FfF8tf2cFjeHaRbWpOYa/uRBz/Xq1Pg=="],

"tsx/esbuild/@esbuild/linux-loong64": ["@esbuild/linux-loong64@0.27.7", "", { "os": "linux", "cpu": "none" },
"sha512-a4POruNM2oWsD4WKvBSEKGIWQF8fZOAsycHOt6JBpZ+JN2n2JH9WAv56SOyu9X5lqAjQSIPTaJkqN8F7XOQ5Q=="],

"tsx/esbuild/@esbuild/linux-mips64el": ["@esbuild/linux-mips64el@0.27.7", "", { "os": "linux", "cpu": "none" },
"sha512-KabT5l6StirGflz0FMgl1l+R1H73Gp0ofL9A3nG3i/cYFJzKHhouBV5VWK1CSgKvVaG4q1RNpCTR2LuTVB3flw=="],

"tsx/esbuild/@esbuild/linux-ppc64": ["@esbuild/linux-ppc64@0.27.7", "", { "os": "linux", "cpu": "ppc64" },

"sha512-gRsL4x6wsGHGRqhtI+ifpN/vpOFTQtnbsupUF5R5YTAgy/IKeLYR1hXbnBdzDjGbMYjVJLJTd2OFmMewAgwIQ=="],

"tsx/esbuild/@esbuild/linux-riscv64": ["@esbuild/linux-riscv64@0.27.7", "", { "os": "linux", "cpu": "none" },
"sha512-hL25LbxO1QOngGzu2U5xeXtxXcW+/GvMN3ejANqXkxZ/opySAZMrc+9LY/WyjAan41unrR3YrmtTsUpwT66lnQ=="],

"tsx/esbuild/@esbuild/linux-s390x": ["@esbuild/linux-s390x@0.27.7", "", { "os": "linux", "cpu": "s390x" },
"sha512-2k8go8Ycu1Kb46vEelhu1vqEP+UeRVj2zY1pSuPdgvbd5ykAw82Lrro28vXUrRmzEsUV0NzCf54yARIK8r0fdw=="],

"tsx/esbuild/@esbuild/linux-x64": ["@esbuild/linux-x64@0.27.7", "", { "os": "linux", "cpu": "x64" },
"sha512-hzznmADPt+OmsYzw1EE33ccA+HPdlqiCRq7cQeL1Jlq2gb1+OyWBkMcrYGBJ+sXVzve2ZJEVeePbLM2iEIZSxA=="],

"tsx/esbuild/@esbuild/netbsd-arm64": ["@esbuild/netbsd-arm64@0.27.7", "", { "os": "none", "cpu": "arm64" },
"sha512-b6pqrQdigZBwZxAn1UpazEiswalDvdbMbmrlY7cDTMFnw/+3IVxxCTGOrkPVnsYIosJJXAsILG9XcQS+Yu6w=="],

"tsx/esbuild/@esbuild/netbsd-x64": ["@esbuild/netbsd-x64@0.27.7", "", { "os": "none", "cpu": "x64" },
"sha512-OfatkLojr6U+WN5EDYuoQhtM+1xco+/6FSzJJnuWiUw5eVcicbyK3dq5EeV/QHT1uy6GoDhGbFpprUiHUyggw=="],

"tsx/esbuild/@esbuild/openbsd-arm64": ["@esbuild/openbsd-arm64@0.27.7", "", { "os": "openbsd", "cpu": "arm64" },
"sha512-AFuojMQTxAz75Fo8idVcqoQWEHIXFRbOc1TrVcFSgCZtQfSdc1RXgB3tjOn/krRHENUB4j00bfGjyl2mJrU37A=="],

"tsx/esbuild/@esbuild/openbsd-x64": ["@esbuild/openbsd-x64@0.27.7", "", { "os": "openbsd", "cpu": "x64" },
"sha512-+A1NJmfM8WNDv5CLVQYJ5PshuRm/4cl6WMZRg1by1GwPIQPCTs1GLEUHwiiQGT5zDdyLiRM/l1G0Pv54gvtKlg=="],

"tsx/esbuild/@esbuild/openharmony-arm64": ["@esbuild/openharmony-arm64@0.27.7", "", { "os": "none", "cpu": "arm64" },
"sha512-+KrvYb/C8zA9CU/g0sR6w2RBw7IGc5J2BPnc3dYc5VJxHCSF1yNMxTV5LQ7GuKteQXZtspjFbiuW5/dOj7H4Yw=="],

"tsx/esbuild/@esbuild/sunos-x64": ["@esbuild/sunos-x64@0.27.7", "", { "os": "sunos", "cpu": "x64" },
"sha512-ikktlhFBzQNt/QDyOL580ti9+5mL/YZeUPKU2ivGtGjdTYoqz6jObj6nOMfhASpS4GU4Q/Cih1QtxWAvCYKamA=="],

"tsx/esbuild/@esbuild/win32-arm64": ["@esbuild/win32-arm64@0.27.7", "", { "os": "win32",
"cpu": "arm64" },
"sha512-7yRhHvPqSpRUV7Q20VuDwbjW5kIMwTHpPtUzV+AA46kiPze5Z7qgt6CLCK3p
WFrHeNfDd1VKgyP4O+ng17CA=="],

"tsx/esbuild/@esbuild/win32-ia32": ["@esbuild/win32-ia32@0.27.7", "", { "os": "win32",
"cpu": "ia32" },
"sha512-SmwKXe6VHlyZYbBLJrhOoCJRB/Z1tckzmgTLfYOfpMAx63BJEaL9Exl8x7v0oAO
3Zh6D/Oi1gVxeyr5oUCFhw=="],

"tsx/esbuild/@esbuild/win32-x64": ["@esbuild/win32-x64@0.27.7", "", { "os": "win32",
"cpu": "x64" },
"sha512-56hiAJPhwQ1R4i+21FVF7V8kSD5zZTdHcVuRFMW0hn753vVfQN8xIx4uOPT4xoG
H0Z/oVATuR82AiqSTDlpaHg=="],

"vite/rolldown/@oxc-project/types": ["@oxc-project/types@0.133.0", "", {}],
"sha512-KzkdCd6Uxqnf6l3H0w1xfatAIUURA0g14cvBYFyJ5SaNOQbOUvBr9PKArcPcrNleR
sBdgcUzOGrhKveVpvOIGA=="],

"vite/rolldown/@rolldown/binding-android-arm64":
["@rolldown/binding-android-arm64@1.0.3", "", { "os": "android", "cpu": "arm64" },
"sha512-454rs7jHngixp/NMxd5srYD57OnzSIZ/eFTETjORQHLLwJG1IRtmNOJcBerZlfu4GjKq
eq8aCClQrMdHyhl51Hw=="],

"vite/rolldown/@rolldown/binding-darwin-arm64":
["@rolldown/binding-darwin-arm64@1.0.3", "", { "os": "darwin", "cpu": "arm64" },
"sha512-PcAhP+ynjURNyy8SKGI5DQP94aGuB/7JrXJb/t7P+hanXvQVMWzUvRRhBAcg/IN
RadBhoUPqSoP4xw5tR/KBEA=="],

"vite/rolldown/@rolldown/binding-darwin-x64": ["@rolldown/binding-darwin-x64@1.0.3", "",
{ "os": "darwin", "cpu": "x64" },
"sha512-9YpfeUvSE2RS7wysJ81uOZkXJz7f7Q55H2Gvp3VEw/EsahqDtrphrZ0EwDLK5vvK
OzaCrBsJf8JmnMLcUt78Gg=="],

"vite/rolldown/@rolldown/binding-freebsd-x64": ["@rolldown/binding-freebsd-x64@1.0.3",
"", { "os": "freebsd", "cpu": "x64" },
"sha512-yB1lAsSNHncV6SCTL27/MVGR5htvQsoGxlv5KMGXALp+LI1wYsn+x98M9MW7q
a+NdSbvrrY7ANI4wLJ0n1e6g=="],

"vite/rolldown/@rolldown/binding-linux-arm-gnueabihf":
["@rolldown/binding-linux-arm-gnueabihf@1.0.3", "", { "os": "linux", "cpu": "arm" },
"sha512-Yi30IVAAfLUCy2MseFjb1jAMDI1VMCAas5StnYp8da9+CKvMd2H2cbEjWcw5NP
aPqzvYkVlaF1nNUG+b7u/sw=="],

"vite/rolldown/@rolldown/binding-linux-arm64-gnu":
["@rolldown/binding-linux-arm64-gnu@1.0.3", "", { "os": "linux", "cpu": "arm64" },
"sha512-jsO7R8To+AdlYgUmN5sHSCZbfhtMBkO0WUx8iORQnPCMMdgr7qM2DQmMwgab
s3GhNztdmoKkMKQFHD6DTMCIQw=="],

"vite/rolldown/@rolldown/binding-linux-arm64-musl":
["@rolldown/binding-linux-arm64-musl@1.0.3", "", { "os": "linux", "cpu": "arm64" },
"sha512-VWkUHWwRiDciit80wleYwKILoR/KMvxh/ldwS/paX+ZgpuRpCrKLUdadJbc0NpBEiy
hpYawsJ73j9aCvOH+f7Q=="],

"vite/rolldown/@rolldown/binding-linux-ppc64-gnu":
["@rolldown/binding-linux-ppc64-gnu@1.0.3", "", { "os": "linux", "cpu": "ppc64" },
"sha512-5f1laC0SIIR0yDbFCd8acUhvJlag6N3zC5P7oUPN6wX0aOma+uKJ0wBDH5aq711P
VI2ttTlhJwzwRIBnLiSGEg=="],

"vite/rolldown/@rolldown/binding-linux-s390x-gnu":
["@rolldown/binding-linux-s390x-gnu@1.0.3", "", { "os": "linux", "cpu": "s390x" },
"sha512-lq4ko0r4XsgbrF/LunNgHtAGLRRVE2kXonAXQ/MV0mC6jQpMOhW1SvtZja2EhC/k
d05++bP78dsqBelQyYJ6Yg=="],

"vite/rolldown/@rolldown/binding-linux-x64-gnu":
["@rolldown/binding-linux-x64-gnu@1.0.3", "", { "os": "linux", "cpu": "x64" },
"sha512-B8m6tD5+/N5FeNQFbKILA/2yVq9ycQP1SeedyEYYKWBNR3ZQbkvIUcNnDNM03I
O1I5F2roiiFJGgvoLLyZXtSg=="],

"vite/rolldown/@rolldown/binding-linux-x64-musl":
["@rolldown/binding-linux-x64-musl@1.0.3", "", { "os": "linux", "cpu": "x64" },
"sha512-pSdpdUJHkuCxun9LE7jvgUB9qsRgaiyNNCX7m/AvHTcq67AiT/Yhoxvw5zPfhrM8k/
BfP8ce/hMOpthKDPeUow=="],

"vite/rolldown/@rolldown/binding-openharmony-arm64":
["@rolldown/binding-openharmony-arm64@1.0.3", "", { "os": "none", "cpu": "arm64" },
"sha512-OXXS3RKJgX2uLwM+gYyuH5omcH8fL1LJs96pZGgtetVCahON57+d4SJHzTgZiOj
xgGkSnpXpOsWuPDGAKAigEg=="],

"vite/rolldown/@rolldown/binding-wasm32-wasi":
["@rolldown/binding-wasm32-wasi@1.0.3", "", { "dependencies": { "@emnapi/core": "1.10.0",
"@emnapi/runtime": "1.10.0", "@napi-rs/wasm-runtime": "^1.1.4" }, "cpu": "none" },
"sha512-JTtb8BWFynicNSoPrehsCzBtOKjZ6jhMiPFEmOiuXg1FI8dn2KHQob+GuPSGR0dry
Qa1PQJbjfF3dqO/whhjLg=="],

"vite/rolldown/@rolldown/binding-win32-arm64-msvc":
["@rolldown/binding-win32-arm64-msvc@1.0.3", "", { "os": "win32", "cpu": "arm64" },
"sha512-gEdFFEN70A/jxb2svrWsN3aDL7OUtmvIOy+6fa2jxG8K0wQ1ZbdeLGnidov6Yu5/73
3dl5ySfzFIQ/cb0bSz1g=="],

"vite/rolldown/@rolldown/binding-win32-x64-msvc":
["@rolldown/binding-win32-x64-msvc@1.0.3", "", { "os": "win32", "cpu": "x64" },
"sha512-eXB7CHuaQdqmJcc3koCNtNPmT/bj2gc999kUFgBxG8Ac0NdgXc4rkCHhqrgrhN3z
ddvvvrgzj1e90SuSfmylXA=="],

```
"vite/rolldown/@rolldown/pluginutils": ["@rolldown/pluginutils@1.0.1", "", {},  
"sha512-2j9bGt5Jh8hj+vPtgzPtI72j0yRxHAYumoo6TNfAjsLB04UtpSvPbPcDcBMxz7n+9CY  
B0c1GxQFxyRg2jimqGw=="],
```

```
"@typescript-eslint/typescript-estree/minimatch/brace-expansion/balanced-match":  
["balanced-match@4.0.4", "", {},  
"sha512-BLrgEcRTwX2o6gGxGOCNyMvGSp35YofuYzw9h1IMTRmKqttAZZVU67bdb9Pr2v  
UHA8+j3i2tJfjO6C6+4myGTA=="],
```

```
"lovable-tagger/tailwindcss/chokidar/glob-parent": ["glob-parent@5.1.2", "", {  
"dependencies": { "is-glob": "^4.0.1" } },  
"sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcO  
c9/SrMyM5RPQrkGz4aS9Zow=="],
```

```
"lovable-tagger/tailwindcss/chokidar/readdirp": ["readdirp@3.6.0", "", { "dependencies": {  
"picomatch": "^2.2.1" } },  
"sha512-hOS089on8RduqdbhvQ5Z37A0ESjsqz6qnRcffiMU3495FuTdqSm+7bhJ29JvIOsB  
DEEnan5DPu9t3To9VRIMzA=="],
```

```
"lovable-tagger/tailwindcss/postcss/nanoid": ["nanoid@3.3.11", "", { "bin": { "nanoid":  
"bin/nanoid.cjs" } },  
"sha512-N8SpfPUnUp1bK+PMYW8qSWdl9U+wwNWI4QKxOYDy9JAro3WMX7p2OeVRF9v  
+347pnakNevPmiHhNmZ2HbFA76w=="],
```

```
"lovable-tagger/tailwindcss/chokidar/readdirp/picomatch": ["picomatch@2.3.2", "", {},  
"sha512-V7+vQEJ06Z+c5tSye8S+nHUfl51xoXIXjHQ99cQtKukQqqO1kO/KCJUfZXuB47h/Y  
BIDhah2H3hdUGXn8ie0oA=="],  
}  
}
```

```
[install]  
saveTextLockfile = true  
# 24h supply-chain guard: skip package versions published less than a day ago.  
minimumReleaseAge = 86400  
# Each entry bypasses the 24h guard for one package — confirm with the user  
# before adding any.  
minimumReleaseAgeExcludes = ["@lovable.dev/vite-tanstack-config",  
"@lovable.dev/mcp-js", "@lovable.dev/vite-plugin-dev-server-bridge",  
"@lovable.dev/vite-plugin-hmr-gate", "@lovable.dev/email-js", "@lovable.dev/webhooks-js"]
```

```
{  
"$schema": "https://ui.shadcn.com/schema.json",  
"style": "new-york",  
"rsc": false,  
"tsx": true,  
"tailwind": {  
"css": "src/styles.css",  
"baseColor": "slate",
```

```

    "cssVariables": true,
    "prefix": ""
  },
  "iconLibrary": "lucide",
  "rtl": false,
  "aliases": {
    "components": "@components",
    "utils": "@lib/utils",
    "ui": "@components/ui",
    "lib": "@lib",
    "hooks": "@hooks"
  },
  "registries": {}
}

```

```

import js from "@eslint/js";
import eslintPluginPrettier from "eslint-plugin-prettier/recommended";
import globals from "globals";
import reactHooks from "eslint-plugin-react-hooks";
import reactRefresh from "eslint-plugin-react-refresh";
import tseslint from "typescript-eslint";

```

```

export default tseslint.config(
  { ignores: ["dist", ".output", ".vinxi"] },
  {
    extends: [js.configs.recommended, ...tseslint.configs.recommended],
    files: ["**/*.ts", "**/*.tsx"],
    languageOptions: {
      ecmaVersion: 2020,
      globals: globals.browser,
    },
    plugins: {
      "react-hooks": reactHooks,
      "react-refresh": reactRefresh,
    },
    rules: {
      ...reactHooks.configs.recommended.rules,
      "no-restricted-imports": [
        "error",
        {
          paths: [
            {
              name: "server-only",
              message:
                "TanStack Start does not use the Next.js `server-only` package. Rename the module to `*.server.ts` or mark it with `@tanstack/react-start/server-only`.",
            },
          ],
        },
      ],
    },
  },
)

```

```

    },
  ],
  "react-refresh/only-export-components": ["warn", { allowConstantExport: true }],
  "@typescript-eslint/no-unused-vars": "off",
},
},
eslintPluginPrettier,
);

```

```

{
  "name": "tanstack_start_ts",
  "private": true,
  "sideEffects": false,
  "type": "module",
  "scripts": {
    "dev": "vite dev",
    "build": "vite build",
    "build:dev": "vite build --mode development",
    "preview": "vite preview",
    "lint": "eslint .",
    "format": "prettier --write ."
  },
  "dependencies": {
    "@hookform/resolvers": "^5.2.2",
    "@radix-ui/react-accordion": "^1.2.12",
    "@radix-ui/react-alert-dialog": "^1.1.15",
    "@radix-ui/react-aspect-ratio": "^1.1.8",
    "@radix-ui/react-avatar": "^1.1.11",
    "@radix-ui/react-checkbox": "^1.3.3",
    "@radix-ui/react-collapsible": "^1.1.12",
    "@radix-ui/react-context-menu": "^2.2.16",
    "@radix-ui/react-dialog": "^1.1.15",
    "@radix-ui/react-dropdown-menu": "^2.1.16",
    "@radix-ui/react-hover-card": "^1.1.15",
    "@radix-ui/react-label": "^2.1.8",
    "@radix-ui/react-menubar": "^1.1.16",
    "@radix-ui/react-navigation-menu": "^1.2.14",
    "@radix-ui/react-popover": "^1.1.15",
    "@radix-ui/react-progress": "^1.1.8",
    "@radix-ui/react-radio-group": "^1.3.8",
    "@radix-ui/react-scroll-area": "^1.2.10",
    "@radix-ui/react-select": "^2.2.6",
    "@radix-ui/react-separator": "^1.1.8",
    "@radix-ui/react-slider": "^1.3.6",
    "@radix-ui/react-slot": "^1.2.4",
    "@radix-ui/react-switch": "^1.2.6",
    "@radix-ui/react-tabs": "^1.1.13",
    "@radix-ui/react-toggle": "^1.1.10",
  },
}

```

```
"@radix-ui/react-toggle-group": "^1.1.11",
"@radix-ui/react-tooltip": "^1.2.8",
"@supabase/supabase-js": "^2.110.2",
"@tailwindcss/vite": "^4.2.1",
"@tanstack/react-query": "^5.101.1",
"@tanstack/react-router": "^1.170.16",
"@tanstack/react-start": "^1.168.26",
"@tanstack/router-plugin": "^1.168.18",
"class-variance-authority": "^0.7.1",
"clsx": "^2.1.1",
"cmdk": "^1.1.1",
"date-fns": "^4.1.0",
"embla-carousel-react": "^8.6.0",
"html-to-image": "^1.11.13",
"input-otp": "^1.4.2",
"lucide-react": "^0.575.0",
"react": "^19.2.0",
"react-day-picker": "^9.14.0",
"react-dom": "^19.2.0",
"react-hook-form": "^7.71.2",
"react-resizable-panels": "^4.6.5",
"recharts": "^2.15.4",
"sonner": "^2.0.7",
"tailwind-merge": "^3.5.0",
"tailwindcss": "^4.2.1",
"tw-animate-css": "^1.3.4",
"vaul": "^1.1.2",
"vite-tsconfig-paths": "^6.0.2",
"zod": "^3.24.2"
},
"devDependencies": {
  "@eslint/js": "^9.32.0",
  "@lovable.dev/vite-tanstack-config": "^2.7.1",
  "@types/node": "^22.16.5",
  "@types/react": "^19.2.0",
  "@types/react-dom": "^19.2.0",
  "@vitejs/plugin-react": "^5.2.0",
  "eslint": "^9.32.0",
  "eslint-config-prettier": "^10.1.1",
  "eslint-plugin-prettier": "^5.2.6",
  "eslint-plugin-react-hooks": "^5.2.0",
  "eslint-plugin-react-refresh": "^0.4.20",
  "globals": "^15.15.0",
  "nitro": "3.0.260603-beta",
  "prettier": "^3.7.3",
  "typescript": "^5.8.3",
  "typescript-eslint": "^8.56.1",
  "vite": "^8.0.16"
```

```

    }
  }

  {
    "include": ["src/**/*.ts", "src/**/*.tsx", "vite.config.ts", "eslint.config.js"],
    "compilerOptions": {
      "target": "ES2022",
      "jsx": "react-jsx",
      "module": "ESNext",
      "lib": ["ES2022", "DOM", "DOM.Iterable"],
      "types": ["vite/client"],

      /* Bundler mode */
      "moduleResolution": "Bundler",
      "allowImportingTsExtensions": true,
      "verbatimModuleSyntax": false,
      "noEmit": true,

      /* Linting */
      "skipLibCheck": true,
      "strict": true,
      "noUnusedLocals": false,
      "noUnusedParameters": false,
      "noFallthroughCasesInSwitch": true,
      "noUncheckedSideEffectImports": true,
      "paths": {
        "@/*": [".src/*"]
      }
    }
  }
}

```

// @lovable.dev/vite-tanstack-config already includes the following — do NOT add them manually

// or the app will break with duplicate plugins:

// - TanStack devtools (dev-only, first), tanstackStart, viteReact, tailwindcss, tsConfigPaths,
 // nitro (build-only using cloudflare as a default target), VITE_* env injection, @ path alias,
 // React/TanStack dedupe, error logger plugins, and sandbox detection (port/host/strictPort).

// You can pass additional config via defineConfig({ vite: { ... }, etc... }) if needed.

import { defineConfig } from "@lovable.dev/vite-tanstack-config";

export default defineConfig({

tanstackStart: {

// Redirect TanStack Start's bundled server entry to src/server.ts (our SSR error wrapper).

// nitro/vite builds from this

server: { entry: "server" },

},

});

