

## Module 2 Quiz

Quiz, 5 questions

1  
point

1.

The function to use to make a string variable, string1, uppercase is:

- ☐ string1.toupper()
  - ☐ string.toupper(string1)
  - ☐ string1.upper()
  - ☐ string.upper(string1)
- 

1  
point

2.

A string variable, string2, has some lagging whitespace characters. You would remove these using:

- ☐ string2.lstrip()
  - ☐ string2.lstrip(' ')
  - ☐ string2.rstrip()
  - ☐ string2.rstrip(' ')
- 

1  
point

3.

What does NLTK's function word\_tokenize() do?

- ☐ It splits a sentence into words.
- ☐ It splits a word into characters.

## Module 2 Quiz

Quiz, 5 questions

It retains valid words and tokens in a sentence and removes invalid words.

It finds valid word forms for tokens in a sentence (i.e. maps all words to closest valid words).

1  
point

4.

What is a sentence parser typically used for?

- ☐ It is used to parse sentences to check if they are utf8 compliant.
- ☐ It is used to parse sentences to derive their most likely syntax tree structures.
- ☐ It is used to parse sentences to assign parts of speech tags to all tokens.
- ☐ It is used to check if sentences can be parsed into meaningful tokens.

1  
point

5.

If you want to map all derivationally related words to their root verb using NLTK, you will use:

- ☐ Lemmatizer
- ☐ Porter Stemmer
- ☐ Splitter
- ☐ Word sense disambiguator

☐ I, **HUIMIN PAN**, understand that submitting work that isn't my own may result in permanent failure of this course or deactivation of my Coursera account.

[Learn more about Coursera's Honor Code](#)

Submit Quiz



## Module 2 Quiz

Quiz, 5 questions