

ARP cache table update



ARP 캐시 테이블(Cache Table)



- IP주소와 MAC 주소의 대응 관계를 저장한 테이블
- ARP 캐시 테이블 확인 명령어 : arp -a



```
C:\>arp -a
```

```
인터페이스: 192.168.35.131 --- 0x4
```

인터넷 주소	물리적 주소	유형
192.168.35.1	00-23-aa-83-11-69	동적
192.168.35.115	38-8c-50-9a-9b-b1	동적
192.168.35.211	04-b4-29-bf-07-09	동적
192.168.35.255	ff-ff-ff-ff-ff-ff	정적
224.0.0.22	01-00-5e-00-00-16	정적
224.0.0.251	01-00-5e-00-00-fb	정적
224.0.0.252	01-00-5e-00-00-fc	정적
239.255.255.250	01-00-5e-7f-ff-fa	정적
255.255.255.255	ff-ff-ff-ff-ff-ff	정적







수MAC	송MAC	송IP	수IP	송Port	수Port	전송데이터
	1111. 1111.1111	192.168.1.10	192.168.1.20	50030	80	Get /www.test.com


송신지 수신지	ARP Header	Protocol	송MAC	수MAC
	2222.2222.2222 / 192.168.1.20 1111.1111.1111 / 192.168.1.10	0x0806	2222.2222.2222	1111.1111.1111

ARP Cache Table	
192.168.1.10	1111.1111.1111

IP 192.168.1.20
 SM 255.255.255.0
 MAC 2222.2222.2222
 BMAC FFFF.FFFF.FFFF



ARP Cache Table	
192.168.1.20	2222.2222.2222



IP 192.168.1.10
 SM 255.255.255.0
 MAC 1111.1111.1111

수MAC	송MAC	송IP	수IP	송Port	수Port	전송데이터
222.2222.2222	1111. 1111.1111	192.168.1.10	192.168.1.20	50030	80	Get /www.test.com