

QuakeKit

A control surface, not a webpage.

QuakeKit turns the DK ultrawide touch panel into a themeable command surface — a swappable top-level menu framing a shared layer of plugin sub-screens, driven by a rotary knob and touch. This book governs how the brand looks and behaves across every theme.

CONTENTS

01	Cover	11	Color · core
02	About & contents	12	Color · themes
03	Voice & tone	13	Type · display
04	Logo · anatomy	14	Type · system
05	Logo · clear space	15	Iconography
06	Logo · variations	16	Theme assets
07	Logo · misuse	17	Panel layout
08	Wordmark	18	Motion
09	App icon	19	In use
10	Tray icon	20	Asset index

§ 01 • VOICE

How QuakeKit speaks

Terse, technical, and quietly confident — the register of an instrument, not a consumer app. Labels are nouns; actions are verbs. No marketing gloss, no emoji.

TERSE

Short, dense, scannable at a glance from across the room. “48 min left”, not “About 48 minutes remaining.”

TECHNICAL

Real units, real state names. `connected` · pong `0.4s`. Trust the operator to read data.

NEUTRAL

Sentence case in UI, UPPERCASE only for kickers/labels. Third-person system voice; never “we”, rarely “you”.

Plugin action failed · exit 1

✓ Precise, states the fact


Oops! Something went wrong 🙄

✗ Cute, vague, emoji

§ 02 • LOGO

The Seismic mark

A “Q” for Quake built as the rotary knob — a ring, a seismograph trace, and a tail that breaks the ring. Two ideas, quake and knob, in one letter.

**RING**

The knob body. Stroke weight = $\frac{1}{4}$ unit; opening reserved for the tail.


**SEISMIC TRACE**

Always the accent color. A single asymmetric spike — never symmetric, never centered.

**TAIL**

Breaks the ring at 45° lower-right, turning the O into a Q. Slightly heavier than the ring.


Clear space & minimum size



Keep clear space of $\frac{1}{2}$ the mark's height ($\frac{1}{2}X$) on all sides. Nothing — type, edges, other marks — enters this zone.

MINIMUM SIZES

Below these the trace loses fidelity. Use the template (single-color) mark at small sizes.



Approved variations



ON DARK

Primary. White ring + cyan trace on ink.



ON LIGHT

Ink ring + system-blue trace.



ON ACCENT

Single-color knockout on cyan.



TEMPLATE

All-white, over imagery / menu bar.

Files: assets/brand/seismic-q-{ondark,onlight,mono}.svg · full color app icon seismic-q-appicon.svg.

Misuse

The mark is fixed geometry. Do not redraw, recolor the ring, or crowd it.



✗ Don't recolor the ring



✗ Don't rotate



✗ Don't stretch

✗ Don't add effects

Wordmark & lockup

QuakeKit



RULES

One word, camel-cased: **QuakeKit**. "Quake" medium, "Kit" bold. Never spaced, hyphenated, or all-caps in the wordmark. Set in Barlow Semi Condensed.

macOS app icon



Glyph at 0.82 scale inside the Big Sur squircle grid (824 / 1024, corner 185).

RENDERED SIZES · APPICON.ICONSET


NAME	POINTS	PIXELS
icon_16x16.png	16 pt	16px
icon_16x16@2x.png	16 pt	32px
icon_32x32.png	32 pt	32px
icon_32x32@2x.png	32 pt	64px
icon_128x128.png	128 pt	128px
icon_128x128@2x.png	128 pt	256px
icon_256x256.png	256 pt	256px
icon_256x256@2x.png	256 pt	512px
icon_512x512.png	512 pt	512px
icon_512x512@2x.png	512 pt	1024px

Build: `iconutil -c icns assets/brand/png/AppIcon.iconset`

§ 04 · APPLICATION

System tray icon

The old mark was a scale drawing of the 1920×480 panel — too wide for the menu bar. The tray icon is the mark on a square footprint, supplied as a monochrome **template image** (black + alpha) so macOS tints it for light/dark menu bars and selection.



TEMPLATE RULES

- Pure #000 fills + alpha. macOS owns the tint.
- Heavier strokes than the logo master for legibility at 16px.
- Ship @1x + @2x; name the NSImage ...Template.

Files: assets/brand/png/tray/trayTemplate{,@2x}.png · vector seismic-q-tray-template.svg.

Core palette

QuakeKit is black-first. Cyan is the single primary accent; magenta supports. Everything else is a health state.

INK VOID

#04070d

Deepest panel background, cover fields

INK

#0c0e12

Primary brand black, app-icon field, mark on light

PANEL SURFACE

#080d18

Base tiles, rows, controls

CYAN

#39f5ff

PRIMARY accent — mark trace, focus, active

MAGENTA

#ff5cdb

Secondary accent — progress, highlights

TEXT

#f4f9ff

Primary labels & values on dark

SUCCESS

#a7ff57

Nominal / healthy state

WARNING

#ffe66d

Attention / elevated

DANGER

#ff6b5c

Fault / failed action

DOC BLUE

#0a84ff

Docs links & focus (light world)

Nine themes, one contract

Switching theme remaps the panel tokens **and** the surface-treatment contract — geometry and elevation change, not just hue. Cyberpunk Neon is the base (`:root`); the rest are scope classes.

**Cyberpunk Neon**

Default · high-contrast

**Focus Dark**

Restrained operational

**Weather Glass**

Ambient passive

**Vantage Dark**

Ultra-professional

**Vantage Light**

Bright-room pro

**Aqua Glass Dark**

macOS vibrancy

**Aqua Glass Light**

macOS light

**BeOS Light**

Beveled retro

**BeOS Dark**

Beveled retro · dark

Barlow Semi Condensed

The display voice — condensed, dense, engineered. Used for titles, values, kickers and the wordmark. Web substitute for the source's Avenir Next Condensed.

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789 % ° · →

Type system & scale

ROLES

Barlow Semi Condensed

Display · titles, values, kickers, wordmark.

SF Pro Text

Body / UI · labels, captions, docs body. System-native on Apple.

New York

Serif · long-form docs headings only. Rare in-panel.

SF Mono

Data · metrics, IDs, state strings, code.

SCALE

Display / H1
64px · 700

Quake

Section / H2
40px · 700

Menu widgets

Kicker / H3
17px · 700 · UPPER

STATUS RAIL

Metric
42px · 700 ·
tabular

38%

Body
14.5px · 400


The panel is always dark.

Mono / data
12px · 500

vendor.hid 0.4s

Icons

The source ships no icon set, so QuakeKit standardizes on **Lucide** — 2px stroke, rounded caps, matching the mark. Never emoji, never filled/duotone glyphs in-panel.



RULES

- Stroke 2px, round caps + joins.
- Accent color for active/selected; secondary text otherwise.
- Size 16–26px in panel; align to text baseline.
- One icon per action — no decorative clusters.

✓ lucide, 2px


✗ emoji 🎲

✗ filled glyphs

Per-theme asset kits


Each theme ships a CSS asset kit — a backdrop, a window frame with its own title treatment, and control skins. All authored from tokens; no raster art.

BACKDROP




`.qk-backdrop` — Neon dot-grid, Vantage tech-grid, Aqua aurora, BeOS pinstripe.

FRAME



`.qk-frame` — Aqua traffic-lights, BeOS yellow tab, Vantage hairline.

CONTROLS



`.qk-btn` — Aqua gloss pill, BeOS bevel, Vantage flat.

The DK panel is always landscape and always dark. The menu widget owns all on-panel chrome; the knob drives a focus ring through it.



Knob & motion



The LED ring mirrors the active theme — `--knob-ring` / `-active` / `-anim`.

PRINCIPLES

- **Discrete, not floaty.** Focus snaps; content cross-fades ~160ms.
- **Glow themes pulse** (Neon), **glass themes fade** (Aqua/Weather), **flat/bevel themes are static** (Vantage/BeOS/Focus).
- Honor `prefers-reduced-motion` → no animation.
- No decorative loops on content. Motion signals state only.

The mark in context



Boot splash — mark centered on ink with a faint cyan wash.

QuakeKit

v1.0



Settings header — template mark + wordmark, left-aligned.



9:41

Menu-bar agent — template icon, tinted by macOS.

Assets & licensing

FILES

assets/brand/*.svg	Mark masters (mono, on-dark, on-light, app icon, tray, wordmarks)
assets/brand/png/AppIcon.iconset/	10 macOS app-icon PNGs (16→1024)
assets/brand/png/tray/	Template tray icons @1x/@2x
styles.css → tokens/	Color, type, spacing, themes, asset kits

NOTES

Display face **Barlow Semi Condensed** (Google) substitutes Avenir Next Condensed. Body/serif use the real Apple faces (SF Pro Text, New York) — **local-use only, not for redistribution**. Icons are Lucide (CDN). No logo existed in the source; the Seismic mark is original to QuakeKit.

QuakeKit