INTERFACE & IDENTITY STANDARDS

SolariNet

Unified systems, network & asset monitoring

A corrective pass over the generated identity — colour, type, mark, iconography and the dashboard that carries them.

Revision 2 replaces the generated first pass — a 1920×1080 deck built on the Modernist template. It keeps the restrained cyberpunk character of the product and corrects both layers of fault: a guide that specified a font it never loaded and omitted status colour entirely, and an interface that consequently used colour, glow and monospace without assigning any of them a job.

VERSION	2.0.0	SUPERSEDES	1.x generated	FORMAT	Letter · 816×1056
DATE	2026-07-29	OWNER	SolariNet	THEMES	Dark · Light

SECTION 00

Contents

Eighteen pages. Each settles one question and states the rule a developer applies without asking.

§	SECTION	WHAT IT SETTLES
01	Audit of Rev 1	Fourteen findings, ranked by damage to legibility
02	Colour architecture	Why brand must leave the status hues
03	Palette	Three tiers, capped, with print values
04	Contrast	Every approved pairing, measured at render
05	Status system	Six states and the one encoding each may use
06	Quiet-healthy principle	How 100+ nodes stay readable at a glance
07	Logo	Three candidates, one recommendation
08	Logo construction	Unit, clear space, minimum size
09	Logo misuse	Six failures already present in Rev 1
10	Typography	Two faces and the mono/sans division of labour
11	Type scale	Nine steps with a stated body floor
12	Iconography	One library, one grid, one stroke
13	Components	Before and after for the six that carry the UI
14	Layout & density	Grid, wrap behaviour, tile minimums
15	Empty states & copy	Vocabulary, and what to render when data is absent
16	Handoff	Ordered change list for implementation

Reading order. Sections 02 and 05–06 are the substance of the revision; everything else follows from them. If only one change ships, ship the colour architecture.

SECTION 01

Audit of Rev 1

Read from the v1 guide source and the three dashboard captures. The guide-level faults come first because they caused most of the interface-level ones.

GUIDE-LEVEL — THE SPECIFICATION ITSELF

G1 The specified font never loads
ds/styles.css imports Archivo, then index.html overrides it to IBM Plex Sans without loading it; the guide falls back to system-ui.

G2 No monospace token exists
The product is predominantly monospace. The guide defines --font-heading and --font-body only, so the dominant face in the UI is ungoverned.

G3 No functional colour tier
The palette page ships three swatches — accent, ink, ground. No green, amber or red. A monitoring tool's entire vocabulary is undefined.

G4 One face presented as two
Heading and body resolve to the same family at different weights. The "two faces maximum" rule is satisfied by having effectively one.

G5 Template palette left in place
The underlying system still carries Modernist's vermilion ramp #EC3013 and Archivo. Overrides sit on top rather than replacing it.

G6 Deck format for a developer document
1920×1080 and 24px suit presentations. Token, scale and component contracts belong on Letter pages.

INTERFACE-LEVEL — WHAT REACHED THE SCREEN

01 Brand colour sits on the status hue
Teal chrome and healthy mint sit too close; logo, focus and “up” read as one state.

02 Monospace on human language
Navigation, buttons, chips and headings all use mono, following G2.

03 Glow on nominal states
Every KPI card glows; six halos leave no focal point for faults.

04 Colour without meaning
Teal pool cards show zero systems; MONITORS 0/0 is violet without a defined role.

05 A card contradicts itself
DOWN 1 in red above the caption 0 critical alerts. One card, opposite conclusions.

06 Hostnames truncate
chlori… nitrog… tungst… Identity is the one field that must never clip; tiles are too narrow.

07 Two tile designs in one grid
Some tiles carry a sparkline, others the literal word SYSTEM over an empty bar.

08 Machine identifiers in chrome
ACTIVE C2 shows a 19-digit ID where operators need a hostname.

09 Placeholders shipped as content
A group heading rendered as —, a version as V—. These read as defects, not absence.

10 Counts disagree across views
Header says 18 systems; sidebar and Systems page say 9. The operator cannot tell which is right.

11 Status drawn as a control
Heartbeat uses an on/off switch — it invites a tap that does nothing and reads as operator state.

12 Severity encoded thrice, then zero
Alert rows carry bar, dot and icon; the Systems table then drops the dot for down.

13 Icon set is not a set
Solid and outline mixed, stroke weights inconsistent, several glyphs off any shared grid.

14 Muted text below threshold
Captions such as no systems yet fall under 3:1 and vanish at arm's length on a tablet.

The single root cause. The guide never assigned jobs — it named an accent and a face, omitted status colour and monospace, and left the template's palette underneath. With nothing specified, the interface used teal, glow and monospace as decoration. Rev 2 gives each one exactly one job and forbids the rest.

SECTION 02

Colour architecture

One rule governs the whole palette: a hue that reports condition may not also decorate the interface.

REV 1 — COLLISION

- brand / nav / focus
- status · healthy

Two hues, 18° apart. On a wall of tiles the operator cannot separate "this is chrome" from "this is fine".

REV 2 — SEPARATED

- brand / nav / focus · azure
- status · healthy · green

Azure is reserved for interface. Green, amber and red belong to condition and appear nowhere else.

Hue assignment

HUE	OWNS	NEVER USED FOR
Azure	Chrome, links, focus, selection, info	Any condition or severity
Green	Healthy / operational only	Buttons, brand, emphasis
Amber	Degraded, over tolerance, stale	Decoration, highlights
Red	Down, critical, destructive action	Counts that are not faults
Violet	Maintenance — operator-declared	Unknown or missing data
Slate	Unknown, unreported, disabled	Anything actionable

Coverage ceilings

Accent ≤ 10%
Azure covers no more than a tenth of any surface: active nav item, focused control, one primary button, links.

Fault ≤ 5%
Amber and red together stay under a twentieth. If a screen exceeds it the screen is a triage list, not a dashboard.

Glow ≤ 1 element
Outer glow marks the single most severe item in view. Two glows in one region is a defect.

Why the brand moved rather than the status hue. Status green, amber and red are conventions an operator brings from every other tool; they are not ours to reassign. The brand is ours. Moving the accent to azure costs one logo revision and settles the ambiguity permanently.

SECTION 03

Palette

Three tiers. Primary capped at three. Values are dark-theme; the light column carries the paired token.

TIER 1 · PRIMARY

Signal Azure
Accent · interactive
#22B8F0 · 34 184 240
C72 M13 Y0 K6

Void
Ground
#070A0F · 7 10 15
C53 M33 Y0 K94

Halide
Ink
#DFE8F2 · 223 232 242
C8 M4 Y0 K5

TIER 2 · NEUTRALS & SURFACES

Surface
#0E151D

Raised
#16202C

Divider
#22303F

Divider hi
#31465C

Ink dim
#9DB0C4

Ink faint
#6E8399

Quiet
#4E6B7E

Unknown
#7C8AA0

TIER 3 · FUNCTIONAL — CONDITION ONLY

Operational
#3DD68C · up

Degraded
#F5A623 · warn

Down
#FF4D5E · crit

Maintenance
#9B87FF

Changed from Rev 1. v1 defined three swatches — accent, ink, ground — and no functional tier at all; tier 3 below is entirely new, and its absence is why the dashboard's status colours drifted. Accent teal `#35E0D0` is retired to clear the status hues. Healthy mint darkens to `#3DD68C` so it recedes against ink. Ink-faint rises from `#54687F` to clear 3:1. Violet is reassigned from decoration to maintenance. The Modernist vermilion ramp is removed rather than overridden.

SECTION 04

Contrast

Ratios below are computed in the browser at render time from the hex values on the previous page. None are authored.

APPROVED PAIRINGS · DARK THEME

FOREGROUND	VOID #070A0F	SURFACE #0E151D	RAISED #16202C	VERDICT
Ink	16.0:1	14.8:1	13.3:1	AAA body
Ink dim	8.9:1	8.3:1	7.4:1	AAA body
Ink faint	5.1:1	4.7:1	4.2:1	AA large / chrome
Azure	8.7:1	8.0:1	7.2:1	AAA body
Operational	10.6:1	9.8:1	8.8:1	AAA body
Degraded	9.8:1	9.1:1	8.1:1	AAA body
Down	6.1:1	5.7:1	5.1:1	AA body
Maintenance	6.9:1	6.4:1	5.7:1	AA body

Thresholds applied

≥ **7:1** body text at any size.
≥ **4.5:1** body text 14px and above.
≥ **3:1** icons, chrome, 19px+ or bold 14px+.
< 3:1 prohibited — struck through above.

Rules that follow

Ink-faint is licensed for uppercase mono labels at 10px and above only, never for prose. Status hues are legible as text on all three grounds but are used as fills and dots first, text second.

Non-colour redundancy. No state is signalled by hue alone. Every one pairs its colour with a distinct glyph and a text label, so the system survives monochrome print, deuteranopia and a sunlit tablet.

SECTION 05

Status system

Six states. Each has one colour, one glyph, one label and a defined chrome treatment. Nothing else may indicate condition.

STATE	GLYPH	CHROME	MEANING
Operational	● filled	Hairline divider only	Reporting, all metrics in tolerance
Degraded	▲ triangle	Amber 1px border	Reporting, one or more over tolerance
Down	■ square	Red border + sole glow	Reachability lost from every vantage
Maintenance	◆ diamond	Violet dashed border	Alerting suppressed by an operator
Unknown	○ hollow	Slate border, 60% opacity	Enrolled, never reported
Stale	◖ half	Slate border + age badge	Last report older than 3 intervals

One encoding per row

REV 1 — TRIPLE ENCODED, THEN NONE

● ▲ **PiHole 1 is down**
reachability lost

PiHole 1 down

Bar, dot and icon all say "critical" in the alert; the table then says it in plain ink with no marker at all.

REV 2 — CONSISTENT

CRIT **PiHole 1 is down**
core-infra · reachability lost · 4m

PiHole 1 ● down

Severity once, as a labelled pill. The state cell always carries dot plus word, in every table.

Status is observed, never operable. Toggles, switches and sliders are reserved for controls the operator can actually change. Heartbeat, reachability and health render as indicators — a dot, a sparkbar, a timestamp — and are never drawn as a switch.

SECTION 06

The quiet-healthy principle

At 300 systems, roughly nine in ten are fine. Painting the majority bright is what hides the minority that is not.

REV 1 — EVERY TILE LIT



Ten healthy tiles glow as hard as the two faults. Finding the fault is a reading task, not a glance.

REV 2 — EXCEPTIONS ONLY



Healthy is structural — hairline border, no fill, no glow. The eye lands on the two exceptions immediately.

Emphasis budget by state

STATE	BORDER	FILL	GLOW	DOT
Operational	divider	none	none	green 8px
Degraded	amber	12%	none	amber 8px
Down	red	16%	yes	red 8px
Maintenance	violet dash	none	none	violet 8px
Unknown / stale	slate	none	none	hollow 8px

Consequence for the grid. A healthy fleet renders as a calm lattice of hairlines. Any colour on screen is information. This is what lets the same view work at three systems and at three hundred.

SECTION 07

Logo


The v1 mark places the product's critical red on two of six satellites, so the app icon permanently reports two faults. Three replacement candidates follow.

REV 1 MARK — AS SHIPPED

Two satellites are #FF3D72 — the crit red from the dashboard. Four are accent teal. The mark asserts a fleet state, and the exported PNG bakes in an outer glow and a grid plate.

CORRECTION

One accent hue only, in the app and in every export. Six satellites reduce to three — at 16px the six read as an indistinct ring. Status colour is permitted on the satellites in one place only: the live favicon, where reporting fleet state is the intent.



A · Vantage triad


RECOMMENDED

A server hub with three monitor vantages — the product's actual architecture. Distinct at 16px, survives one colour, and the three satellites can carry state in the favicon.



B · Aperture

Three arcs around a solid core — reads "solar" and "sweep". Elegant but generic; several monitoring tools already use an iris, and it says nothing about topology.



C · Quadrant

A four-cell grid echoing the fleet heatmap. Strong as a favicon and trivially scalable, but indistinguishable from a dozen dashboard products.

Wordmark

REV 1

solariNet

Monospace flattens the letterforms and widens the mark unnecessarily. The colour split on "Net" adds a second brand hue with no rationale and fails in one-colour print.

REV 2

Solari**Net**


Plex Sans, weight contrast instead of colour contrast — 300 against 600. Holds the compound name, prints in one ink, and keeps the capital the product name actually carries.

Lockups to produce. Horizontal (mark + wordmark, default), stacked, mark alone (favicon, PWA icon, collapsed rail) and one-colour reversed — all four as SVG from one source path, none carrying a baked-in glow or background plate.

SECTION 08

Construction & clear space

Candidate A on a 24-unit grid. Every dimension is a multiple of the unit; nothing is optically nudged.



UNIT (U)	hub width ÷ 6
CANVAS	24u × 24u
HUB	6u, radius 1.6u
ORBIT RADIUS	8u from centre
SATELLITES	3.2u square, 45°
SATELLITE ANGLES	−90° · 30° · 150°
SPOKE STROKE	1.1u, 55% opacity
CLEAR SPACE	2u on all sides
MIN SIZE · SCREEN	16px canvas
MIN SIZE · PRINT	6mm canvas

Clear space

The dashed frame sits 2u — one third of the hub — outside the canvas on every side. No type, rule or edge enters it. In the collapsed nav rail the rail padding satisfies this; no extra inset is needed.

Below minimum

Under 16px the spokes disappear before the satellites do, leaving four ambiguous squares. Below that threshold use the hub alone as a solid rounded square.

Favicon behaviour. The three satellites may each take a status colour to give the browser tab and installed PWA icon an at-a-glance fleet summary: all green nominal, one amber degraded, one red fault. This is the only sanctioned recolouring of the mark.

SECTION 09

Logo misuse

Six failures, five of them present in Rev 1. Prohibitions only.



Never box the mark in a filled tile

The container competes with the mark and doubles its visual weight in the nav.

solariNet

Never split the wordmark by colour

Fails in one ink and introduces a second brand hue with no defined role.

SolariNet

Never set the wordmark in monospace

Mono is the data face. Using it for identity removes the distinction that makes it useful.



Never render the mark in a status hue

A green logo asserts fleet health. Only the favicon satellites may take state colour.



Never rotate off the vertical axis

The top satellite is the orientation cue; rotating it makes the mark read as a random cluster.



Never stretch to fill a container

Scale proportionally. The canvas is square; letterbox the space around it instead.

Also prohibited: adding an outer glow or drop shadow to the mark, placing it on a photographic background without a solid plate, reproducing it below the stated minimum, and redrawing the satellites as circles.

SECTION 10

Typography

The faces were not the problem in Rev 1; their assignment was. Two faces, and a hard rule about which words get which.

Aa Ee Rr

Fleet overview · Reachability

abcdefghijklmnopqrstuvwxyz 0123456789

FACE	IBM Plex Sans
CLASSIFICATION	Neo-grotesque
FOUNDRY	IBM · Bold Monday
LICENCE	SIL OFL 1.1
WEIGHTS	300 · 400 · 600

Aa Ee Rr

10.42.11.84 · 4.2ms

abcdefghijklmnopqrstuvwxyz 0123456789

FACE	IBM Plex Mono
CLASSIFICATION	Monospace
FOUNDRY	IBM · Bold Monday
LICENCE	SIL OFL 1.1
WEIGHTS	400 · 600

Division of labour

SANS — HUMAN LANGUAGE

Navigation, buttons, headings, prose, captions, empty-state copy, alert titles, form labels, tab names, filter chips.

MONO — MACHINE VALUES

Hostnames, IP and MAC, ports, node IDs, metric numerals, byte and bit rates, durations, timestamps, config keys, log excerpts, certificate fingerprints.

REV 1 — MONO EVERYWHERE

MONITOR
Fleet Overview
Reachability
Topology Map

Section label and items share one face and near one weight. Nothing leads; the eye has no entry point.

REV 2 — ASSIGNED

MONITOR
Fleet Overview
Reachability
Topology Map

Mono survives only on the section label, where its tracking is the point. Items gain a real weight step.

Both faces must actually load. v1 imported Archivo over the network, then overrode both tokens to IBM Plex Sans and imported nothing — so the guide and the app rendered in `system-ui`. Self-host both families as WOFF2 subsets with `@font-face` and `font-display:swap`. No network dependency, and PDF export keeps its measurements.

Tabular figures are mandatory wherever numbers stack — tables, KPI rows, metric columns. Set `font-variant-numeric: tabular-nums` so digits do not shimmy as values tick.

SECTION 11

Type scale

Nine steps. Rev 1 ran on effectively three, which is why headings and captions read as one texture.

SPECIMEN	ROLE	SIZE	LH	WT	USE
Display	display	28px	1.15	300	Login, install splash only
Page title	h1	22px	1.2	600	One per screen
Panel heading	h2	16px	1.25	600	Card and panel headers
Row title	h3	13.5px	1.3	600	Alert titles, nav active
Body copy	body	13.5px	1.45	400	Prose — the floor for sentences
Caption	caption	12px	1.4	400	Sub-values under a metric
248	metric	24px	1.05	600	KPI numerals, tabular
10.42.11.84	data	12px	1.35	400	Identifiers, table values
MICRO LABEL	label	10px	1	700	Uppercase only · +0.15em

Floors

13.5px for any sentence. **12px** for values and captions. **10px** for uppercase mono labels — the only step permitted below 12, and never for prose. Nothing renders under 10px.

Touch on tablet

The primary client is Safari on iPad. Every interactive row, chip, toggle and nav item keeps a **44px** minimum hit box regardless of the type step inside it.

What changed. Rev 1 used 23px sans for the page title and mono uppercase for everything else. The mid-range — panel heading, row title, caption — was missing, so cards had no internal hierarchy. Steps 3 through 6 above are the addition.

SECTION 12

Iconography

Rev 1 mixed solid and outline glyphs at inconsistent weights. Adopt one library and stop drawing bespoke marks.

Library

LIBRARY	Lucide
LICENCE	ISC
GRID	24 × 24
STROKE	1.75px, round cap
SIZES	16 · 18 · 20 · 24
FILL	none — outline only

One exception: status indicators are **solid** geometric primitives (dot, triangle, square, diamond, ring) drawn in-house on the same 24-grid. They are not icons and must not be swapped for library glyphs.

Nav mapping

Fleet	layout-grid
Reachability	radio
Topology	network
Alerts	triangle-alert
Analysis	activity
Systems	server
Inventory	package
Discovery	scan-search
Provisioning	plus-square
Certificates	shield-check

Rules

Never mix fills

An outline nav beside a solid nav glyph reads as two states. All chrome icons are outline; only status primitives are solid.

Icons do not carry state

A glyph names a thing. Its colour may follow selection, never condition — condition belongs to the adjacent status primitive.

Never icon-only

Every icon in the collapsed rail keeps an accessible name and a tooltip on focus. Badges beside them use one shape and one colour rule.

Badge correction. Rev 1's collapsed rail carried three badges in three colours and two shapes — 88 amber, 1 green, 166 green. Badges are a single pill; red only for unacknowledged criticals, slate for everything else that is merely a count.

SECTION 13

Components

The six that carry the dashboard, corrected. Specifications beneath each are the implementation contract.

METRIC CARD — GLOW REMOVED, ACCENT RULE EARNS ITS PLACE

SYSTEMS	OPERATIONAL	DEGRADED	DOWN
248	231	14	3
monitored hosts	93% in tolerance	over tolerance	3 critical alerts

Nominal cards are neutral — no coloured underline, no halo. Colour appears only when the value is a fault, and the caption must agree with the number above it.

NODE TILE — ONE DESIGN, IDENTITY NEVER TRUNCATED

chlorine ●
10.42.11.9

tungsten ●
10.42.11.14

molybdenum ●
10.42.11.31 · cpu 94%

praseodymium ●
10.42.11.44 · 4m ago

neodymium ○
maintenance · 2h

Minimum tile width **132px** so element hostnames fit whole. Every tile carries the same three rows — name + dot, mono meta, sparkline — with no second variant.

ALERT ROW · TABLE STATE CELL · HEARTBEAT

CRIT **PiHole 1 unreachable**
core-infra · all 2 vantages · 4m

WARN **Split vantage on tcp/443**
10.0.0.254 · failing from 1 of 2 · 11m

SYSTEM	STATE	HEARTBEAT
chemistry	● up	12s
PiHole 1	● down	..... 4m

Severity is stated once, as a labelled pill. Heartbeat becomes a sparkbar plus age — an indicator, not the switch Rev 1 drew. Switches are reserved for controls such as enabling a rule.

SECTION 14

Layout & density

Fixed column counts instead of auto-fit, so a metric row never orphans its last card.

REV 1 — SIX AUTO-FIT CARDS



The sixth card orphans onto its own row at four-fifths of the width unused.

REV 2 — FOUR PRIMARY, TWO SECONDARY



Four headline metrics at full weight; supporting figures drop to an inline strip that cannot orphan.

Grid & spacing

BASE UNIT	4px	SIDEBAR	248px · 64px collapsed
SCALE	4 · 8 · 12 · 16 · 22 · 32 · 48	TOP BAR	60px
PAGE PADDING	22px / 26px desktop	CONTENT MAX	1640px, centred
PANEL PADDING	16px	TILE MIN WIDTH	132px
CARD GAP	12px	METRIC ROW	4 columns fixed
TILE GAP	8px	TOUCH TARGET	44px minimum

Breakpoints

NAME	WIDTH	SIDEBAR	BEHAVIOUR
Wall	≥1600	expanded	Metric row 4-up, tiles 8–10 per row
Desktop	1200–1599	expanded	Metric row 4-up, two-column panels
Tablet landscape	1024–1199	collapsed rail	Primary target — panels single column
Tablet portrait	768–1023	overlay drawer	Metric row 2-up, detail panels stack

No hover-only information. The primary client is a touch device. Every value revealed on hover must also be reachable by tap, and no tooltip may be the sole source of a status, a threshold or an identifier.

SECTION 15

Empty states & vocabulary

Rev 1 shipped placeholder glyphs as content. Absence is a state with copy, not a dash.

CORRECTIONS

REV 1 RENDERS	REV 2 RENDERS	WHY
—	Unassigned	A group with no pool needs a name, not an em dash masquerading as one
V—	Version unavailable	Reads as a broken template; state that the controller is not reporting
0/0	No monitors enrolled	Zero of zero is a division, not a status; offer the enrolment action
0 SEGMENTS	Segments not configured	Distinguish "none exist yet" from "none matched"
no systems yet	Empty pool · Add systems	An empty pool is an invitation; give it the action and drop the glow
0%	Awaiting first sample	Zero percent CPU across a live fleet is almost certainly no data

Three kinds of nothing

Not configured
The feature exists, the operator has not set it up. Name it and offer the primary action. Neutral chrome.

No data yet
Configured, awaiting first report. Say what is expected and when. Slate, never a zero value.

Filtered to nothing
Data exists but the filter excludes it. Restate the filter and offer to clear it. Never the same copy as the two above.

Vocabulary — one word per concept

USE	MEANS	NEVER
System	A physical or virtual host under monitoring	`node, machine, box`
Application	A watched service or process on a system	`proc, service, app`
Target	A probed network endpoint — proto, host, port	`check, probe, endpoint`
Vantage	A monitor's viewpoint onto a target	`agent, collector`
Pool	An operator-defined group of systems	`segment, group, cluster`
Segment	A network range — CIDR-defined, not chosen	`subnet, zone, VLAN`

Counts must agree. Rev 1 reported 18 systems in one header and 9 in another. One count per concept, derived once, rendered everywhere from the same source — and label it with the noun above, never "nodes".

SECTION 16

Handoff

Fix the specification first — three of its faults are why the interface drifted. Then the UI list, ordered by legibility gained per line touched.

G1 · Load the fonts

Remove Archivo. Self-host Plex Sans and Mono as WOFF2 subsets; otherwise the guide and app use `system-ui`.

G2 · Add a mono token

Define `--font-mono`; the product's dominant face currently has no system token.

G3 · Add the functional tier

Define status tokens for ok, degraded, down, maintenance and unknown. Remove the old vermilion ramp instead of overriding it.

#	CHANGE	TOUCHES	SIZE
1	Retire accent teal; adopt azure for all chrome	`--teal → --accent` tokens	S
2	Strip glow and coloured rule from nominal cards	`.kpi, .cell,` pool cards	S
3	Sans for nav, buttons, chips, headings	`.nav-item, .seg, .chip, .kpi__k`	S
4	Raise ink-faint to clear 3:1	`--ink-faint` token	S
5	Tile min-width 132px; single tile variant	`.heat, .cell`	M
6	Quiet-healthy: neutral chrome for operational	`.cell.up, .tile,` table rows	M
7	State cell always dot + label, every table	`.grid td,` Systems table	S
8	Heartbeat switch → sparkbar + age	Systems table heartbeat column	M
9	Severity once per row; drop redundant dot and icon	`.alert-row`	S
10	Replace node ID in top bar with hostname	`.statuschip`	S
11	Empty-state copy per section 15	sidebar footer, pool cards, groups	M
12	Reconcile system counts to one source	summary derivation	M
13	Metric row to fixed 4 columns	`.kpis`	S
14	Swap icon set to Lucide, outline only	icons module	L
15	New mark and wordmark; strip baked glow from exports	`.brand, manifest, icons/, mark.svg`	M
16	Add Maintenance state end to end	data model, tiles, tables, rules	L

Assets to produce

Mark as SVG in four lockups, no baked glow; favicon 16/32; PWA icons 192/512 plus maskable 512; Plex Sans and Plex Mono self-hosted as WOFF2 subsets. All under SIL OFL 1.1 and ISC — no licence blockers.

Not settled here

Trademark and usage restrictions on the SolariNet name are the owner's to state; this guide specifies visual construction only. Motion timings remain unspecified pending a decision on live-tick animation.

Standing rule. When the guide is silent, ask whether a pixel tells the operator something new. Keep useful decoration; remove the rest.