

```

import { useState, useEffect, useCallback, useRef, createContext, useContext } fr

/* =====
  NORDIC SKI CLUB - Full Website Application
  Mobile-first · CMS-enabled · Accessible
  ===== */

// --- Context ---
const AppContext = createContext();
const useApp = () => useContext(AppContext);

// --- Data Store (simulates CMS backend) ---
const initialEvents = [
  { id: 1, title: "Moonlight Ski", date: "2026-03-07", time: "7:00 PM", location:
  { id: 2, title: "Jackrabbit Session 6", date: "2026-03-08", time: "10:00 AM", l
  { id: 3, title: "Classic Technique Workshop", date: "2026-03-14", time: "1:00 P
  { id: 4, title: "Annual General Meeting", date: "2026-04-15", time: "7:00 PM",
  { id: 5, title: "Spring Loppet Fun Race", date: "2026-03-22", time: "10:00 AM",
];

const initialPrograms = [
  { id: 1, name: "Jackrabbits", ages: "Ages 5-9", schedule: "Saturdays, 10:00 AM
  { id: 2, name: "Track Attack", ages: "Ages 9-13", schedule: "Saturdays, 10:00 A
  { id: 3, name: "Adult Ski Lessons", ages: "Ages 16+", schedule: "Sundays, 1:00
  { id: 4, name: "Loppet Training Group", ages: "Ages 16+", schedule: "Tuesdays &
  { id: 5, name: "Adaptive Nordic", ages: "All Ages", schedule: "By Appointment",
];

const initialGroomerLog = [
  { id: 1, date: "2026-02-26", time: "6:30 AM", author: "Mike T.", status: "groom
  { id: 2, date: "2026-02-25", time: "7:00 AM", author: "Mike T.", status: "groom
  { id: 3, date: "2026-02-23", time: "6:45 AM", author: "Dave R.", status: "groom
];

const initialAbout = {
  history: "Founded in 1987, the St. Anthony Nordic Ski Club has been promoting c
  executives: [
    { id: 1, name: "Sarah Mitchell", role: "President", since: "2024" },
    { id: 2, name: "James Rowe", role: "Vice President", since: "2023" },
    { id: 3, name: "Karen Pilgrim", role: "Treasurer", since: "2025" },
    { id: 4, name: "Tom Brenton", role: "Secretary", since: "2024" },
    { id: 5, name: "Mike Tarrant", role: "Trail Director", since: "2022" },
    { id: 6, name: "Lisa Compton", role: "Program Coordinator", since: "2025" },
  ],

```

```

    faqs: [
      { id: 1, q: "Do I need to be a member to ski?", a: "Day passes are available,"
      { id: 2, q: "What age can children start?", a: "Our Jackrabbit program welcom
      { id: 3, q: "Do you offer equipment rentals?", a: "Yes! We have a full rental
      { id: 4, q: "Are the trails lit for night skiing?", a: "The 2.5km Main Loop i
      { id: 5, q: "How do I know if trails are groomed?", a: "Check our Trails page
    ],
  };

const initialRental = {
  intro: "We maintain a fleet of quality rental equipment so everyone can enjoy N
  packages: [
    { id: 1, name: "Adult Classic Package", price: "$15/day · $50/season", detail
    { id: 2, name: "Adult Skate Package", price: "$18/day · $60/season", details:
    { id: 3, name: "Youth Package (under 16)", price: "$10/day · $30/season", det
    { id: 4, name: "Snowshoe Package", price: "$10/day · $30/season", details: "A
  ],
  policies: "Rentals are available at the lodge during staffed hours (Saturdays 9
};

// — Fonts & Styles (injected into head) —
const FONTS_URL = "https://fonts.googleapis.com/css2?family=Cormorant+Garamond:it

const GlobalStyles = () => {
  useEffect(() => {
    if (!document.getElementById("ski-club-fonts")) {
      const link = document.createElement("link");
      link.id = "ski-club-fonts";
      link.rel = "stylesheet";
      link.href = FONTS_URL;
      document.head.appendChild(link);
    }
  }, []);
  return null;
};

// — Theme —
const theme = {
  colors: {
    navy: "#1a2744",
    navyLight: "#2a3d5e",
    accent: "#c8956c",
    accentHover: "#b8845c",
    snow: "#f7f5f2",
    white: "ffffff",
    warmGray: "#e8e5e0",
    midGray: "#9ca3af",

```

```

    text: "#1a1a1a",
    textLight: "#4a5568",
    success: "#2d6a4f",
    warning: "#d97706",
    danger: "#dc2626",
    info: "#2563eb",
  },
  fonts: {
    display: "'Cormorant Garamond', Georgia, serif",
    body: "'Outfit', -apple-system, sans-serif",
  },
  radius: "12px",
  shadow: "0 2px 16px rgba(26,39,68,0.08)",
  shadowHover: "0 8px 32px rgba(26,39,68,0.14)",
  transition: "all 0.25s cubic-bezier(0.4, 0, 0.2, 1)",
};

```

// — Utility Components —————

```

const Icon = ({ name, size = 20 }) => {
  const icons = {
    home: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    calendar: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" str
    users: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke
    book: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    map: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke="
    key: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke="
    package: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stro
    info: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    menu: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    x: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke="cu
    edit: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    plus: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    trash: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke
    check: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke
    chevron: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stro
    clock: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke
    sun: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke="
    snow: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    log: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke="
    external: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" str
    phone: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke
    mail: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke=
    mapPin: <svg width={size} height={size} viewBox="0 0 24 24" fill="none" strok
    facebook: <svg width={size} height={size} viewBox="0 0 24 24" fill="currentCo
    instagram: <svg width={size} height={size} viewBox="0 0 24 24" fill="currentC
    strava: <svg width={size} height={size} viewBox="0 0 24 24" fill="currentColo
  }
}

```

```

    };
    return icons[name] || null;
  };

// — Editable Field Component —
const EditableText = ({ value, onChange, multiline = false, label, type = "text"
  const { cmsMode } = useApp();
  if (!cmsMode) {
    if (multiline) return <div style={{ whiteSpace: "pre-wrap" }}>{value}</div>;
    return <span>{value}</span>;
  }
  const baseStyle = {
    width: "100%",
    padding: "10px 14px",
    border: `2px dashed ${theme.colors.accent}`,
    borderRadius: "8px",
    fontFamily: theme.fonts.body,
    fontSize: "inherit",
    lineHeight: "inherit",
    color: theme.colors.text,
    backgroundColor: "rgba(200,149,108,0.06)",
    outline: "none",
    resize: multiline ? "vertical" : "none",
    boxSizing: "border-box",
  };
  if (multiline) {
    return (
      <div>
        {label} && <label style={{ fontSize: "12px", color: theme.colors.accent, f
        <textarea value={value} onChange={e => onChange(e.target.value)} style={{
        </div>
      );
    }
    return (
      <div>
        {label} && <label style={{ fontSize: "12px", color: theme.colors.accent, fon
        <input type={type} value={value} onChange={e => onChange(e.target.value)} s
        </div>
      );
    };
  };

// — Trail Status Banner —
const TrailBanner = ({ groomerLog, navigate }) => {
  const latest = groomerLog[0];
  if (!latest) return null;
  const isGroomed = latest.status === "groomed";
  return (

```

```

<div
  onClick={() => navigate("trails")}
  style={{
    background: isGroomed
      ? `linear-gradient(135deg, ${theme.colors.success}, #3a8c6a)`
      : `linear-gradient(135deg, ${theme.colors.danger}, #e8453a)`,
    color: "#fff",
    padding: "10px 20px",
    textAlign: "center",
    cursor: "pointer",
    fontFamily: theme.fonts.body,
    fontSize: "14px",
    fontWeight: 500,
    letterSpacing: "0.5px",
    display: "flex",
    alignItems: "center",
    justifyContent: "center",
    gap: 8,
  }}
>
  <span style={{ fontSize: "16px" }}>{isGroomed ? "✓" : "✗"}</span>
  <span>
    Trails: {isGroomed ? "GROOMED" : "NOT GROOMED"} — {latest.conditions.subs
      {latest.conditions.length > 60 ? "... " : ""}
    </span>
    <span style={{ opacity: 0.8, fontSize: "12px", marginLeft: 4 }}>TAP FOR DET
  </div>

);
};

// — Weather Widget (Live — Open-Meteo API) —
// St. Anthony, NL: 51.37°N, 55.59°W
const WEATHER_LAT = 51.37;
const WEATHER_LON = -55.59;
const WEATHER_API = `https://api.open-meteo.com/v1/forecast?latitude=${WEATHER_LA

// WMO weather code → human label + emoji
const weatherCodeMap = {
  0: { label: "Clear Sky", icon: "☀️" },
  1: { label: "Mainly Clear", icon: "🌤️" },
  2: { label: "Partly Cloudy", icon: "⛅️" },
  3: { label: "Overcast", icon: "☁️" },
  45: { label: "Fog", icon: "🌫️" },
  48: { label: "Rime Fog", icon: "🌫️" },
  51: { label: "Light Drizzle", icon: "🌧️" },
  53: { label: "Drizzle", icon: "🌧️" },
  55: { label: "Heavy Drizzle", icon: "🌧️" },

```

```

56: { label: "Freezing Drizzle", icon: "🌧️" },
57: { label: "Heavy Freezing Drizzle", icon: "🌧️" },
61: { label: "Light Rain", icon: "🌧️" },
63: { label: "Rain", icon: "🌧️" },
65: { label: "Heavy Rain", icon: "🌧️" },
66: { label: "Freezing Rain", icon: "🌧️" },
67: { label: "Heavy Freezing Rain", icon: "🌧️" },
71: { label: "Light Snow", icon: "❄️" },
73: { label: "Snow", icon: "❄️" },
75: { label: "Heavy Snow", icon: "❄️" },
77: { label: "Snow Grains", icon: "❄️" },
80: { label: "Light Showers", icon: "🌧️" },
81: { label: "Showers", icon: "🌧️" },
82: { label: "Heavy Showers", icon: "🌧️" },
85: { label: "Light Snow Showers", icon: "❄️" },
86: { label: "Heavy Snow Showers", icon: "❄️" },
95: { label: "Thunderstorm", icon: "🌩️" },
96: { label: "Thunderstorm w/ Hail", icon: "🌩️" },
99: { label: "Thunderstorm w/ Heavy Hail", icon: "🌩️" },
};

const windDirectionLabel = (deg) => {
  const dirs = ["N", "NNE", "NE", "ENE", "E", "ESE", "SE", "SSE", "S", "SSW", "SW"];
  return dirs[Math.round(deg / 22.5) % 16];
};

const WeatherWidget = ({ compact = false }) => {
  const [weather, setWeather] = useState(null);
  const [forecast, setForecast] = useState(null);
  const [loading, setLoading] = useState(true);
  const [error, setError] = useState(null);
  const [lastUpdated, setLastUpdated] = useState(null);
  const [showForecast, setShowForecast] = useState(false);

  useEffect(() => {
    let mounted = true;

    const fetchWeather = async () => {
      try {
        setLoading(true);
        const res = await fetch(WEATHER_API);
        if (!res.ok) throw new Error(`Weather API error: ${res.status}`);
        const data = await res.json();
        if (!mounted) return;

        const c = data.current;
        const code = weatherCodeMap[c.weather_code] || { label: "Unknown", icon:

```

```

    setWeather({
      temp: Math.round(c.temperature_2m),
      feelsLike: Math.round(c.apparent_temperature),
      condition: code.label,
      icon: code.icon,
      wind: `${windDirectionLabel(c.wind_direction_10m)} ${Math.round(c.wind_
      windSpeed: Math.round(c.wind_speed_10m),
      humidity: `${c.relative_humidity_2m}%`,
      snowfall: c.snowfall,
      precipitation: c.precipitation,
    });

    // Build 5-day forecast
    if (data.daily) {
      const d = data.daily;
      const days = d.time.map((date, i) => {
        const dayCode = weatherCodeMap[d.weather_code[i]] || { label: "-", ic
        return {
          date,
          dayName: new Date(date + "T12:00:00").toLocaleDateString("en-CA", {
          high: Math.round(d.temperature_2m_max[i]),
          low: Math.round(d.temperature_2m_min[i]),
          snowfall: d.snowfall_sum[i],
          precip: d.precipitation_sum[i],
          icon: dayCode.icon,
          label: dayCode.label,
        };
      });
      setForecast(days);
    }

    setLastUpdated(new Date());
    setError(null);
  } catch (err) {
    if (!mounted) return;
    setError(err.message);
  } finally {
    if (mounted) setLoading(false);
  }
};

fetchWeather();
// Refresh every 15 minutes
const interval = setInterval(fetchWeather, 15 * 60 * 1000);
return () => { mounted = false; clearInterval(interval); };
}, []);

```

```

// — Compact mode (used in mobile menu) —
if (compact) {
  if (loading) return <div style={{ fontSize: "13px", color: "#fff", opacity: 0
  if (error || !weather) return (
    <a href="https://open-meteo.com/en/docs#latitude=51.37&longitude=-55.59" ta
    <span><img alt="weather icon" data-bbox="258 141 278 156"/></span><span>Check St. Anthony Weather →</span>
    </a>
  );
  return (
    <div style={{ display: "flex", alignItems: "center", gap: 6, fontSize: "13p
    <span>{weather.icon}</span>
    <span>{weather.temp}°C</span>
    <span style={{ opacity: 0.6 }}>|</span>
    <span>{weather.condition}</span>
    {weather.windSpeed >= 30 && <span style={{ marginLeft: 4, background: "rg
    </div>
  );
}

// — Loading State —
if (loading) {
  return (
    <div style={{
      background: `linear-gradient(135deg, ${theme.colors.navy}, ${theme.colors
      borderRadius: theme.radius,
      padding: "24px",
      color: "#fff",
      fontFamily: theme.fonts.body,
      minHeight: 180,
      display: "flex",
      alignItems: "center",
      justifyContent: "center",
    }}>
    <div style={{ textAlign: "center" }}>
      <div style={{ fontSize: "32px", marginBottom: 12, animation: "pulse 1.5
      <div style={{ fontSize: "14px", opacity: 0.7 }}>Fetching live weather f
      <style>{@keyframes pulse { 0%,100% { opacity: 1; } 50% { opacity: 0.4;
      </div>
    </div>
  );
}

// — Fallback State (sandbox or API unavailable) —
if (error || !weather) {
  const WEATHER_LINK = `https://open-meteo.com/en/docs#latitude=${WEATHER_LAT}&
  const EC_LINK = "https://weather.gc.ca/city/pages/nl-20_metric_e.html";
  return (

```



```

<div style={{
  background: `linear-gradient(135deg, ${theme.colors.navy}, ${theme.colors
  borderRadius: theme.radius,
  color: "#fff",
  fontFamily: theme.fonts.body,
  overflow: "hidden",
}}>
<div style={{ padding: "24px", position: "relative" }}>
  /* Decorative snow pattern */
  <div style={{ position: "absolute", top: 0, left: 0, right: 0, bottom:
  <div style={{ position: "relative", zIndex: 1 }}>
    <div style={{ display: "flex", alignItems: "flex-start", justifyConte
      <div>
        <div style={{ fontSize: "12px", textTransform: "uppercase", lette
        <div style={{ fontSize: "28px", fontWeight: 700, lineHeight: 1, f
        <div style={{ fontSize: "13px", opacity: 0.65, lineHeight: 1.5 }}
          Live data loads automatically when deployed.<br />
          Check current conditions below.
        </div>
      </div>
    </div>
    <div style={{ fontSize: "44px", lineHeight: 1 }}><img alt="snowflake icon" data-bbox="718 428 735 445"/></div>
  </div>
</div>

  /* Quick weather links */
  <div style={{ borderTop: "1px solid rgba(255,255,255,0.1)" }}>
    <a
      href={EC_LINK}
      target="_blank"
      rel="noopener noreferrer"
      style={{
        display: "flex",
        alignItems: "center",
        justifyContent: "space-between",
        padding: "16px 24px",
        color: "#fff",
        textDecoration: "none",
        borderBottom: "1px solid rgba(255,255,255,0.06)",
        transition: theme.transition,
      }}
    >
    <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
      <span style={{ fontSize: "20px" }}><img alt="flame icon" data-bbox="588 870 605 887"/></span>
      <div>
        <div style={{ fontSize: "14px", fontWeight: 600 }}>Environment Ca
        <div style={{ fontSize: "12px", opacity: 0.6 }}>Official forecast

```

```

        </div>
    </div>
    <Icon name="external" size={16} />
</a>
<a
  href={WEATHER_LINK}
  target="_blank"
  rel="noopener noreferrer"
  style={{
    display: "flex",
    alignItems: "center",
    justifyContent: "space-between",
    padding: "16px 24px",
    color: "#fff",
    textDecoration: "none",
    transition: theme.transition,
  }}
>
  <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
    <span style={{ fontSize: "20px" }}><img alt="snowflake icon" data-bbox="588 412 608 428"/></span>
    <div>
      <div style={{ fontSize: "14px", fontWeight: 600 }}>Open-Meteo Liv
      <div style={{ fontSize: "12px", opacity: 0.6 }}>Temperature, wind
    </div>
  </div>
  <Icon name="external" size={16} />
</a>
</div>

{/* Skiing tip */}
<div style={{ padding: "12px 24px 14px", background: "rgba(255,255,255,0.1)" }}>
  <span><img alt="lightbulb icon" data-bbox="281 641 301 657"/> Tip: Check wind chill before heading out – it matters n
</div>
</div>

);
}

// — Skiing advisory logic —
const getSkiAdvisory = () => {
  if (weather.windSpeed >= 50) return { text: "Extreme wind – skiing not recomm
  if (weather.windSpeed >= 35) return { text: "High wind advisory – use caution
  if (weather.temp <= -30) return { text: "Extreme cold – limit exposure, cover
  if (weather.temp <= -20) return { text: "Very cold – dress in layers, watch f
  if (weather.condition.includes("Freezing Rain")) return { text: "Freezing rai
  if (weather.snowfall > 0) return { text: `${weather.snowfall} cm fresh snow f
  if (weather.temp >= 0 && weather.temp <= 3) return { text: "Near-zero temps –
  if (weather.feelsLike >= -15 && weather.feelsLike <= -5 && weather.windSpeed

```

```

    return null;
};

const advisory = getSkiAdvisory();

// — Full Widget —
return (
  <div style={{
    background: `linear-gradient(135deg, ${theme.colors.navy}, ${theme.colors.n
    borderRadius: theme.radius,
    color: "#fff",
    fontFamily: theme.fonts.body,
    overflow: "hidden",
  }}>
    {/* Main Weather */}
    <div style={{ padding: "24px 24px 16px" }}>
      <div style={{ display: "flex", alignItems: "flex-start", justifyContent:
        <div>
          <div style={{ fontSize: "12px", textTransform: "uppercase", letterSpacing:
            St. Anthony, NL
            <span style={{ width: 6, height: 6, borderRadius: "50%", background
          </div>
          <div style={{ fontSize: "42px", fontWeight: 700, lineHeight: 1, fontF
            <div style={{ fontSize: "14px", opacity: 0.8, marginTop: 4 }}>Feels l
            <div style={{ fontSize: "15px", marginTop: 6, fontWeight: 500 }}>{wea
          </div>
          <div style={{ fontSize: "52px", lineHeight: 1 }}>{weather.icon}</div>
        </div>

    {/* Skiing Advisory */}
    {advisory && (
      <div style={{
        background: `${advisory.color}20`,
        border: `1px solid ${advisory.color}40`,
        borderRadius: "8px",
        padding: "10px 14px",
        fontSize: "13px",
        fontWeight: 500,
        display: "flex",
        alignItems: "center",
        gap: 8,
        marginBottom: 4,
      }}>
        <span>{advisory.icon}</span>
        <span>{advisory.text}</span>
      </div>
    )}

```

```
</div>
```

```
{/* Current Details */}
```

```
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", gap: 12,
  <div>
    <div style={{ fontSize: "11px", textTransform: "uppercase", letterSpacing: 1.5,
      <div style={{ fontSize: "14px", fontWeight: 500 }}>{weather.wind}</div>
    </div>
    <div>
      <div style={{ fontSize: "11px", textTransform: "uppercase", letterSpacing: 1.5,
        <div style={{ fontSize: "14px", fontWeight: 500 }}>{weather.humidity}</div>
      </div>
      <div>
        <div style={{ fontSize: "11px", textTransform: "uppercase", letterSpacing: 1.5,
          <div style={{ fontSize: "14px", fontWeight: 500 }}>{weather.snowfall}</div>
        </div>
      </div>
    </div>
  </div>
```

```
{/* 5-Day Forecast Toggle */}
```

```
{forecast && forecast.length > 0 && (
  <>
    <button
      onClick={() => setShowForecast(!showForecast)}
      style={{
        width: "100%",
        background: "rgba(255,255,255,0.05)",
        border: "none",
        borderTop: "1px solid rgba(255,255,255,0.08)",
        color: "#fff",
        padding: "12px 24px",
        fontSize: "13px",
        fontWeight: 500,
        cursor: "pointer",
        fontFamily: theme.fonts.body,
        display: "flex",
        alignItems: "center",
        justifyContent: "center",
        gap: 6,
        transition: theme.transition,
      }}
    >
      <span>{showForecast ? "Hide" : "Show"} 5-Day Forecast</span>
      <span style={{ transform: showForecast ? "rotate(180deg)" : "rotate(0deg)",
        <Icon name="chevron" size={14} />
      </span>
    </button>
```

```

{showForecast && (
  <div style={{
    display: "grid",
    gridTemplateColumns: `repeat(${forecast.length}, 1fr)` ,
    borderTop: "1px solid rgba(255,255,255,0.08)",
    padding: "16px 12px",
    gap: 4,
  }}>
    {forecast.map((day, i) => (
      <div key={day.date} style={{
        textAlign: "center",
        padding: "8px 4px",
        borderRadius: "10px",
        background: i === 0 ? "rgba(255,255,255,0.08)" : "transparent",
      }}>
        <div style={{ fontSize: "12px", fontWeight: 600, opacity: i ===
          {i === 0 ? "Today" : day.dayName}
        </div>
        <div style={{ fontSize: "22px", marginBottom: 4 }}>{day.icon}</
        <div style={{ fontSize: "13px", fontWeight: 600 }}>{day.high}°<
        <div style={{ fontSize: "12px", opacity: 0.5 }}>{day.low}°</div>
        {day.snowfall > 0 && (
          <div style={{ fontSize: "10px", marginTop: 4, background: "rg
             {day.snowfall}cm
          </div>
        )}
      </div>
    ))}
  </div>
)}

</>
)}

{ /* Last Updated */}
<div style={{
  padding: "8px 24px 12px",
  fontSize: "11px",
  opacity: 0.4,
  textAlign: "right",
  borderTop: showForecast ? "1px solid rgba(255,255,255,0.05)" : "none",
}}>
  {lastUpdated ? `Updated ${lastUpdated.toLocaleTimeString("en-CA", { hour:
  </div>
</div>
);
};

```

```
// — Strava Club Widget —————
// Production: Uses Strava API v3 with OAuth (club scope)
// Endpoint: GET https://www.strava.com/api/v3/clubs/{club_id}/activities
// Requires: Client ID, Client Secret, refresh token with read scope
const STRAVA_CLUB_URL = "https://www.strava.com/clubs/YOUR_CLUB_ID"; // Replace w

const stravaActivities = [
  { id: 1, athlete: "Sarah M.", type: "Nordic Ski", name: "Morning Classic – Main", distance: 10.2, duration: 1200, calories: 1000, avatar: "SM" },
  { id: 2, athlete: "James R.", type: "Nordic Ski", name: "Riverside + Forest Loop", distance: 15.5, duration: 1800, calories: 1500, avatar: "JR" },
  { id: 3, athlete: "Tom B.", type: "Nordic Ski", name: "Quick Lunch Ski", distance: 5.0, duration: 600, calories: 500, avatar: "TB" },
  { id: 4, athlete: "Lisa C.", type: "Nordic Ski", name: "Skate Session – Interval", distance: 8.7, duration: 1000, calories: 800, avatar: "LC" },
  { id: 5, athlete: "Dave R.", type: "Nordic Ski", name: "Evening Headlamp Ski", distance: 12.1, duration: 1500, calories: 1200, avatar: "DR" },
  { id: 6, athlete: "Karen P.", type: "Nordic Ski", name: "Snowshoe Hike – Forest Loop", distance: 7.3, duration: 900, calories: 700, avatar: "KP" }
];

const stravaLeaderboard = [
  { rank: 1, name: "Lisa C.", distance: 87.4, activities: 14, avatar: "LC" },
  { rank: 2, name: "Dave R.", distance: 72.1, activities: 11, avatar: "DR" },
  { rank: 3, name: "Sarah M.", distance: 65.8, activities: 9, avatar: "SM" },
  { rank: 4, name: "Tom B.", distance: 54.2, activities: 12, avatar: "TB" },
  { rank: 5, name: "James R.", distance: 48.9, activities: 8, avatar: "JR" },
];

const StravaWidget = ({ compact = false }) => {
  const [tab, setTab] = useState("activity"); // "activity" | "leaderboard"
  const [expanded, setExpanded] = useState(false);

  const displayActivities = expanded ? stravaActivities : stravaActivities.slice(0, 3);

  const rankColors = { 1: "#FFD700", 2: "#C0C0C0", 3: "#CD7F32" };
  const rankEmoji = { 1: "🥇", 2: "🥈", 3: "🥉" };

  if (compact) {
    return (
      <div style={{
        background: theme.colors.white,
        borderRadius: theme.radius,
        boxShadow: theme.shadow,
        overflow: "hidden",
      }}>
        <div style={{
          background: "#FC4C02",
          padding: "16px 20px",
          display: "flex",
          alignItems: "center",
          justifyContent: "space-between",
        }}>

```

```

    <div style={{ display: "flex", alignItems: "center", gap: 10, color: "#
      <Icon name="strava" size={20} />
      <span style={{ fontFamily: theme.fonts.body, fontWeight: 600, fontSiz
    </div>
    <a
      href={STRAVA_CLUB_URL}
      target="_blank"
      rel="noopener noreferrer"
      style={{ color: "#fff", fontSize: "12px", fontFamily: theme.fonts.bod
    >
      Join Club <Icon name="external" size={12} />
    </a>
  </div>
  <div style={{ padding: "12px 16px" }}>
    {stravaActivities.slice(0, 2).map(a => (
      <div key={a.id} style={{ padding: "8px 0", borderBottom: `1px solid $
        <div style={{ fontSize: "13px", fontWeight: 600, color: theme.color
          <div style={{ fontSize: "12px", color: theme.colors.textLight }}>{a
        </div>
      </div>
    ))}
  </div>
</div>
);
}

return (
  <div style={{
    background: theme.colors.white,
    borderRadius: theme.radius,
    boxShadow: theme.shadow,
    overflow: "hidden",
  }}>
    <div style={{
      background: "linear-gradient(135deg, #FC4C02, #e8430a)",
      padding: "20px 24px",
      display: "flex",
      alignItems: "center",
      justifyContent: "space-between",
    }}>
      <div style={{ display: "flex", alignItems: "center", gap: 12, color: "#ff
        <Icon name="strava" size={24} />
        <div>
          <div style={{ fontFamily: theme.fonts.body, fontWeight: 700, fontSize
            <div style={{ fontFamily: theme.fonts.body, fontSize: "12px", opacity
          </div>
        </div>
      </div>
    </div>
  </div>
);

```

```

<a
  href={STRAVA_CLUB_URL}
  target="_blank"
  rel="noopener noreferrer"
  style={{
    background: "rgba(255,255,255,0.2)",
    color: "#fff",
    padding: "8px 16px",
    borderRadius: "8px",
    fontSize: "13px",
    fontWeight: 600,
    fontFamily: theme.fonts.body,
    textDecoration: "none",
    display: "flex",
    alignItems: "center",
    gap: 6,
    border: "1px solid rgba(255,255,255,0.3)",
    transition: theme.transition,
  }}
>
  Join on Strava <Icon name="external" size={13} />
</a>
</div>

{/* Club Stats Bar */}
<div style={{
  display: "grid",
  gridTemplateColumns: "1fr 1fr 1fr",
  borderBottom: `1px solid ${theme.colors.warmGray}`,
  background: theme.colors.snow,
}}>
  {[
    { label: "Members", value: "47" },
    { label: "This Week", value: "142 km" },
    { label: "Activities", value: "38" },
  ]}.map(stat => (
    <div key={stat.label} style={{ padding: "14px 16px", textAlign: "center" }}>
      <div style={{ fontSize: "18px", fontWeight: 700, color: theme.colors.
        <div style={{ fontSize: "11px", color: theme.colors.midGray, textTran
      </div>
    </div>
  )})
</div>

{/* Tab Toggle */}
<div style={{ display: "flex", borderBottom: `1px solid ${theme.colors.warm
  {[
    { id: "activity", label: "Recent Activity" },

```



```

    { id: "leaderboard", label: "Leaderboard" },
  ].map(t => (
    <button
      key={t.id}
      onClick={() => setTab(t.id)}
      style={{
        flex: 1,
        padding: "12px",
        background: "none",
        border: "none",
        borderBottom: tab === t.id ? "3px solid #FC4C02" : "3px solid trans",
        fontFamily: theme.fonts.body,
        fontSize: "13px",
        fontWeight: tab === t.id ? 700 : 500,
        color: tab === t.id ? "#FC4C02" : theme.colors.midGray,
        cursor: "pointer",
        transition: theme.transition,
      }}
    >
      {t.label}
    </button>
  ))}
</div>

{/* Tab Content */}
<div style={{ padding: "8px 0" }}>
  {tab === "activity" ? (
    <>
      {displayActivities.map((activity, i) => (
        <div
          key={activity.id}
          style={{
            padding: "14px 24px",
            borderBottom: i < displayActivities.length - 1 ? `1px solid ${t
            fontFamily: theme.fonts.body,
            transition: theme.transition,
          }}
        >
          <div style={{ display: "flex", justifyContent: "space-between", a
            <div style={{ display: "flex", alignItems: "center", gap: 10 }}
              <div style={{
                width: 32,
                height: 32,
                borderRadius: "50%",
                background: `linear-gradient(135deg, #FC4C02, #e8430a)`,
                color: "#fff",
                display: "flex",

```

```

        alignItems: "center",
        justifyContent: "center",
        fontSize: "11px",
        fontWeight: 700,
        flexShrink: 0,
    }}>
        {activity.athlete.split(" ").map(n => n[0]).join("")}
    </div>
    <div>
        <div style={{ fontSize: "14px", fontWeight: 600, color: the
        <div style={{ fontSize: "12px", color: theme.colors.midGray
        </div>
    </div>
    <div style={{ display: "flex", alignItems: "center", gap: 4, fo
        ❤️ {activity.kudos}
    </div>
</div>
<div style={{ fontSize: "14px", fontWeight: 500, color: theme.col
    {activity.name}
</div>
<div style={{ display: "flex", gap: 16, paddingLeft: 42 }}>
    {[
        { label: "Distance", value: `${activity.distance} km` },
        { label: "Time", value: activity.time },
        { label: "Elevation", value: `${activity.elevation} m` },
    ].map(s => (
        <div key={s.label}>
            <div style={{ fontSize: "11px", color: theme.colors.midGray
            <div style={{ fontSize: "13px", fontWeight: 600, color: the
            </div>
        </div>
    ))}
    </div>
</div>
    )))
    {stravaActivities.length > 3 && (
        <button
            onClick={() => setExpanded(!expanded)}
            style={{
                width: "100%",
                padding: "14px",
                background: theme.colors.snow,
                border: "none",
                borderTop: `1px solid ${theme.colors.warmGray}`,
                fontSize: "13px",
                fontWeight: 600,
                color: "#FC4C02",
                cursor: "pointer",

```

```

        fontFamily: theme.fonts.body,
        display: "flex",
        alignItems: "center",
        justifyContent: "center",
        gap: 6,
      }}
    >
    {expanded ? "Show Less" : `Show All ${stravaActivities.length} Ac
    <span style={{ transform: expanded ? "rotate(180deg)" : "rotate(0
      <Icon name="chevron" size={14} />
    </span>
    </button>
  )}
</>
) : (
<>
  <div style={{ padding: "8px 24px 4px" }}>
    <div style={{ fontSize: "11px", color: theme.colors.midGray, textTr
      This Month · Distance
    </div>
  </div>
  {stravaLeaderboard.map((entry, i) => (
    <div
      key={entry.rank}
      style={{
        padding: "12px 24px",
        display: "flex",
        alignItems: "center",
        gap: 14,
        borderBottom: i < stravaLeaderboard.length - 1 ? `1px solid ${t
        fontFamily: theme.fonts.body,
        background: entry.rank <= 3 ? `${rankColors[entry.rank]}08` : "
      }}
    >
    <div style={{
      width: 28,
      fontSize: entry.rank <= 3 ? "18px" : "14px",
      fontWeight: 700,
      color: entry.rank <= 3 ? rankColors[entry.rank] : theme.colors.
      textAlign: "center",
    }}>
      {rankEmoji[entry.rank] || `#${entry.rank}`}
    </div>
    <div style={{
      width: 36,
      height: 36,
      borderRadius: "50%",

```

```

        background: entry.rank === 1
          ? "linear-gradient(135deg, #FC4C02, #FFD700)"
          : `linear-gradient(135deg, ${theme.colors.navy}, ${theme.colors.midGray})`;
        color: "#fff",
        display: "flex",
        alignItems: "center",
        justifyContent: "center",
        fontSize: "12px",
        fontWeight: 700,
        flexShrink: 0,
      }}>
      {entry.avatar}
    </div>
    <div style={{ flex: 1 }}>
      <div style={{ fontSize: "14px", fontWeight: 600, color: theme.colors.midGray }}>
        <div style={{ fontSize: "12px", color: theme.colors.midGray }}>
          <div style={{ textAlign: "right" }}>
            <div style={{ fontSize: "16px", fontWeight: 700, color: "#FC4C02" }}>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

{ /* Production note */ }
<div style={{
  padding: "10px 24px 12px",
  fontSize: "11px",
  color: theme.colors.midGray,
  textAlign: "center",
  borderTop: `1px solid ${theme.colors.warmGray}`,
  background: theme.colors.snow,
}}>
  Powered by Strava · Activities update automatically
</div>
</div>
);
};

// — Social Media Feed Widget —
// Production: Facebook Graph API + Instagram Basic Display API
// Facebook: GET /{page-id}/posts?fields=message,created_time,full_picture,permalink
// Instagram: GET /me/media?fields=caption,media_url,permalink,timestamp,media_type

const FACEBOOK_URL = "https://facebook.com/YOUR_PAGE"; // Replace with actual FB

```

```
const INSTAGRAM_URL = "https://instagram.com/YOUR_HANDLE"; // Replace with actual

const socialPosts = [
  {
    id: 1,
    platform: "facebook",
    author: "St. Anthony Nordic Ski Club",
    date: "2026-02-26",
    time: "7:15 AM",
    content: "Fresh groom this morning on all loops! 8cm of new snow overnight ma
    likes: 24,
    comments: 6,
    shares: 3,
    image: null,
    type: "update",
  },
  {
    id: 2,
    platform: "instagram",
    author: "stanthonyskiclub",
    date: "2026-02-25",
    time: "4:30 PM",
    content: "Golden hour on the Riverside Trail tonight 🌅 There's nothing quite
    likes: 48,
    comments: 8,
    image: "photo",
    type: "photo",
  },
  {
    id: 3,
    platform: "facebook",
    author: "St. Anthony Nordic Ski Club",
    date: "2026-02-24",
    time: "12:00 PM",
    content: "🏔️ REMINDER: Moonlight Ski is next Saturday, March 7th at 7PM! Head
    likes: 31,
    comments: 12,
    shares: 8,
    image: null,
    type: "event",
  },
  {
    id: 4,
    platform: "instagram",
    author: "stanthonyskiclub",
    date: "2026-02-23",
    time: "11:00 AM",
```

```

      content: "Our Jackrabbits crushing it at Session 5! 🐰🏂 So proud of these yo
      likes: 72,
      comments: 15,
      image: "photo",
      type: "photo",
    },
    {
      id: 5,
      platform: "facebook",
      author: "St. Anthony Nordic Ski Club",
      date: "2026-02-22",
      time: "5:00 PM",
      content: "Big thanks to our incredible grooming team – Mike and Dave – who ha
      likes: 56,
      comments: 18,
      shares: 5,
      image: null,
      type: "appreciation",
    },
  ],
];

```

```

const SocialFeedWidget = ({ limit = 4 }) => {
  const [filter, setFilter] = useState("all"); // "all" | "facebook" | "instagram
  const [expanded, setExpanded] = useState(false);

```

```

  const filtered = filter === "all" ? socialPosts : socialPosts.filter(p => p.pla
  const display = expanded ? filtered : filtered.slice(0, limit);

```

```

  const platformStyle = {
    facebook: { color: "#1877F2", bg: "#1877F215", icon: "facebook", label: "Face
    instagram: { color: "#E4405F", bg: "#E4405F15", icon: "instagram", label: "In
  };

```

```

  const timeAgo = (dateStr) => {
    const diff = Date.now() - new Date(dateStr).getTime();
    const days = Math.floor(diff / 86400000);
    if (days === 0) return "Today";
    if (days === 1) return "Yesterday";
    if (days < 7) return `${days} days ago`;
    return `${Math.floor(days / 7)}w ago`;
  };

```

```

  return (
    <div style={{
      background: theme.colors.white,
      borderRadius: theme.radius,
      boxShadow: theme.shadow,

```

```

        overflow: "hidden",
    }}>
    { /* Header */ }
    <div style={{
        padding: "20px 24px",
        borderBottom: `1px solid ${theme.colors.warmGray}`,
        display: "flex",
        alignItems: "center",
        justifyContent: "space-between",
        flexWrap: "wrap",
        gap: 12,
    }}>
        <div>
            <div style={{ fontFamily: theme.fonts.display, fontSize: "22px", fontWe
            <div style={{ fontFamily: theme.fonts.body, fontSize: "13px", color: th
            </div>
            <div style={{ display: "flex", gap: 6 }}>
                <a href={FACEBOOK_URL} target="_blank" rel="noopener noreferrer" style=
                    width: 36, height: 36, borderRadius: "10px", background: "#1877F215",
                }}>
                    <Icon name="facebook" size={16} />
                </a>
                <a href={INSTAGRAM_URL} target="_blank" rel="noopener noreferrer" style
                    width: 36, height: 36, borderRadius: "10px", background: "#E4405F15",
                }}>
                    <Icon name="instagram" size={16} />
                </a>
            </div>
        </div>
    </div>

    { /* Filter Tabs */ }
    <div style={{ display: "flex", borderBottom: `1px solid ${theme.colors.warm
        {
            { id: "all", label: "All Posts" },
            { id: "facebook", label: "Facebook", icon: "facebook" },
            { id: "instagram", label: "Instagram", icon: "instagram" },
        ]}.map(f => (
            <button
                key={f.id}
                onClick={() => setFilter(f.id)}
                style={{
                    flex: 1,
                    padding: "10px 12px",
                    background: "none",
                    border: "none",
                    borderBottom: filter === f.id ? `3px solid ${f.id === "facebook" ?
                    fontFamily: theme.fonts.body,

```

```

        fontSize: "12px",
        fontWeight: filter === f.id ? 700 : 500,
        color: filter === f.id ? theme.colors.navy : theme.colors.midGray,
        cursor: "pointer",
        display: "flex",
        alignItems: "center",
        justifyContent: "center",
        gap: 6,
        transition: theme.transition,
    }}
    >
    {f.icon && <span style={{ color: platformStyle[f.id]?.color }}><Icon
    {f.label}
    </button>
    )}}
</div>

{/* Posts */}
<div>
    {display.map((post, i) => {
        const ps = platformStyle[post.platform];
        return (
            <div
                key={post.id}
                style={{
                    padding: "20px 24px",
                    borderBottom: i < display.length - 1 ? `1px solid ${theme.colors.
                    fontFamily: theme.fonts.body,
                }}
            >
                {/* Post Header */}
                <div style={{ display: "flex", alignItems: "center", gap: 12, margi
                    <div style={{
                        width: 40,
                        height: 40,
                        borderRadius: "12px",
                        background: ps.bg,
                        display: "flex",
                        alignItems: "center",
                        justifyContent: "center",
                        color: ps.color,
                        flexShrink: 0,
                    }}>
                        <Icon name={ps.icon} size={18} />
                    </div>
                    <div style={{ flex: 1 }}>
                        <div style={{ fontSize: "14px", fontWeight: 600, color: theme.c

```



```

      <div style={{ fontSize: "12px", color: theme.colors.midGray, di
        <span>{timeAgo(post.date)}</span>
        <span style={{ opacity: 0.4 }}>·</span>
        <span style={{ color: ps.color, fontWeight: 500 }}>{ps.label}
      </div>
    </div>
  </div>

```

```

  {/* Post Content */}
  <div style={{
    fontSize: "14px",
    lineHeight: 1.65,
    color: theme.colors.text,
    marginBottom: 12,
  }}>
    {post.content}
  </div>

```

```

  {/* Image Placeholder (for Instagram photo posts) */}
  {post.image === "photo" && (
    <div style={{
      background: `linear-gradient(135deg, ${theme.colors.navy}15, ${
        borderRadius: "10px",
        height: 180,
        display: "flex",
        alignItems: "center",
        justifyContent: "center",
        marginBottom: 12,
        position: "relative",
        overflow: "hidden",
      }}>
      {/* Decorative forest/snow scene */}
      <svg viewBox="0 0 400 180" style={{ width: "100%", height: "100
        <defs>
          <linearGradient id={`sky-${post.id}`} x1="0%" y1="0%" x2="0
            <stop offset="0%" stopColor="#c8d6e5" />
            <stop offset="100%" stopColor="#dfe6ed" />
          </linearGradient>
        </defs>
        <rect width="400" height="180" fill={`url(#sky-${post.id})`}
      {/* Snow ground */}
      <path d="M 0,130 Q 50,120 100,128 Q 180,140 250,125 Q 320,115
      {/* Trees */}
      [[60, 140, 200, 280, 340].map((x, idx) => {
        const h = 40 + (idx % 3) * 15;
        return (
          <g key={idx}>

```

```

        <rect x={x - 2} y={130 - h * 0.3} width="4" height={h *
        <polygon points={`${x},${130 - h} ${x - 12 - idx * 2},${
        <polygon points={`${x},${130 - h + 15} ${x - 15 - idx *
    </g>
    );
  }}}
  {/* Ski tracks */}
  <path d="M 30,145 Q 120,142 200,148 Q 300,152 380,145" fill="
  <path d="M 30,147 Q 120,144 200,150 Q 300,154 380,147" fill="
</svg>
<div style={{
  position: "relative",
  zIndex: 1,
  background: "rgba(255,255,255,0.8)",
  backdropFilter: "blur(4px)",
  padding: "8px 16px",
  borderRadius: "8px",
  fontSize: "12px",
  color: theme.colors.textLight,
  fontFamily: theme.fonts.body,
}}>
  📷 Photo from {ps.label}
</div>
</div>
))

{/* Engagement Stats */}
<div style={{
  display: "flex",
  gap: 16,
  fontSize: "13px",
  color: theme.colors.midGray,
  paddingTop: 8,
  borderTop: `1px solid ${theme.colors.warmGray}`,
}}>
  <span style={{ display: "flex", alignItems: "center", gap: 4 }}>
    ❤️ {post.likes}
  </span>
  <span style={{ display: "flex", alignItems: "center", gap: 4 }}>
    💬 {post.comments}
  </span>
  {post.shares && (
    <span style={{ display: "flex", alignItems: "center", gap: 4 }}>
      🔄 {post.shares}
    </span>
  )}
</div>

```

```

        </div>
    );
  }}}
</div>

{/* Show More / Follow CTA */}
{filtered.length > limit && (
  <button
    onClick={() => setExpanded(!expanded)}
    style={{
      width: "100%",
      padding: "14px",
      background: theme.colors.snow,
      border: "none",
      borderTop: `1px solid ${theme.colors.warmGray}`,
      fontSize: "13px",
      fontWeight: 600,
      color: theme.colors.navy,
      cursor: "pointer",
      fontFamily: theme.fonts.body,
      display: "flex",
      alignItems: "center",
      justifyContent: "center",
      gap: 6,
    }}
  >
    {expanded ? "Show Less" : `View All Posts`}
    <span style={{ transform: expanded ? "rotate(180deg)" : "rotate(0)", transition: "transform 0.2s ease-in-out 0s" }}>
      <Icon name="chevron" size={14} />
    </span>
  </button>
)}

{/* Follow Banner */}
<div style={{
  padding: "16px 24px",
  background: `linear-gradient(135deg, ${theme.colors.navy}, ${theme.colors.snow})`,
  display: "flex",
  alignItems: "center",
  justifyContent: "space-between",
  flexWrap: "wrap",
  gap: 12,
}}>
  <div style={{ color: "#fff", fontFamily: theme.fonts.body }}>
    <div style={{ fontSize: "14px", fontWeight: 600 }}>Stay in the loop!</div>
    <div style={{ fontSize: "12px", opacity: 0.7 }}>Follow us for trail updates</div>
  </div>

```

```

<div style={{ display: "flex", gap: 8 }}>
  <a
    href={FACEBOOK_URL}
    target="_blank"
    rel="noopener noreferrer"
    style={{
      background: "#1877F2",
      color: "#fff",
      padding: "8px 14px",
      borderRadius: "8px",
      fontSize: "12px",
      fontWeight: 600,
      fontFamily: theme.fonts.body,
      textDecoration: "none",
      display: "flex",
      alignItems: "center",
      gap: 6,
      transition: theme.transition,
    }}
  >
    <Icon name="facebook" size={14} /> Follow
  </a>
  <a
    href={INSTAGRAM_URL}
    target="_blank"
    rel="noopener noreferrer"
    style={{
      background: "linear-gradient(135deg, #E4405F, #C13584, #833AB4)",
      color: "#fff",
      padding: "8px 14px",
      borderRadius: "8px",
      fontSize: "12px",
      fontWeight: 600,
      fontFamily: theme.fonts.body,
      textDecoration: "none",
      display: "flex",
      alignItems: "center",
      gap: 6,
      transition: theme.transition,
    }}
  >
    <Icon name="instagram" size={14} /> Follow
  </a>
</div>
</div>
</div>
);

```

```

};
const navItems = [
  { id: "home", label: "Home", icon: "home" },
  { id: "events", label: "Events", icon: "calendar" },
  { id: "programs", label: "Programs", icon: "book" },
  { id: "trails", label: "Trails", icon: "map" },
  { id: "rentals", label: "Rentals", icon: "package" },
  { id: "membership", label: "Join", icon: "key" },
  { id: "about", label: "About", icon: "info" },
];

const Navigation = ({ currentPage, navigate, cmsMode, setCmsMode, fontSize, setFo
  const [menuOpen, setMenuOpen] = useState(false);

  return (
    <>
      <nav style={{
        position: "sticky",
        top: 0,
        zIndex: 1000,
        background: theme.colors.navy,
        fontFamily: theme.fonts.body,
        boxShadow: "0 2px 12px rgba(0,0,0,0.15)",
      }}>
        <div style={{
          maxWidth: 1200,
          margin: "0 auto",
          padding: "0 20px",
          display: "flex",
          alignItems: "center",
          justifyContent: "space-between",
          height: 64,
        }}>
          { /* Logo */ }
          <div
            onClick={() => { navigate("home"); setMenuOpen(false); }}
            style={{ cursor: "pointer", display: "flex", alignItems: "center", ga
          >
            <span style={{ fontSize: "28px" }}><img alt="hamburger menu icon" data-bbox="570 775 585 790"/></span>
            <div>
              <div style={{ color: "#fff", fontFamily: theme.fonts.display, fontS
              <div style={{ color: theme.colors.accent, fontSize: "11px", lettersS
              </div>
            </div>

          { /* Desktop Nav */ }
          <div style={{ display: "flex", alignItems: "center", gap: 4 }} classNam

```

```

{navItems.map(item => (
  <button
    key={item.id}
    onClick={() => navigate(item.id)}
    style={{
      background: currentPage === item.id ? "rgba(200,149,108,0.2)" :
      border: "none",
      color: currentPage === item.id ? theme.colors.accent : "rgba(25
      padding: "8px 14px",
      borderRadius: "8px",
      fontSize: "14px",
      fontWeight: currentPage === item.id ? 600 : 400,
      cursor: "pointer",
      fontFamily: theme.fonts.body,
      transition: theme.transition,
    }}
  >
    {item.label}
  </button>
)}}
</div>

```

```

{/* Right Controls */}
<div style={{ display: "flex", alignItems: "center", gap: 8 }}>
  {/* Font Size (Accessibility) */}
  <div style={{ display: "flex", gap: 2 }}>
    {[14, 16, 18].map((s, i) => (
      <button
        key={s}
        onClick={() => setFontSize(s)}
        style={{
          background: fontSize === s ? theme.colors.accent : "rgba(255,
          border: "none",
          color: "#fff",
          width: 28,
          height: 28,
          borderRadius: "6px",
          fontSize: 10 + i * 2 + "px",
          fontWeight: 700,
          cursor: "pointer",
          display: "flex",
          alignItems: "center",
          justifyContent: "center",
          fontFamily: theme.fonts.body,
        }}
        title={`Font size: ${["Normal", "Large", "Extra Large"][i]}`}
      >

```

```

        A
      </button>
    )))
  </div>

  { /* CMS Toggle */ }
  <button
    onClick={() => setCmsMode(!cmsMode)}
    style={{
      background: cmsMode ? theme.colors.accent : "rgba(255,255,255,0.1)",
      border: "none",
      color: "#fff",
      padding: "6px 10px",
      borderRadius: "8px",
      cursor: "pointer",
      display: "flex",
      alignItems: "center",
      gap: 4,
      fontSize: "12px",
      fontFamily: theme.fonts.body,
      fontWeight: 500,
    }}
    title="Toggle Edit Mode"
  >
    <Icon name="edit" size={14} />
    <span className="desktop-only">{cmsMode ? "Editing" : "Edit"}</span>
  </button>

  { /* Mobile Menu */ }
  <button
    onClick={() => setMenuOpen(!menuOpen)}
    className="mobile-menu-btn"
    style={{
      background: "transparent",
      border: "none",
      color: "#fff",
      padding: 6,
      cursor: "pointer",
      display: "none",
    }}
  >
    <Icon name={menuOpen ? "x" : "menu"} size={24} />
  </button>
</div>
</div>
</nav>

```

```

{/* Mobile Menu Drawer */}
{menuOpen && (
  <div style={{
    position: "fixed",
    top: 64,
    left: 0,
    right: 0,
    bottom: 0,
    background: theme.colors.navy,
    zIndex: 999,
    padding: "20px",
    fontFamily: theme.fonts.body,
    overflowY: "auto",
  }}>
    {navItems.map(item => (
      <button
        key={item.id}
        onClick={() => { navigate(item.id); setMenuOpen(false); }}
        style={{
          display: "flex",
          alignItems: "center",
          gap: 16,
          width: "100%",
          padding: "18px 16px",
          background: currentPage === item.id ? "rgba(200,149,108,0.15)" :
          border: "none",
          borderBottom: "1px solid rgba(255,255,255,0.08)",
          color: currentPage === item.id ? theme.colors.accent : "#fff",
          fontSize: "18px",
          fontWeight: currentPage === item.id ? 600 : 400,
          cursor: "pointer",
          fontFamily: theme.fonts.body,
          textAlign: "left",
        }}
      >
        <Icon name={item.icon} size={22} />
        {item.label}
      </button>
    ))}
    <div style={{ marginTop: 24, paddingTop: 24, borderTop: "1px solid rgba
      <WeatherWidget compact />
    </div>
  </div>
)}

{/* Responsive CSS */}
<style>{`

```



```

    @media (max-width: 860px) {
      .desktop-nav { display: none !important; }
      .mobile-menu-btn { display: flex !important; }
      .desktop-only { display: none; }
    }
    @media (min-width: 861px) {
      .mobile-menu-btn { display: none !important; }
    }
  `}</style>
</>

);
};

// — Page Container —————
const Page = ({ title, subtitle, children }) => (
  <div style={{ maxWidth: 960, margin: "0 auto", padding: "32px 20px 60px" }}>
    {title && (
      <div style={{ marginBottom: 32 }}>
        <h1 style={{
          fontFamily: theme.fonts.display,
          fontSize: "clamp(28px, 5vw, 42px)",
          fontWeight: 700,
          color: theme.colors.navy,
          margin: 0,
          lineHeight: 1.15,
        }}>
          {title}
        </h1>
        {subtitle && (
          <p style={{
            fontFamily: theme.fonts.body,
            fontSize: "16px",
            color: theme.colors.textLight,
            marginTop: 8,
            lineHeight: 1.6,
          }}>
            {subtitle}
          </p>
        )}
      </div>
    )}
    {children}
  </div>
);

// — Card Component —————
const Card = ({ children, style, onClick, hover = false }) => {

```

```

const [hovered, setHovered] = useState(false);
return (
  <div
    onClick={onClick}
    onMouseEnter={() => setHovered(true)}
    onMouseLeave={() => setHovered(false)}
    style={{
      background: theme.colors.white,
      borderRadius: theme.radius,
      padding: "24px",
      boxShadow: hovered && hover ? theme.shadowHover : theme.shadow,
      transition: theme.transition,
      cursor: onClick ? "pointer" : "default",
      transform: hovered && hover ? "translateY(-2px)" : "none",
      ...style,
    }}
  >
    {children}
  </div>
);
};

// — Button Component —————
const Button = ({ children, onClick, variant = "primary", size = "md", icon, styl
const styles = {
  primary: { background: theme.colors.accent, color: "#fff", border: "none" },
  secondary: { background: "transparent", color: theme.colors.navy, border: `2p
  danger: { background: theme.colors.danger, color: "#fff", border: "none" },
  ghost: { background: "transparent", color: theme.colors.textLight, border: "n
};
const sizes = {
  sm: { padding: "8px 16px", fontSize: "13px" },
  md: { padding: "12px 24px", fontSize: "15px" },
  lg: { padding: "16px 32px", fontSize: "17px" },
};
return (
  <button
    onClick={onClick}
    disabled={disabled}
    style={{
      ...styles[variant],
      ...sizes[size],
      borderRadius: "10px",
      fontFamily: theme.fonts.body,
      fontWeight: 600,
      cursor: disabled ? "not-allowed" : "pointer",
      opacity: disabled ? 0.5 : 1,

```

```

        display: "inline-flex",
        alignItems: "center",
        gap: 8,
        transition: theme.transition,
        minHeight: 48,
        ...extraStyle,
    }}
    >
    {icon && <Icon name={icon} size={size === "sm" ? 14 : 18} />}
    {children}
  </button>
);
};

// — HOME PAGE —————
const HomePage = ({ navigate, events, groomerLog }) => {
  const nextEvent = events.sort((a, b) => new Date(a.date) - new Date(b.date))[0]

  const quickLinks = [
    { id: "events", label: "Events", desc: "What's happening", icon: "calendar",
    { id: "programs", label: "Programs", desc: "Lessons & youth", icon: "book", c
    { id: "trails", label: "Trails", desc: "Conditions & map", icon: "map", color
    { id: "rentals", label: "Rentals", desc: "Gear for everyone", icon: "package"
    { id: "membership", label: "Join Us", desc: "Become a member", icon: "key", c
  ];

  return (
    <Page>
      {/* Hero Section */}
      <div style={{
        background: `linear-gradient(135deg, ${theme.colors.navy} 0%, #2a4a6e 50%
        borderRadius: "20px",
        padding: "clamp(32px, 6vw, 56px) clamp(24px, 4vw, 48px)",
        color: "#fff",
        marginBottom: 32,
        position: "relative",
        overflow: "hidden",
      }}>
        {/* Decorative snow dots */}
        <div style={{ position: "absolute", top: 0, left: 0, right: 0, bottom: 0,
        <div style={{ position: "relative", zIndex: 1 }}>
          <div style={{ fontSize: "12px", textTransform: "uppercase", letterSpacing: 0.5,
            Est. 1987 · St. Anthony, Newfoundland
          </div>
          <h1 style={{
            fontFamily: theme.fonts.display,
            fontSize: "clamp(32px, 7vw, 56px)",

```

```

        fontWeight: 700,
        margin: "0 0 16px",
        lineHeight: 1.1,
    }}>
    St. Anthony<br />Nordic Ski Club
</h1>
<p style={{
    fontSize: "clamp(16px, 2.5vw, 20px)",
    opacity: 0.85,
    maxWidth: 500,
    lineHeight: 1.5,
    fontFamily: theme.fonts.body,
    fontWeight: 300,
    margin: "0 0 28px",
}}>
    Explore over 15km of groomed trails in the heart of Newfoundland's bo
</p>
<div style={{ display: "flex", gap: 12, flexWrap: "wrap" }}>
    <Button onClick={() => navigate("trails")} size="lg">Trail Conditions
    <Button onClick={() => navigate("membership")} variant="secondary" si
        Become a Member
    </Button>
</div>
</div>
</div>

{/* Quick Links Grid */}
<div style={{
    display: "grid",
    gridTemplateColumns: "repeat(auto-fit, minmax(160px, 1fr))",
    gap: 16,
    marginBottom: 32,
}}>
    {quickLinks.map(link => (
        <Card key={link.id} hover onClick={() => navigate(link.id)} style={{ te
            <div style={{
                width: 52,
                height: 52,
                borderRadius: "14px",
                background: `${link.color}15`,
                display: "flex",
                alignItems: "center",
                justifyContent: "center",
                margin: "0 auto 14px",
                color: link.color,
            }}>
                <Icon name={link.icon} size={24} />

```

```

    </div>
    <div style={{ fontFamily: theme.fonts.body, fontWeight: 600, fontSize:
      {link.label}
    </div>
    <div style={{ fontFamily: theme.fonts.body, fontSize: "13px", color:
      {link.desc}
    </div>
  </Card>
)}
</div>

```

```

{/* Two Column: Weather + Next Event */}
<div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minma
  <WeatherWidget />
  {nextEvent && (
    <Card style={{ display: "flex", flexDirection: "column", justifyContent
      <div>
        <div style={{ fontSize: "11px", textTransform: "uppercase", lettersS
          Next Event
        </div>
        <h3 style={{ fontFamily: theme.fonts.display, fontSize: "24px", fon
          {nextEvent.title}
        </h3>
        <div style={{ fontFamily: theme.fonts.body, color: theme.colors.tex
          <div style={{ display: "flex", alignItems: "center", gap: 8, marg
            <Icon name="calendar" size={14} />
            {new Date(nextEvent.date).toLocaleDateString("en-CA", { weekday
          </div>
          <div style={{ display: "flex", alignItems: "center", gap: 8, marg
            <Icon name="clock" size={14} />
            {nextEvent.time}
          </div>
          <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
            <Icon name="mapPin" size={14} />
            {nextEvent.location}
          </div>
        </div>
      </div>
    <div>
      <Button onClick={() => navigate("events")} variant="secondary" size="
        View All Events →
      </Button>
    </div>
  </Card>
)}
</div>

```

```

{/* Latest Groomer Update */}
{groomerLog[0] && (

```

```

<Card style={{ borderLeft: `4px solid ${theme.colors.success}`, marginBot
  <div style={{ display: "flex", justifyContent: "space-between", alignIt
    <div>
      <div style={{ fontSize: "11px", textTransform: "uppercase", lettersS
        Latest Trail Report
      </div>
      <div style={{ fontFamily: theme.fonts.body, fontSize: "15px", color
        {groomerLog[0].conditions}
      </div>
      <div style={{ fontFamily: theme.fonts.body, fontSize: "13px", color
        {groomerLog[0].author} · {groomerLog[0].date} at {groomerLog[0].t
      </div>
    </div>
    <Button onClick={() => navigate("trails")} variant="ghost" size="sm"
      Full Log
    </Button>
  </div>
</Card>
))

{/* Strava + Social Feed - Two Column */}
<div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minma
  <StravaWidget />
  <SocialFeedWidget limit={3} />
</div>
</Page>
);
};

// ——— EVENTS PAGE ———
const EventsPage = ({ events, setEvents, addAuditEntry }) => {
  const { cmsMode } = useApp();
  const [editing, setEditing] = useState(null);
  const [showForm, setShowForm] = useState(false);
  const emptyEvent = { title: "", date: "", time: "", location: "", description:
  const [form, setForm] = useState(emptyEvent);

  const handleSave = () => {
    if (editing) {
      setEvents(prev => prev.map(e => e.id === editing ? { ...form, id: editing }
      addAuditEntry(`Updated event: "${form.title}"`);
    } else {
      const newEvent = { ...form, id: Date.now() };
      setEvents(prev => [...prev, newEvent]);
      addAuditEntry(`Created event: "${form.title}"`);
    }
    setForm(emptyEvent);
  }
};

```

```

    setEditing(null);
    setShowForm(false);
  };

const handleDelete = (id, title) => {
  if (confirm(`Delete "${title}"?`)) {
    setEvents(prev => prev.filter(e => e.id !== id));
    addAuditEntry(`Deleted event: "${title}"`);
  }
};

const handleEdit = (event) => {
  setForm(event);
  setEditing(event.id);
  setShowForm(true);
};

const categoryColors = { Social: "#4a90d9", Program: "#2d6a4f", Lesson: theme.c

const sorted = [...events].sort((a, b) => new Date(a.date) - new Date(b.date));

return (
  <Page title="Upcoming Events" subtitle="Stay connected with everything happen
    {cmsMode && (
      <div style={{ marginBottom: 24 }}>
        <Button onClick={() => { setForm(emptyEvent); setEditing(null); setShow
          {showForm ? "Cancel" : "Add New Event"}
        </Button>
      </div>
    )}

    {showForm && cmsMode && (
      <Card style={{ marginBottom: 24, border: `2px dashed ${theme.colors.accen
        <h3 style={{ fontFamily: theme.fonts.display, fontSize: "22px", color:
          {editing ? "Edit Event" : "New Event"}
        </h3>
      <div style={{ display: "grid", gap: 16 }}>
        <EditableText label="Title" value={form.title} onChange={v => setForm
        <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 1
          <EditableText label="Date" type="date" value={form.date} onChange={
            <EditableText label="Time" value={form.time} onChange={v => setForm
          </div>
        <EditableText label="Location" value={form.location} onChange={v => s
        <EditableText label="Description" value={form.description} onChange={
        <div>
          <label style={{ fontSize: "12px", color: theme.colors.accent, fontW
          <select

```

```

        value={form.category}
        onChange={e => setForm(p => ({ ...p, category: e.target.value }))}
        style={{ padding: "10px 14px", borderRadius: 8, border: `2px dash
    >
        {Object.keys(categoryColors).map(c => <option key={c} value={c}>{
    </select>
  </div>
  <Button onClick={handleSave} disabled={!form.title || !form.date} ico
    {editing ? "Save Changes" : "Create Event"}
  </Button>
</div>
</Card>
)}

<div style={{ display: "grid", gap: 16 }}>
  {sorted.map(event => (
    <Card key={event.id}>
      <div style={{ display: "flex", justifyContent: "space-between", align
        <div style={{ flex: 1, minWidth: 200 }}>
          <div style={{ display: "flex", alignItems: "center", gap: 10, mar
            <span style={{
              fontSize: "11px",
              fontWeight: 700,
              textTransform: "uppercase",
              letterSpacing: "1px",
              padding: "4px 10px",
              borderRadius: "6px",
              background: `${categoryColors[event.category] || theme.colors
                color: categoryColors[event.category] || theme.colors.midGray
                fontFamily: theme.fonts.body,
            }}>
              {event.category}
            </span>
            <span style={{ fontSize: "13px", color: theme.colors.midGray, f
              {new Date(event.date).toLocaleDateString("en-CA", { weekday:
            </span>
          </div>
        <h3 style={{ fontFamily: theme.fonts.display, fontSize: "22px", f
          {event.title}
        </h3>
        <div style={{ fontFamily: theme.fonts.body, fontSize: "13px", col
          <Icon name="mapPin" size={13} /> {event.location}
        </div>
        <p style={{ fontFamily: theme.fonts.body, fontSize: "14px", color
          {event.description}
        </p>
      </div>
    )}
  )}

```



```

        {cmsMode && (
          <div style={{ display: "flex", gap: 8 }}>
            <Button onClick={() => handleEdit(event)} variant="ghost" size=
            <Button onClick={() => handleDelete(event.id, event.title)} var
          </div>
        )}
      </div>
    </Card>
  )}
</div>
</Page>
);
};

```

// — PROGRAMS PAGE —————

```

const ProgramsPage = ({ programs, setPrograms, addAuditEntry }) => {
  const { cmsMode } = useApp();
  const [editingId, setEditingId] = useState(null);

  const handleFieldChange = (id, field, value) => {
    setPrograms(prev => prev.map(p => p.id === id ? { ...p, [field]: value } : p)
  );

  const handleSave = (program) => {
    addAuditEntry(`Updated program: "${program.name}"`);
    setEditingId(null);
  };

  return (
    <Page title="Our Programs" subtitle="From first-timers to competitive racers"
    <div style={{ display: "grid", gap: 20 }}>
      {programs.map(program => (
        <Card key={program.id} style={{ borderLeft: `4px solid ${program.color}`
        <div style={{ display: "flex", gap: 20, alignItems: "flex-start", fle
        <div style={{
          width: 60,
          height: 60,
          borderRadius: "16px",
          background: `${program.color}12`,
          display: "flex",
          alignItems: "center",
          justifyContent: "center",
          fontSize: "28px",
          flexShrink: 0,
        }}>
          {program.icon}
        </div>

```

```

<div style={{ flex: 1, minWidth: 200 }}>
  <div style={{ display: "flex", justifyContent: "space-between", a
    <div>
      {cmsMode && editingId === program.id ? (
        <EditableText label="Program Name" value={program.name} onC
      ) : (
        <h3 style={{ fontFamily: theme.fonts.display, fontSize: "24
          {program.name}
        </h3>
      )}
    <div style={{ fontFamily: theme.fonts.body, fontSize: "14px",
      {cmsMode && editingId === program.id ? (
        <EditableText label="Ages" value={program.ages} onChange=
      ) : (
        program.ages
      )}
    </div>
  </div>
  {cmsMode && (
    <div style={{ display: "flex", gap: 6 }}>
      {editingId === program.id ? (
        <Button onClick={() => handleSave(program)} size="sm" ico
      ) : (
        <Button onClick={() => setEditingId(program.id)} variant=
      )}
    </div>
  )}
</div>
<div style={{ fontFamily: theme.fonts.body, fontSize: "13px", col
  <Icon name="clock" size={13} />
  {cmsMode && editingId === program.id ? (
    <EditableText label="Schedule" value={program.schedule} onCha
  ) : (
    program.schedule
  )}
</div>
<div style={{ fontFamily: theme.fonts.body, fontSize: "14px", col
  {cmsMode && editingId === program.id ? (
    <EditableText label="Description" value={program.description}
  ) : (
    program.description
  )}
</div>
</div>
</div>
</Card>
)}}

```

```

        </div>
    </Page>
);
};

// — TRAILS PAGE —————
const TrailsPage = ({ groomerLog, setGroomerLog, addAuditEntry }) => {
    const { cmsMode } = useApp();
    const [showLogForm, setShowLogForm] = useState(false);
    const [logForm, setLogForm] = useState({ trails: "", conditions: "", temp: "",

const handleAddLog = () => {
    const now = new Date();
    const entry = {
        id: Date.now(),
        date: now.toISOString().split("T")[0],
        time: now.toLocaleTimeString("en-CA", { hour: "2-digit", minute: "2-digit"
        author: "Staff",
        ...logForm,
    };
    setGroomerLog(prev => [entry, ...prev]);
    addAuditEntry(`New groomer log entry: "${logForm.conditions.substring(0, 40)}
    setLogForm({ trails: "", conditions: "", temp: "", status: "groomed" });
    setShowLogForm(false);
};

// Interactive Trail Map with real club map
const TRAIL_MAP_SRC = "

const TrailMap = () => {
    const [zoomed, setZoomed] = useState(false);
    const [scale, setScale] = useState(1);
    const [position, setPosition] = useState({ x: 0, y: 0 });
    const [dragging, setDragging] = useState(false);
    const [dragStart, setDragStart] = useState({ x: 0, y: 0 });
    const [posStart, setPosStart] = useState({ x: 0, y: 0 });
    const containerRef = useRef(null);

    const handleZoomIn = () => setScale(s => Math.min(s + 0.5, 4));
    const handleZoomOut = () => {
        const newScale = Math.max(scale - 0.5, 1);
        setScale(newScale);
        if (newScale === 1) setPosition({ x: 0, y: 0 });
    };
    const handleReset = () => { setScale(1); setPosition({ x: 0, y: 0 }); };

    const handleMouseDown = (e) => {

```

```

    if (scale <= 1) return;
    setDragging(true);
    setDragStart({ x: e.clientX, y: e.clientY });
    setPosStart({ ...position });
  };
const handleMouseMove = (e) => {
  if (!dragging) return;
  setPosition({
    x: posStart.x + (e.clientX - dragStart.x),
    y: posStart.y + (e.clientY - dragStart.y),
  });
};
const handleMouseUp = () => setDragging(false);

const handleTouchStart = (e) => {
  if (scale <= 1 || e.touches.length !== 1) return;
  setDragging(true);
  setDragStart({ x: e.touches[0].clientX, y: e.touches[0].clientY });
  setPosStart({ ...position });
};
const handleTouchMove = (e) => {
  if (!dragging || e.touches.length !== 1) return;
  e.preventDefault();
  setPosition({
    x: posStart.x + (e.touches[0].clientX - dragStart.x),
    y: posStart.y + (e.touches[0].clientY - dragStart.y),
  });
};
const handleTouchEnd = () => setDragging(false);

// Fullscreen lightbox
const [fullscreen, setFullscreen] = useState(false);

const trails = [
  { color: "#e8173a", name: "Leander's Jib", dist: "0.2 km", difficulty: "Eas"
  { color: "#e8723a", name: "Jackrabbit's Lunchbox", dist: "0.25 km", difficu
  { color: "#d42d7d", name: "Raggedy Jacket Loop", dist: "0.3 km", difficulty
  { color: "#FFD700", name: "Black Crow Gulch", dist: "1.7 km", difficulty: "
  { color: "#4a90d9", name: "Whisky Jay / Red Fox", dist: "0.8 km", difficult
  { color: "#2d6a4f", name: "Caribou Crest Loop", dist: "2 km", difficulty: "
  { color: "#0cbfbf", name: "Frenchman's Flats", dist: "2 km", difficulty: "M
  { color: "#8B5E3C", name: "Outer Loop (To Long Pond)", dist: "5 km", diffic
  { color: "#5b4fa0", name: "Kinsmen / Patey's Loop", dist: "2 km", difficult
  { color: "#F4A6C0", name: "Pink Woods", dist: "1.5 km", difficulty: "Modera
];

const difficultyBadge = (level) => {

```

```

const c = { Easy: "#2d6a4f", Moderate: "#1a2744", Difficult: "#1a1a1a" };
const shapes = { Easy: "●", Moderate: "■", Difficult: "◆" };
return (
  <span style={{ display: "inline-flex", alignItems: "center", gap: 4, font
    <span style={{ fontSize: "8px" }}>{shapes[level]}</span> {level}
  </span>
);
};

return (
  <>
    <div style={{
      borderRadius: theme.radius,
      overflow: "hidden",
      boxShadow: theme.shadow,
      background: theme.colors.white,
    }}>
      { /* Map Toolbar */ }
      <div style={{
        display: "flex",
        alignItems: "center",
        justifyContent: "space-between",
        padding: "12px 20px",
        background: theme.colors.snow,
        borderBottom: `1px solid ${theme.colors.warmGray}`,
        flexWrap: "wrap",
        gap: 8,
      }}>
        <div style={{ fontFamily: theme.fonts.body, fontSize: "13px", color:
          {scale > 1 ? "Drag to pan · " : ""}Zoom: {Math.round(scale * 100)}%
        </div>
        <div style={{ display: "flex", gap: 6 }}>
          <button onClick={handleZoomIn} style={{ width: 36, height: 36, bord
            <button onClick={handleZoomOut} style={{ width: 36, height: 36, bor
            <button onClick={handleReset} style={{ height: 36, paddingInline: 1
            <button onClick={() => setFullscreen(true)} style={{ height: 36, pa
              <Icon name="external" size={13} /> Full Screen
            </button>
          </div>
        </div>
      </div>

      { /* Map Image Container */ }
      <div
        ref={containerRef}
        onMouseDown={handleMouseDown}
        onMouseMove={handleMouseMove}
        onMouseUp={handleMouseUp}

```

```

onMouseLeave={handleMouseUp}
onTouchStart={handleTouchStart}
onTouchMove={handleTouchMove}
onTouchEnd={handleTouchEnd}
style={{
  overflow: "hidden",
  cursor: scale > 1 ? (dragging ? "grabbing" : "grab") : "default",
  position: "relative",
  background: "#e8e5e0",
  touchAction: scale > 1 ? "none" : "auto",
}}
>
<img
  src={TRAIL_MAP_SRC}
  alt="Aurora Nordic X.C. Ski Club Trail Map – showing all trails, 10
  style={{
    width: "100%",
    height: "auto",
    display: "block",
    transform: `scale(${scale}) translate(${position.x / scale}px, ${
    transformOrigin: "center center",
    transition: dragging ? "none" : "transform 0.25s ease",
    userSelect: "none",
    WebkitUserDrag: "none",
  }}
  draggable={false}
/>
</div>

{/* Trail Legend */}
<div style={{
  padding: "20px",
  borderTop: `1px solid ${theme.colors.warmGray}`,
  background: theme.colors.snow,
}}>
  <div style={{
    fontFamily: theme.fonts.body,
    fontSize: "12px",
    fontWeight: 700,
    textTransform: "uppercase",
    letterSpacing: "1px",
    color: theme.colors.navy,
    marginBottom: 14,
  }}>
    Trail Legend
  </div>

```

```

    { /* Difficulty Key */ }
    <div style={{ display: "flex", gap: 16, marginBottom: 14, flexWrap: "
      <span style={{ display: "flex", alignItems: "center", gap: 4, color
        <span style={{ display: "flex", alignItems: "center", gap: 4, color
          <span style={{ display: "flex", alignItems: "center", gap: 4, color
        </div>

    <div style={{
      display: "grid",
      gridTemplateColumns: "repeat(auto-fill, minmax(220px, 1fr))",
      gap: 8,
    }}>
      {trails.map(t => (
        <div key={t.name} style={{
          display: "flex",
          alignItems: "center",
          gap: 10,
          padding: "8px 12px",
          borderRadius: "8px",
          background: theme.colors.white,
          border: `1px solid ${theme.colors.warmGray}`,
        }}>
          <div style={{
            width: 24,
            height: 6,
            borderRadius: 3,
            background: t.color,
            flexShrink: 0,
          }} />
          <div style={{ flex: 1, fontFamily: theme.fonts.body }}>
            <div style={{ fontSize: "13px", fontWeight: 600, color: theme
              <div style={{ display: "flex", alignItems: "center", gap: 8,
                <span style={{ fontSize: "12px", color: theme.colors.midGra
                  {difficultyBadge(t.difficulty)}
                </div>
              </div>
            </div>
          </div>
        </div>
      )}}
    </div>

    { /* Key points of interest */ }
    <div style={{
      marginTop: 16,
      paddingTop: 14,
      borderTop: `1px solid ${theme.colors.warmGray}`,
      display: "flex",
      gap: 16,

```

```

        flexWrap: "wrap",
        fontFamily: theme.fonts.body,
        fontSize: "12px",
        color: theme.colors.textLight,
    }}>
    <span>🏠 Lodge (You Are Here)</span>
    <span>🏠 Event Station (x2)</span>
    <span>🔥 Trailside Firepit</span>
    <span>🦌 Frenchman's Pond</span>
    <span>👁️ Multiple Lookouts</span>
  </div>
</div>
</div>

{/* Fullscreen Lightbox */}
{fullscreen && (
  <div
    onClick={() => setFullscreen(false)}
    style={{
      position: "fixed",
      inset: 0,
      zIndex: 3000,
      background: "rgba(0,0,0,0.92)",
      display: "flex",
      flexDirection: "column",
      alignItems: "center",
      justifyContent: "center",
      padding: 16,
    }}
  >
    <div style={{
      position: "absolute",
      top: 16,
      right: 16,
      display: "flex",
      gap: 8,
      zIndex: 3001,
    }}>
      <button
        onClick={(e) => { e.stopPropagation(); setFullscreen(false); }}
        style={{
          background: "rgba(255,255,255,0.15)",
          border: "none",
          color: "#fff",
          padding: "10px 20px",
          borderRadius: "10px",
          fontSize: "14px",

```



```

        fontWeight: 600,
        cursor: "pointer",
        fontFamily: theme.fonts.body,
        display: "flex",
        alignItems: "center",
        gap: 8,
        backdropFilter: "blur(8px)",
      }}
    >
      <Icon name="x" size={18} /> Close
    </button>
  </div>
  <img
    src={TRAIL_MAP_SRC}
    alt="Aurora Nordic X.C. Ski Club Trail Map"
    onClick={(e) => e.stopPropagation()}
    style={{
      maxWidth: "95vw",
      maxHeight: "90vh",
      objectFit: "contain",
      borderRadius: "12px",
      boxShadow: "0 16px 64px rgba(0,0,0,0.5)",
    }}
  />
  <div style={{
    color: "#fff",
    fontFamily: theme.fonts.body,
    fontSize: "13px",
    marginTop: 16,
    opacity: 0.6,
    textAlign: "center",
  }}>
    Pinch to zoom on mobile · Click outside to close
  </div>
</div>
  )}
</>
);
};

return (
  <Page title="Trails & Conditions" subtitle="Updated after every grooming sess
    { /* Trail Map */}
    <div style={{ marginBottom: 32 }}>
      <h2 style={{ fontFamily: theme.fonts.display, fontSize: "24px", fontWeigh
        <TrailMap />
      </div>

```

```

    { /* Groomer Log */ }
  <div>
    <div style={{ display: "flex", justifyContent: "space-between", alignItems: "center" }}>
      <h2 style={{ fontFamily: theme.fonts.display, fontSize: "24px", fontWeight: "bold" }}>Groomer Log
      <Button onClick={() => setShowLogForm(!showLogForm)} icon="plus" size="large" type="button" />
    </div>
    {showLogForm && cmsMode && (
      <Card style={{ margin: 20, border: `2px dashed ${theme.colors.accent}` }}>
        <h3 style={{ fontFamily: theme.fonts.display, fontSize: "20px", color: theme.colors.accent }}>Log Entry
        <div style={{ display: "grid", gap: 14 }}>
          <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 10 }}>
            <EditableText label="Trails Groomed" value={logForm.trails} onChange={setLogForm} />
            <EditableText label="Temperature" value={logForm.temp} onChange={setLogForm} />
          </div>
          <div>
            <label style={{ fontSize: "12px", color: theme.colors.accent, font-weight: "bold" }}>Status
            <select value={logForm.status} onChange={e => setLogForm(p => ({ ...p, status: e.target.value })} style={{ padding: "10px 14px", borderRadius: 8, border: `2px dashed ${theme.colors.accent}` }}>
              <option value="groomed">Groomed ✓</option>
              <option value="not_groomed">Not Groomed</option>
            </select>
          </div>
          <EditableText label="Conditions Report" value={logForm.conditions} />
          <Button onClick={handleAddLog} disabled={!logForm.conditions || !logForm.temp} type="button">
            Add Log
          </Button>
        </div>
      </Card>
    )}

    <div style={{ display: "grid", gap: 12 }}>
      {groomerLog.map(entry => (
        <Card key={entry.id} style={{ borderLeft: `4px solid ${entry.status === "groomed" ? theme.colors.success : theme.colors.warning}` }}>
          <div style={{ display: "flex", justifyContent: "space-between", align-items: "center" }}>
            <div style={{ display: "flex", align-items: "center", gap: 8 }}>
              <span style={{
                background: entry.status === "groomed" ? ` ${theme.colors.success} ` : ` ${theme.colors.warning} `,
                color: entry.status === "groomed" ? theme.colors.success : theme.colors.warning,
                padding: "2px 5px", border-radius: 4, font-weight: "bold", font-size: "0.8em"
              }}>{entry.status}
            </div>
            <div>
              <div style={{ display: "flex", gap: 10 }}>
                <div>
                  <div style={{ display: "flex", gap: 5 }}>
                    <div style={{ width: 100px, height: 15px, background-color: "#ccc", border: 1px solid "#000" }}>
                      <div style={{ width: 80px, height: 10px, background-color: "#000", border: 1px solid "#000" }}>
                        {entry.trails}
                      </div>
                    </div>
                    <div style={{ width: 100px, height: 15px, background-color: "#ccc", border: 1px solid "#000" }}>
                      <div style={{ width: 80px, height: 10px, background-color: "#000", border: 1px solid "#000" }}>
                        {entry.temp}
                      </div>
                    </div>
                  </div>
                  <div>
                    <div style={{ display: "flex", gap: 5 }}>
                      <div style={{ width: 100px, height: 15px, background-color: "#ccc", border: 1px solid "#000" }}>
                        <div style={{ width: 80px, height: 10px, background-color: "#000", border: 1px solid "#000" }}>
                          {entry.conditions}
                        </div>
                      </div>
                      <div style={{ width: 100px, height: 15px, background-color: "#ccc", border: 1px solid "#000" }}>
                        <div style={{ width: 80px, height: 10px, background-color: "#000", border: 1px solid "#000" }}>
                          {entry.post_report}
                        </div>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </Card>
      )}
    </div>
  </div>

```

```

        padding: "4px 10px",
        borderRadius: "6px",
        fontSize: "11px",
        fontWeight: 700,
        textTransform: "uppercase",
        letterSpacing: "0.5px",
        fontFamily: theme.fonts.body,
    }}>
    {entry.status === "groomed" ? "✓ Groomed" : "Not Groomed"}
</span>
<span style={{ fontSize: "13px", color: theme.colors.midGray, font
    {entry.trails}
</span>
</div>
<div style={{ fontSize: "13px", color: theme.colors.midGray, font
    {entry.temp}
</div>
</div>
<p style={{ fontFamily: theme.fonts.body, fontSize: "15px", color:
    {entry.conditions}
</p>
<div style={{ fontFamily: theme.fonts.body, fontSize: "12px", color
    {entry.author} · {entry.date} at {entry.time}
</div>
</Card>
    )})
</div>
</div>

{/* Recent Club Activity on Strava */}
<div style={{ marginTop: 32 }}>
    <h2 style={{ fontFamily: theme.fonts.display, fontSize: "24px", fontWeigh
    <StravaWidget compact />
</div>
</Page>
);
};

// — RENTALS PAGE —————
const RentalsPage = ({ rental, setRental, addAuditEntry }) => {
    const { cmsMode } = useApp();

    const handleIntroChange = (v) => {
        setRental(p => ({ ...p, intro: v }));
        addAuditEntry("Updated rental introduction text");
    };

```

```

const handlePolicyChange = (v) => {
  setRental(p => ({ ...p, policies: v }));
  addAuditEntry("Updated rental policies");
};

return (
  <Page title="Equipment Rentals" subtitle="Quality gear to get you on the trail">
    <Card style={{ marginBottom: 24 }}>
      <div style={{ fontFamily: theme.fonts.body, fontSize: "15px", color: theme.colors.textLight, padding: 10 }}>
        {cmsMode ? (
          <EditableText label="Introduction" value={rental.intro} onChange={handlePolicyChange} />
        ) : (
          rental.intro
        )}
      </div>
    </Card>

    <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(300px, 1fr))", gap: 10 }}>
      {rental.packages.map(pkg => (
        <Card key={pkg.id} hover style={{ display: "flex", flexDirection: "column", align-items: "center", padding: 10 }}>
          <h3 style={{ fontFamily: theme.fonts.display, fontSize: "22px", fontWeight: 700, margin: 0 }}>
            {pkg.name}
          </h3>
          <div style={{
            fontFamily: theme.fonts.body,
            fontSize: "18px",
            fontWeight: 700,
            color: theme.colors.accent,
            marginBottom: 12,
          }}>
            {pkg.price}
          </div>
          <p style={{
            fontFamily: theme.fonts.body,
            fontSize: "14px",
            color: theme.colors.textLight,
            lineHeight: 1.6,
            margin: 0,
            flex: 1,
          }}>
            {pkg.details}
          </p>
        </Card>
      ))}
    </div>

    <Card>

```

```

    <h3 style={{ fontFamily: theme.fonts.display, fontSize: "22px", fontWeigh
      Rental Policies
    </h3>
    <div style={{ fontFamily: theme.fonts.body, fontSize: "14px", color: them
      {cmsMode ? (
        <EditableText label="Policies" value={rental.policies} onChange={hand
      ) : (
        rental.policies
      )}
    </div>
  </Card>
</Page>
);
};

// ——— MEMBERSHIP PAGE —————
const MembershipPage = () => {
  const tiers = [
    { name: "Individual", price: "$60", desc: "Full season access for one adult (
    { name: "Family", price: "$120", desc: "Coverage for two adults and all child
    { name: "Student", price: "$30", desc: "Valid student ID required. Full acces
    { name: "Day Pass", price: "$10", desc: "Single-day trail access. No membersh
  ];

  return (
    <Page title="Become a Member" subtitle="Support our trails and community. Mem
    <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minma
      {tiers.map(tier => (
        <Card key={tier.name} hover style={{ textAlign: "center", display: "fle
          <h3 style={{ fontFamily: theme.fonts.display, fontSize: "24px", fontW
            {tier.name}
          </h3>
          <div style={{ fontFamily: theme.fonts.display, fontSize: "36px", font
            {tier.price}
          </div>
          <p style={{ fontFamily: theme.fonts.body, fontSize: "14px", color: th
            {tier.desc}
          </p>
        </Card>
      )})
    </div>

    <Card style={{ textAlign: "center", padding: "40px 24px", background: `line
      <h2 style={{ fontFamily: theme.fonts.display, fontSize: "28px", fontWeigh
        Ready to Join?
      </h2>
      <p style={{ fontFamily: theme.fonts.body, fontSize: "16px", opacity: 0.85

```

```

    Registration is handled securely through Zone4. Click below to sign up
  </p>
  <button
    onClick={() => window.open("https://zone4.ca", "_blank")}
    style={{
      background: theme.colors.accent,
      color: "#fff",
      border: "none",
      padding: "16px 40px",
      borderRadius: "12px",
      fontSize: "18px",
      fontWeight: 700,
      cursor: "pointer",
      fontFamily: theme.fonts.body,
      display: "inline-flex",
      alignItems: "center",
      gap: 10,
      transition: theme.transition,
      minHeight: 56,
    }}
  >
    Register on Zone4
    <Icon name="external" size={18} />
  </button>
  <div style={{ fontFamily: theme.fonts.body, fontSize: "13px", opacity: 0.5 }}>
    You will be redirected to zone4.ca to complete your registration.
  </div>
</Card>

<div style={{ marginTop: 32 }}>
  <Card>
    <h3 style={{ fontFamily: theme.fonts.display, fontSize: "22px", fontWeight: 700 }}>
      Why Become a Member?
    </h3>
    <div style={{ fontFamily: theme.fonts.body, fontSize: "15px", color: theme.colors.text }}>
      Your membership directly supports trail grooming, equipment maintenance, and
    </div>
  </Card>
</div>
</Page>
);
};

// — ABOUT PAGE —————
const AboutPage = ({ about, setAbout, addAuditEntry }) => {
  const { cmsMode } = useApp();
  const [openFaq, setOpenFaq] = useState(null);

```

```

return (
  <Page title="About Our Club" subtitle="Nearly four decades of trails, communi
    { /* History */ }
  <Card style={{ marginBottom: 32 }}>
    <h2 style={{ fontFamily: theme.fonts.display, fontSize: "26px", fontWeigh
      Our History
    </h2>
    <div style={{ fontFamily: theme.fonts.body, fontSize: "15px", color: them
      {cmsMode ? (
        <EditableText
          label="Club History"
          value={about.history}
          onChange={v => { setAbout(p => ({ ...p, history: v })); addAuditEnt
            multiline
          />
        ) : (
          about.history
        )}
      </div>
    </Card>

    { /* Executive */ }
    <div style={{ marginBottom: 32 }}>
      <h2 style={{ fontFamily: theme.fonts.display, fontSize: "26px", fontWeigh
        Executive Members
      </h2>
      <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, min
        {about.executives.map(exec => (
          <Card key={exec.id} style={{ textAlign: "center", padding: "28px 20px
            <div style={{
              width: 56,
              height: 56,
              borderRadius: "50%",
              background: `linear-gradient(135deg, ${theme.colors.navy}, ${them
                display: "flex",
                alignItems: "center",
                justifyContent: "center",
                margin: "0 auto 14px",
                color: "#fff",
                fontFamily: theme.fonts.display,
                fontSize: "22px",
                fontWeight: 700,
            >}}>
              {exec.name.split(" ").map(n => n[0]).join("")}
            </div>
            <div style={{ fontFamily: theme.fonts.display, fontSize: "18px", fo

```

```

        {exec.name}
      </div>
      <div style={{ fontFamily: theme.fonts.body, fontSize: "14px", color
        {exec.role}
      </div>
      <div style={{ fontFamily: theme.fonts.body, fontSize: "12px", color
        Since {exec.since}
      </div>
    </Card>
  )})
</div>
</div>

{/* FAQ */}
<div>
  <h2 style={{ fontFamily: theme.fonts.display, fontSize: "26px", fontWeigh
    Frequently Asked Questions
  </h2>
  <div style={{ display: "grid", gap: 8 }}>
    {about.faqs.map(faq => (
      <Card
        key={faq.id}
        onClick={() => setOpenFaq(openFaq === faq.id ? null : faq.id)}
        style={{ cursor: "pointer", padding: "20px 24px" }}
      >
        <div style={{ display: "flex", justifyContent: "space-between", ali
          <div style={{ fontFamily: theme.fonts.body, fontSize: "16px", fon
            {faq.q}
          </div>
          <div style={{
            transform: openFaq === faq.id ? "rotate(180deg)" : "rotate(0)",
            transition: theme.transition,
            flexShrink: 0,
            color: theme.colors.midGray,
          }}>
            <Icon name="chevron" size={20} />
          </div>
        </div>
      </div>
      {openFaq === faq.id && (
        <div style={{
          fontFamily: theme.fonts.body,
          fontSize: "14px",
          color: theme.colors.textLight,
          lineHeight: 1.7,
          marginTop: 12,
          paddingTop: 12,
          borderTop: `1px solid ${theme.colors.warmGray}`,

```



```

    >>>
    {cmsMode ? (
      <EditableText value={faq.a} onChange={v => {
        setAbout(p => ({ ...p, faqs: p.faqs.map(f => f.id === faq.i
          addAuditEntry(`Updated FAQ: "${faq.q}"`));
        }} multiline />
      ) : (
        faq.a
      )}
    </div>
  )}
</Card>
))}
</div>
</div>
</Page>
);
};

```

```

// ——— AUDIT LOG MODAL —————
const AuditLogModal = ({ auditLog, onClose }) => (
  <div style={{
    position: "fixed",
    inset: 0,
    background: "rgba(0,0,0,0.5)",
    zIndex: 2000,
    display: "flex",
    alignItems: "center",
    justifyContent: "center",
    padding: 20,
  }}
  <div
    onClick={onClose}
  >
    <div
      onClick={e => e.stopPropagation()}
      style={{
        background: theme.colors.white,
        borderRadius: "16px",
        width: "100%",
        maxWidth: 600,
        maxHeight: "80vh",
        overflow: "hidden",
        display: "flex",
        flexDirection: "column",
        boxShadow: "0 24px 64px rgba(0,0,0,0.2)",
      }}
    >

```

```

<div style={{
  padding: "20px 24px",
  borderBottom: `1px solid ${theme.colors.warmGray}`,
  display: "flex",
  justifyContent: "space-between",
  alignItems: "center",
}}>
  <h2 style={{ fontFamily: theme.fonts.display, fontSize: "24px", fontWeigh
    Audit Log
  </h2>
  <button
    onClick={onClose}
    style={{ background: "none", border: "none", cursor: "pointer", color:
  >
    <Icon name="x" size={24} />
  </button>
</div>
<div style={{ overflow: "auto", padding: "16px 24px", flex: 1 }}>
  {auditLog.length === 0 ? (
    <div style={{ textAlign: "center", padding: 40, color: theme.colors.mid
      No changes recorded yet. Enable Edit Mode to start making changes.
    </div>
  ) : (
    <div style={{ display: "grid", gap: 8 }}>
      {auditLog.map((entry, i) => (
        <div key={i} style={{
          padding: "12px 16px",
          background: i % 2 === 0 ? theme.colors.snow : theme.colors.white,
          borderRadius: "8px",
          fontFamily: theme.fonts.body,
        }}>
          <div style={{ fontSize: "14px", color: theme.colors.text, marginB
            <div style={{ fontSize: "12px", color: theme.colors.midGray }}>{e
          </div>
        </div>
      )}}
    </div>
  )}
</div>
</div>
</div>
);

// — FOOTER —
const Footer = ({ navigate, showAuditLog }) => {
  const { cmsMode } = useApp();
  return (
    <footer style={{

```

```

background: theme.colors.navy,
color: "#fff",
fontFamily: theme.fonts.body,
marginTop: 40,
}}>
<div style={{ maxWidth: 1200, margin: "0 auto", padding: "48px 20px 32px" }
  <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, min
    { /* Brand */}
    <div>
      <div style={{ display: "flex", alignItems: "center", gap: 10, marginB
        <span style={{ fontSize: "24px" }}><img alt="St. Anthony's Ski Club Logo" data-bbox="588 238 605 255" style="vertical-align: middle; height: 1em;"/></span>
        <div>
          <div style={{ fontFamily: theme.fonts.display, fontSize: "18px",
            <div style={{ color: theme.colors.accent, fontSize: "10px", lette
              </div>
            </div>
          </div>
          <p style={{ fontSize: "13px", opacity: 0.7, lineHeight: 1.6, margin:
            Promoting Nordic skiing and outdoor winter fitness in St. Anthony,
          </p>
        </div>
      </div>

      { /* Quick Links */}
      <div>
        <div style={{ fontSize: "12px", textTransform: "uppercase", letterSpa
          {navItems.map(item => (
            <div
              key={item.id}
              onClick={() => navigate(item.id)}
              style={{ fontSize: "14px", padding: "6px 0", cursor: "pointer", o
            >
              {item.label}
            </div>
          )}}
        </div>
      </div>

      { /* Contact */}
      <div>
        <div style={{ fontSize: "12px", textTransform: "uppercase", letterSpa
          <div style={{ display: "grid", gap: 10, fontSize: "14px", opacity: 0.
            <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
              <Icon name="mapPin" size={14} /> St. Anthony, NL, Canada
            </div>
            <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
              <Icon name="mail" size={14} /> info@stanthonyskiclub.ca
            </div>
            <div style={{ display: "flex", alignItems: "center", gap: 10, color
              <Icon name="phone" size={14} /> Emergency: 911
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
      </div>
    </div>

    { /* Social */ }
    <div>
      <div style={{ fontSize: "12px", textTransform: "uppercase", letterSpacing: 0.5, margin: 0, padding: 0 }}>
        <div style={{ display: "flex", gap: 12 }}>
          {[
            { icon: "facebook", label: "Facebook", url: "#" },
            { icon: "instagram", label: "Instagram", url: "#" },
            { icon: "strava", label: "Strava", url: "#" },
          ]}.map(social => (
            <a
              key={social.icon}
              href={social.url}
              title={social.label}
              style={{
                width: 42,
                height: 42,
                borderRadius: "10px",
                background: "rgba(255,255,255,0.1)",
                display: "flex",
                alignItems: "center",
                justifyContent: "center",
                color: "#fff",
                transition: theme.transition,
                textDecoration: "none",
              }}
            >
              <Icon name={social.icon} size={18} />
            </a>
          )))
        </div>
        <div style={{ fontSize: "12px", opacity: 0.5, marginTop: 16, lineHeight: 1.2 }}>
          Follow us for trail updates, event reminders, and community photos.
        </div>
      </div>
    </div>

    { /* Bottom Bar */ }
    <div style={{
      borderTop: "1px solid rgba(255,255,255,0.1)",
      padding: 10,
      display: "flex",
      justifyContent: "space-between",
      alignItems: "center",
    }}>

```

```

        flexWrap: "wrap",
        gap: 12,
        fontSize: "12px",
        opacity: 0.5,
    }}>
    <div>© 2026 St. Anthony Nordic Ski Club. All rights reserved.</div>
    {cmsMode && (
        <button
            onClick={showAuditLog}
            style={{
                background: "rgba(255,255,255,0.1)",
                border: "none",
                color: "#fff",
                padding: "8px 16px",
                borderRadius: "8px",
                fontSize: "12px",
                cursor: "pointer",
                display: "flex",
                alignItems: "center",
                gap: 6,
                fontFamily: theme.fonts.body,
            }}
        >
            <Icon name="log" size={14} />
            View Audit Log
        </button>
    )}
</div>
</div>
</footer>
);
};

// =====
// MAIN APP
// =====

export default function App() {
    const [currentPage, setCurrentPage] = useState("home");
    const [cmsMode, setCmsMode] = useState(false);
    const [fontSize, setFontSize] = useState(16);
    const [showAudit, setShowAudit] = useState(false);

    // Data State
    const [events, setEvents] = useState(initialEvents);
    const [programs, setPrograms] = useState(initialPrograms);
    const [groomerLog, setGroomerLog] = useState(initialGroomerLog);
    const [about, setAbout] = useState(initialAbout);

```

```

const [rental, setRental] = useState(initialRental);
const [auditLog, setAuditLog] = useState([]);

const addAuditEntry = useCallback((action) => {
  const entry = {
    action,
    timestamp: new Date().toLocaleString("en-CA", {
      dateStyle: "medium",
      timeStyle: "short",
    }),
    user: "Staff",
  };
  setAuditLog(prev => [entry, ...prev]);
}, []);

const navigate = useCallback((page) => {
  setCurrentPage(page);
  window.scrollTo({ top: 0, behavior: "smooth" });
}, []);

const renderPage = () => {
  switch (currentPage) {
    case "home": return <HomePage navigate={navigate} events={events} groomerLo
    case "events": return <EventsPage events={events} setEvents={setEvents} add
    case "programs": return <ProgramsPage programs={programs} setPrograms={setP
    case "trails": return <TrailsPage groomerLog={groomerLog} setGroomerLog={se
    case "rentals": return <RentalsPage rental={rental} setRental={setRental} a
    case "membership": return <MembershipPage />;
    case "about": return <AboutPage about={about} setAbout={setAbout} addAuditE
    default: return <HomePage navigate={navigate} events={events} groomerLog={g
  }
};

return (
  <AppContext.Provider value={{ cmsMode, fontSize }}>
    <GlobalStyles />
    <div style={{
      minHeight: "100vh",
      background: theme.colors.snow,
      fontFamily: theme.fonts.body,
      fontSize: `${fontSize}px`,
      color: theme.colors.text,
      display: "flex",
      flexDirection: "column",
    }}>
      {/* CMS Banner */}
      {cmsMode && (

```

```

<div style={{
  background: `linear-gradient(135deg, ${theme.colors.accent}, #b8845c)`,
  color: "#fff",
  textAlign: "center",
  padding: "8px 20px",
  fontSize: "13px",
  fontWeight: 600,
  fontFamily: theme.fonts.body,
  display: "flex",
  alignItems: "center",
  justifyContent: "center",
  gap: 8,
}}>
  <Icon name="edit" size={14} />
  Edit Mode Active — Changes are logged. Dashed borders indicate editab
</div>
)}

{/* Trail Status Banner */}
<TrailBanner groomerLog={groomerLog} navigate={navigate} />

{/* Navigation */}
<Navigation
  currentPage={currentPage}
  navigate={navigate}
  cmsMode={cmsMode}
  setCmsMode={setCmsMode}
  fontSize={fontSize}
  setFontSize={setFontSize}
/>

{/* Page Content */}
<main style={{ flex: 1 }}>
  {renderPage()}
</main>

{/* Footer */}
<Footer navigate={navigate} showAuditLog={() => setShowAudit(true)} />

{/* Audit Log Modal */}
{showAudit && <AuditLogModal auditLog={auditLog} onClose={() => setShowAu
</div>
</AppContext.Provider>
);
}

```

