Hong Kong Exchanges and Clearing Limited and The Stock Exchange of Hong Kong Limited take no responsibility for the contents of this announcement, make no representation as to its accuracy or completeness and expressly disclaim any liability whatsoever for any loss howsoever arising from or in reliance upon the whole or any part of the contents of this announcement.

SHANGHAI JUNSHI BIOSCIENCES CO., LTD.*
上海君實生物醫藥科技股份有限公司

(a joint stock company incorporated in the People's Republic of China with limited liability)

(Stock code: 1877)

VOLUNTARY ANNOUNCEMENT – THE APPROVAL OF NEW DRUG APPLICATION FOR ONGERICIMAB INJECTION

This announcement is made by Shanghai Junshi Biosciences Co., Ltd.* (上海君實生物醫藥科技股份有限公司) (the "**Company**") on a voluntary basis. Reference is also made to the overseas regulatory announcement of the Company dated 13 October 2024.

The board (the "**Board**") of directors (the "**Directors**") of the Company is pleased to announce that, as informed by the website of the National Medical Products Administration (the "**NMPA**"), the NMPA approved the new drug application (the "**NDA**") for ongericimab injection (recombinant human anti-PCSK9 monoclonal antibody injection* (重組人源化抗 PCSK9 單克隆抗體注射液, trade name being JUNSHIDA (君適達®)), submitted by the Company for the treatment of adult patients with primary hypercholesterolemia (non-familial) and mixed dyslipidemia, making it the Company's fifth commercialized product. The relevant information is now announced as follows:

ABOUT ONGERICIMAB INJECTION

Drug name: Recombinant human anti-PCSK9 monoclonal antibody injection
Application matter: Registration of Domestic Production of Pharmaceutical Product
Acceptance Nos.: CXSS2300023, CXSS2300025
Applicant: Shanghai Junshi Biosciences Co., Ltd.* (上海君實生物醫藥科技股份有限公司)
Specification: 150 mg (1 ml) in a single dose (pre-filled syringe), 150 mg (1 ml) in a single dose (autoinjector)
Indication: On the basis of dietary control, in combination with statins or statins and ezetimibe for the treatment of adult patients with primary hypercholesterolemia (non-familial) and mixed dyslipidemia, who fail to achieve low-density lipoprotein cholesterol (LDL-C) goals after receiving moderate or higher doses of statins treatment.

According to the Chinese Guidelines for Lipid Management (2023), cardiovascular disease is the leading cause of death among urban and rural residents in China, with a predominant focus on atherosclerotic cardiovascular disease ("**ASCVD**"). The rise of low-density lipoprotein cholesterol ("**LDL-C**") levels is a dangerous factor in causing an ASCVD. Reducing LDL-C levels can significantly lower the incidence of ASCVD and the risk of death. Although the current statin-based lipid-lowering treatment can dramatically lower LDL-C levels and ASCVD risk, the LDL-C lipid-lowering compliance rate remains worrying amongst people with high risk of ASCVD. In particular, the LDL-C compliance rate is significantly lower for patients at ultra-high/ extremely high risk of ASCVD. As a result, there remains a relatively large unmet medical need for lipid-lowering treatments.

The approval is mainly based on two multi-center, randomized, double-blind, placebo-controlled Phase III clinical studies (JS002-003 (NCT04781114) and JS002-006 (NCT05532800).

In particular, the JS002-003 study, for which Academician Han Yaling from the General Hospital of the Northern Theater Command of the People's Liberation Army of China*(中國人民解放軍北部戰區總醫院) served as the principal investigator, aimed to assess the efficacy and safety of subcutaneous ongericimab injection for the treatment of patients with primary hypercholesterolemia and mixed dyslipidemia in China, enrolling a total of 806 patients. The study results were first announced at the American Heart Association (AHA) Scientific Sessions 2023 and fully published in the *Journal of the American Heart Association* (JAHA, IF: 6.106), the AHA's official journal, in May 2024. The JS002-003 study results demonstrated that compared to placebo, ongericimab administered as a subcutaneous injection at a dose of 150 mg once every 2 weeks (Q2W) or 300 mg once every 4 weeks (Q4W) could significantly reduce LDL-C levels by more than 60% and invariably maintain stable decreases during the 52 weeks of treatment. The other blood lipid parameters, including non-high-density lipoprotein cholesterol (non-HDL-C), apolipoprotein B (ApoB) and total cholesterol (TC) are also significantly improved. Ongericimab demonstrated a favorable safety profile with no new safety signals identified.

The JS002-006 study, for which Professor Zhao Shuiping from the Second Xiangya Hospital of Central South University*(中南大學湘雅二醫院) served as the principal investigator, aimed to assess the effectiveness and safety of subcutaneous ongericimab injections using two drug delivery devices, a pre-filled syringe ("**PFS**") and an autoinjector ("**AI**"), for the treatment of patients with primary hypercholesterolemia and mixed hyperlipidemia, enrolling a total of 255 patients. The study results were fully published in the Nutrition Metabolism And Cardiovascular Diseases (NMCD), an international academic journal in the field of endocrinology and metabolism, in May 2024. The results showed that the administration of ongericimab using PFS and AI demonstrated significant lipid-lowering effects. Compared to placebo, patients receiving the ongericimab treatment at a dose of 150mg Q2W for 12 weeks saw a significant reduction in LDL-C levels of over 70% (72.7% in the PFS group and 71.1% in the AI group), with a favorable safety profile.

In April 2023, the NDAs for ongericimab were accepted by the NMPA for two indications (including the currently approved indication). Due to our strategic business realignment, the Company initiated the application for the withdrawal of the NDA for the indication of homozygous familial hypercholesterolemia in adults or adolescents aged 12 or above. In April 2024, the two supplemental NDAs for ongericimab were accepted by the NMPA, for the treatment of (1) heterozygous familial hypercholesterolemia; and (2) primary hypercholesterolemia and mixed dyslipidemia in which statins are not tolerated or contraindicated (as a single agent).

In October 2023, the Company signed an agreement with Chongqing Bochuang Pharmaceuticals Co., Ltd.* (重慶博創醫藥有限公司) ("**Bochuang Pharmaceuticals**"), pursuant to which the Company granted Bochuang Pharmaceuticals an exclusive license to conduct research and development on, manufacture and commercialize the ongericimab for the licensed purposes and within Chinese Mainland. Bochuang Pharmaceuticals will be responsible for the subsequent commercialization of ongericimab in Chinese Mainland and will make corresponding milestone payments and sales commissions to the Company.

RISK WARNING

As pharmaceutical products are characterized as being of high technology, of high risks and with high added value, and the commercialization of drugs after being approved for marketing is subject to certain uncertainties, investors are advised to make cautious decisions and pay careful attention to investment risks. The Company will actively pursue the described project and fulfill its information disclosure obligations in a timely manner for subsequent progress in strict compliance with relevant regulations.

By order of the Board of
Shanghai Junshi Biosciences Co., Ltd.*
Mr. Xiong Jun
Chairman

Shanghai, the PRC, 13 October 2024

As at the date of this announcement, the Board of Directors of the Company comprises Mr. Xiong Jun, Dr. Li Ning, Dr. Zou Jianjun, Mr. Li Cong, Mr. Zhang Zhuobing, Dr. Yao Sheng, Dr. Wang Gang and Dr. Li Xin as executive Directors; Mr. Tang Yi as non-executive Director; and Mr. Zhang Chun, Dr. Feng Xiaoyuan, Dr. Meng Anming, Dr. Shen Jingkang and Dr. Yang Yue as independent non-executive Directors.

* *For identification purpose only*