Project Design Phase

Import Data using Transform Maps (Spreadsheet)

1. Design Overview

The solution follows the standard ServiceNow import architecture: the spreadsheet is loaded into a staging (Import Set) table, and a Transform Map moves the data into the target table.

Data Flow Architecture



Reports (Pie / Bar / List) are generated from the Target Table

Figure 1: Data flow architecture

2. Data Model

Target table: Employee Test (u_employee_test) | **Staging table:** Employee Import (u_employee_import)

Field Label	Type	Source Column	Coalesce
Employee ID	String	Employee ID	True (Phase 6)
Employee Name	String	Employee Name	False
Email	String	Email	False
Department	String	Department	False
Location	String	Location	False

3. Transform Map Design

Property	Value
Name	Sample Spreadsheet Import
Source Table	Employee Import (u_employee_import)
Target Table	Employee Test (u_employee_test)
Mapping Method	Auto Map Matching Fields, refined with Mapping Assist
Coalesce Field	Employee ID

4. Coalesce Logic

Scenario	Expected Behaviour
Employee ID not present in target	Insert new record
Employee ID present, other values changed	Update existing record
Employee ID present, values identical	Ignore (no change)

5. Report Design

Report	Type	Group By	Aggregation
Employees by Department	Pie Chart	Department	Count
Employees by Location	Bar Chart	Location	Count
Employee List Report	List	N/A	Columns: ID, Name, Email, Department, Location

6. Naming Conventions

- Custom tables and fields use the **u_** prefix automatically applied by ServiceNow.
- Import table: u_employee_import; Target table: u_employee_test.
- Files are named with the phase number for easy navigation in GitHub