angran1

Execution Environment

Host name HP - 20.23.0.10 Local OS Windows 11 64bit

Katalon version 9.5.0.217

Browser Chrome 125.0.0.0

Device name

Summary

ID Test Suites/angran/angran1

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 13-06-2024 14:34:55 End 13-06-2024 14:36:16

Elapsed 1m - 20.455s

# ID	Description	Status
1 Test Cases/angran/tc1 (1)		FAILED
2 Test Cases/angran/Tc1		FAILED

Information

ID Test Cases/angran/tc1 (1)

Description

Tag

Start 13-06-2024 14:35:18 End 13-06-2024 14:35:27

Elapsed 8.398s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	3.811s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://angrau.ac.in/")	3.716s	PASSED
	Navigate to 'https://angrau.ac.in/' successfully		

Description	Elapsed	Status
click(findTestObject("Object Repository/Page_ANGRAU/img_ADMIN LOGIN_imgresponsive"))	0.831s	FAILED
Unable to click on object 'Object Repository/Page_ANGRAU/img_ADMIN LOGIN_imgresponsive' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_ANGRAU/img_ADMIN LOGIN_img-responsive' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at tc1 (1).run(tc1 (1):24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1718269485621.run(TempTestSuite1718269485621.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not		
interactable (Session info: chrome=125.0.6422.142)		

Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-VER2DEB', ip: '20.23.0.10', os.name: 'Windows 11', os.arch:

Elapsed

Status

```
Description
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:62299}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 37fed93362ef8589e95288a4876c12f5
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

Description Elapsed Status

(DelegatingMethodAccessorImpl.java:43)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.

doCall(ClickKeyword.groovy:67)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

(WebUiBuiltInKeywords.groovy:659)

at Script1718269302211.run(Script1718269302211.groovy:24) ... 18 more



Information

ID Test Cases/angran/Tc1

Description

Tag

Start 13-06-2024 14:36:01 End 13-06-2024 14:36:13

Elapsed 11.516s
Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.332s	PASSED
2	navigateToUrl("https://angrau.ac.in/") Navigate to 'https://angrau.ac.in/' successfully	5.543s	PASSED
3	click(findTestObject("Object Repository/Page_ANGRAU/img")) Object: 'Object Repository/Page_ANGRAU/img' is clicked on	1.256s	PASSED
4	click(findTestObject("Object Repository/Page_ANGRAU/div_EVENTSFLASH NEWS")) Object: 'Object Repository/Page_ANGRAU/div_EVENTSFLASH NEWS' is clicked on	0.462s	PASSED
5	click(findTestObject("Object Repository/Page_ANGRAU/span_Online Registration for admission into_23809c")) Object: 'Object Repository/Page_ANGRAU/span_Online Registration for admission into_23809c' is clicked on	0.313s	PASSED
6	click(findTestObject("Object Repository/Page_ANGRAU/td_56th Annual Convocation - To be held on _00ccac")) Object: 'Object Repository/Page_ANGRAU/td_56th Annual Convocation - To be held on _00ccac' is clicked on	0.312s	PASSED

Tc1

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_ANGRAU/td_Seating Nos (In-person) of Doctoral Mas_1865c6"))	0.341s	PASSED
	Object: 'Object Repository/Page_ANGRAU/td_Seating Nos (In-person) of Doctoral Mas_1865c6' is clicked on		
8	click(findTestObject("Object Repository/Page_ANGRAU/div_ADMIN LOGIN_carousel-caption d-none d-md-block"))	0.345s	PASSED
	Object: 'Object Repository/Page_ANGRAU/div_ADMIN LOGIN_carousel-caption d-none d-md-block' is clicked on		

Description	Elapsed	Status
click(findTestObject("Object Repository/Page_ANGRAU/img_ADMIN LOGIN_imgresponsive"))	0.580s	FAILED
Unable to click on object 'Object Repository/Page_ANGRAU/img_ADMIN LOGIN_imgresponsive' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_ANGRAU/img_ADMIN LOGIN_img-responsive' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at Tc1.run(Tc1:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1718269485621.run(TempTestSuite1718269485621.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable		
(Session info: chrome=125.0.6422.142) Build info: version: '3 141.50', revision: 'lunknown', time: 'lunknown'		
Ruild info: version: '2 1/1 50' revision: 'unknown' time: 'unknown'		

Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-VER2DEB', ip: '20.23.0.10', os.name: 'Windows 11', os.arch:

Elapsed

Status

```
Description
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:62746}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f2d21538ca114298616641b40ba465df
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at\ com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
         at jdk.internal.reflect.GeneratedMethodAccessor16.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
         at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
         at idk.internal.reflect.GeneratedMethodAccessor14.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
```

Description Elapsed Status

(WebUIKeywordMain.groovy:20)

 $at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. click (Click Keyword. click (Click Keyword. click Keywo$

groovy:74)

 $at\ com. kms. katalon. core. we bui. keyword. builtin. Click Keyword. execute$

(ClickKeyword.groovy:40)

 $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

(WebUiBuiltInKeywords.groovy:659)

at Script1718267751165.run(Script1718267751165.groovy:36)

... 18 more

