

25/1/20

git clone "https://github.com/bernabegs/vapnaru"
URL

→ Want to store complete source files in github the laptop is done by git clone command.

Customise folder name:

→ git clone "URL" newfilename.

git bash only read-dxt. Not capable of reading other than dxt like doc, etc.

→ Now want to open that docx file means,

`$ explorer .`

but it won't open in gitbash.

→ Only open file,

`$ start documentname.docx`

same, will not open in gitbash.

→ git branch -M master

Working directory

[Untracking la irukura files and folder]

Staging

[master la textfile staging panne main la yem kattum]
So ella branch layum pakka mudiyum.

Commit

[master la commit panita, untrack la yem katadhu, changed la katadhu, then main la checkout panita, main branch la textfile la status la irukathu.]

master la commit panna master branch la medium
thaan incheun.

```
mkdir project-name # create folder
cd project-name # enter folder
git init # start git
git status # check status
git add file.txt # stage one file
git add . # stage everything
git commit -m "message" # save changes
git log # see history
git remote add origin URL
git branch -M main
git push origin main → remote branch. # upload to github.
git pull origin -main --rebase
```

Git Merge:

Combines changes from one branch into the current branch.

First switch to branch when you want to merge.

git checkout sorna

then merge main into sorna:

git merge main

Git Rebase:

Moves your branch.

Git merge

→ combine

→ may commit

> When commit

so, su

> Rebase

6 u

rema

abg

stage

• add

kum

* Vi

branch la madalam

Git Rebaser:

Moves your branch's commits on top of another branch.

Git merge

- combines branches
- may create a merge commit

Git Rebaser

→ moves/replays your commits on top of main

→ cleaner linear history


→ When file is created in main branch, now you commit it. then you want that in some branch so, switch to some the rebase main branch.

→ Rebase na - 2 branch iruku ithula 4 commit athula 6 commit, 1st 4 commit same for both then remaining 2 matlam it branch ku varavom so abgar.

staging
• add and stash ellavum pop panam mudiyom, ela branch kum common.

* Virtualization → Virtualize hardware
Namma computer la inoru computer potradhu. like 2GB from 6GB RAM, 3GB ROM from 6GB edathu OS pottu use pannuvom.
tools → VirtualBox, VMware.

Hypervisor →




Advanced model of virtualization is containerization.


Containerization:

↳ lightweight containers.

• Monolithic Architecture



• Microservice Architecture



Microservices:

The idea behind microservices is that some type of applications become easier to build and maintain when they are broken down into smaller, composable pieces which work together. Each component is developed separately, and the application is the simply the sum of its constituent components.


Docker Registry:

docker.docker.com | official website

- Docker Registry is storage component for docker images.
- We can store the images in either public/private repositories.
- Docker Hub is Docker's very own cloud repository,

Use of Docker Registry
 → Control where images are stored
 → Integrate image workflow

Docker A



User

- docker
- docker
- docker
- docker
- docker
- docker

launch

- dock

Monolith
 Archite


Initialization

Architecture

Use of Docker Registries

- control where your images are being stored
- integrate image storage with your in-house development workflow

Docker Architecture and components



- docker -v
- docker search node
- docker pull node
- docker images
- docker rmi node:latest

launch docker container

- create command
- run command

create (only launch) & explicitly start (us)

create and power on

- docker create --name democon httpd.

Monolithic Architecture } light weight (eg. portfolio)