

idfm:

- COD_STIF_TRNS → idfm.cod_stif_trns
- COD_STIF_RES → idfm.cod_stif_res
- COD_STIF_ARRET → idfm.cod_stif_arret
- ID_REFA_LDA → idfm.id_refa_lda
- Network_name -> IDFM .LIBELLE_LIGNE
- network_type:
 - IDFM reseau ferre: station
 - IDFM reseau surface: line

network_id is derived by matching the IDFM station identifiers (COD_STIF_TRNS, COD_STIF_RES, COD_STIF_ARRET) to the corresponding entity(1 stop 1 one network) stored in transport_entities and idfm

mta:

- station_id → mta.station_complex_id
- station_name -> mta. station_complex
- borough → mta.borough
- latitude → mta.latitude
- longitude → mta.longitude

idfm_daily_validations:

- JOUR → idfm_daily_validations.service_date
- CATEGORIE_TITRE → idfm_daily_validations.fare_category
- NB_VALD → idfm_daily_validations.nb_validations
- entity_id

So, each daily validation record is linked to the unified transport entity through entity_id.

idfm_hourly_profiles

- CAT_JOUR → idfm_hourly_profiles.day_type
- TRNC_HORR_60 → idfm_hourly_profiles.hour_slot

- POURC_VALIDATIONS → idfm_hourly_profiles.pct_validations
- period_label is not a row-level source field; it is derived from the dataset filename or metadata, for example 2015S1 or 2025Q2
- network_id

mta_hourly_ridership

- transit_timestamp → mta_hourly_ridership.transit_local_hour
- transit_timestamp → mta_hourly_ridership.transit_date_local
- payment_method → mta_hourly_ridership.payment_method
- fare_class_category → mta_hourly_ridership.fare_class_category
- transit_mode → mta_hourly_ridership.transit_mode
- ridership → mta_hourly_ridership.ridership
- transfers → mta_hourly_ridership.transfers
- station_id