

Mathematical Statistics Axioms of Probability

Samir Orujov



Overview

Sample Space and Events



Definition # 1

In probability theory and statistics, the "Sample space" refers to the **set** of all **possible** outcomes or results of an experiment, random process, or observation. It is denoted by the symbol "S".



Definition # 1

In probability theory and statistics, the "Sample space" refers to the **set** of all **possible** outcomes or results of an experiment, random process, or observation. It is denoted by the symbol "S".

Definition # 2 (Experiment)

Any activity for which the outcome or final state of affairs cannot be specified in advance, but for which a set containing all potential outcomes or final states of affairs can be identified.



Definition # 1

In probability theory and statistics, the "Sample space" refers to the **set** of all **possible** outcomes or results of an experiment, random process, or observation. It is denoted by the symbol "S".

Definition # 2 (Experiment)

Any activity for which the outcome or final state of affairs cannot be specified in advance, but for which a set containing all potential outcomes or final states of affairs can be identified.

Definition # 3 (Outcome)

A final result, observation, or measurement occurring from an experiment.



Definition # 1

In probability theory and statistics, the "Sample space" refers to the **set** of all **possible** outcomes or results of an experiment, random process, or observation. It is denoted by the symbol "S".

Definition # 2 (Experiment)

Any activity for which the outcome or final state of affairs cannot be specified in advance, but for which a set containing all potential outcomes or final states of affairs can be identified.

Definition # 3 (Outcome)

A final result, observation, or measurement occurring from an experiment.

Definition # 4 (Sample Space)

A set that contains all possible outcomes of a given experiment.

Example 1

If the outcome of an experiment consists of the determination of the sex of a newborn child, then

$$S = \{g, b\}$$



Example 1

If the outcome of an experiment consists of the determination of the sex of a newborn child, then

$$S = \{g, b\}$$

Example 2 (Horses)

If the outcome of an experiment is the order of finish in a race among the 7 horses having names A, B, C, D, E, F, and G, then

$$S = \{\text{all 7! permutations of } (A, B, C, D, E, F, G)\}$$

The outcome (B, C, A, F, E, D, G) means, for instance, that the horse B comes in first, then the horse C, then the horse A, and so on.



Example 3 (Coin)

If the experiment consists of flipping two coins, then the sample space consists of the following four points:

$$S = \{(h, h), (h, t), (t, h), (t, t)\}$$



Example 3 (Coin)

If the experiment consists of flipping two coins, then the sample space consists of the following four points:

$$S = \{(h, h), (h, t), (t, h), (t, t)\}$$

Example 4

If the experiment consists of tossing two dice, then the sample space consists of the 36 points

$$S = \{(i,j): i, j = 1, 2, 3, 4, 5, 6\}$$

where the outcome (i,j) is said to occur if i appears on the leftmost die and j on the other die.

Example 5

If the experiment consists of measuring (in hours) the lifetime of a transistor, then the sample space consists of all nonnegative real numbers; that is, $S = \{x \mid 0 \le x \le \infty\}$



Event

Definition # 5 (Event)

A subset of the sample space.



Event

Definition # 5 (Event)

A subset of the sample space.

Definition # 6 (Elementary Event)

An event that is a singleton set, consisting of one element of the sample space.



Event

Definition # 5 (Event)

A subset of the sample space.

Definition # 6 (Elementary Event)

An event that is a singleton set, consisting of one element of the sample space.

Definition # 7 (Occurrence of the Event)

An event is said to have occurred if the outcome of the experiment is an element of an event.



Example 6 (Horses)

If $E = \{$ all outcomes in S starting with a C $\}$ then E is the event that horse C wins the race.



Example 6 (Horses)

If $E = \{$ all outcomes in S starting with a C $\}$ then E is the event that horse C wins the race.

Example 7 (Coin)

If $E = \{(h, h), (h, t)\}$, then E is the event that a head appears on the first coin.



Example 6 (Horses)

If $E = \{$ all outcomes in S starting with a C $\}$ then E is the event that horse C wins the race.

Example 7 (Coin)

If $E = \{(h, h), (h, t)\}$, then E is the event that a head appears on the first coin.

Example 8

If $E = \{(1,6), (2,5), (3,4), (4,3), (5,2), (6,1)\}$, then E is the event that the sum of the dice equals 7.



New Events

Definition # 8 (Union)

For any two events E and F of a sample space S. Define the new event

 $E \cup F$ to consist of all outcomes that are **either** in E or in F or in both E and F.

That is, the event $E \cup F$ will occur if either E or F occurs.



New Events

Definition # 8 (Union)

For any two events E and F of a sample space S. Define the new event

 $E \cup F$ to consist of all outcomes that are **either** in E or in F or in both E and F.

That is, the event $E \cup F$ will occur if either E or F occurs.

Definition # 9 (Intersection)

For any two events E and F. Define the new event

EF to consist of all outcomes that are **both** in E and in F.

 $E \cap F$ is another notation for intersection of events.



Example 9 (Coin)

If $E = \{(h, h), (h, t)\}$ is the event that the first coin lands heads, and $F = \{(t, h), (h, h)\}$ is the event that the second coin lands heads, then

$$E \cup F = \{(h, h), (h, t), (t, h)\}$$

is the event that at least one of the coins lands heads and thus will occur provided that both coins do not land tails.



Example 9 (Coin)

If $E = \{(h, h), (h, t)\}$ is the event that the first coin lands heads, and $F = \{(t, h), (h, h)\}$ is the event that the second coin lands heads, then

$$E \cup F = \{(h, h), (h, t), (t, h)\}$$

is the event that at least one of the coins lands heads and thus will occur provided that both coins do not land tails.

Example 10 (Coin)

If $E = \{(h, h), (h, t), (t, h)\}$ is the event that at least 1 head occurs and $F = \{(h, t), (t, h), (t, t)\}$ is the event that at least 1 tail occurs, then

$$EF = E \cap F = \{(h, t), (t, h)\}$$

is the event that exactly 1 head and 1 tail occur.

Empty Space

Definition # 10

If there is no element in the event then we denote it by \emptyset . That is, \emptyset refers to the event consisting of no outcomes.



Empty Space

Definition # 10

If there is no element in the event then we denote it by \emptyset . That is, \emptyset refers to the event consisting of no outcomes.

Definition # 11 (Disjoint Events)

Events that are mutually exclusive, having no outcomes in common. That is $EF = \emptyset$, then E and F are said to be mutually exclusive.



Countable Operations and Complement

Definition # 12 (Countable union & Intersection)

For events E_1, E_2, \ldots define new events

$$\bigcup_{i=1}^{n} E_{i}$$

$$\bigcap_{i=1}^{n} E_{i}$$

- The first one is the event that consists of all outcomes that are in E_i for at least one value of i = 1, 2, ...
- The second is the event consisting of those outcomes that are in all of the events E_i , i = 1, 2, ...



Definition # 13 (Complement)

For any event E, we define the new event E^c , the complement of E, to consist of all outcomes in the sample space S that are not in E.



Definition # 13 (Complement)

For any event E, we define the new event E^c , the complement of E, to consist of all outcomes in the sample space S that are not in E.

Definition # 14 (subset)

Notation: $E \subset F$ {E is a subset of F}

Statement: All of the outcomes in E are also in F.

Thus, if $E \subset F$, then the occurrence of E implies the occurrence of F



Definition # 13 (Complement)

For any event E, we define the new event E^c , the complement of E, to consist of all outcomes in the sample space S that are not in E.

Definition # 14 (subset)

Notation: $E \subset F \ \{E \ is \ a \ subset \ of \ F\}$

Statement: All of the outcomes in E are also in F.

Thus, if $E \subset F$, then the occurrence of E implies the occurrence of F

Definition # 15 (superset)

If E is a subset of F then F is a superset of E.

Notation: $F \supset E \{F \text{ is a superset of } E\}$



Definition # 13 (Complement)

For any event E, we define the new event E^c , the complement of E, to consist of all outcomes in the sample space S that are not in E.

Definition # 14 (subset)

Notation: $E \subset F \ \{E \ is \ a \ subset \ of \ F\}$

Statement: All of the outcomes in E are also in F.

Thus, if $E \subset F$, then the occurrence of E implies the occurrence of F

Definition # 15 (superset)

If E is a subset of F then F is a superset of E.

Notation: $F \supset E \{F \text{ is a superset of } E\}$

If $E \subset F$ and $E \supset F$ then we say that they are equal and write $E \triangleq$





• Commutativity: $E \cup F = F \cup E$ and EF = FE



- Commutativity: $E \cup F = F \cup E$ and EF = FE
- Associativity: $(E \cup F) \cup G = E \cup (F \cup G)$ and (EF)G = E(FG)



- Commutativity: $E \cup F = F \cup E$ and EF = FE
- Associativity: $(E \cup F) \cup G = E \cup (F \cup G)$ and (EF)G = E(FG)
- Distributivity: $(E \cup F) \cap G = EG \cup FG$ and $(E \cap F) \cup G = (E \cup G)(F \cup G)$



- Commutativity: $E \cup F = F \cup E$ and EF = FE
- Associativity: $(E \cup F) \cup G = E \cup (F \cup G)$ and (EF)G = E(FG)
- Distributivity: $(E \cup F) \cap G = EG \cup FG$ and $(E \cap F) \cup G = (E \cup G)(F \cup G)$

Theorem 11 (DeMorgan's Law)

$$\left(\bigcup_{i=1}^{n} E_{i}\right)^{c} = \bigcap_{i=1}^{n} E_{i}^{c} \tag{1}$$

$$\left(\bigcap_{i=1}^{n} E_i\right)^c = \bigcup_{i=1}^{n} E_i^c \tag{2}$$

