

**PROCESSED AT :****Thyrocare**

D-37/1, TTC MIDC, Turbhe,  
Navi Mumbai-400 703



**Thyrocare®**  
The Trust. The Truth.

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

**REPORT**

**NAME** : Trupti Thakkar (45Y/F)  
**REF. BY** : SELF  
**TEST ASKED** : COVID-19  
**PATIENTID** : 2749702522836

**HOME COLLECTION :**

318/2, MAHAVIR NAGAR,  
WADALA, MUMBAI - 400 031

**TEST NAME**

COVID-19 RT PCR

**RESULT**

NOT DETECTED

**Interpretation**

NOT DETECTED	COVID-19 RNA was not detected in the patient specimen or less than detection limit
DETECTED	COVID-19 RNA was detected in the patient specimen
INCONCLUSIVE	Target is inconclusive, Advised to send fresh specimen for recheck

**ICMR Registration No** THYRO001

The performance of this test has been validated & evaluated by National Institute of Virology/ICMR.

**Indications**

COVID-19 is an infectious disease caused by the virus strain "severe acute respiratory syndrome coronavirus 2" (SARS-CoV-2), Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

**Methodology**

COVID19 detection by polymerase chain reaction (PCR) is based on the amplification of specific regions of the SARS-CoV-2. In real Time PCR the amplified product is detected via fluorescent dyes.

**Clinical Significance**

Detection of COVID-19 RNA in patients with COVID-19 infection.

**Limitation of the assay**

1. Presence of PCR inhibitors may interfere with PCR amplification.
2. Undetected result does not rule out the possibility of infection. Presence of inhibitors, mutations & insufficient organism RNA can influence the result.

**Disclaimer**

1. This test is intended for use in conjunction with clinical presentation and other laboratory markers.
2. Improper specimen collection, handling, storage and transportation may result in false negative results.
3. The report represents only the specimen received in laboratory.

**Abbreviation**

1. NP - Nasopharyngeal Swab
2. OP - Oropharyngeal Swab



~~ End of report ~~

**Sample Collected on (SCT)** : 08/01/22 15:09

**Sample Received on (SRT)** : 08/01/22 20:18

**Report Released on (RRT)** : 09/01/22 10:20

**Sample Type**



: SWABS

**Labcode**

: 2749702522836/MUSO3

**Barcode**

: W4991881

Dr. Chaitali Nikam, Ph.D

Dr. Caesar Sengupta MD(Micro)