

```
Terminal - user@richardson-VirtualBox: ~/curso-docker/share/email-worker-compo
Arquivo  Editar  Ver  Terminal  Abas  Ajuda

worker_1 | Mensagem foo enviada
app_1     | Mensagem registrada !
worker_1  | Mandando a mensagem: oi
frontend_1 | 172.21.0.1 - - [13/Jun/2023:00:53:13 +0000] "POST /api/messages" 201
00 50 "http://localhost/" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64;
ko/20100101 Firefox/113.0" "-"
app_1     | 172.21.0.3 - - [13/Jun/2023 00:53:13] "POST / HTTP/1.1" 201
worker_1  | Mensagem oi enviada
db_1      | FATAL: database "\l" does not exist
db_1      | ERROR: relation "emails" does not exist at character 1
db_1      | STATEMENT: select * from emails
db_1      | ERROR: relation "emails" does not exist at character 1
db_1      | STATEMENT: select * from emails;
db_1      | ERROR: relation "email_sender" does not exist at character 1
db_1      | STATEMENT: select * from email_sender;
db_1      | ERROR: relation "email_sender" does not exist at character 1
db_1      | STATEMENT: select * from email_sender;
worker_1  | Mandando a mensagem: foo
frontend_1 | 172.21.0.1 - - [13/Jun/2023:01:00:51 +0000] "POST /api/messages" 201
00 49 "http://localhost/" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64;
ko/20100101 Firefox/113.0" "-"
app_1     | Mensagem registrada !
app_1     | 172.21.0.3 - - [13/Jun/2023 01:00:51] "POST / HTTP/1.1" 201
```

```
Terminal - user@richardson-VirtualBox: ~/curso-docker/share/email-worker-compo
Arquivo  Editar  Ver  Terminal  Abas  Ajuda

user@richardson-VirtualBox:~/curso-docker/share/email-worker-compo$ p
pose exec db psql -U postgres -c '\l'

                                List of databases
Name          | Owner   | Encoding | Collate | Ctype   |
-----+-----+-----+-----+-----+
email_sender  | postgres | UTF8     | en_US.utf8 | en_US.utf8 |
postgres      | postgres | UTF8     | en_US.utf8 | en_US.utf8 |
template0     | postgres | UTF8     | en_US.utf8 | en_US.utf8 |
+-----+-----+-----+-----+
postgres      | postgres |          |          |          | po
template1     | postgres | UTF8     | en_US.utf8 | en_US.utf8 |
+-----+-----+-----+-----+
postgres      | postgres |          |          |          | po
(4 rows)
```

localhost/api

localhost/api

Mensagem enfileirada ! Assunto: oi Mensagem: mundo

E-mail Sender

localhost

E-mail Sender

Assunto

foo

Mensagem

bar

Enviar !