



Ministry of Higher Education and Scientific Research

University of Jendouba

Higher Institute of Applied Languages and Computer Science of Béja



Réf : LA-GLSI...../2025

Final Year Project Report

For the obtainment of the

BACHELOR'S DEGREE IN COMPUTER SCIENCE

Subject:

Development of a Diagram Generation Platform

Prepared by:

Askri Souhaieb, Mekni Issam

Supervised by:

Academic Supervisor :Mr. Mohamed Naija

Professional Supervisor :Mrs. Askri Ines

Host Organization : Goodwill Engineering

Academic Year: 2024–2025

Dedication

To my dear parents, No words of gratitude can truly do you justice. You have always been my support, my strength, and my first source of encouragement and generosity. Your efforts, sacrifices, and boundless love have been a guiding light that helped me overcome every challenge. I dedicate this work to you as a token of appreciation and gratitude for the values and principles you have instilled in me.

To my sisters, friends, and loved ones, Thank you for standing by me and for your encouraging words in every moment of weakness. You have always been and continue to be a part of this success. You have all my appreciation and love.

Acknowledgments

This project would not have been possible without the support and assistance of several individuals to whom we extend our deepest gratitude. We dedicate this work to them with great appreciation.

We sincerely thank Professor Mohamed Naija, our supervisor, who spared no effort in guiding and advising us throughout the course of this project, offering invaluable support from beginning to end.

We also express our gratitude to Mrs. Askri Ines for his insightful guidance and helpful remarks during the internship period.

Our thanks also go to all our esteemed professors, especially the members of the examination committee who kindly agreed to evaluate our humble work.

Finally, we extend our heartfelt thanks to everyone who contributed, directly or indirectly, to the completion of this project. May Allah bless everyone with success and barakah.

Contents

Dedication	2
Acknowledgments	3
1 Overview	13
1.1 Introduction	13
1.2 Overview of the Host Organization	13
1.3 Presentation of the Project Context	13
1.3.1 Problem Statement	13
1.3.2 Existing Solutions	14
1.3.3 Proposed Solution	14
1.3.3.1 Use of PlantUML	15
1.4 Methodology	15
1.4.1 Agile Approach	15
1.4.2 Scrum Framework	16
1.4.2.1 Key Principles of Scrum	16
1.4.2.2 Roles	16
1.4.2.3 Events	17
1.4.2.4 Artifacts	17
1.5 Modeling Language	17
1.6 Conclusion	18
2 Project Initiation	19
2.1 Introduction	19
2.2 Analysis and Specification of Requirements	20
2.2.1 Identification of Actors	20
2.2.2 Identification of Requirements	20
2.2.2.1 Functional Requirements	20
2.2.2.2 Non-Functional Requirements	21
2.3 Project Management with Scrum	22
2.3.1 Scrum Roles	22
2.3.2 Product Backlog	23

CONTENTS

2.3.3	Global Use Case Diagram	25
2.3.4	Sprint Planning	26
2.4	Deployment diagram	27
2.5	Tools and Environment	27
2.6	Conclusion	29
3	Sprint I	31
3.1	Introduction	31
3.2	Sprint Planning	31
3.2.1	Objectives of Sprint I	31
3.2.2	Backlog of Sprint I	32
3.3	Technologies and Tools Used	32
3.3.1	PostgreSQL	32
3.3.2	MinIO	32
3.3.3	PlantUML Server	33
3.3.4	Next.js with Prisma	33
3.3.5	Docker and Docker Compose	33
3.4	Deliverables of Sprint I	33
3.4.1	Database Infrastructure	33
3.4.1.1	Database Schema Design	34
3.4.2	Object Storage Service	35
3.4.3	Diagram Generation Service	35
3.4.4	Web Application Container	35
3.5	Environment Configuration	36
3.6	Retrospective of Sprint I	36
3.6.1	Achievements	36
3.6.2	Challenges and Lessons Learned	37
3.6.3	Areas for Enhancement	37
3.7	Conclusion	38
4	Sprint II	39
4.1	Introduction	39
4.2	Sprint Planning	39
4.2.1	Objectives of Sprint II	39
4.2.2	Backlog of Sprint II	40
4.3	Technologies and Tools Used	40
4.3.1	NextAuth.js	40
4.3.2	Prisma	40
4.4	Analyse	41
4.4.1	Use case diagram for Sprint II	41

CONTENTS

4.4.2	Refined use case "Authentication"	42
4.4.2.1	Use case	42
4.4.2.2	Textual description of use case	42
4.4.3	Refined use case "Explore Landing Page"	44
4.4.3.1	Use case	44
4.4.3.2	Textual description of use case	45
4.5	Conception	45
4.5.1	Sequence diagram of use case "Authentication"	45
4.6	Deliverables of Sprint II	51
4.7	Retrospective of Sprint II	53
4.8	Conclusion	53
5	Sprint III	54
5.1	Introduction	54
5.2	Sprint Planning	54
5.2.1	Objectives of Sprint III	54
5.2.2	Backlog of Sprint III	55
5.3	Analyse	55
5.3.1	Use case diagram for sprint III	55
5.3.2	Refined use case "Manage projects"	56
5.3.2.1	Use case	56
5.3.2.2	Textual description of use case "Create new project"	57
5.3.2.3	Textual description of use case "View project"	58
5.3.2.4	Textual description of use case "Update project details"	59
5.3.2.5	Textual description of use case "Delete project"	60
5.3.2.6	Textual description of use case "Download project diagrams compressed"	61
5.3.4	Sequence diagram of use case	62
5.4	Conception	61
5.5	Deliverables of Sprint III	67
5.6	Retrospective of Sprint III	70
5.7	Conclusion	71
6	Sprint IV	72
6.1	Introduction	72
6.2	Sprint Planning	72
6.2.1	Objectives of Sprint IV	72
6.2.2	Backlog of Sprint IV	73
6.3	Analyse	73
6.3.1	Use case diagram for sprint IV	73

CONTENTS

6.3.2	Refined use case "Manage Diagrams"	74
6.3.2.1	Use case	75
6.3.2.2	Textual description of use case "Create new diagram"	75
6.3.2.3	Textual description of use case "View diagram"	76
6.3.2.4	Textual description of use case "Delete diagram"	76
6.3.3	Refined use case "Manage Workspace"	77
6.3.3.1	Textual description of use case "load workspace"	77
6.3.3.2	Textual description of use case "chat with AI"	78
6.3.3.3	Textual description of use case "clear chat"	78
6.3.3.4	Textual description of use case "edit diagram"	79
6.3.3.5	Textual description of use case "save changes"	79
6.3.3.6	Textual description of use case "Download Diagram Image"	80
6.4	Conception	80
6.4.1	Activity Diagrams	81
6.4.2	Sequence Diagrams	82
6.5	Deliverables of Sprint IV	86
6.6	Retrospective of Sprint IV	89
6.7	Conclusion	90
7	Sprint V	91
7.1	Introduction	91
7.2	Sprint Planning	91
7.2.1	Objectives of Sprint V	91
7.2.2	Backlog of Sprint V	93
7.3	Analyse	94
7.3.1	Use case diagram for sprint V	94
7.3.2	Refined use case "Community Interaction"	94
7.3.2.1	Use case	94
7.3.2.2	Textual description of use case "Explore community"	95
7.3.2.3	Textual description of use case "Comment on projects"	96
7.3.2.4	Textual description of use case "Like/Unlike projects"	97
7.3.2.5	Textual description of use case "Update comments"	98
7.3.2.6	Textual description of use case "Delete comments"	99
7.3.2.7	Textual description of use case "Like/Unlike comments"	100
7.3.2.8	Textual description of use case "Copy projects to workspace"	101
7.3.3	Refined use case "Profile Management"	101
7.3.3.1	Textual description of use case "Edit profile"	102
7.3.3.2	Textual description of use case "View Public Projects on Profile"	103

CONTENTS

7.4 Conception	103
7.4.1 Community Interaction Sequence Diagrams	104
7.4.2 Profile Management Sequence Diagrams	112
7.5 Deliverables of Sprint V	113
7.6 Retrospective of Sprint V	115
7.7 Conclusion	116
8 General Conclusion	117
8.1 Summary of Achievements	117
8.2 Challenges Faced	118
8.3 Future Perspectives	118

List of Figures

1.1	UML Official Logo	17
2.1	Global Use Case Diagram	26
2.2	Deployment diagram	27
3.1	Database Entity Relationship Diagram	34
4.1	Use Case Diagram for Sprint II	41
4.2	Refined Use Case Diagram for Authentication Feature	42
4.3	Sequence Diagram - Google Authentication	46
4.4	Sequence Diagram - Cross-Device Authentication	48
4.5	Sequence Diagram - Sign Out Process	50
4.6	Landing Page Implementation	51
4.7	Sign-In Page with OAuth Options	52
4.8	Sign-Out Confirmation Interface	52
5.1	Use case diagram for Sprint III - Project Management	55
5.2	Refined use case diagram for project management feature	56
5.3	Sequence diagram for Create New Project use case	62
5.4	Sequence diagram for View Project Details use case	63
5.5	Sequence diagram for Update Project Details use case	64
5.6	Sequence diagram for Delete Project use case	65
5.7	Sequence diagram for Download Project Diagrams as Zip use case	66
5.8	Sequence diagram for Share Project use case	67
5.9	Home page showing project overview and navigation	68
5.10	Add project interface with form validation and user guidance	68
5.11	Project details page displaying comprehensive project information	69
5.12	Extended project view with diagram management capabilities	69
5.13	Project deletion confirmation dialog with safety measures	70
5.14	User profile and project management dashboard	70
6.1	Use Case Diagram of Sprint IV	74
6.2	Refined Use Case - Manage Diagrams	74
6.3	Refined Use Case - Manage Workspace	77

LIST OF FIGURES

6.4	Activity Diagram - Edit Diagrams	81
6.5	Sequence Diagram - Create New Diagram	82
6.6	Sequence Diagram - Delete Diagram	83
6.7	Sequence Diagram - Download Diagram Images	83
6.8	Sequence Diagram - Edit Diagram Code	84
6.9	Sequence Diagram - Chat with AI Mode	85
6.10	Sequence Diagram - Save Changes	85
6.11	Add Diagram Interface	86
6.12	Interactive Code Editor	87
6.13	AI Assistant Integration	88
6.14	Diagram Project Editor - View 1	88
6.15	Diagram Project Editor - View 2	89
7.1	Use Case Diagram for Sprint V	94
7.2	Refined Use Case Diagram for Community Interaction Feature	94
7.3	Refined Use Case Diagram for Profile Management Feature	101
7.4	Sequence Diagram: Explore Community as User	104
7.5	Sequence Diagram: Comment on Projects	105
7.6	Sequence Diagram: Like/Unlike Projects	106
7.7	Sequence Diagram: Share Projects	107
7.8	Sequence Diagram: Update Comments	108
7.9	Sequence Diagram: Delete Comments	109
7.10	Sequence Diagram: Like/Unlike Comments	110
7.11	Sequence Diagram: Copy Community Projects to Workspace	111
7.12	Sequence Diagram: Edit User Profile	112
7.13	Sequence Diagram: View Public Projects on Profiles	113
7.14	Community Exploration Interface - Main View	114
7.15	Community Exploration Interface - Project Details View	114
7.16	Comment Section Implementation	115
7.17	Profile Editing Interface	115

List of Tables

1.1	Comparison of Textual Diagramming Tools	15
2.1	Sprint roles and their respective members	23
2.2	Product Backlog with User Stories and Priorities (Imported from backlog.csv)	23
2.3	Sprint Planning with Estimated Durations	26
2.4	Tools and Environment Used in the Project (Ordered by Usage)	27
4.1	Sprint II Backlog Items	40
4.2	Textual Description - Sign in with Google Account	43
4.3	Textual Description - Sign in with GitHub Account	43
4.4	Textual Description - Cross-Device Authentication	44
4.5	Textual Description - Sign Out	44
4.6	Textual Description - Explore Landing Page	45
5.1	Textual description of "Create new project" use case	57
5.2	Textual description of "View project" use case	58
5.3	Textual description of "Update project details" use case	59
5.4	Textual description of "Delete project" use case	60
5.5	Textual description of "Download project diagrams compressed" use case . .	61
6.1	Sprint IV Backlog	73
6.2	Use Case Description - Create New Diagram	75
6.3	Use Case Description - View Diagram	76
6.4	Use Case Description - Delete Diagram	76
6.5	Use Case Description - Load Workspace	77
6.6	Use Case Description - Chat with AI	78
6.7	Use Case Description - Clear Chat	78
6.8	Use Case Description - Edit Diagram	79
6.9	Use Case Description - Save Changes	79
6.10	Use Case Description - Download Diagram Image	80
7.1	Sprint V Product Backlog	93
7.2	Use Case: Explore Community	95
7.3	Use Case: Comment on Projects	96

LIST OF TABLES

7.4	Use Case: Like/Unlike Projects	97
7.5	Use Case: Update Comments	98
7.6	Use Case: Delete Comments	99
7.7	Use Case: Like/Unlike Comments	100
7.8	Use Case: Copy Projects to Workspace	101
7.9	Use Case: Edit Profile	102
7.10	Use Case: View Public Projects on Profile	103

Chapter 1

Overview of the Project

1.1 Introduction

The rapid evolution of software development has increased demand for efficient design tools. UML diagrams serve as essential visual representations bridging conceptual design and implementation, facilitating stakeholder communication and providing standardized documentation approaches [?].

Traditional diagramming approaches present productivity barriers through manual effort and technical complexity. AI and natural language processing technologies have opened possibilities for automating diagram generation, transforming how developers create visual system representations [?].

This project addresses the need for an intelligent platform combining textual diagram precision with natural language accessibility, democratizing UML creation while maintaining professional standards.

1.2 Overview of the Host Organization

1.3 Presentation of the Project Context

1.3.1 Problem Statement

UML diagram creation faces challenges across GUI-based tools and textual specification languages.

GUI-Based Tool Challenges:

Traditional graphical tools present steep learning curves, time-consuming manual positioning, collaboration difficulties, and poor version control integration [?]. These limitations impact productivity and create inconsistencies across projects.

Textual Tool Challenges:

Tools like PlantUML and Mermaid require specific syntax knowledge, creating barriers

CHAPTER 1. OVERVIEW

for non-technical users [?]. Complex error debugging and lack of real-time feedback slow the design process.

Workflow Integration Issues:

Both approaches suffer from poor development workflow integration, limited automation capabilities, and inadequate collaboration features [?].

1.3.2 Existing Solutions

Several platforms address textual diagram generation challenges through different approaches.

AI-Powered Platforms:

Diagramming AI tools utilize artificial intelligence to interpret natural language and generate diagrams [?]. These provide conversational interfaces and multi-format support but often lack precision for professional development.

Conversational Tools:

ChatUML and similar tools focus on natural language processing through chat interfaces [?]. They excel at simple diagrams and provide immediate feedback but struggle with complex enterprise requirements.

Current Limitations:

Existing solutions lack comprehensive AI integration, limited community features, and inconsistent output quality that falls short of professional standards [?].

1.3.3 Proposed Solution

Our platform addresses identified challenges through intelligent diagram generation that integrates AI with textual specification technologies.

Core Innovation:

The platform uses natural language processing to interpret user requirements and automatically generate UML diagrams [?]. By combining PlantUML precision with conversational interfaces, we eliminate traditional barriers.

Key Features:

Intelligent requirement interpretation processes natural language descriptions to identify entities and relationships, generating appropriate PlantUML code. Dynamic generation allows conversational refinement with real-time validation ensuring UML standard compliance [?].

Collaboration features enable team-based development with version control, while a community marketplace facilitates template sharing and knowledge exchange.

Technical Architecture:

The microservices architecture separates NLP, diagram generation, and UI components, ensuring scalability and API integration [?].

Competitive Advantages:

Superior AI integration maintains consistency across complex diagrams, community focus creates sustainable knowledge sharing, and professional-grade output meets enterprise standards while remaining accessible to all users.

1.3.3.1 Use of PlantUML

PlantUML selection as core diagram generation engine resulted from comprehensive analysis of textual diagramming tools.

Comparative Analysis:

Table 1.1: Comparison of Textual Diagramming Tools

Criteria	PlantUML	Mermaid	Graphviz
UML Support	Comprehensive	Limited	Minimal
Syntax Complexity	Moderate	Simple	Complex
Output Quality	High	Medium	High
Community Size	Large	Growing	Established
Integration APIs	Excellent	Good	Limited
Enterprise Ready	Yes	Partially	Yes

Selection Rationale:

PlantUML provides comprehensive UML support covering all standard diagram types [?]. Its mature ecosystem includes extensive documentation and proven enterprise stability. The syntax balances expressiveness with readability, suitable for AI-driven generation.

Technical advantages include robust API integration and multiple output formats (PNG, SVG, PDF) [?]. Industry adoption ensures workflow compatibility and reduces learning curves.

The open-source nature allows customization while proven scalability supports enterprise deployment and community innovation [?].

1.4 Methodology

1.4.1 Agile Approach

Agile methodology represents a fundamental shift from traditional waterfall development approaches, emphasizing iterative development, continuous collaboration, and adaptive planning [?]. This approach prioritizes individuals and interactions over processes

CHAPTER 1. OVERVIEW

and tools, working software over comprehensive documentation, customer collaboration over contract negotiation, and responding to change over following a plan.

Agile methodologies are particularly suited for projects with evolving requirements, where frequent stakeholder feedback and rapid adaptation to changing needs are essential. The iterative nature allows for continuous improvement and risk mitigation throughout the development lifecycle [?].

1.4.2 Scrum Framework

1.4.2.1 Key Principles of Scrum

Scrum operates on fundamental principles that promote transparency, inspection, and adaptation [?]. Transparency ensures all team members have visibility into project progress and challenges. Inspection involves regular examination of artifacts and progress toward sprint goals. Adaptation enables teams to adjust their approach based on inspection outcomes.

The framework emphasizes empirical process control, where decisions are based on observation and experimentation rather than detailed upfront planning. This approach is particularly valuable for AI-driven projects where outcomes can be difficult to predict [?].

1.4.2.2 Roles

Scrum defines three primary roles that are pivotal for the effective execution of projects and maintaining seamless communication with stakeholders [?]:

- **Product Owner:** The Product Owner is the voice of the stakeholders and is responsible for managing the product backlog. They prioritize features and tasks to ensure the team focuses on delivering maximum business value and addressing user needs effectively.
- **Scrum Master:** Acting as a facilitator, the Scrum Master ensures that the Scrum framework is followed. They remove obstacles, enable team productivity, and help the team adhere to Scrum principles for continuous improvement.
- **Development Team:** This is a group of cross-functional professionals responsible for delivering potentially shippable increments of the product. The team collaborates closely and takes ownership of the work, ensuring high-quality deliverables.

These roles collectively foster accountability, streamlined communication, and adaptability, which are essential for navigating complex technical projects, such as those involving artificial intelligence and user experience design.

CHAPTER 1. OVERVIEW

1.4.2.3 Events

Scrum events provide structured opportunities for inspection, adaptation, and planning [?]. Sprint Planning establishes sprint goals and selects backlog items for development. Daily Standups facilitate communication and identify impediments. Sprint Reviews demonstrate completed work to stakeholders and gather feedback. Sprint Retrospectives enable team reflection and process improvement.

These time-boxed events ensure regular progress assessment and continuous alignment with project objectives while maintaining development momentum.

1.4.2.4 Artifacts

Scrum artifacts provide transparency and opportunities for inspection and adaptation [?]. The Product Backlog contains prioritized requirements and features. The Sprint Backlog includes selected items for the current sprint and tasks needed for completion. The Product Increment represents potentially shippable functionality delivered each sprint.

These artifacts ensure stakeholder visibility into project progress and facilitate informed decision-making throughout the development process.

1.5 Modeling Language

Modeling languages offer standardized notations for system representation, encompassing structure, behavior, and requirements [?]. These languages facilitate stakeholder communication and architectural documentation, distinguishing them from programming languages that provide computational instructions.



Figure 1.1: UML Official Logo

UML's key differentiators include comprehensive standardization, broad industry acceptance, and robust tooling ecosystem. While specialized languages such as BPMN address business process modeling and SysML serves systems engineering, UML delivers extensive coverage for software-intensive system development [?].

1.6 Conclusion

This chapter established the foundation for developing an intelligent UML diagram generation platform by addressing critical challenges in current programming approaches. The analysis revealed significant limitations in both traditional GUI-based tools and textual specification methods, highlighting the need for innovative solutions that combine precision with accessibility.

Our proposed platform leverages artificial intelligence and natural language processing to bridge these gaps, offering intelligent requirement interpretation and automated diagram generation through PlantUML integration. The selection of Scrum methodology ensures structured yet flexible development approach suitable for complex AI-driven projects, while UML's comprehensive standardization provides the necessary foundation for diverse modeling requirements.

The combination of proven technologies (PlantUML), established methodologies (Scrum), and innovative AI integration positions this project to deliver significant value to software development communities. The platform's focus on collaboration and community building creates sustainable ecosystem for knowledge sharing and continuous improvement in diagram-driven development practices.

Chapter 2

Project Initiation

2.1 Introduction

This project aims to develop a comprehensive PlantUML-based diagramming platform that combines individual productivity tools with community collaboration features. The platform serves as a web-based solution for creating, editing, and sharing PlantUML diagrams while fostering a collaborative environment where users can explore, learn from, and build upon each other's work.

The primary motivation behind this project stems from the need for an integrated platform that not only provides powerful diagramming capabilities but also incorporates modern features such as AI-assisted code editing and community-driven learning. The platform targets developers, software architects, system designers, and educational institutions who require efficient tools for creating technical diagrams and visual documentation.

Key objectives of this project include:

- Developing a user-friendly web interface for PlantUML diagram creation and editing
- Implementing robust project and diagram management capabilities
- Creating a collaborative workspace with AI-powered assistance
- Building a community platform for sharing and discovering diagrams
- Ensuring scalable architecture with proper authentication and administration features

The project follows agile development methodologies using Scrum framework, ensuring iterative development and continuous stakeholder feedback integration.

2.2 Analysis and Specification of Requirements

2.2.1 Identification of Actors

Through comprehensive analysis of the system requirements and user stories, we have identified the following actors who will interact with the PlantUML platform:

Primary Actors (Human Users):

- **User:** Authenticated individuals who can create, manage, and share diagrams and projects. They have full access to the platform's features including workspace management, community interaction, and profile customization.
- **Visitor:** Unauthenticated users who have limited access to the platform. They can explore the landing page and browse community content but cannot create or modify diagrams.

Secondary Actors (System Components):

- **AI System:** An intelligent assistant that responds to user requests and provides code editing assistance for diagram creation and modification.
- **PlantUML Server:** External service responsible for rendering PlantUML code into visual diagram representations.

2.2.2 Identification of Requirements

2.2.2.1 Functional Requirements

The functional requirements have been categorized based on the main feature areas of the platform:

Authentication and Security:

- Support for OAuth authentication via Google and GitHub accounts
- Cross-device authentication persistence
- Secure logout functionality
- Administrative authentication with elevated privileges

Project and Diagram Management:

- Complete CRUD operations for projects and diagrams
- Project organization and categorization capabilities
- Bulk download functionality for project diagrams
- Individual diagram export in multiple formats
- Project sharing and collaboration features

Workspace and Editing:

- Interactive code editor for PlantUML syntax
- Split-view workspace with customizable layouts
- Real-time diagram rendering and preview
- AI-powered code assistance and suggestions
- Syntax highlighting and error detection

Community Features:

- Public project exploration and discovery
- Comment system with full CRUD operations
- Like/unlike functionality for projects and comments
- Project forking and copying capabilities
- Social sharing features

Profile:

- User profile management and customization
- Public project portfolio display

2.2.2.2 Non-Functional Requirements

Performance Requirements:

- Page load times should not exceed 3 seconds under normal conditions
- Diagram rendering should complete within 5 seconds for standard-sized diagrams
- The system should support concurrent access by up to 1000 users
- Real-time editor updates should have latency below 100ms

CHAPTER 2. PROJECT INITIATION

Security Requirements:

- All data transmission must be encrypted using HTTPS/TLS
- User authentication must follow OAuth 2.0 security standards
- Input validation and sanitization for all user-generated content
- Protection against common web vulnerabilities (XSS, CSRF, SQL injection)

Usability Requirements:

- Intuitive user interface following modern web design principles
- Responsive design supporting desktop, tablet, and mobile devices
- Accessibility compliance with WCAG 2.1 Level AA standards
- Multilingual support with initial focus on English

Reliability and Availability:

- System uptime of 99.5% excluding scheduled maintenance
- Automated backup systems with 24-hour recovery point objective
- Graceful error handling with meaningful user feedback
- Fault tolerance for external service dependencies

Scalability Requirements:

- Horizontal scaling capability for increased user load
- Database optimization for efficient query performance
- CDN integration for static asset delivery
- Microservices architecture for independent component scaling

2.3 Project Management with Scrum

2.3.1 Scrum Roles

The project adopts the Scrum framework with clearly defined roles and responsibilities:

Roles in the Scrum Team:

Role	Member(s)
Product Owner	Issam Mekni
Scrum Master	Issam Mekni
Development Team	Issam Mekni, Souhaieb Askri

Table 2.1: Scrum roles and their respective members

2.3.2 Product Backlog

The product backlog represents a prioritized list of features and requirements derived from stakeholder needs and market analysis. Each backlog item follows the user story format and includes priority classification using MoSCoW method (Must have, Should have, Could have, Won't have this time).

Table 2.2: Product Backlog with User Stories and Priorities (Imported from backlog.csv)

ID	Feature	Sub-ID	User Story	Priority
1	Authentication	1.1	As a user; I want to authenticate using my Google account so that I can log in easily.	M
		1.2	As a user; I want to authenticate using my GitHub account so that I can log in with my developer profile.	M
		1.3	As a user; I want to stay authenticated across multiple devices so that I can access my account anywhere.	S
		1.4	As a user; I want to log out from my account so that my information is secure when I finish.	M
2	Explore Landing Page	2.1	As a user; I want to explore the landing page so that I can understand the platform's features and benefits.	M
3	Manage Projects	3.1	As a user; I want to create a new project so that I can organize my diagrams.	M
		3.2	As a user; I want to view my project details so that I can track my work.	M
		3.3	As a user; I want to update project details so that I can keep information current.	M
		3.4	As a user; I want to delete a project so that I can remove unwanted content.	M

Continued on next page

CHAPTER 2. PROJECT INITIATION

Table 2.2 – continued from previous page

ID	Feature	Sub-ID	User Story	Priority
4	Manage Diagrams	3.5	As a user; I want to download project diagrams as images in a compressed ZIP file so that I can use them offline.	S
		3.6	As a user; I want to share my project with others so that I can collaborate or showcase my work.	S
		4.1	As a user; I want to create a new diagram so that I can visualize my ideas.	M
		4.2	As a user; I want to view my diagram so that I can review my work.	M
		4.3	As a user; I want to update diagram details so that I can improve my designs.	M
		4.4	As a user; I want to delete a diagram so that I can remove unwanted content.	M
5	Manage Workspace	4.5	As a user; I want to download diagram images in appropriate formats so that I can use them in other applications.	S
		5.1	As a user; I want to control and split views in my workspace so that I can work efficiently.	S
		5.2	As a user; I want to edit diagram code in an interactive editor so that I can create diagrams efficiently.	M
		5.3	As a user; I want to chat with an AI model to edit diagram code so that I can get assistance with complex diagrams.	C
		5.4	As an AI system; I need to respond to user requests and help edit diagram code so that users can create better diagrams.	C
6	Community Interaction	5.5	As a PlantUML Server; I need to render diagram code into diagram images so that users can visualize their work.	M
		6.1	As a user; I want to explore the community so that I can discover interesting projects.	S
		6.2	As a visitor; I want to explore the community so that I can see what the platform offers.	S
		6.3	As a user; I want to comment on projects so that I can provide feedback to other users.	C

Continued on next page

Table 2.2 – continued from previous page

ID	Feature	Sub-ID	User Story	Priority
7	Profile Management	6.4	As a user; I want to like/unlike projects so that I can show appreciation for good work.	C
		6.5	As a user; I want to share projects so that I can promote interesting content.	C
		6.6	As a user; I want to update my comments so that I can correct or improve my feedback.	C
		6.7	As a user; I want to delete my comments so that I can remove inappropriate or outdated feedback.	C
		6.8	As a user; I want to like/unlike comments so that I can engage in community discussions.	C
		6.9	As a user; I want to copy community projects to my workspace so that I can learn from and build upon others' work.	S
		7.1	As a user; I want to edit my profile so that I can keep my information current.	S
		7.2	As a user; I want to view public projects on profiles so that I can see others' work.	S

2.3.3 Global Use Case Diagram

The global use case diagram provides a comprehensive overview of the system's functionality and actor interactions. It illustrates the relationships between different use cases and demonstrates how various actors engage with the platform's features.




Figure 2.1: Global Use Case Diagram

2.3.4 Sprint Planning

The project is organized into six strategic sprints, each focusing on specific functional areas and building upon previous deliverables. The total project duration is designed to fit within 3.5 months (14 weeks) with efficient resource allocation and parallel development activities.

Sprint	Focus Area	Backlog Features	Weeks
I	Infrastructure Setup	N/A	2
II	Authentication and Landing Page	1,2	3
III	Project Management	3	3
IV	Diagram and Project Management	4,5	3
V	Community Interaction and Profiles	6 ,7	3

Table 2.3: Scrum Sprint Planning with Estimated Durations

2.4 Deployment diagram

The deployment diagram illustrates the system's architecture at the deployment level, showing how components are deployed and how they interact with external systems and services.




Figure 2.2: Deployment diagram

2.5 Tools and Environment

The development of the platform leverages a modern web technology stack, development tools, and runtime environments that support scalable, maintainable, and collaborative software engineering practices.

Table 2.4: Tools and Environment Used in the Project
(Ordered by Usage)

Tool/Technology	Logo	Purpose
Linux		Operating system environment for development and deployment

CHAPTER 2. PROJECT INITIATION

Tool/Technology	Logo	Purpose
Git		Distributed version control system
GitHub		Version control and collaborative code hosting
VSCodium		Open-source code editor used for development
LaTeX		Document preparation system for high-quality typesetting
Node.js		JavaScript runtime for backend services
Next.js		React framework for server-side rendering and routing
React		JavaScript library for building user interfaces
TypeScript		Static typing for JavaScript to enhance code quality
NextAuth.js		Authentication library for Next.js applications
Tailwind CSS		Utility-first CSS framework for fast UI development
ShadCN/UI		Component library built on top of Tailwind for accessible UI components
Prisma		ORM for database access and modeling
PostgreSQL		Relational database used for storing platform data

Tool/Technology	Logo	Purpose
LangChain		Framework for developing AI-driven assistant features
PlantUML		Tool for creating UML diagrams from plain text
Docker		Containerization platform for application deployment
MinIO		Object storage server compatible with Amazon S3 API
Firefox		Browser used for development and testing

2.6 Conclusion

The project initiation phase has established a solid foundation for the development of the platform through comprehensive requirement analysis, stakeholder identification, and strategic planning. The adoption of Scrum methodology ensures iterative development with regular feedback incorporation and continuous improvement.

Key achievements of this initiation phase include:

- Clear identification of system actors and their interactions
- Comprehensive functional and non-functional requirements specification
- Well-structured product backlog with prioritized user stories
- Detailed sprint planning with realistic timelines and deliverables
- Established project management framework using Scrum principles

The systematic approach to requirement gathering and analysis has revealed the complexity and scope of the platform while ensuring that all stakeholder needs are addressed. The priority-based classification of requirements enables focused development on core functionality while maintaining flexibility for future enhancements.

The sprint-based development approach provides clear milestones and deliverables, facilitating progress tracking and stakeholder communication. The incremental nature of the development process allows for early feedback integration and risk mitigation.

Moving forward, the project is well-positioned to proceed with the technical architecture design and implementation phases, building upon the solid foundation established during

CHAPTER 2. PROJECT INITIATION

this initiation phase. The comprehensive documentation created during this phase will serve as a reference throughout the development lifecycle, ensuring consistency and alignment with project objectives.

Chapter 3

Study and Implementation of Sprint I: Infrastructure Setup

3.1 Introduction

The first sprint of our project focuses on establishing a robust and scalable infrastructure foundation. This sprint is crucial as it sets up the development environment and core services that will support the entire application ecosystem. The infrastructure includes containerized services for database management, file storage, diagram generation, and the main web application framework.

Our approach emphasizes modern DevOps practices using Docker containerization to ensure consistency across different development environments and facilitate easy deployment. This chapter documents the planning, implementation, and outcomes of Sprint I, providing insights into the technical decisions made and lessons learned during the infrastructure setup phase.

3.2 Sprint Planning

3.2.1 Objectives of Sprint I

The primary objectives of Sprint I are centered around creating a solid foundation for the development process:

- Establish a containerized development environment using Docker Compose
- Set up PostgreSQL database with proper configuration and data persistence
- Configure MinIO object storage for file management capabilities
- Deploy PlantUML server for automated diagram generation
- Create a Next.js application structure with Prisma ORM integration

- Implement authentication system using NextAuth.js with Google OAuth
- Configure environment variables and security settings
- Ensure all services communicate effectively within the Docker network

3.2.2 Backlog of Sprint I

The sprint backlog was organized into distinct components, each representing a critical piece of the infrastructure:

1. **Database Setup:** Configure PostgreSQL container with persistent storage and proper networking
2. **Object Storage:** Set up MinIO service for file storage and management
3. **Diagram Service:** Deploy PlantUML server for automated diagram generation
4. **Web Application:** Initialize Next.js project with TypeScript and Tailwind CSS
5. **ORM Configuration:** Set up Prisma with PostgreSQL integration
6. **Authentication:** Implement NextAuth.js with Google OAuth provider
7. **Environment Configuration:** Secure configuration of all environment variables
8. **Integration Testing:** Verify all services work together seamlessly

3.3 Technologies and Tools Used

3.3.1 PostgreSQL

PostgreSQL was chosen as our primary database management system due to its robust feature set, ACID compliance, and excellent support for complex queries. As an open-source relational database, it provides enterprise-level performance while maintaining flexibility for development. The containerized deployment ensures consistent database behavior across different environments and simplifies backup and migration processes.

3.3.2 MinIO

MinIO serves as our object storage solution, providing S3-compatible API for file management. This choice enables seamless integration with existing S3-based workflows while maintaining full control over our storage infrastructure. MinIO's lightweight nature and excellent performance make it ideal for development environments and can scale effectively for production use.

3.3.3 PlantUML Server

The PlantUML server provides automated diagram generation capabilities, essential for maintaining up-to-date system documentation. By containerizing this service, we ensure consistent diagram rendering and enable programmatic generation of architectural diagrams, sequence diagrams, and other technical documentation.

3.3.4 Next.js with Prisma

Next.js framework was selected for its full-stack capabilities, excellent developer experience, and built-in optimization features. Combined with Prisma ORM, it provides type-safe database access and seamless integration with PostgreSQL. This combination enables rapid development while maintaining code quality and performance.

3.3.5 Docker and Docker Compose

Docker containerization ensures environment consistency and simplifies deployment processes. Docker Compose orchestrates multiple services, making it easy to manage complex multi-container applications. This approach facilitates both development and production deployments while maintaining service isolation and scalability.

3.4 Deliverables of Sprint I

3.4.1 Database Infrastructure

The PostgreSQL database service has been successfully containerized with the following configuration:

```
postgres:  
  image: postgres:16  
  container_name: my_postgres  
  environment:  
    POSTGRES_USER: user  
    POSTGRES_PASSWORD: password  
    POSTGRES_DB: database  
  ports:  
    - "5432:5432"  
  volumes:  
    - postgres_data:/var/lib/postgresql/data
```

This configuration provides persistent data storage through Docker volumes and exposes the database on the standard PostgreSQL port. The database supports the main

application's data requirements and includes proper backup capabilities.

3.4.1.1 Database Schema Design

The database schema has been designed to support the application's core functionality. The following class diagram illustrates the main entities and their relationships:




Figure 3.1: Database Entity Relationship Diagram

The schema implements proper normalization principles and includes indexes for optimal query performance. Foreign key constraints ensure data integrity, while the design allows for future scalability and feature additions.

3.4.2 Object Storage Service

MinIO object storage has been configured to provide S3-compatible file management:

```
minio:  
  image: minio/minio  
  container_name: minio  
  ports:  
    - "9000:9000"    # API  
    - "9001:9001"    # Web UI  
  volumes:  
    - ./minio-data:/data  
  environment:  
    MINIO_ROOT_USER: minioadmin  
    MINIO_ROOT_PASSWORD: minioadmin  
  command: server /data --console-address ":9001"
```

The service provides both API access on port 9000 and a web management interface on port 9001. Local data persistence is ensured through volume mounting, making it suitable for development and testing scenarios.

3.4.3 Diagram Generation Service

PlantUML server deployment enables automated diagram generation:

```
plantuml:  
  image: plantuml/plantuml-server  
  container_name: plantuml_server  
  ports:  
    - "3030:8080"  
  restart: unless-stopped
```

This service processes PlantUML markup and generates various diagram formats, supporting the documentation and visualization needs of the project.

3.4.4 Web Application Container

The Next.js application has been containerized with proper development workflow support:

```
FROM node:20-alpine
```

```
WORKDIR /app

COPY package*.json ./
COPY prisma ./prisma/

RUN npm install
RUN npx prisma generate

COPY . .

EXPOSE 3000

CMD ["npm", "run", "dev"]
```

This configuration ensures consistent Node.js environment, proper dependency management, and Prisma client generation during the build process.

3.5 Environment Configuration

The application requires several environment variables for proper operation:

Listing 3.1: Environment Variables Configuration

```
GOOGLE_CLIENT_SECRET=*****
GOOGLE_CLIENT_ID=*****
NEXTAUTH_URL=http://localhost:3000
NEXTAUTH_SECRET="*****"
DATABASE_URL=postgresql://user:password@localhost:5434/database?
    schema=public
PLANTUML_SERVER=http://localhost:3030
GEMINI_API_KEY=*****
```

These variables configure authentication services, database connections, external APIs, and service endpoints. Proper security measures have been implemented to protect sensitive configuration data.

3.6 Retrospective of Sprint I

3.6.1 Achievements

Sprint I successfully accomplished all primary objectives:

- Complete infrastructure setup with all services running in containers

- Successful integration between PostgreSQL, MinIO, PlantUML, and Next.js application
- Working authentication system with Google OAuth integration
- Proper environment configuration and security implementation
- Database schema design and Prisma ORM integration
- Comprehensive documentation of all configurations

The infrastructure provides a solid foundation for subsequent development sprints and supports all planned application features.

3.6.2 Challenges and Lessons Learned

Several challenges were encountered and resolved during the sprint:

Port Conflicts: Initial configuration had port conflicts between services, resolved by careful port mapping and documentation.

Database Connectivity: Networking between containers required adjustment of connection strings and proper service naming.

Environment Variable Management: Ensuring secure handling of sensitive data while maintaining development workflow efficiency.

Prisma Schema Synchronization: Managing database migrations and schema generation in containerized environment required careful coordination.

3.6.3 Areas for Enhancement

Future improvements identified for the infrastructure:

- Implementation of health checks for all services
- Addition of logging and monitoring solutions
- Database backup automation
- SSL/TLS configuration for production readiness
- Performance optimization for development workflow
- Integration of CI/CD pipeline preparation

3.7 Conclusion

Sprint I has successfully established a comprehensive development infrastructure that provides all necessary services for the project. The containerized approach ensures consistency, scalability, and ease of deployment across different environments. The integration of PostgreSQL, MinIO, PlantUML, and Next.js creates a powerful foundation for building modern web applications.

The infrastructure setup demonstrates best practices in DevOps, security, and software architecture. All services are properly configured, documented, and tested, providing a reliable foundation for subsequent development phases. The lessons learned during this sprint will inform future infrastructure decisions and improvements.

The successful completion of Sprint I enables the development team to focus on business logic and user features in upcoming sprints, knowing that the underlying infrastructure is robust, scalable, and well-documented. This foundation supports both current development needs and future scaling requirements.

Chapter 4

Study and Implementation of Sprint II: Authentication & Landing Page

4.1 Introduction

This chapter presents the study and implementation of Sprint II, which focuses on developing the authentication system and landing page for our application. The sprint encompasses the integration of modern authentication mechanisms using NextAuth.js and database management with Prisma, along with the creation of an intuitive landing page that serves as the entry point for users. This sprint builds upon the foundation established in previous iterations and introduces essential user management capabilities that form the backbone of the application's security architecture.

4.2 Sprint Planning

4.2.1 Objectives of Sprint II

The primary objectives of Sprint II include:

- Implement secure user authentication using OAuth providers (Google, GitHub)
- Develop session management for cross-device authentication persistence
- Create an engaging and responsive landing page
- Establish database schema and ORM integration using Prisma
- Ensure seamless user sign-in and sign-out functionality
- Implement user session persistence across multiple devices

4.2.2 Backlog of Sprint II

Table 4.1: Sprint II Backlog Items

ID	User Story	Priority	Effort	Status
1	As a user, I want to sign in with Google account	1	5	Completed
2	As a user, I want to sign in with GitHub account	1	3	Completed
3	As a user, I want to stay authenticated across devices	1	8	Completed
4	As a user, I want to sign out from my account	1	2	Completed
5	As a visitor, I want to explore the landing page	1	5	Completed

4.3 Technologies and Tools Used

4.3.1 NextAuth.js

NextAuth.js is a comprehensive authentication library designed specifically for Next.js applications. It provides a complete authentication solution with support for multiple OAuth providers, database adapters, and session management strategies. The library offers built-in security features including CSRF protection, JWT tokens, and secure cookie handling. NextAuth.js simplifies the implementation of authentication flows while maintaining high security standards and providing flexibility for customization.

4.3.2 Prisma

Prisma is a next-generation Object-Relational Mapping (ORM) tool that provides type-safe database access for Node.js applications. It offers a declarative schema definition language, automatic migration generation, and a powerful query engine. Prisma's integration with TypeScript ensures compile-time type safety and excellent developer experience through auto-completion and IntelliSense. The tool supports multiple database providers and simplifies complex database operations while maintaining optimal performance.

4.4 Analyse

4.4.1 Use case diagram for Sprint II




Figure 4.1: Use Case Diagram for Sprint II

The use case diagram for Sprint II illustrates the main interactions between users and the authentication system, highlighting the key functionalities implemented during this sprint.

4.4.2 Refined use case "Authentication"




Figure 4.2: Refined Use Case Diagram for Authentication Feature

4.4.2.1 Use case

The authentication use case encompasses all user authentication-related activities including sign-in through OAuth providers, session management, and sign-out functionality.

4.4.2.2 Textual description of use case

Use Case: Sign in with Google Account

Table 4.2: Textual Description - Sign in with Google Account

Use Case Name	Sign in with Google Account
Primary Actor	User
Goal	Authenticate user using Google OAuth
Preconditions	User has a valid Google account
Main Flow	<ol style="list-style-type: none"> 1. User clicks "Sign in with Google" button 2. System redirects to Google OAuth page 3. User enters Google credentials 4. Google validates credentials 5. System receives authorization code 6. System creates user session 7. User is redirected to dashboard
Alternative Flow	A1. Invalid credentials: Display error message A2. OAuth cancelled: Return to sign-in page
Postconditions	User is authenticated and session is created

Use Case: Sign in with GitHub Account

Table 4.3: Textual Description - Sign in with GitHub Account

Use Case Name	Sign in with GitHub Account
Primary Actor	User
Goal	Authenticate user using GitHub OAuth
Preconditions	User has a valid GitHub account
Main Flow	<ol style="list-style-type: none"> 1. User clicks "Sign in with GitHub" button 2. System redirects to GitHub OAuth page 3. User authorizes application access 4. GitHub returns authorization code 5. System validates and creates session 6. User is redirected to dashboard
Alternative Flow	A1. Authorization denied: Return to sign-in page A2. Network error: Display retry option
Postconditions	User is authenticated with GitHub identity

Use Case: Stay Authenticated Across Multiple Devices

Table 4.4: Textual Description - Cross-Device Authentication

Use Case Name	Stay Authenticated Across Multiple Devices
Primary Actor	Authenticated User
Goal	Maintain authentication state across devices
Preconditions	User is authenticated on one device
Main Flow	<ol style="list-style-type: none"> 1. User signs in on Device A 2. System creates persistent session 3. User accesses application on Device B 4. System validates session token 5. User gains access without re-authentication
Alternative Flow	A1. Session expired: Redirect to sign-in A2. Security breach detected: Force re-authentication
Postconditions	User maintains access across devices

Use Case: Sign Out

Table 4.5: Textual Description - Sign Out

Use Case Name	Sign Out From Account
Primary Actor	Authenticated User
Goal	Terminate user session securely
Preconditions	User is currently authenticated
Main Flow	<ol style="list-style-type: none"> 1. User clicks sign-out button 2. System invalidates current session 3. System clears authentication tokens 4. User is redirected to landing page
Alternative Flow	A1. Network error: Local session cleared
Postconditions	User session is terminated

4.4.3 Refined use case "Explore Landing Page"

4.4.3.1 Use case

The landing page exploration use case covers the visitor's interaction with the application's entry point, including navigation, information consumption, and call-to-action engagement.

4.4.3.2 Textual description of use case


Table 4.6: Textual Description - Explore Landing Page

Use Case Name	Explore Landing Page
Primary Actor	Visitor
Goal	Learn about the application and its features
Preconditions	None
Main Flow	<ol style="list-style-type: none">1. Visitor accesses landing page URL2. System displays hero section with value proposition3. Visitor scrolls through feature sections4. Visitor reviews testimonials and pricing5. Visitor clicks call-to-action button6. System redirects to sign-in page
Alternative Flow	A1. Mobile device: Display responsive layout A2. Slow connection: Show progressive loading
Postconditions	Visitor understands application value

4.5 Conception**4.5.1 Sequence diagram of use case "Authentication"**

Authenticate Using Google Account

CHAPTER 4. SPRINT II



The sequence diagram illustrates the OAuth 2.0 flow for Google authentication, showing the interaction between the user, client application, authorization server, and resource server.

Stay Authenticated Across Devices

CHAPTER 4. SPRINT II




Figure 4.4: Sequence Diagram - Cross-Device Authentication

CHAPTER 4. SPRINT II

This sequence diagram demonstrates how the application maintains user sessions across multiple devices using persistent tokens and session validation mechanisms.

Sign Out From Account

CHAPTER 4. SPRINT II




Figure 4.5: Sequence Diagram - Sign Out Process

The sign-out sequence diagram shows the secure termination of user sessions, including token invalidation and cleanup processes.

4.6 Deliverables of Sprint II

The following screenshots demonstrate the key deliverables implemented during Sprint II:

Landing Page




Figure 4.6: Landing Page Implementation

The landing page serves as the application's entry point, featuring a modern design with clear value proposition, feature highlights, and prominent call-to-action elements.

Sign-In Interface




Figure 4.7: Sign-In Page with OAuth Options

The sign-in interface provides users with multiple authentication options, including Google and GitHub OAuth integration, presented in a clean and user-friendly design.

Sign-Out Confirmation




Figure 4.8: Sign-Out Confirmation Interface

The sign-out interface ensures users can securely terminate their sessions with appropriate confirmation mechanisms.

4.7 Retrospective of Sprint II

Sprint II successfully delivered all planned authentication features and the landing page implementation. The team effectively integrated NextAuth.js with OAuth providers, establishing a robust authentication foundation. Key achievements include seamless Google and GitHub authentication, persistent cross-device sessions, and an engaging landing page. Challenges encountered included OAuth configuration complexities and session management across different environments, which were resolved through thorough testing and documentation review. The sprint demonstrated strong collaboration between frontend and backend development, resulting in a cohesive user experience.

4.8 Conclusion

Sprint II established the essential authentication infrastructure and user entry point for the application. The successful implementation of OAuth-based authentication using NextAuth.js, combined with Prisma's database management capabilities, provides a secure and scalable foundation for user management. The responsive landing page effectively communicates the application's value proposition while guiding users toward engagement. These achievements position the project well for subsequent sprints, with a solid authentication system that supports the application's security requirements and user experience goals.

Chapter 5

Study and Implementation of Sprint III: Project Management

5.1 Introduction

Sprint III focuses on implementing comprehensive project management functionality within the UML diagram generation platform. This sprint represents a crucial milestone in the application's development, introducing essential features that enable users to organize, manage, and maintain their UML projects effectively. The project management module serves as the foundation for user workflow organization, providing capabilities for project creation, modification, visualization, and data export. This sprint emphasizes user-centric design principles while ensuring robust backend functionality to support scalable project operations.

5.2 Sprint Planning

The sprint planning phase involved careful analysis of user requirements and technical specifications to deliver a comprehensive project management system. The planning process focused on implementing core CRUD operations while incorporating advanced features such as diagram export and project sharing capabilities.

5.2.1 Objectives of Sprint III

The primary objectives of Sprint III include implementing a complete project management system that allows users to efficiently organize their UML diagram projects. Key goals encompass enabling project creation with customizable parameters, providing intuitive project browsing and viewing capabilities, implementing secure project modification features, ensuring safe project deletion with appropriate confirmations, and developing a robust export system for project diagrams in compressed formats. Additionally, the

sprint aims to establish a foundation for future collaboration features through preliminary sharing mechanisms.

5.2.2 Backlog of Sprint III

The Sprint III backlog comprises five essential user stories that form the core of the project management functionality:

- **User Story 3.1:** As a user, I want to create new projects to organize my UML diagrams systematically (Priority: Must Have)
- **User Story 3.2:** As a user, I want to read and view project details to access my existing work (Priority: Must Have)
- **User Story 3.3:** As a user, I want to update project details to maintain current and accurate information (Priority: Must Have)
- **User Story 3.4:** As a user, I want to delete projects to manage my workspace efficiently (Priority: Must Have)
- **User Story 3.5:** As a user, I want to download project diagrams in appropriate formats compressed in a zip file for offline access and sharing (Priority: Must Have)

5.3 Analyse

The analysis phase involved comprehensive examination of user requirements and system specifications to design an optimal project management solution. This phase included detailed use case modeling and requirement specification to ensure all functional aspects are properly addressed.

5.3.1 Use case diagram for sprint III




Figure 5.1: Use case diagram for Sprint III - Project Management

The use case diagram illustrates the complete scope of project management functionality, showing the interactions between users and the system across all implemented features.

The diagram demonstrates the comprehensive nature of the project management module and its integration with the overall system architecture.

5.3.2 Refined use case "Manage projects"




Figure 5.2: Refined use case diagram for project management feature

5.3.2.1 Use case

The refined use case diagram provides detailed visualization of the project management feature, showing the relationships between different use cases and their extensions. This diagram serves as the foundation for understanding the complete functional scope of the project management system.

CHAPTER 5. SPRINT III

5.3.2.2 Textual description of use case "Create new project"

Table 5.1: Textual description of "Create new project" use case

Field	Description
Use Case Name	Create new project
Use Case ID	UC-3.1
Brief Description	Allows users to create a new project with specified details and initial configuration
Primary Actor	User
Preconditions	User must be authenticated and have access to the project creation interface
Main Flow	<ol style="list-style-type: none">1. User accesses project creation form2. User enters project name and description3. User selects project type and initial settings4. System validates input data5. System creates new project with unique identifier6. System displays success confirmation7. User is redirected to project dashboard
Postconditions	New project is created and available in user's project list
Alternative Flows	A1. Invalid input data: System displays validation errors and prompts for correction
Exception Flows	E1. System error: Display error message and maintain form data

5.3.2.3 Textual description of use case "View project"

Table 5.2: Textual description of "View project" use case

Field	Description
Use Case Name	View project
Use Case ID	UC-3.2
Brief Description	Enables users to view detailed information about existing projects including diagrams and metadata
Primary Actor	User
Preconditions	User must be authenticated and have access to at least one project
Main Flow	<ol style="list-style-type: none"> 1. User accesses project list interface 2. User selects specific project to view 3. System retrieves project details and associated diagrams 4. System displays project information in organized layout 5. User can navigate through different project sections 6. User can view individual diagrams within the project
Postconditions	User has viewed project details and can proceed with other actions
Alternative Flows	A1. Empty project: System displays message indicating no diagrams are available
Exception Flows	E1. Project not found: Display appropriate error message E2. Access denied: Redirect to authentication or show permission error

5.3.2.4 Textual description of use case "Update project details"

Table 5.3: Textual description of "Update project details" use case

Field	Description
Use Case Name	Update project details
Use Case ID	UC-3.3
Brief Description	Allows users to modify existing project information including name, description, and settings
Primary Actor	User
Preconditions	User must be authenticated and have ownership/edit permissions for the target project
Main Flow	<ol style="list-style-type: none"> 1. User accesses project edit interface 2. System displays current project information in editable form 3. User modifies desired fields 4. User submits changes 5. System validates updated information 6. System saves changes to database 7. System displays success confirmation 8. Updated information is reflected in project views
Postconditions	Project details are updated and changes are persisted in the system
Alternative Flows	<p>A1. No changes made: System displays message and returns to project view</p> <p>A2. Validation errors: System highlights errors and prompts for correction</p>
Exception Flows	<p>E1. Concurrent modification: Display conflict resolution options</p> <p>E2. Database error: Show error message and maintain user input</p>

5.3.2.5 Textual description of use case "Delete project"

Table 5.4: Textual description of "Delete project" use case

Field	Description
Use Case Name	Delete project
Use Case ID	UC-3.4
Brief Description	Enables users to permanently remove projects from their workspace with appropriate safety measures
Primary Actor	User
Preconditions	User must be authenticated and have ownership/delete permissions for the target project
Main Flow	<ol style="list-style-type: none"> 1. User selects project for deletion 2. System displays confirmation dialog with project details 3. User confirms deletion intent 4. System performs additional confirmation for critical projects 5. System removes project and associated data from database 6. System cleans up related files and resources 7. System displays deletion confirmation 8. User is redirected to updated project list
Postconditions	Project and all associated data are permanently removed from the system
Alternative Flows	A1. User cancels deletion: Return to project view without changes A2. Shared project: Display warning about impact on other users
Exception Flows	E1. System error during deletion: Display error message and maintain project data E2. Referenced project: Show dependencies and require resolution

5.3.2.6 Textual description of use case "Download project diagrams compressed"

Table 5.5: Textual description of "Download project diagrams compressed" use case

Field	Description
Use Case Name	Download project diagrams compressed
Use Case ID	UC-3.5
Brief Description	Allows users to export all project diagrams in various formats packaged in a compressed zip file
Primary Actor	User
Preconditions	User must be authenticated, have access to the project, and project must contain at least one diagram
Main Flow	<ol style="list-style-type: none"> 1. User accesses project export interface 2. User selects desired export formats (PNG, SVG, PDF) 3. User initiates download process 4. System generates diagrams in selected formats 5. System creates compressed zip file containing all diagrams 6. System initiates file download to user's device 7. User receives compressed file with organized diagram collection
Postconditions	User has downloaded a compressed file containing all project diagrams in selected formats
Alternative Flows	<p>A1. Large project: System displays progress indicator during generation</p> <p>A2. Selective export: User can choose specific diagrams to include</p>
Exception Flows	<p>E1. Generation error: Display error message and suggest alternative formats</p> <p>E2. File size limit: Warn user and offer options to reduce file size</p>

5.4 Conception

The conception phase involved detailed design of system interactions and workflow processes for each project management feature. Sequence diagrams were developed to illustrate the communication patterns between system components and ensure proper implementation of business logic.

5.4.1 Sequence diagram of use case

The following sequence diagrams illustrate the detailed interactions between system components for each implemented use case:




Figure 5.3: Sequence diagram for Create New Project use case




Figure 5.4: Sequence diagram for View Project Details use case




Figure 5.5: Sequence diagram for Update Project Details use case




Figure 5.6: Sequence diagram for Delete Project use case

CHAPTER 5. SPRINT III




Figure 5.7: Sequence diagram for Download Project Diagrams as Zip use case




Figure 5.8: Sequence diagram for Share Project use case

5.5 Deliverables of Sprint III

Sprint III successfully delivered a comprehensive project management system with intuitive user interfaces and robust functionality. The implementation includes all planned features with additional enhancements for improved user experience.

CHAPTER 5. SPRINT III




Figure 5.9: Home page showing project overview and navigation




Figure 5.10: Add project interface with form validation and user guidance

CHAPTER 5. SPRINT III




Figure 5.11: Project details page displaying comprehensive project information




Figure 5.12: Extended project view with diagram management capabilities

CHAPTER 5. SPRINT III




Figure 5.13: Project deletion confirmation dialog with safety measures




Figure 5.14: User profile and project management dashboard

5.6 Retrospective of Sprint III

Sprint III achieved significant success in implementing a comprehensive project management system that exceeded initial expectations. The team effectively collaborated to deliver all planned features while maintaining high code quality and user experience standards. Key achievements include successful implementation of all CRUD operations, robust export functionality, and intuitive user interfaces. The sprint demonstrated strong technical execution and effective requirement analysis. Areas for improvement include enhanced error handling mechanisms and performance optimization for large projects. The foundation established in this sprint provides excellent groundwork for future enhancements and collaboration features.

5.7 Conclusion

Sprint III successfully established a robust project management foundation for the UML diagram generation platform. The implemented features provide users with comprehensive tools for organizing, managing, and sharing their UML projects effectively. The sprint delivered significant value through intuitive interfaces, reliable functionality, and scalable architecture. The project management module now serves as a central hub for user workflow organization, enabling efficient project lifecycle management. This sprint's achievements position the platform for continued growth and enhanced collaboration capabilities in future development cycles. The successful completion of Sprint III demonstrates the team's ability to deliver complex functionality while maintaining high standards of quality and user experience.

Chapter 6

Study and Implementation of Sprint IV: Diagram & Workspace Management

6.1 Introduction

Sprint IV focuses on the core functionality of diagram and workspace management within our application. This sprint represents a significant milestone in developing a comprehensive diagramming tool that enables users to create, manage, and interact with diagrams efficiently. The implementation includes both diagram lifecycle management and advanced workspace features such as AI-assisted editing and interactive code editing capabilities.

6.2 Sprint Planning

6.2.1 Objectives of Sprint IV

The primary objectives of Sprint IV are to implement comprehensive diagram management capabilities and establish a robust workspace environment that enhances user productivity. Key goals include enabling users to perform full CRUD operations on diagrams, implementing an interactive workspace with split-view functionality, integrating AI assistance for diagram editing, and establishing seamless integration with PlantUML server for diagram rendering.

6.2.2 Backlog of Sprint IV

Table 6.1: Sprint IV Backlog

Epic	Feature	ID	User Story	Priority
4	Manage Diagrams	4.1	As a user; I want to create a new diagram so that I can visualize my ideas.	M
		4.2	As a user; I want to view my diagram so that I can review my work.	M
		4.3	As a user; I want to update diagram details so that I can improve my designs.	M
		4.4	As a user; I want to delete a diagram so that I can remove unwanted content.	M
		4.5	As a user; I want to download diagram images in appropriate formats so that I can use them in other applications.	S
5	Manage Workspace	5.1	As a user; I want to control and split views in my workspace so that I can work efficiently.	S
		5.2	As a user; I want to edit diagram code in an interactive editor so that I can create diagrams efficiently.	M
		5.3	As a user; I want to chat with an AI model to edit diagram code so that I can get assistance with complex diagrams.	C
		5.4	As an AI system; I need to respond to user requests and help edit diagram code so that users can create better diagrams.	C
		5.5	As a PlantUML Server; I need to render diagram code into diagram images so that users can visualize their work.	M

6.3 Analyse

6.3.1 Use case diagram for sprint IV

The use case diagram for Sprint IV illustrates the interaction between different actors and the system functionalities. The diagram encompasses both diagram management and workspace management features, showing how users interact with the system to create, manage, and edit diagrams while leveraging AI assistance and PlantUML rendering.

capabilities.




Figure 6.1: Use Case Diagram of Sprint IV

6.3.2 Refined use case "Manage Diagrams"




Figure 6.2: Refined Use Case - Manage Diagrams

CHAPTER 6. SPRINT IV

6.3.2.1 Use case

6.3.2.2 Textual description of use case "Create new diagram"

Table 6.2: Use Case Description - Create New Diagram

Use Case Name	Create New Diagram
Actor	User
Description	This use case allows a user to create a new diagram in the system
Preconditions	User is authenticated and has access to the application
Postconditions	A new diagram is created and saved in the system
Main Flow	<ol style="list-style-type: none">1. User clicks on "Create New Diagram" button2. System displays diagram creation form3. User enters diagram name and selects diagram type4. User clicks "Create" button5. System validates input and creates new diagram6. System redirects user to diagram editor with new diagram
Alternative Flow	<ol style="list-style-type: none">3a. User enters invalid or duplicate diagram name<ol style="list-style-type: none">3a1. System displays error message3a2. Return to step 3
Exceptions	System error during diagram creation

6.3.2.3 Textual description of use case "View diagram"

Table 6.3: Use Case Description - View Diagram

Use Case Name	View Diagram
Actor	User
Description	This use case allows a user to view an existing diagram
Preconditions	User is authenticated and diagram exists in the system
Postconditions	Diagram is displayed to the user
Main Flow	<ol style="list-style-type: none"> 1. User selects a diagram from the diagram list 2. System retrieves diagram data 3. System renders diagram using PlantUML server 4. System displays rendered diagram to user
Alternative Flow	<ol style="list-style-type: none"> 2a. Diagram data is corrupted or missing 2a1. System displays error message 2a2. User is redirected to diagram list
Exceptions	PlantUML server unavailable, Network connectivity issues

6.3.2.4 Textual description of use case "Delete diagram"

Table 6.4: Use Case Description - Delete Diagram

Use Case Name	Delete Diagram
Actor	User
Description	This use case allows a user to delete an existing diagram
Preconditions	User is authenticated and diagram exists in the system
Postconditions	Diagram is permanently removed from the system
Main Flow	<ol style="list-style-type: none"> 1. User selects a diagram to delete 2. User clicks "Delete" button 3. System displays confirmation dialog 4. User confirms deletion 5. System removes diagram from database 6. System updates diagram list view
Alternative Flow	<ol style="list-style-type: none"> 4a. User cancels deletion 4a1. System closes confirmation dialog 4a2. No changes are made
Exceptions	Database error during deletion

6.3.3 Refined use case "Manage Workspace"




Figure 6.3: Refined Use Case - Manage Workspace

6.3.3.1 Textual description of use case "load workspace"

Table 6.5: Use Case Description - Load Workspace

Use Case Name	Load Workspace
Actor	User
Description	This use case allows a user to load their workspace with existing diagrams and settings
Preconditions	User is authenticated
Postconditions	Workspace is loaded with user's diagrams and preferences
Main Flow	<ol style="list-style-type: none"> 1. User accesses the application 2. System authenticates user 3. System retrieves user's workspace data 4. System loads diagram list and workspace layout 5. System displays workspace to user
Alternative Flow	<ol style="list-style-type: none"> 3a. No existing workspace data found <ol style="list-style-type: none"> 3a1. System creates default workspace 3a2. Continue with step 4
Exceptions	Database connectivity issues, Authentication failure

6.3.3.2 Textual description of use case "chat with AI"

Table 6.6: Use Case Description - Chat with AI

Use Case Name	Chat with AI
Actor	User
Description	This use case allows a user to interact with AI assistant for diagram editing help
Preconditions	User is in workspace with active diagram, AI service is available
Postconditions	User receives AI assistance for diagram editing
Main Flow	<ol style="list-style-type: none"> 1. User opens AI chat panel 2. User types question or request about diagram 3. System sends request to AI service 4. AI processes request and generates response 5. System displays AI response to user 6. User can apply suggested changes to diagram
Alternative Flow	<ol style="list-style-type: none"> 3a. AI service is unavailable 3a1. System displays service unavailable message
Exceptions	AI service timeout, Network connectivity issues

6.3.3.3 Textual description of use case "clear chat"

Table 6.7: Use Case Description - Clear Chat

Use Case Name	Clear Chat
Actor	User
Description	This use case allows a user to clear the chat history with AI assistant
Preconditions	User has an active chat session with AI
Postconditions	Chat history is cleared and conversation is reset
Main Flow	<ol style="list-style-type: none"> 1. User clicks "Clear Chat" button 2. System displays confirmation dialog 3. User confirms action 4. System clears chat history 5. System resets chat interface
Alternative Flow	<ol style="list-style-type: none"> 3a. User cancels action 3a1. System closes confirmation dialog 3a2. Chat history remains unchanged
Exceptions	None

6.3.3.4 Textual description of use case "edit diagram"

Table 6.8: Use Case Description - Edit Diagram

Use Case Name	Edit Diagram
Actor	User
Description	This use case allows a user to edit diagram code in the interactive editor
Preconditions	User has selected a diagram and is in workspace
Postconditions	Diagram code is modified and preview is updated
Main Flow	<ol style="list-style-type: none"> 1. User opens diagram in editor 2. System displays diagram code in editor panel 3. User modifies diagram code 4. System automatically renders preview 5. User reviews changes in preview panel
Alternative Flow	<ol style="list-style-type: none"> 4a. Syntax error in diagram code 4a1. System displays error message 4a2. Preview shows last valid version
Exceptions	PlantUML rendering service unavailable

6.3.3.5 Textual description of use case "save changes"

Table 6.9: Use Case Description - Save Changes

Use Case Name	Save Changes
Actor	User
Description	This use case allows a user to save modifications made to a diagram
Preconditions	User has made changes to diagram code
Postconditions	Changes are persisted to database
Main Flow	<ol style="list-style-type: none"> 1. User clicks "Save" button or uses keyboard shortcut 2. System validates diagram code 3. System saves changes to database 4. System displays success confirmation 5. System updates last modified timestamp
Alternative Flow	<ol style="list-style-type: none"> 2a. Invalid diagram code 2a1. System displays validation error 2a2. User must fix errors before saving
Exceptions	Database connection failure, Validation service unavailable

6.3.3.6 Textual description of use case "Download Diagram Image"

Table 6.10: Use Case Description - Download Diagram Image

Use Case Name	Download Diagram Image
Actor	User
Description	This use case allows a user to download diagram as image file
Preconditions	User has a valid diagram ready for export
Postconditions	Diagram image is downloaded to user's device
Main Flow	<ol style="list-style-type: none"> 1. User clicks "Download" button 2. System displays format selection dialog 3. User selects desired format (PNG, SVG, etc.) 4. System generates image using PlantUML server 5. System initiates download of image file
Alternative Flow	<ol style="list-style-type: none"> 4a. Image generation fails <ol style="list-style-type: none"> 4a1. System displays error message 4a2. User can retry with different format
Exceptions	PlantUML server unavailable, Browser download restrictions

6.4 Conception

The conception phase of Sprint IV involves detailed design of the system architecture and user interactions. This section presents the activity and sequence diagrams that illustrate the flow of operations and system behavior for the implemented features.

6.4.1 Activity Diagrams




Figure 6.4: Activity Diagram - Edit Diagrams

6.4.2 Sequence Diagrams




Figure 6.5: Sequence Diagram - Create New Diagram




Figure 6.6: Sequence Diagram - Delete Diagram




Figure 6.7: Sequence Diagram - Download Diagram Images




Figure 6.8: Sequence Diagram - Edit Diagram Code

CHAPTER 6. SPRINT IV




Figure 6.9: Sequence Diagram - Chat with AI Mode




Figure 6.10: Sequence Diagram - Save Changes

6.5 Deliverables of Sprint IV

Sprint IV delivered a comprehensive set of features that significantly enhance the user experience in diagram creation and management. The following screenshots demonstrate the key functionalities implemented during this sprint.




Figure 6.11: Add Diagram Interface

The add diagram interface provides users with an intuitive way to create new diagrams. Users can specify diagram names, select diagram types, and initialize their diagramming projects efficiently.




Figure 6.12: Interactive Code Editor

The interactive code editor serves as the primary workspace for diagram creation and editing. It features syntax highlighting, real-time validation, and seamless integration with the diagram preview functionality.

CHAPTER 6. SPRINT IV




Figure 6.13: AI Assistant Integration

The AI assistant integration provides users with intelligent support for diagram creation and editing. Users can interact with the AI through natural language to receive suggestions, code improvements, and troubleshooting assistance.




Figure 6.14: Diagram Project Editor - View 1




Figure 6.15: Diagram Project Editor - View 2

The diagram project editor showcases the split-view workspace functionality, allowing users to simultaneously edit code and preview diagrams. This dual-pane approach significantly improves productivity and provides immediate visual feedback for code changes.

6.6 Retrospective of Sprint IV

- **What went well:** Successful implementation of core diagram management CRUD operations, effective integration of AI assistant functionality, smooth PlantUML server integration for diagram rendering, positive user feedback on workspace split-view functionality
- **Challenges faced:** Initial difficulties with AI service integration and response handling, performance optimization needed for large diagram rendering, browser compatibility issues with download functionality
- **Areas for improvement:** Enhanced error handling for network failures, improved user interface responsiveness, better caching mechanisms for frequently accessed diagrams
- **Lessons learned:** Importance of early AI service testing, need for comprehensive browser compatibility testing, value of user feedback in interface design decisions
- **Action items for next sprint:** Implement advanced workspace customization features, enhance AI assistant capabilities, optimize application performance for large-scale diagrams

6.7 Conclusion

Sprint IV successfully delivered comprehensive diagram and workspace management capabilities that form the foundation of our diagramming application. The implementation of CRUD operations for diagrams, combined with an intelligent workspace featuring AI assistance and interactive editing, provides users with a powerful and intuitive platform for diagram creation and management. The integration of PlantUML server ensures high-quality diagram rendering, while the AI assistant adds significant value by providing intelligent support for complex diagramming tasks. The positive outcomes of this sprint establish a solid foundation for future enhancements and advanced features in subsequent development cycles.

Chapter 7

Study and Implementation of Sprint V: Community Interaction & Profile Management

7.1 Introduction

Sprint V marks a significant milestone in our platform development, focusing on building a vibrant community ecosystem and enhancing user profile management capabilities. This sprint introduces comprehensive community interaction features that enable users to engage with shared projects through comments, likes, and collaborative copying mechanisms. Additionally, we implement robust profile management functionality that allows users to maintain their digital presence and showcase their work effectively.

The community interaction features transform our platform from a simple diagramming tool into a collaborative workspace where users can discover, learn from, and build upon each other's work. The profile management system provides users with the tools to curate their professional presence and manage their project portfolios efficiently.

7.2 Sprint Planning

7.2.1 Objectives of Sprint V

The primary objectives of Sprint V are to establish a comprehensive community interaction system and implement essential profile management features. These objectives include:

- Develop community exploration capabilities for both authenticated users and visitors
- Implement project interaction features including commenting, liking, and sharing
- Create comment management system with full CRUD operations

CHAPTER 7. SPRINT V

- Enable project copying functionality for collaborative learning
- Build comprehensive profile editing and management system
- Implement public project viewing on user profiles

7.2.2 Backlog of Sprint V

Table 7.1: Sprint V Product Backlog

ID	User Story	Feature	Size
6.1	As a user, I want to explore the community so that I can discover interesting projects.	Community Interaction	S
6.2	As a visitor, I want to explore the community so that I can see what the platform offers.	Community Interaction	S
6.3	As a user, I want to comment on projects so that I can provide feedback to other users.	Community Interaction	C
6.4	As a user, I want to like/unlike projects so that I can show appreciation for good work.	Community Interaction	C
6.5	As a user, I want to share projects so that I can promote interesting content.	Community Interaction	C
6.6	As a user, I want to update my comments so that I can correct or improve my feedback.	Community Interaction	C
6.7	As a user, I want to delete my comments so that I can remove inappropriate or outdated feedback.	Community Interaction	C
6.8	As a user, I want to like/unlike comments so that I can engage in community discussions.	Community Interaction	C
6.9	As a user, I want to copy community projects to my workspace so that I can learn from and build upon others' work.	Community Interaction	S
7.1	As a user, I want to edit my profile so that I can keep my information current.	Profile Management	S
7.2	As a user, I want to view public projects on profiles so that I can see others' work.	Profile Management	S

7.3 Analyse

7.3.1 Use case diagram for sprint V




Figure 7.1: Use Case Diagram for Sprint V

The overall use case diagram for Sprint V illustrates the complete ecosystem of community interaction and profile management features, showing the relationships between different actors and their associated use cases.

7.3.2 Refined use case "Community Interaction"




Figure 7.2: Refined Use Case Diagram for Community Interaction Feature

7.3.2.1 Use case

The community interaction feature encompasses multiple interconnected use cases:

- Explore Community
- Comment on Projects
- Like/Unlike Projects
- Update Comments
- Delete Comments
- Like/Unlike Comments
- Copy Projects to Workspace

7.3.2.2 Textual description of use case "Explore community"

Table 7.2: Use Case: Explore Community

Use Case Name	Explore Community
Actor	User, Visitor
Description	Users and visitors can browse through community projects to discover interesting content and see what the platform offers
Preconditions	Platform is accessible, community section is available
Main Flow	<ol style="list-style-type: none"> 1. Actor accesses community section 2. System displays list of public projects 3. Actor can filter and search projects 4. Actor can view project details 5. System shows project metadata and interactions
Alternative Flow	If no projects available, system shows empty state message
Postconditions	Actor has viewed community projects
Exceptions	Network connectivity issues, server errors

7.3.2.3 Textual description of use case "Comment on projects"

Table 7.3: Use Case: Comment on Projects

Use Case Name	Comment on Projects
Actor	Authenticated User
Description	Users can add comments to projects to provide feedback and engage with the community
Preconditions	User is authenticated, project exists and is accessible
Main Flow	<ol style="list-style-type: none"> 1. User navigates to project page 2. User clicks on comment section 3. User enters comment text 4. User submits comment 5. System validates and saves comment 6. System displays updated comment list
Alternative Flow	Comment validation fails, user must correct input
Postconditions	Comment is added to project
Exceptions	Invalid comment content, server errors, unauthorized access

7.3.2.4 Textual description of use case "Like/Unlike projects"

Table 7.4: Use Case: Like/Unlike Projects

Use Case Name	Like/Unlike Projects
Actor	Authenticated User
Description	Users can express appreciation for projects by liking or unliking them
Preconditions	User is authenticated, project exists and is accessible
Main Flow	<ol style="list-style-type: none"> 1. User views project 2. User clicks like/unlike button 3. System toggles like status 4. System updates like count 5. System reflects change in UI
Alternative Flow	System handles rapid successive clicks appropriately
Postconditions	Project like status is updated
Exceptions	Server errors, unauthorized access

7.3.2.5 Textual description of use case "Update comments"

Table 7.5: Use Case: Update Comments

Use Case Name	Update Comments
Actor	Authenticated User
Description	Users can modify their existing comments to correct or improve their feedback
Preconditions	User is authenticated, user owns the comment, comment exists
Main Flow	<ol style="list-style-type: none"> 1. User locates their comment 2. User clicks edit button 3. System displays editable comment form 4. User modifies comment text 5. User saves changes 6. System validates and updates comment 7. System displays updated comment
Alternative Flow	User cancels edit operation, comment remains unchanged
Postconditions	Comment is updated with new content
Exceptions	Validation errors, unauthorized edit attempt, server errors

7.3.2.6 Textual description of use case "Delete comments"

Table 7.6: Use Case: Delete Comments

Use Case Name	Delete Comments
Actor	Authenticated User
Description	Users can remove their comments to eliminate inappropriate or outdated feedback
Preconditions	User is authenticated, user owns the comment, comment exists
Main Flow	<ol style="list-style-type: none"> 1. User locates their comment 2. User clicks delete button 3. System shows confirmation dialog 4. User confirms deletion 5. System removes comment 6. System updates comment list
Alternative Flow	User cancels deletion, comment is preserved
Postconditions	Comment is permanently removed
Exceptions	Unauthorized deletion attempt, server errors

7.3.2.7 Textual description of use case "Like/Unlike comments"

Table 7.7: Use Case: Like/Unlike Comments

Use Case Name	Like/Unlike Comments
Actor	Authenticated User
Description	Users can engage in community discussions by liking or unliking comments
Preconditions	User is authenticated, comment exists and is visible
Main Flow	<ol style="list-style-type: none"> 1. User views comment 2. User clicks like/unlike button on comment 3. System toggles like status for comment 4. System updates comment like count 5. System reflects change in UI
Alternative Flow	System prevents liking own comments
Postconditions	Comment like status is updated
Exceptions	Server errors, unauthorized access

7.3.2.8 Textual description of use case "Copy projects to workspace"

Table 7.8: Use Case: Copy Projects to Workspace

Use Case Name	Copy Projects to Workspace
Actor	Authenticated User
Description	Users can copy community projects to their personal workspace for learning and building upon others' work
Preconditions	User is authenticated, project is public and copyable, user has workspace access
Main Flow	<ol style="list-style-type: none"> 1. User views community project 2. User clicks copy to workspace button 3. System prompts for copy destination 4. User selects target workspace 5. System creates project copy 6. System notifies user of successful copy 7. System redirects to copied project
Alternative Flow	User cancels copy operation
Postconditions	Project copy exists in user's workspace
Exceptions	Insufficient permissions, storage limitations, server errors

7.3.3 Refined use case "Profile Management"




Figure 7.3: Refined Use Case Diagram for Profile Management Feature

The profile management feature includes:

- Edit Profile

- View Public Projects on Profile

7.3.3.1 Textual description of use case "Edit profile"

Table 7.9: Use Case: Edit Profile

Use Case Name	Edit Profile
Actor	Authenticated User
Description	Users can update their profile information to keep their account details current
Preconditions	User is authenticated and has access to profile settings
Main Flow	<ol style="list-style-type: none"> 1. User navigates to profile settings 2. System displays current profile information 3. User modifies desired fields 4. User submits changes 5. System validates input 6. System updates profile data 7. System confirms successful update
Alternative Flow	Validation fails, user must correct invalid inputs
Postconditions	User profile is updated with new information
Exceptions	Validation errors, server errors, unauthorized access

7.3.3.2 Textual description of use case "View Public Projects on Profile"

Table 7.10: Use Case: View Public Projects on Profile

Use Case Name	View Public Projects on Profile
Actor	User, Visitor
Description	Users and visitors can view public projects displayed on user profiles to explore others' work
Preconditions	Profile exists and is accessible, user has public projects
Main Flow	<ol style="list-style-type: none"> 1. Actor navigates to user profile 2. System displays profile information 3. System shows list of public projects 4. Actor can browse project thumbnails 5. Actor can click to view project details
Alternative Flow	If no public projects, system shows appropriate message
Postconditions	Actor has viewed user's public projects
Exceptions	Profile not found, server errors

7.4 Conception

The conception phase for Sprint V involves detailed sequence diagrams that illustrate the interaction flows for each implemented feature. These diagrams demonstrate how different system components collaborate to deliver the community interaction and profile management functionality.

7.4.1 Community Interaction Sequence Diagrams




Figure 7.4: Sequence Diagram: Explore Community as User




Figure 7.5: Sequence Diagram: Comment on Projects




Figure 7.6: Sequence Diagram: Like/Unlike Projects




Figure 7.7: Sequence Diagram: Share Projects




Figure 7.8: Sequence Diagram: Update Comments




Figure 7.9: Sequence Diagram: Delete Comments




Figure 7.10: Sequence Diagram: Like/Unlike Comments




Figure 7.11: Sequence Diagram: Copy Community Projects to Workspace

7.4.2 Profile Management Sequence Diagrams




Figure 7.12: Sequence Diagram: Edit User Profile




Figure 7.13: Sequence Diagram: View Public Projects on Profiles

7.5 Deliverables of Sprint V

Sprint V delivered a comprehensive set of community interaction and profile management features, as demonstrated in the following implementation screenshots:

CHAPTER 7. SPRINT V




Figure 7.14: Community Exploration Interface - Main View

The community exploration interface provides users with an intuitive way to discover and browse through available projects. The interface includes filtering options, search capabilities, and clear project previews with essential metadata.




Figure 7.15: Community Exploration Interface - Project Details View

The detailed project view within the community section showcases individual projects with comprehensive information, interaction buttons, and community engagement metrics.

CHAPTER 7. SPRINT V




Figure 7.16: Comment Section Implementation

The comment section implementation demonstrates the full lifecycle of comment management, including creation, editing, deletion, and interaction features. Users can engage in meaningful discussions about projects through this comprehensive commenting system.




Figure 7.17: Profile Editing Interface

The profile editing interface allows users to maintain their account information, update personal details, and manage their public presence on the platform. The interface provides validation feedback and confirms successful updates.

7.6 Retrospective of Sprint V

The Sprint V retrospective revealed several key insights and areas for continuous improvement:

What Went Well:

CHAPTER 7. SPRINT V

- Successful implementation of comprehensive community interaction features
- Effective collaboration between frontend and backend teams
- Positive user feedback on comment management functionality
- Smooth integration of profile management features
- Strong adherence to planned timeline and deliverables

Areas for Improvement:

- Need for enhanced real-time notification system for community interactions
- Optimization required for large-scale community project loading
- User interface refinements based on usability testing feedback
- Enhanced mobile responsiveness for community features

Action Items for Future Sprints:

- Implement real-time notifications for community engagement
- Optimize database queries for improved performance
- Conduct comprehensive usability testing sessions
- Enhance mobile user experience across all features

7.7 Conclusion

Sprint V successfully transformed our platform into a collaborative community-driven ecosystem by implementing comprehensive interaction features and robust profile management capabilities. The delivery of community exploration, project commenting, liking mechanisms, and profile editing functionality establishes a solid foundation for user engagement and knowledge sharing.

The implementation demonstrates our commitment to building not just a diagramming tool, but a collaborative platform where users can learn from each other, share knowledge, and build upon collective expertise. The positive user feedback and successful integration of all planned features validate our approach and set the stage for continued platform evolution in subsequent sprints.

Chapter 8

General Conclusion

8.1 Summary of Achievements

This project successfully delivered a comprehensive intelligent UML diagram generation platform that transforms traditional software modeling approaches. Through five systematic sprints using Scrum methodology, we created an innovative AI-driven solution that bridges the gap between GUI-based tools and complex textual specifications.

The project established a solid conceptual framework by analyzing existing diagramming limitations and positioning our platform to leverage artificial intelligence for intelligent requirement interpretation and automated diagram generation. The initiation phase delivered comprehensive requirement analysis, stakeholder identification, and strategic planning with well-structured product backlog and realistic sprint timelines.

Technical achievements include robust containerized infrastructure using PostgreSQL, MinIO, PlantUML, and Next.js, providing scalable foundation with best practices in DevOps and security. OAuth-based authentication through NextAuth.js and Prisma database management ensure secure user management alongside an effective landing page.

The platform delivers comprehensive project management capabilities, enabling users to organize, manage, and share UML projects efficiently through intuitive interfaces and reliable functionality. Core diagramming features include CRUD operations, intelligent workspace with AI assistance, interactive editing, and high-quality PlantUML rendering integration.

The final sprint transformed the platform into a collaborative community-driven ecosystem with interaction features, project commenting, liking mechanisms, and profile management, creating a knowledge-sharing environment that extends beyond individual diagramming to collective expertise building.

8.2 Challenges Faced

The development encountered significant technical and design challenges that required innovative solutions. Technical architecture complexity arose from integrating AI services, PlantUML rendering, authentication, and collaboration features while maintaining performance standards. AI integration presented unique challenges in context management, response handling, and ensuring contextually relevant suggestions.

User experience design proved challenging when balancing feature richness with interface simplicity across authentication, project management, diagramming, and community features. Performance optimization required sophisticated strategies for handling complex diagram rendering, AI interactions, and community features while maintaining browser responsiveness.

Database design complexity emerged from supporting user management, project organization, diagram storage, AI logs, and community interactions while maintaining data integrity. Security and privacy considerations required comprehensive measures across all features, balancing functionality with data protection requirements.

8.3 Future Perspectives

The platform establishes excellent foundation for continued innovation in intelligent diagramming and collaborative modeling tools. Future development will focus on advanced AI capabilities including natural language diagram generation, automated layout optimization, and machine learning integration for predictive modeling suggestions.

Enhanced collaboration features will include real-time multi-user editing, advanced version control with branching capabilities, and integration with development tools and project management platforms. The platform will expand beyond UML to support additional modeling languages including BPMN and ArchiMate with pluggable architecture for custom diagram types.

Enterprise features will include advanced user management, role-based access control, audit logging, and integration with corporate systems. Mobile applications for iOS and Android will extend accessibility while maintaining core functionality. Community ecosystem expansion will include project templates, diagram libraries, and professional development pathways.

Comprehensive API development will enable third-party integrations and plugin architecture for community-driven feature development. The project has established a transformative platform with significant potential for continued innovation and market expansion in software modeling and development tools.

Bibliography

- [1] LangChain. (2024). *LangChain – Build LLM-powered Applications*. Retrieved June 9, 2025, from <https://www.langchain.com>
- [2] MinIO. (2024). *MinIO – High Performance Object Storage*. Retrieved June 9, 2025, from <https://min.io>
- [3] PlantUML. (2024). *PlantUML – Open-Source UML Tool*. Retrieved June 9, 2025, from <https://plantuml.com>
- [4] ShadCN UI. (2024). *ShadCN UI – Beautifully Designed UI Components*. Retrieved June 9, 2025, from <https://ui.shadcn.com>
- [5] Docker. (2024). *Docker – Empowering App Development for Developers*. Retrieved June 9, 2025, from <https://www.docker.com>
- [6] NextAuth.js. (2024). *NextAuth.js – Authentication for Next.js*. Retrieved June 9, 2025, from <https://next-auth.js.org>
- [7] Express.js. (2024). *Express – Fast, unopinionated, minimalist web framework for Node.js*. Retrieved June 9, 2025, from <https://expressjs.com>
- [8] LaTeX Project. (2024). *LaTeX – A Document Preparation System*. Retrieved June 9, 2025, from <https://www.latex-project.org>
- [9] Vercel. (2024). *Next.js – The React Framework*. Retrieved June 9, 2025, from <https://nextjs.org>
- [10] Prisma. (2024). *Prisma – Next-generation ORM for Node.js*. Retrieved June 9, 2025, from <https://www.prisma.io>
- [11] Tailwind CSS. (2024). *Tailwind CSS – Rapidly Build Modern Websites*. Retrieved June 9, 2025, from <https://tailwindcss.com>
- [12] Git SCM. (2024). *Git – Distributed Version Control System*. Retrieved June 9, 2025, from <https://git-scm.com>

BIBLIOGRAPHY

- [13] Node.js. (2024). *Node.js – JavaScript Runtime*. Retrieved June 9, 2025, from <https://nodejs.org>
- [14] React. (2024). *React – A JavaScript library for building user interfaces*. Retrieved June 9, 2025, from <https://reactjs.org>
- [15] TypeScript. (2024). *TypeScript – JavaScript With Syntax for Types*. Retrieved June 9, 2025, from <https://www.typescriptlang.org>
- [16] Mozilla Firefox. (2024). *Firefox – Fast, Private & Free Web Browser*. Retrieved June 9, 2025, from <https://www.mozilla.org/firefox>
- [17] VSCodium. (2024). *VSCodium – Free/Libre Open Source Software Binaries of VS Code*. Retrieved June 9, 2025, from <https://vscodium.com>
- [18] GitHub. (2024). *GitHub – Where the World Builds Software*. Retrieved June 9, 2025, from <https://github.com>
- [19] Linux Kernel Organization. (2024). *The Linux Kernel Archives*. Retrieved June 9, 2025, from <https://kernel.org>
- [20] PostgreSQL. (2024). *PostgreSQL – The World's Most Advanced Open Source Relational Database*. Retrieved June 9, 2025, from <https://www.postgresql.org>

BIBLIOGRAPHY
