

# ROOTS Biological Intelligence Report™

## Participant

Report RPT-PARITY-GT-020 · 28 September 2026 at 12:00 UTC

Questionnaire 1.0.1 · Scoring 1.0.1

Biological State

Not enough information

Opportunity

Not enough information

Recovery Potential

Not enough information

Confidence

**Moderate-High**

65/100

## 01 Cover Page

ROOTS Biological Intelligence Report™

### Participant

Participant

### Report ID

RPT-PARITY-GT-020

### Generated

28 September 2026 at 12:00 UTC

### Report version

1.0.1

### Boundary

Educational — Not a Diagnosis

## 02 Executive Summary

Your current pattern reflects a combination of reported biological signals. The highest-ranked drivers in this assessment are Circadian Health Score™ and Stress Load™ (co-primary) and Inflammation Burden Index™. These results are educational and describe your answers; they do not diagnose a condition.

## 03 ROOTS Biological State™

ROOTS Biological State™: Not enough information.

This summarizes the available seven-domain questionnaire pattern; it is not a medical risk probability.

### WHY THIS APPEARED

Too few of the seven domains had enough answers for this composite to be produced, so no value is shown.

## 04 ROOTS Opportunity Score™

ROOTS Opportunity Score™: Not enough information.

This proprietary educational indicator reflects the amount of modifiable capacity suggested by the current questionnaire pattern. It is not a forecast or clinical outcome probability.

### WHY THIS APPEARED

This value is derived from your ROOTS Biological State™ score, which is not available for this assessment.

## 05 ROOTS Confidence™

Confidence in this interpretation is Moderate-High (65/100).

Confidence reflects data completeness, self-reported answer confidence and internal response consistency—not diagnostic certainty.

**Overall coverage**

45%

**Answer confidence**

75/100

**Consistency**

100/100

**Areas without enough information**

Metabolic Resistance™; Hunger & Satiety Signals™; Sleep Recovery Index™

The composite Confidence score is produced by the controlled confidence model, which combines these components with fixed weightings. It is not a simple average of the values above.

**WHY THIS APPEARED**

This value comes from three recorded inputs: how much of the questionnaire you answered (45% of scored questions), the answer confidence you reported yourself (75/100), and how consistent your responses were within each available domain.

## 06 Key Drivers

Primary: Circadian Health Score™ and Stress Load™ (co-primary). Secondary: Inflammation Burden Index™.

Drivers identify the highest-ranked eligible questionnaire domains; they do not establish biological causation.

**WHY THIS APPEARED**

The domains named above were the highest-ranked of the domains that met the eligibility rule in your answers. The domains that met it, in rank order, were: Circadian Health Score™, Stress Load™, Inflammation Burden Index™, Biological Safety Signals™. Ranking reflects the level of burden reported in those domains; it does not identify a cause.

## 07 Seven-Domain Score Breakdown

Higher scores indicate greater reported burden within this assessment.

|                            |                        |
|----------------------------|------------------------|
| Metabolic Resistance™      | Not enough information |
| Hunger & Satiety Signals™  | Not enough information |
| Sleep Recovery Index™      | Not enough information |
| Circadian Health Score™    | 50/100 — Strained      |
| Stress Load™               | 50/100 — Strained      |
| Inflammation Burden Index™ | 50/100 — Strained      |

**Metabolic Resistance™**

Self-reported resistance to expected weight change and activity-related metabolic context.

**Hunger & Satiety Signals™**

Hunger, craving, fullness and post-meal response patterns.

**Sleep Recovery Index™**

Sleep duration, continuity and perceived restoration.

**Circadian Health Score™**

Alignment of light, screen, meal and sleep timing. Several signals may be placing consistent pressure on this area.

**Stress Load™**

Perceived tension, cognitive activation and stress-linked eating. Several signals may be placing consistent pressure on this area.

**Inflammation Burden Index™**

Non-specific symptom burden; not a laboratory or clinical inflammation measure. Several signals may be placing consistent pressure on this area.

**Biological Safety Signals™**

Perceived energy, appetite drive and resistance signals. Several signals may be placing consistent pressure on this area.

**08 Biological Triad™**

Your current triad connects Circadian Health Score™ and Stress Load™ (co-primary), Inflammation Burden Index™ and regular physical activity.

The diagram shows possible relationships between these areas, not causes.



**09 Future Projection**

If the current pattern continues, the same signals may remain influential. Small consistent changes may alter the pattern over time.

**10 90-Day Roadmap**

**Month 1 — Stabilize signals.**

Seek 10-20 minutes of outdoor morning light when safe.  
Avoid direct sun exposure beyond safe local guidance.

**Month 2 — Build flexibility.**

Use a two-minute slow-breathing or pause routine once daily.  
Not a substitute for mental-health care.

**Month 3 — Reinforce recovery.**

Continue the routine from Months 1-2 that has been easiest to repeat.

## 11 Nutrition Priorities

Focus on meal structure, adequate protein and fibre, hydration, and timing patterns that match your circumstances.

### Safety

Adapt for allergies, kidney disease or clinician-directed diets.

## 12 Action Priorities

Start with the smallest action you can repeat consistently.

### 1. Seek 10-20 minutes of outdoor morning light when safe.

Supports time-of-day cues.

Avoid direct sun exposure beyond safe local guidance.

### 2. Use a two-minute slow-breathing or pause routine once daily.

Creates a repeatable recovery cue.

Not a substitute for mental-health care.

### 3. Track one recurring symptom, meal context and timing for seven days.

May help identify patterns for discussion.

Do not use the log to self-diagnose food intolerance.

### 4. Choose one action small enough to repeat for two weeks.

Builds consistency while respecting perceived resistance.

Seek care for persistent, severe or unexplained symptoms.

## 13 What Is Going Well

Your answers also show strengths that may support change.

**Regular physical activity**

**Consistent meal timing**

**Readiness to try one small change**

## 14 Specific Concerns

Some reported signals may deserve additional attention, especially if they are persistent, worsening or affecting daily function.

## 15 Suggested Laboratory Discussion

You may wish to discuss whether any tests are appropriate with a qualified healthcare professional.

**Whether targeted clinical evaluation is appropriate before broad testing**

## 16 Participant Answers

Your answers are shown exactly as submitted.

Questionnaire version 1.0.1.

### Body Foundations

Q1. What is your age?

Context only

**Not answered**

Q2. What sex were you assigned at birth?

Context only

**Not answered**

Q3. What is your height?

Context only

**Not answered**

Q4. What is your current weight?

Context only

**Not answered**

Q5. What is your target weight, if you have one?

Context only

**Not answered**

Q6. What is your waist circumference?

Context only

**Not answered**

Q7. How long have you been near your current weight?

Context only

**Not answered**

Q8. How would you describe your weight pattern over the last five years?

Context only

**Not answered**

## **Weight & Metabolic History**

Q9. How did the weight change that concerns you begin?

Scoring input

**Not answered**

Q10. How often have well-planned diet or activity efforts produced less change than you expected?

Scoring input

**Not answered**

Q11. After an intentional weight loss, how often has some or all of the weight returned?

Scoring input

**Not answered**

Q12. How many meaningful cycles of weight loss and regain have you experienced?

Scoring input

**Not answered**

Q13. Have you been told by a clinician that you have any of the following?

Context only

**Not answered**

Q14. Are you currently using medicines that may relate to metabolism, appetite, weight or hormones?

Context only

**Not answered**

Q15. Does a first-degree relative have a history of type 2 diabetes or substantial weight-related metabolic difficulty?

Context only

**Not answered**

## **Sleep Recovery Index**

Q16. How many hours of sleep do you typically get in a 24-hour period?

Scoring input

**Not answered**

Q17. How often do you feel tired even after what seemed like enough time in bed?

Scoring input

**Not answered**

Q18. How often do you wake during the night and struggle to return to sleep?

Scoring input

**Not answered**

Q19. How often is your bedtime after midnight?

Scoring input

**Not answered**

Q20. How often do you remain awake until 2:00 AM or later because you cannot settle to sleep?

Scoring input

**Not answered**

Q21. How often do you snore loudly, wake gasping, or receive feedback that your breathing pauses during sleep?

Scoring input

**Not answered**

Q22. How often do you experience a marked afternoon energy crash?

Scoring input

**Not answered**

## Hunger & Satiety Signals

Q23. How often do you feel physically hungry within two hours after a full meal?

Scoring input

**Not answered**

Q24. How often do you experience food cravings when you are not physically hungry?

Scoring input

**Not answered**

Q25. How often do you eat enough but still fail to feel comfortably full?

Scoring input

**Not answered**

Q26. How often do you feel comfortably full after a normal meal?

Scoring input

**Not answered**

Q27. How often are you hungry again three to four hours after a protein-rich meal?

Scoring input

**Not answered**

Q28. How often does a protein-rich meal keep you satisfied for four hours or longer?

Scoring input

**Not answered**

Q29. How often do you feel sleepy, foggy or low in energy after a main meal?

Scoring input

**Not answered**

Q30. When you start eating sweets or snack foods, how often is it difficult to stop at the amount you intended?

Scoring input

**Not answered**

## Stress Load & Inflammation Signals

Q31. How often do you feel persistent physical tension or stress?

Scoring input

**Not answered**

Q32. How often does stress increase your desire to eat?

Scoring input

**Not answered**

Q33. How often does your mind race when you are trying to sleep?

Scoring input

**Not answered**

Q34. How often are cravings noticeably stronger in the evening?

Scoring input

**Not answered**

Q35. How often do you experience bloating, gas or digestive discomfort?

Scoring input

**Not answered**

Q36. How often do you experience brain fog after meals?

Scoring input

**Not answered**

Q37. How often do you experience unexplained joint pain or stiffness?

Scoring input

**Not answered**

Q38. How often does fat around your waist seem resistant to your usual efforts?

Scoring input

**Not answered**

Q39. How often do you experience unusual thirst or a dry mouth?

Scoring input

**Not answered**

Q40. How often have reducing calories and increasing activity produced little sustained change?

Scoring input

**Not answered**

## Circadian Health

Q41. How often do you spend the first hour after waking indoors without natural daylight exposure?

Scoring input

**Not answered**

Q42. How often do you use a phone, tablet or computer during the final hour before sleep?

Scoring input

**Not answered**

Q43. How often do you eat within three hours of bedtime?

Scoring input

**Not answered**

Q44. How often does your sleep schedule vary by more than two hours across the week?

Scoring input

**Not answered**

Q45. How often do you feel more alert late at night than during the morning?

Scoring input

**Not answered**

## Physical Activity Mapping

Q46. On how many days per week do you complete intentional physical activity?

Scoring input

**Not answered**

Q47. On active days, what is the usual duration of your intentional activity?

Scoring input

**Not answered**

Q48. Which option best describes your usual physical activity pattern?

Scoring input

**Not answered**

## Biological Safety Signals

Q49. How often does your body seem to resist weight loss despite consistent effort?

Scoring input

**Not answered**

Q50. How often does hunger feel stronger than your ability to regulate it?

Scoring input

**Not answered**

Q51. How often are your energy levels lower than you believe they should be?

Scoring input

**Not answered**

## Root Cause Discovery

Q52. When stressed, what responses are most typical for you?

Context only

**Not answered**

Q53. What do you believe most often contributes to your hunger or cravings?

Context only

**Not answered**

Q54. What do you believe most often contributes to low energy?

Context only

**Not answered**

Q55. How many caffeinated drinks do you usually consume per day?

Context only

**Not answered**

## Hormonal & Reproductive Context

Q56. Which hormonal or reproductive stage best describes your current situation?

Context only

**Not answered**

Q57. How often have hormonal or reproductive changes affected sleep, appetite, energy or weight?

Context only

**Not answered**

Q58. Are you currently using hormonal medication, contraception or hormone therapy?

Context only

**Not answered**

Q59. How often do appetite or weight patterns change alongside hormonal or reproductive symptoms?

Context only

**Not answered**

Q60. Have you been told by a clinician that you have a thyroid, reproductive or other hormonal concern?

Context only

**Not answered**

## Lifestyle & Environment

Q61. How often do you smoke, vape or use nicotine?

Context only

**Not answered**

Q62. How often do you consume alcohol?

Context only

**Not answered**

Q63. Which description best matches your usual eating pattern?

Context only

**Not answered**

Q64. How often are your meals reasonably consistent in timing from day to day?

Context only

**Not answered**

Q65. How supportive is your home food environment of the choices you want to make?

Context only

**Not answered**

Q66. How much practical or emotional support do you have for making health-related changes?

Context only

**Not answered**

## Goals & Readiness

Q67. What is your primary goal for completing this assessment?

Context only

**Not answered**

Q68. Which area would you most like to understand first?

Context only

**Not answered**

Q69. How ready do you feel to try one small, realistic change during the next two weeks?



Context only

**Not answered**

Q70. How confident are you that you can maintain one small change for two weeks?

Context only

**Not answered**

Q71. What pace of change feels most realistic for you?

Context only

**Not answered**

## Confidence & Additional Context

Q72. How confident are you that your answers reflect your usual experience during the last four weeks?

Context only

**Not answered**

Q73. Is there anything else you would like the report to acknowledge?

Context only · Participant response

i dont sleep well and its been worse since march, teh tiredness

## 17 Biological Card

Biological State Not enough information; Opportunity Not enough information; Recovery Potential Not enough information; Confidence Moderate-High.

### Drivers

Circadian Health Score™ and Stress Load™ (co-primary); Inflammation Burden Index™

### Versions

Questionnaire 1.0.1 · Scoring 1.0.1 · Report 1.0.1 · Narrative 1.0.0-deterministic-fallback · Disclaimer 1.0.0

## 18 Final Word

Your answers are a starting point, not a verdict. Choose one realistic action, observe how you respond, and seek professional support when symptoms are persistent or concerning.

## 19 Medical and AI Disclaimer

### What this report is

ROOTS-AI™ provides educational wellness information based on self-reported answers.

### What this report is not

It is not a medical device, diagnostic service, clinical assessment, prognosis or substitute for a qualified healthcare professional. It does not provide medical treatment or medication instructions. Scores are proprietary questionnaire indicators and are not validated probabilities of disease or future outcomes.

### How AI is used

AI may assist with wording, but all scores and classifications are calculated by deterministic rules.

### When professional or urgent care is appropriate

If you have severe, sudden or worsening symptoms, or believe you may be in immediate danger, contact local emergency services or a qualified healthcare professional.

---

### Versions

Questionnaire 1.0.1 · Scoring 1.0.1 · Report 1.0.1 · Narrative 1.0.0-deterministic-fallback · Disclaimer 1.0.0

Audit reference: scores/GT-020