

ROOTS Biological Intelligence Report™

Participant

Report RPT-REVIEW-GT-030 · 28 September 2026 at 12:00 UTC

Questionnaire 1.0.1 · Scoring 1.0.1

Biological State

75

/100

Opportunity

62.5

/100

Recovery Potential

73.5

/100

Confidence

High

93/100

01 Cover Page

ROOTS Biological Intelligence Report™

Participant

Participant

Report ID

RPT-REVIEW-GT-030

Generated

28 September 2026 at 12:00 UTC

Report version

1.0.1

Boundary

Educational — Not a Diagnosis

02 Executive Summary

Your current pattern reflects a combination of reported biological signals. The highest-ranked drivers in this assessment are Hunger & Satiety Signals™ and Stress Load™ (co-primary) and Biological Safety Signals™. These results are educational and describe your answers; they do not diagnose a condition.

03 ROOTS Biological State™

Your ROOTS Biological State™ is 75/100 — Dysregulated.

This summarizes the available seven-domain questionnaire pattern; it is not a medical risk probability.

WHY THIS APPEARED

This value summarizes the seven-domain scores available in your answers (Metabolic Resistance™, Hunger & Satiety Signals™, Sleep Recovery Index™, Circadian Health Score™, Stress Load™, Inflammation Burden Index™, Biological Safety Signals™). It is a composite of those domain scores, not a separate measurement.

04 ROOTS Opportunity Score™

Your ROOTS Opportunity Score™ is 62.5/100.

This proprietary educational indicator reflects the amount of modifiable capacity suggested by the current questionnaire pattern. It is not a forecast or clinical outcome probability.

WHY THIS APPEARED

This value is derived from your ROOTS Biological State™ score. It uses no answers beyond those already summarized there.

05 ROOTS Confidence™

Confidence in this interpretation is High (93/100).

Confidence reflects data completeness, self-reported answer confidence and internal response consistency—not diagnostic certainty.

Overall coverage

100%

Answer confidence

75/100

Consistency

100/100

Areas without enough information

None

The composite Confidence score is produced by the controlled confidence model, which combines these components with fixed weightings. It is not a simple average of the values above.

WHY THIS APPEARED

This value comes from three recorded inputs: how much of the questionnaire you answered (100% of scored questions), the answer confidence you reported yourself (75/100), and how consistent your responses were within each available domain.

06 Key Drivers

Primary: Hunger & Satiety Signals™ and Stress Load™ (co-primary). Secondary: Biological Safety Signals™.


Drivers identify the highest-ranked eligible questionnaire domains; they do not establish biological causation.

WHY THIS APPEARED

The domains named above were the highest-ranked of the domains that met the eligibility rule in your answers. The domains that met it, in rank order, were: Hunger & Satiety Signals™, Stress Load™, Biological Safety Signals™, Metabolic Resistance™, Inflammation Burden Index™, Circadian Health Score™, Sleep Recovery Index™. Ranking reflects the level of burden reported in those domains; it does not identify a cause.

07 Seven-Domain Score Breakdown

Higher scores indicate greater reported burden within this assessment.



Metabolic Resistance™

Self-reported resistance to expected weight change and activity-related metabolic context. A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

Hunger & Satiety Signals™

Hunger, craving, fullness and post-meal response patterns. A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

Sleep Recovery Index™

Sleep duration, continuity and perceived restoration. Some signals are present, while current routines may still be helping your system compensate.

Circadian Health Score™

Alignment of light, screen, meal and sleep timing. Several signals may be placing consistent pressure on this area.

Stress Load™

Perceived tension, cognitive activation and stress-linked eating. A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

Inflammation Burden Index™

Non-specific symptom burden; not a laboratory or clinical inflammation measure. A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

Biological Safety Signals™

Perceived energy, appetite drive and resistance signals. A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

08 Biological Triad™

Your current triad connects Hunger & Satiety Signals™ and Stress Load™ (co-primary), Biological Safety Signals™ and regular physical activity.

The diagram shows possible relationships between these areas, not causes.



09 Future Projection

If the current pattern continues, the same signals may remain influential. Small consistent changes may alter the pattern over time.

10 90-Day Roadmap

Month 1 — Stabilize signals.

Include a protein source and fibre-rich food in one regular meal daily.

Adapt for allergies, kidney disease or clinician-directed diets.

Month 2 — Build flexibility.

Use a two-minute slow-breathing or pause routine once daily.

Not a substitute for mental-health care.

Month 3 — Reinforce recovery.

Continue the routine from Months 1-2 that has been easiest to repeat.

11 Nutrition Priorities

Focus on meal structure, adequate protein and fibre, hydration, and timing patterns that match your circumstances.

Safety

Adapt for allergies, kidney disease or clinician-directed diets.

12 Action Priorities

Start with the smallest action you can repeat consistently.

1. Include a protein source and fibre-rich food in one regular meal daily.

May support meal satisfaction.

Adapt for allergies, kidney disease or clinician-directed diets.

2. Use a two-minute slow-breathing or pause routine once daily.

Creates a repeatable recovery cue.

Not a substitute for mental-health care.

3. Choose one action small enough to repeat for two weeks.

Builds consistency while respecting perceived resistance.

Seek care for persistent, severe or unexplained symptoms.

4. Schedule three 10-minute walks after meals this week.

Supports routine movement without promising weight loss.

If exercise is unsafe or painful, obtain professional guidance.

5. Track one recurring symptom, meal context and timing for seven days.

May help identify patterns for discussion.

Do not use the log to self-diagnose food intolerance.

13 What Is Going Well

Your answers also show strengths that may support change.

Regular physical activity

Consistent meal timing

Readiness to try one small change

14 Specific Concerns

Some reported signals may deserve additional attention, especially if they are persistent, worsening or affecting daily function.

Hunger & Satiety Signals™

A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

Stress Load™

A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

Biological Safety Signals™

A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a

qualified professional.

Metabolic Resistance™

A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

Inflammation Burden Index™

A high burden of signals was reported. This is not a diagnosis; consider discussing persistent or concerning symptoms with a qualified professional.

15 Suggested Laboratory Discussion

You may wish to discuss whether any tests are appropriate with a qualified healthcare professional.

Whether glucose regulation testing, such as fasting glucose or HbA1c, is appropriate

Only a clinician can decide whether testing is appropriate and interpret the result.

Whether thyroid evaluation is appropriate

Questionnaire answers cannot determine thyroid function.

Whether targeted clinical evaluation is appropriate before broad testing

16 Participant Answers

Your answers are shown exactly as submitted.

Questionnaire version 1.0.1.

Body Foundations

Q1. What is your age?

Context only

Not answered

Q2. What sex were you assigned at birth?

Context only

Not answered

Q3. What is your height?

Context only

Not answered

Q4. What is your current weight?

Context only

Not answered

Q5. What is your target weight, if you have one?

Context only

Not answered

Q6. What is your waist circumference?

Context only

Not answered

Q7. How long have you been near your current weight?

Context only

Not answered

Q8. How would you describe your weight pattern over the last five years?

Context only

Not answered

Weight & Metabolic History

Q9. How did the weight change that concerns you begin?

Scoring input

Not answered

Q10. How often have well-planned diet or activity efforts produced less change than you expected?

Scoring input

Not answered

Q11. After an intentional weight loss, how often has some or all of the weight returned?

Scoring input

Not answered

Q12. How many meaningful cycles of weight loss and regain have you experienced?

Scoring input

Not answered

Q13. Have you been told by a clinician that you have any of the following?

Context only

Not answered

Q14. Are you currently using medicines that may relate to metabolism, appetite, weight or hormones?

Context only

Not answered

Q15. Does a first-degree relative have a history of type 2 diabetes or substantial weight-related metabolic difficulty?

Context only

Not answered

Sleep Recovery Index

Q16. How many hours of sleep do you typically get in a 24-hour period?

Scoring input

Not answered

Q17. How often do you feel tired even after what seemed like enough time in bed?

Scoring input

Not answered

Q18. How often do you wake during the night and struggle to return to sleep?

Scoring input

Not answered

Q19. How often is your bedtime after midnight?

Scoring input

Not answered

Q20. How often do you remain awake until 2:00 AM or later because you cannot settle to sleep?

Scoring input

Not answered

Q21. How often do you snore loudly, wake gasping, or receive feedback that your breathing pauses during sleep?

Scoring input

Not answered

Q22. How often do you experience a marked afternoon energy crash?

Scoring input

Not answered

Hunger & Satiety Signals

Q23. How often do you feel physically hungry within two hours after a full meal?

Scoring input

Not answered

Q24. How often do you experience food cravings when you are not physically hungry?

Scoring input

Not answered

Q25. How often do you eat enough but still fail to feel comfortably full?

Scoring input

Not answered

Q26. How often do you feel comfortably full after a normal meal?

Scoring input

Not answered

Q27. How often are you hungry again three to four hours after a protein-rich meal?

Scoring input

Not answered

Q28. How often does a protein-rich meal keep you satisfied for four hours or longer?

Scoring input

Not answered

Q29. How often do you feel sleepy, foggy or low in energy after a main meal?

Scoring input

Not answered

Q30. When you start eating sweets or snack foods, how often is it difficult to stop at the amount you intended?

Scoring input

Not answered

Stress Load & Inflammation Signals

Q31. How often do you feel persistent physical tension or stress?

Scoring input

Not answered

Q32. How often does stress increase your desire to eat?

Scoring input

Not answered

Q33. How often does your mind race when you are trying to sleep?

Scoring input

Not answered

Q34. How often are cravings noticeably stronger in the evening?

Scoring input

Not answered

Q35. How often do you experience bloating, gas or digestive discomfort?

Scoring input

Not answered

Q36. How often do you experience brain fog after meals?

Scoring input

Not answered

Q37. How often do you experience unexplained joint pain or stiffness?

Scoring input

Not answered

Q38. How often does fat around your waist seem resistant to your usual efforts?

Scoring input

Not answered

Q39. How often do you experience unusual thirst or a dry mouth?

Scoring input

Not answered

Q40. How often have reducing calories and increasing activity produced little sustained change?

Scoring input

Not answered

Circadian Health

Q41. How often do you spend the first hour after waking indoors without natural daylight exposure?

Scoring input

Not answered

Q42. How often do you use a phone, tablet or computer during the final hour before sleep?

Scoring input

Not answered

Q43. How often do you eat within three hours of bedtime?

Scoring input

Not answered

Q44. How often does your sleep schedule vary by more than two hours across the week?

Scoring input

Not answered

Q45. How often do you feel more alert late at night than during the morning?

Scoring input

Not answered

Physical Activity Mapping

Q46. On how many days per week do you complete intentional physical activity?

Scoring input

Not answered

Q47. On active days, what is the usual duration of your intentional activity?

Scoring input

Not answered

Q48. Which option best describes your usual physical activity pattern?

Scoring input

Not answered

Biological Safety Signals

Q49. How often does your body seem to resist weight loss despite consistent effort?

Scoring input

Not answered

Q50. How often does hunger feel stronger than your ability to regulate it?

Scoring input

Not answered

Q51. How often are your energy levels lower than you believe they should be?

Scoring input

Not answered

Root Cause Discovery

Q52. When stressed, what responses are most typical for you?

Context only

Not answered

Q53. What do you believe most often contributes to your hunger or cravings?

Context only

Not answered

Q54. What do you believe most often contributes to low energy?

Context only

Not answered

Q55. How many caffeinated drinks do you usually consume per day?

Context only

Not answered

Hormonal & Reproductive Context

Q56. Which hormonal or reproductive stage best describes your current situation?

Context only

Not answered

Q57. How often have hormonal or reproductive changes affected sleep, appetite, energy or weight?

Context only

Not answered

Q58. Are you currently using hormonal medication, contraception or hormone therapy?

Context only

Not answered

Q59. How often do appetite or weight patterns change alongside hormonal or reproductive symptoms?

Context only

Not answered

Q60. Have you been told by a clinician that you have a thyroid, reproductive or other hormonal concern?

Context only

Not answered

Lifestyle & Environment

Q61. How often do you smoke, vape or use nicotine?

Context only

Not answered

Q62. How often do you consume alcohol?

Context only

Not answered

Q63. Which description best matches your usual eating pattern?

Context only

Not answered

Q64. How often are your meals reasonably consistent in timing from day to day?

Context only

Not answered

Q65. How supportive is your home food environment of the choices you want to make?

Context only

Not answered

Q66. How much practical or emotional support do you have for making health-related changes?

Context only

Not answered

Goals & Readiness

Q67. What is your primary goal for completing this assessment?

Context only

Not answered

Q68. Which area would you most like to understand first?

Context only

Not answered

Q69. How ready do you feel to try one small, realistic change during the next two weeks?

Context only

Not answered

Q70. How confident are you that you can maintain one small change for two weeks?

Context only

Not answered

Q71. What pace of change feels most realistic for you?

Context only

Not answered

Confidence & Additional Context

Q72. How confident are you that your answers reflect your usual experience during the last four weeks?

Context only

Not answered

Q73. Is there anything else you would like the report to acknowledge?

Context only · Participant response

i dont sleep well and its been worse since march, teh tiredness

17 Biological Card

Biological State 75; Opportunity 62.5; Recovery Potential 73.5; Confidence High.

Drivers

Hunger & Satiety Signals™ and Stress Load™ (co-primary); Biological Safety Signals™

Versions

Questionnaire 1.0.1 · Scoring 1.0.1 · Report 1.0.1 · Narrative 1.0.0-deterministic-fallback · Disclaimer 1.0.0

18 Final Word

Your answers are a starting point, not a verdict. Choose one realistic action, observe how you respond, and seek professional support when symptoms are persistent or concerning.

19 Medical and AI Disclaimer

What this report is

ROOTS-AI™ provides educational wellness information based on self-reported answers.

What this report is not

It is not a medical device, diagnostic service, clinical assessment, prognosis or substitute for a qualified healthcare professional. It does not provide medical treatment or medication instructions. Scores are proprietary questionnaire indicators and are not validated probabilities of disease or future outcomes.

How AI is used

AI may assist with wording, but all scores and classifications are calculated by deterministic rules.

When professional or urgent care is appropriate

If you have severe, sudden or worsening symptoms, or believe you may be in immediate danger, contact local emergency services or a qualified healthcare professional.

Versions

Questionnaire 1.0.1 · Scoring 1.0.1 · Report 1.0.1 · Narrative 1.0.0-deterministic-fallback · Disclaimer 1.0.0

Audit reference: scores/GT-030