Task 3: Alert Triage Practice

1. Introduction

This task focuses on alert triage, where security alerts are analyzed to determine their severity, validity, and potential impact. The goal is to differentiate between real threats and false positives using threat intelligence tools.

2. Alert Details

Alert ID	Description	Source IP	Priority	Status
002	Brute-force SSH	192.168.1.100	Medium	Open
003	Suspicious SSH	185.220.101.1	High	Investigating

3. Analysis

The first alert shows multiple failed SSH login attempts from a private IP address (192.168.1.100), indicating a possible brute-force attack. Since it is an internal IP, it may represent test activity or a false positive.

The second alert originates from a public IP (185.220.101.1), which is associated with anonymization networks such as Tor. This increases the likelihood of malicious intent and requires deeper investigation.

4. Threat Intelligence Validation

Both IP addresses were analyzed using threat intelligence platforms such as AlienVault OTX and VirusTotal.

- The private IP (192.168.1.100) showed no malicious records, confirming it as a likely false positive.
- The public IP (185.220.101.1) is linked to Tor network activity, which is commonly used to hide attacker identity and perform suspicious actions.

5. Findings (50 words)

Two alerts were analyzed during triage. The private IP showed no malicious activity, indicating a false positive. The public IP was associated with Tor network usage, increasing

its risk level. This demonstrates the importance of threat intelligence in distinguishing between internal activity and potential external threats.

6. Conclusion

The alert triage process helps in prioritizing security incidents and reducing false positives. By combining alert analysis with threat intelligence tools, security analysts can make informed decisions and respond effectively to potential threats.

7. Screenshots

- Wazuh Alert / Mock Alert Screenshot
- AlienVault OTX Result (Private IP)
- AlienVault OTX Result (Public IP)

(Screenshots attached below)



Open Threat Exchange | Browse | Scan Endpoints | Create Pulse | Submit Sample | API Integration | All 185.220.101.1 | Login | Sign Up

IPV4

185.220.101.1 Add to Pulse +

Pulses	Passive DNS	URLs	Files
50	14	0	25

Analysis Overview

Verdict	TOR Node
Reverse DNS	berlin01.tor-exit.artikel10.org
Location	Germany
ASN	AS208294 cia triad security llc
DNS Resolutions	14 Domains
Top Level Domains	6 Unique TLDs
Related Pulses	OTX User-Created Pulses (50)
Related Tags	46 Related Tags 2025, webscanner, bruteforce, web app attack, probing, webscan, scanning More

Indicator Facts	Historical OTX telemetry, TOR node, 14 domains resolved in all time, 6 top-level domains
Exploited CVEs	All Time: 2018-7600, 2017-9805, 2014-6271, 2014-0160, 2013-3815 More
Antivirus Detections	Win.Malware.Bulz-9862340-0, Win.Malware.Ulise-9886066-0, Win.Packer.pkr_ce1a-9980177-0, Win32:CrypterX-gen\ [Trj], Win64:TrojanX-gen\ [Trj]
AV Detection Ratio	24 / 24
IDS Detections	TLS possible TOR SSL traffic
External Resources	Whois, VirusTotal

192.168.1.100

0 / 94 Community Score

10+ detected files communicating with this IP address | Reanalyze | More

192.168.1.100

private

Last Analysis Date: 3 hours ago

DETECTION | DETAILS | RELATIONS | COMMUNITY 43

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Security vendors' analysis — Do you want to automate checks?

Abusix	Clean	Acronis	Clean
ADMINUSLabs	Clean	AILabs (MONITORAPP)	Clean
AlienVault	Clean	AlphaSOC	Clean
Antiy-AVL	Clean	benkow.cc	Clean
BitDefender	Clean	Blueliv	Clean
Certego	Clean	Chong Lua Dao	Clean
CINS Army	Clean	CMC Threat Intelligence	Clean
CRDF	Clean	Cyble	Clean
CyRadar	Clean	desenmascara.me	Clean
DNS8	Clean	Dr.Web	Clean
EmergingThreats	Clean	Emsisoft	Clean