

Multimodal spatial availability: a singly-constrained measure of accessibility considering multiple modes
 --Manuscript Draft--

Manuscript Number:	PONE-D-23-27305R2
Article Type:	Research Article
Full Title:	Multimodal spatial availability: a singly-constrained measure of accessibility considering multiple modes
Short Title:	Multimodal spatial availability: accessibility considering multiple modes
Corresponding Author:	Anastasia Soukhov McMaster University Toronto, ON CANADA
Keywords:	Spatial availability; Multimodal; Singly-constrained; Competitive; Accessibility; Madrid; Reproducible research
Abstract:	Place-based accessibility measures communicate the potential interaction with opportunities at a zone that populations can access. Recent research has explored the implications of how opportunities are counted by different accessibility methods. In conventional measures, opportunities are multiply counted if more than one zone offers access to the same opportunity. This multi-count of opportunities leads to values of accessibility that are difficult to interpret. A possible solution to enhance the meaning-making of accessibility results is by constraining the calculations to match a known quantity. This ensures all zonal values sum up to a predetermined quantity (i.e., the total number of opportunities). In this way, each value can be meaningfully related to this total. A recent effort that implements this solution is spatial availability, a singly-constrained accessibility measure. In this paper, we extend spatial availability for use in the case of multiple modes or more generally, heterogeneous population segments with distinct travel behaviors. After deriving a multimodal version of spatial availability, we proceed to illustrate its features using a synthetic example. We then apply it to an empirical example of low emission zones in Madrid, Spain. We conclude with suggestions for future research and its use in evaluating policy interventions.
Order of Authors:	Anastasia Soukhov, MSc. Javier Tarriño-Ortiz, PhD Julio A. Soria-Lara, PhD Antonio Páez, PhD
Opposed Reviewers:	
Response to Reviewers:	<p>Please see the 'Response-to-reviewer.pdf' for the formatted letter.</p> <p># Reviewer 1 NA ---</p> <p># Reviewer 3 NA ---</p> <p># Reviewer 2</p> <p>Thank you for the time and care taken by the editorial team and reviewers in providing feedback to the second round of revision to the manuscript. No doubt, the further revised version submitted is more articulate than the first. Our responses to comments to Reviewer #2 are shown below in <code>\textcolor{blue}{blue}</code>. Reviewer #3 and #1 did not have any additional comments.</p> <p>## Reviewer #2:</p>

I appreciate the fact that the authors have largely revised the paper to answer the reviewers' comments. Still, I feel like some of my comments have been insufficiently addressed in the revised draft, as detailed below.

\textcolor{blue}{Thank you: comments provided by all reviewers were exceptionally helpful in clarifying the manuscript. We address the outstanding three comments and additional minor comments in this response letter.}

The authors have adequately addressed my comment on the fact that their new measure is not useful for studying access to non-competitive resources in the revised introduction.

\textcolor{blue}{Thank you, we appreciate your understanding.}

My comment on the fact that the new measure doesn't allow to study the absolute gains or losses in accessibility from public transport or land use system changes has inadequately been accounted for. First, what your new measure can or cannot do remains unclear to me: for instance, how would an improvement in the transport sector that benefits all transport modes and locations uniformly, but still reduces all transportation times in the city, be accounted for? Second, I do not see where this point is discussed in the paper.

\textcolor{blue}{This is a great question, and we think we know the answer. We interpreted your comment initially as to mean changes in accessibility, and we responded accordingly. Your example makes it clear that you had something else in mind. The answer to your question can be found in point 2 in the conclusion of Soukhov et al.} \begin{group}\color{blue}{[-@soukhovIntroducingSpatialAvailability2023]} \end{group} \hspace{1em}\textcolor{blue}{(p. 25) where it says "Shen-type accessibility can be used to compute the availability of jobs (the rate and the absolute values if the original definition is corrected), however, if the analyst is interested in internal values and secondary analysis of the results, spatial availability should be considered". The internal values referred to there are the estimates of trip length/duration/cost associated with the spatial availability of opportunities; the secondary analysis, in turn, referred to estimating the system-wide cost of competitive accessibility. To use your example, suppose that there is a change in the transportation system that is uniform: accessibility does not change but travel times are shorter for every mode. As Soukhov et al.} \begin{group}\color{blue}{[-@soukhovIntroducingSpatialAvailability2023]} \end{group} \hspace{1em}\textcolor{blue}{demonstrate in the section \textit{Why does proportional allocation matter?} (p. 15), a difference between spatial availability and unconstrained accessibility measures, is that spatial availability allocates the actual number of opportunities to each origin. As a result, the estimates of travel time can be used to quantify the system-wide impacts of spatial availability. In your hypothetical example, spatial availability would remain constant, but the system-wide cost of travel, as calculated from the intermediate values (i.e., the detailed table of opportunities allocated to origins by origin-destination pair), would decrease.}

My comment on modal shift has partially been accounted for. A key question is whether people can shift transport modes easily or not: indeed, it seems to be that your new accessibility measure, based on competition, does only make sense in case people cannot easily shift transport modes.

\textcolor{blue}{Thank you for your comment. For the empirical example we use data collected at least one year \textit{after} the introduction of Madrid LEZ. We then make the (hopefully reasonable) assumption that all modal shifts caused by LEZ have already taken place. We could (if we had the data) calculate spatial availability using the mode shares \textit{before} the introduction of Madrid LEZ. Here, however, we are not conducting a before/after comparison of the policy, but only of the spatial availability already in the context of LEZ. In other words, our discussion is based not on a comparison over time, but a comparison over space. We have further enhanced the results to make this interpretation more clear. }

You partially answer that question in the paragraph starting l46 by explaining why

some populations, e.g. children, elderly, or single parents, might have different characteristics in terms of transportation choice and mode use. Still, in the case of the Madrid LEZ, you do not explain why private cars and public transport users are in competition. For instance, you state that “restrictions to travel by car leave more spatially available opportunities for non-car-users” (I585).

\textcolor{blue}{Our discussion of competition is not based on hypothetical modal shifts caused by LEZ, but rather on the comparison of spatial availability after LEZ over space. Fig. 6 in the paper shows that bike and walk consistently have fewer jobs available than their share of users in the population. But, they receive a larger share \textit{within} the boundaries of Centro, where the number of cars that can enter is limited by the LEZ policy. In other words, the restriction, which is what distinguishes Centro from the boundary of the M-30 or the whole region, seems to open up a window of opportunity for jobs to become available to cyclists and pedestrians.}

But it seems to me that the LEZ aims at promoting a modal shift toward less polluting cars, public transport, or active modes rather than favoring public transport users?

\textcolor{blue}{No question that promoting a modal shift is part of the policy. However, as we noted above, we assume that the data already incorporates said shift. Given the modal shares, our analysis indicates that the winning mode within the boundaries of LEZ is transit (Fig. 6).}

Relatedly, your measure does not make any difference between car users that can easily shift to public transport, and car users that cannot.

\textcolor{blue}{You are absolutely right. That said, the job of allocating users to various modes is not the job of our measure, but the job of a mode split or mode choice model. The scope of our measure is to allocate opportunities to users by mode. Given changes in the shares of different modes, the measure can be calculated to examine the spatial availability under those conditions.}

My other comments have been accounted for, and the writing of the paper has largely been improved.

Finally, I have a few additional minor comments:

Fig 5: the boundaries of the LEZs, and in particular of the LEZ centro, are really hard to see.

There is a typo I56: “The paper rest of the paper”

\textcolor{blue}{Thank you bringing these comments to our attention. We have changed the colours and slightly increased the size of the spatial borders for LEZ Centro and M-30 on all figures (now the borders are Pink and Purple instead of Light and Medium Grey) to improve visibility. We have also corrected the identified typo. Additionally, we have improved phrasing and corrected grammatical errors throughout the manuscript. }

\textcolor{blue}{We wish to thank you for your thoughtful and constructive comments throughout the revision process so far. A sticking point is the shift in modes. In this respect, we would like to reiterate that our measure is not intended to do the things that modal split or mode choice models are supposed to do. Our empirical example is cross-sectional, and we believe bypasses the question of modal shifts while still giving useful information about the spatial distribution of opportunities and the ability of different modes to reach them. We would argue that the materials presented here are already an advance over existing methods--even in the case when accessibility remains constant but the cost of travel declines uniformly. Still, we wish to acknowledge that the use of multimodal spatial availability in over-time comparisons would benefit from being paired with a modal split or mode choice model, something that we are prevented from trying in our empirical example due to data limitations.}

Additional Information:

Question	Response
<p>Financial Disclosure</p> <p>Enter a financial disclosure statement that describes the sources of funding for the work included in this submission. Review the submission guidelines for detailed requirements. View published research articles from PLOS ONE for specific examples.</p> <p>This statement is required for submission and will appear in the published article if the submission is accepted. Please make sure it is accurate.</p>	<p>AS - Canada Graduate Scholarship - Doctoral Program (CGS D) provided by the Social Sciences and Humanities Research Council (SSHRC)</p> <p>AS - Project Mobilizing Justice, also supported by SSHRC.</p> <p>The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.</p>
<p>Unfunded studies</p> <p>Enter: <i>The author(s) received no specific funding for this work.</i></p> <p>Funded studies</p> <p>Enter a statement with the following details:</p> <ul style="list-style-type: none"> • Initials of the authors who received each award • Grant numbers awarded to each author • The full name of each funder • URL of each funder website • Did the sponsors or funders play any role in the study design, data collection and analysis, decision to publish, or preparation of the manuscript? • NO - Include this sentence at the end of your statement: <i>The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.</i> • YES - Specify the role(s) played. 	
<p>* typeset</p>	
<p>Competing Interests</p> <p>Use the instructions below to enter a competing interest statement for this submission. On behalf of all authors, disclose any competing interests that could be perceived to bias this work—acknowledging all financial support and any other relevant financial or non-financial competing interests.</p>	<p>The authors have declared that no competing interests exist.</p>

This statement is **required** for submission and **will appear in the published article** if the submission is accepted. Please make sure it is accurate and that any funding sources listed in your Funding Information later in the submission form are also declared in your Financial Disclosure statement.

View published research articles from [PLOS ONE](#) for specific examples.

NO authors have competing interests

Enter: *The authors have declared that no competing interests exist.*

Authors with competing interests

Enter competing interest details beginning with this statement:

I have read the journal's policy and the authors of this manuscript have the following competing interests: [insert competing interests here]

* typeset

Ethics Statement

N/A

Enter an ethics statement for this submission. This statement is required if the study involved:

- Human participants
- Human specimens or tissue
- Vertebrate animals or cephalopods
- Vertebrate embryos or tissues
- Field research

Write "N/A" if the submission does not require an ethics statement.

General guidance is provided below. Consult the [submission guidelines](#) for detailed instructions. **Make sure that all information entered here is included in the Methods section of the manuscript.**

Format for specific study types

Human Subject Research (involving human participants and/or tissue)

- Give the name of the institutional review board or ethics committee that approved the study
- Include the approval number and/or a statement indicating approval of this research
- Indicate the form of consent obtained (written/oral) or the reason that consent was not obtained (e.g. the data were analyzed anonymously)

Animal Research (involving vertebrate

animals, embryos or tissues)

- Provide the name of the Institutional Animal Care and Use Committee (IACUC) or other relevant ethics board that reviewed the study protocol, and indicate whether they approved this research or granted a formal waiver of ethical approval
- Include an approval number if one was obtained
- If the study involved *non-human primates*, add *additional details* about animal welfare and steps taken to ameliorate suffering
- If anesthesia, euthanasia, or any kind of animal sacrifice is part of the study, include briefly which substances and/or methods were applied

Field Research

Include the following details if this study involves the collection of plant, animal, or other materials from a natural setting:

- Field permit number
- Name of the institution or relevant body that granted permission

Data Availability

Authors are required to make all data underlying the findings described fully available, without restriction, and from the time of publication. PLOS allows rare exceptions to address legal and ethical concerns. See the [PLOS Data Policy](#) and [FAQ](#) for detailed information.

Yes - all data are fully available without restriction

A Data Availability Statement describing where the data can be found is required at submission. Your answers to this question constitute the Data Availability Statement and **will be published in the article**, if accepted.

Important: Stating 'data available on request from the author' is not sufficient. If your data are only available upon request, select 'No' for the first question and explain your exceptional situation in the text box.

Do the authors confirm that all data underlying the findings described in their manuscript are fully available without restriction?

Describe where the data may be found in full sentences. If you are copying our sample text, replace any instances of XXX with the appropriate details.

- If the data are **held or will be held in a public repository**, include URLs, accession numbers or DOIs. If this information will only be available after acceptance, indicate this by ticking the box below. For example: *All XXX files are available from the XXX database (accession number(s) XXX, XXX.)*.
- If the data are all contained **within the manuscript and/or Supporting Information files**, enter the following:
All relevant data are within the manuscript and its Supporting Information files.
- If neither of these applies but you are able to provide **details of access elsewhere**, with or without limitations, please do so. For example:

Data cannot be shared publicly because of [XXX]. Data are available from the XXX Institutional Data Access / Ethics Committee (contact via XXX) for researchers who meet the criteria for access to confidential data.

The data underlying the results presented in the study are available

All work is fully-reproducible and available within this [GitHub repository](<https://github.com/soukhova/Multimodal-spatial-availability>).

<p><i>from (include the name of the third party and contact information or URL).</i></p> <ul style="list-style-type: none"> • This text is appropriate if the data are owned by a third party and authors do not have permission to share the data. 	
<p>* typeset</p>	



Department of Earth, Environment and Society, Faculty of Science
McMaster University, 1280 Main Street West
Hamilton, Ontario, Canada, L8S 4L7

February 1st, 2024

Dear Emily Chenette,
Editor-in-Chief, PLOS ONE

This letter is in support of the revised manuscript submitted titled ***Multimodal spatial availability: a singly-constrained measure of accessibility considering multiple modes***. I am the lead and corresponding author, and a doctoral candidate in the School of Earth, Environment and Society at McMaster University. The co-authors are Javier Tarriño-Ortiz, a doctoral graduate from Universidad Politécnica de Madrid, Spain; Prof. Julio A. Soria-Lara from the Urban and Regional Planning at Universidad Politécnica de Madrid, Spain; and Prof. Antonio Paez from the School of Earth, Environment and Society at McMaster University.

As a continuation of our research efforts and an extension of our previously published work in PLOS ONE titled ***Introducing spatial availability, a singly-constrained measure of competitive accessibility*** published in January 2023 ([DOI](#)), this present submission expands spatial availability to quantify differences in accessibility offered by mode. An increasing number of studies within this field are concerned with inequities, particularly those arising from differences in access by mode type or other heterogenous population characteristics. However, existing methods for assessing accessibility fall short in accounting for aspects of competition for opportunities and the finite nature of opportunities themselves. In this vein, we first illustrate the features of spatial availability that make it suitable for multimodal analysis. Subsequently, we demonstrate its application through a case study of Low Emission Zones (LEZ) in Madrid (Spain), showcasing how the measure could be used to discuss competition between modes within the LEZ.

We are sincerely appreciative of the comments provided by the reviewer in this round of revisions. We considered them carefully and made revisions to the manuscript to clarify key concepts throughout and also updated the Figure legend colours as request. We further improved the overall flow of the manuscript and added additional literature to support certain ideas.

We look forward to hearing again from you and your expert reviewers. On behalf of my co-authors, I would like to thank you in advance for your attention.

Sincerely,

Anastasia Soukhov, MSc, B.Eng.
PhD Candidate,
School of Earth, Environment and Society, McMaster University
Email: soukhoa@mcmaster.ca

Multimodal spatial availability: a singly-constrained measure of accessibility considering multiple modes

Anastasia Soukhov ¹ * , Javier Tarriño-Ortiz ² , Julio A. Soria-Lara ² , Antonio Páez ¹

1 Department of Earth, Environment and Society, McMaster University, Hamilton, Canada

2 Centro de Investigación del Transporte (TRANSyT), Universidad Politécnica de Madrid, Madrid, Spain

* Corresponding author: soukhoa@mcmaster.ca (AS)

Abstract

Place-based accessibility measures communicate the potential interaction with opportunities at a zone that populations can access. Recent research has explored the implications of how opportunities are counted by different accessibility methods. In conventional measures, opportunities are multiply counted if more than one zone offers access to the same opportunity. This multi-count of opportunities leads to values of accessibility that are difficult to interpret. A possible solution to enhance the meaning-making of accessibility results is by constraining the calculations to match a known quantity. This ensures all zonal values sum up to a predetermined quantity (i.e., the total number of opportunities). In this way, each value can be meaningfully related to this total. A recent effort that implements this solution is spatial availability, a singly-constrained accessibility measure. In this paper, we extend spatial availability for use in the case of multiple modes or more generally, heterogeneous population segments with distinct travel behaviors. After deriving a multimodal version of spatial availability, we proceed to illustrate its features using a synthetic example. We then apply it to an empirical example of low emission zones in Madrid, Spain. We conclude with suggestions for future research and its use in evaluating policy interventions.

Introduction

Accessibility is a key concept in the analysis of land use and transportation systems [1–3] and is coming of age from the perspective of planning research [see *inter alia* 4,5–8]. Beginning with the work of Hansen (1959) [1], accessibility measures have been widely used to evaluate the efficiency of transportation systems when combined with the distribution of populations and opportunities in space [9]. In this way, accessibility is a holistic measure of spatial systems' ease of reaching population-relevant destinations [10,11].

The most common form of accessibility measure is based on the gravity model e.g. the Hansen-type measure [1]: these measures sum “weighted” opportunities around a focal point (i.e., a potential origin), based on how expensive it is to reach them. Recent research in accessibility analysis has explored the implications of methods by which opportunities are summed, especially in the context of competitive accessibility [15]. In a typical Hansen-type accessibility measure, the sums around origins are not

constrained: the same opportunity can enter the sum for different origins. Counting the same opportunity multiple times treats it as it was inexhaustible (or non-rival [16]). However, this conceptualisation may not reflect reality, as opportunities are often more exclusive than not. Some opportunities are by definition exclusive: a typical example is employment, once a job is taken up by someone in the population, the same job is no longer available for any other person to take [14,17]. More generally, it could be conceptualised that all opportunities are somewhat exclusive so they are subject to some amount of congestion or capacity-constraint: multiple people use a specific opportunity at a given time and the more people who do, the more congested the opportunity. Congestion can be seen on a continuum, and debate on how congestion within accessibility measures can be considered is ongoing [14,17,18]. Nonetheless, competition has been widely considered for traditionally exclusive opportunities types such as employment and healthcare opportunities [14,17,19–21,21–24] and more recently for educational facilities [18,25] as well as less exclusive amenities types such as greenspace and recreation amenities [25,26], and shopping destinations [18,27].

The consideration of congestion in accessibility measures was the motivation for the development of approaches that consider competition [21,23,24] and are popularly applied in the literature as floating catchment area methods [28]. While these approaches purport to account for congestion, Páez et al. (2019) [12] demonstrates that they do not solve the issue of multiple counting of opportunities in general, thus leading to biases in the calculation of total demand (population) and supply (of opportunities). They sometimes inflate counts and other times deflate them. In this line, recent research has paid closer attention to the way opportunities are counted in accessibility analysis. Páez et al. (2019) [12], for example, focuses on floating catchment area methods and introduces a normalization of the impedance matrix to allocate the population and then the level of service (i.e., the supply to demand) proportionally. More recently, Soukhov et al. (2023) [15] introduced a singly-constrained measure of accessibility, called spatial availability, that employs a similar but more sophisticated proportional allocation mechanism. The work of these authors show that floating catchment area methods can be seen as singly-constrained accessibility measures and improve on existing approaches by guaranteeing that each opportunity is counted only once. In other words, spatial availability treats the opportunities as *finite*. The proportional allocation mechanism of spatial availability constrains the calculations to match a known quantity, therefore ensuring that the measurements sum up to a predetermined quantity (i.e., the total number of opportunities), and so each value can be meaningfully related to this total.

A limitation of spatial availability as introduced by Soukhov et al. (2023) [15] is that it was developed for the case of a homogeneous population, for example for the case of a single mode of transportation. However, the finite nature of opportunities makes the analysis of heterogeneous populations very relevant. In the case of multiple modes of transportation, people who travel by slower modes (e.g., active modes) can usually reach fewer opportunities than people who travel by faster modes and whose range is typically far wider (e.g., car). This implies that slower travelers will often face increased competition for local opportunities from travelers who can reach said opportunities from farther afield.

This paper's primary motivation is to extend spatial availability for the case of multimodal accessibility (i.e., travel by different modes). It is worth noting though that the consideration for travel costs by different modes is in fact just one case of heterogeneous populations. The method itself can easily accommodate other forms of heterogeneity, for example: variations in travel behavior between older and younger adults (e.g., Páez et al. (2010) [29]), the propensity of older adults to use different modes of transportation (e.g., Moniruzzaman et al. (2013) [30]), the usually shorter trip lengths of children compared to adults (e.g., Reyes et al. (2014) [31]), or the more

limited travel ranges of single parents (e.g., Páez et al. (2010) [32]).

The rest of this paper is organized as follows. In Section 2, we provide a brief review of multimodal accessibility. In the following Section 3, we demonstrate the derivation of the spatial availability expression for multiple modes. In Section 4, we illustrate relevant issues through a synthetic example. This is followed in Section 5 by an empirical example using home-to-work data from the city of Madrid, Spain after the implementation of its Low Emission Zones (LEZ). Data for this example is sourced from the city's 2018 travel survey. The empirical example demonstrates the multimodal spatial availability landscape in 2018. It highlights the differences within and outside the LEZ for travelers using different modes, namely, car, transit, cycling and walking. In Section 6, we provide concluding remarks on the strengths of the use of spatial availability as a multimodal accessibility measure, and discuss potential future uses in policy planning scenarios as well as directions for future research.

A brief review of multimodal accessibility

Place-based accessibility indicators are quantitative measures of *potential* interaction with opportunities for locations within a given region: they are summary measures of the relationship between land-use and transport systems. Arguably, the most commonly used measures are based on the gravity model [33]; this includes cumulative opportunity measures that are a special case of the gravity model [5,10]. These gravity model based measures weight opportunities depending on the ease of reaching them. Given an origin i and a destination j , an impedance function $f^m(c_{ij}^m)$ converts the cost of travel (e.g., time, money, generalized cost) into a score that represents the propensity for potential interaction. These measures originate from the work proposed by Hansen (1959) [1], which can take the following form in the multimodal case: $S_i^m = \sum_j O_j f^m(c_{ij}^m)$. In this form, m is a set of modes that have mode-specific travel costs (c_{ij}^m) and/or travel impedance functions $f^m(\cdot)$.

Hansen-type accessibility is not constrained, which is to say it does not consider the opportunities as finite. To cite an example, Tahmasbi et al. (2019) [34] use Hansen-type accessibility to assess the potential interaction with retail locations by three modes: walking, public transit, and car (i.e., $m = w, p, c$). S_i^m is the sum of retail locations j that can potentially be reached under the travel impedance as calculated for each i and m . In other words, for each origin i three accessibility scores are calculated. In this work, Tahmasbi et al. [34] show that car travel affords the highest S_i^m values in the majority of i i.e., travelers who use a car can potentially reach more retail opportunities than populations using other modes. However, higher S_i^m values for car do not affect the values of S_i^m for other modes: in effect, each mode is analysed as if the others did not exist. Since the measure is not constrained, each opportunity is typically counted multiple times within and between modes, and as a result the sum of accessibility is not necessarily a meaningful quantity. The accessibility scores for the modes are often values that are difficult to interpret beyond making statements about relative size. For example, Lunke (2022) [35] reports accessibility scores for car in the order of tens of thousands of employment opportunities in the Oslo region. The corresponding scores for transit are lower, but still often in the thousands or tens of thousands. As reported, the ratio of the transit to the car score can be lower than 0.2 (meaning transit gives access to less than 20% of the opportunities than car). But despite the discussion about “sufficient accessibility”, it is unclear what the unconstrained scores mean: is having access to 10,000 jobs by transit insufficient? After all, 10,000 employment opportunities are still plenty of opportunities. These ratios can be found elsewhere in the literature e.g., Figs. 7, 8, and 9 in Páez et al. (2010) [36], Fig. 5 in Páez et al. (2010) [29], Páez et al. (2013) Figs. 6, 7, and 8 in [32]. They are useful as relative assessment of when some

members of the public are better or worse off than others, but they are silent on how
bad is “worse off”.
117
118

Besides ratios of accessibility, another way seen in the literature to improve
interpretability of scores is to standardise them within a [0-1] range. This adjustment is
only helpful insofar as it facilitates relative comparisons, but interpretation of the scores
remains challenging because the values are specific to a region and convey no meaning
about the magnitude of the scores. In this approach, zones always have values between
0 and 1, but how remarkable is a zone with a low score for pedestrians and a high value
for car? And if remarkable, what does the difference in these standardized values mean
for planners? By how much should transport systems and land-use configurations be
changed to improve conditions? And in what way can these scores be used to track
differences over time? Or between regions? These questions lack straightforward
answers since certain values will always be relatively ‘low’ or ‘high’, but do not track to
a quantity that can be intuitively understood. Presentation or discussion of
Hansen-type accessibility that has been standardised in this way is not uncommon in
the literature [37,38].
119
120
121
122
123
124
125
126
127
128
129
130
131
132

If we understand opportunities to be finite and/or subject to some levels of
congestion, it is possible for an accessibility measure to take on a crisper meaning.
Accessibility research has a history of considering opportunity competition, especially
regarding school-seats, hospital capacity, and employment opportunities
[14,15,17–25,39–42]. If one person reaches an opportunity - it is taken: the supply of an
opportunity and the demand for that opportunity are the nodes in accessibility analysis.
These types of opportunities are unambiguously exclusive. But we would go as far as to
argue that every type of opportunity is subject to congestion or capacity constraint,
even when the opportunities are conventionally seen as inexhaustible.
133
134
135
136
137
138
139
140
141

Amenities are a good example of this. For instance, standards for providing green
spaces are often stated in the form of *exclusive access*, in units of amenity per capita.
For example, a 2013 planning document for the Ile-de-France region suggested a public
green space municipal standard of 10 m^2 *per inhabitant* [43]. Green spaces are not
evenly distributed, meaning those who have access to them depends on where they are
and how easy they are to reach. This formulation of amenity provision is not unusual.
As another example, Natural England recommends a national “accessible natural
greenspace standard” such that the minimum supply of space is 1 ha of statutory local
nature reserves per thousand population [44]. Similarly, the World Health Organization
[45] recommends that cities provide a minimum of 9 m^2 of green area per inhabitant.
For our purposes, standards of this type translate into “how much of this resource is
available to one individual that has not been claimed by anyone else?”. Green spaces
often have large capacities, but they still have a capacity and it is not the same for a
person to have access to 5 m^2 of *uncongested* green space as 15 m^2 . This difference is in
fact a matter of justice [43,46]. Constraining accessibility is a useful way to evaluate the
congested availability of any type of opportunity. As development of sound standards is
emphasized in the planning literature, in particular in regards to fairness in
transportation [47], spatial availability analysis can be used to develop and assess
standards.
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160

The relevance of the considerations above is put in sharper relief when we think
about the use of multiple modes (or heterogeneous populations). If we return to Oslo
for a moment [35], we notice that the places that have high accessibility by transit are
also the places that have *very high* accessibility by car (in their Figure 2). Those two
populations are going for the same opportunities, and those travelling by transit have
fewer to choose from the start. More generally, people in a zone who are advantaged
with relatively low cost of travel will have the ability to potentially reach more
opportunities than other people. Due to this advantage, through the perspective of
161
162
163
164
165
166
167
168

finite opportunities, there are fewer opportunities left for everyone else, especially for those who use modes that are slower or otherwise more expensive.

As noted in the Introduction, competitive accessibility was the rationale for developing floating catchment area methods (FCA), popularized by Luo et al. (2003) [28] who reformulated the work of Shen (1998) [24] into two steps (although similar, and earlier, developments are found in [21,23]). Shen-type accessibility is formulated as:

$a_i^m = \sum_j \frac{O_j f^m(c_{ij}^m)}{\sum_m D_j^m}$ where D_j^m is the potential demand for opportunities equal to travel impedance weighted population $\sum_i P_i^m f^m(c_{ij}^m)$ and the remaining variables are repeated in the Hansen-type measure. Shen-type modal accessibility (a_i^m) can be understood as a ratio of the travel impedance-weighted supply of opportunities for m -mode in i over the travel impedance-weighted demand for opportunities. In this way, it considers competition. That said, the measure remains unconstrained, meaning both population *and* opportunities are multiply counted [12]. In other words, interpretation of the Shen-type accessibility scores between modes is fraught, as it is for Hansen-type measures.

To illustrate, Tao et al. (2020) [48] calculates a_i^m to jobs for different income-group populations in Shenzhen, China for those using transit and car. Their results indicate that zones with low-income populations have lower a_i^m than zones with higher-income populations. Further, they show that a_i^{transit} is lower than a_i^{car} in many zones, arguing that this may further place those zones with lower-income populations at a disadvantage. a_i and/or a_i^m are used to compare relative spatial differences in overall competitive accessibility and multimodal competitive accessibility, but because opportunities were doubly counted (entering the sums of both modes), this makes for uneasy interpretations of the differences in a_i^m between modes. Questions that this approach leaves unaddressed include: what is the impact of competition on the difference in a_i^m values? How does the impact vary spatially? And what is the interpretation of this difference?

Spatial availability improves on the discussed Hansen-type and Shen-type accessibility approaches by constraining the sum of opportunities, that is, by treating opportunities as finite. This is done by means of proportional allocation factors that follow well established principles of spatial interaction and the gravity model [49]. In Soukhov et al. (2023) [15] these factors consider: the mass effect (e.g., the size of populations at different origins); and the cost of travel from different zones (e.g., some sub-populations face relatively higher or lower costs). The following section introduces the multimodal form of spatial availability.

Multimodal spatial availability

In brief, we define the spatial availability V_i at an origin as the proportion of all opportunities in the region that are allocated to origin i from all destinations j . The general formulation of spatial availability is shown in Equation (1) [15]:

$$V_i = \sum_{j=1}^J O_j F_{ij}^t \quad (1)$$

Where:

- F_{ij}^t is a balancing factor that depends on the size of the populations at different locations that demand opportunities O_j , as well as the cost of movement in the system $f(c_{ij})$.
- V_i is the number of spatially available opportunities at i ; the sum of V_i is identical to the total number of opportunities in the region (i.e., $\sum_j O_j = \sum_i V_i$).

Compared to Hansen-type accessibility $S_i = \sum_{j=1}^J O_j f(c_{ij})$, we see that spatial availability is, like the Hansen-type measure, a weighted sum of the opportunities. What makes spatial availability stand apart from other approaches is how the weight used in the sum (balancing factor F_{ij}^t) implements a proportional allocation mechanism to ensure that the sum of V_i is constrained to match the total number of opportunities in the region. As such, spatial availability is singly-constrained and natively considers competition. F_{ij}^t consists of two parts. The first part is a population-based proportional allocation factor to model the mass effect of the gravity model:

$$F_i^p = \frac{P_i}{\sum_i P_i}$$

This factor makes opportunities available based on demand. Secondly, there is an impedance-based proportional allocation factor that models the cost effect:

$$F_{ij}^c = \frac{F_{ij}^c}{\sum_j F_{ij}^c}$$

This factor makes opportunities available preferentially to those who can reach them at a lower cost. F_i^p and F_{ij}^c are designed so that they both equal 1 when summed across all i in the region (e.g., $\sum_i F_i^p = 1$ and $\sum_i F_{ij}^c = 1$). These factors are combined multiplicatively to yield F_{ij}^t which ensures that a proportion of the opportunities O_j are allocated to each i accordingly. In other words, assuming a finite number of opportunities in the region, F_{ij}^t proportionally allocates O_j to each i such that the resulting V_i value represents the number of opportunities *available* to the population at i . Each zonal value is a proportion of the opportunities in the region (i.e., $\sum_j O_j = \sum_i V_i$).

The focus of this paper is to extend V_i for the measurement of multimodal applications (or more generally heterogeneous populations). To do so, the balancing factors are reformulated so that 1) the mass effect now accounts not only for the size of the population at i , but also the size of sub-populations within i ; and 2) the cost of travel is not only for different zones, but by sub-populations within each zone (e.g., the cost of travel from i by car, transit, walking, etc.) relative to all zones. When we introduce modes (or sub-populations) m , the proportional allocation factors need to satisfy the condition that F_i^{pm} and F_{ij}^{cm} can be summed across each m at each i and then across all i to equal to 1. They are also similarly combined multiplicatively to obtain their joint effect, represented as the combined balancing factor F_{ij}^{tm} similar to that detailed in Equation (2). This factor is given by:

$$F_{ij}^{tm} = \frac{F_i^{pm} \cdot F_{ij}^{cm}}{\sum_{m=1}^M \sum_{i=1}^N F_i^{pm} \cdot F_{ij}^{cm}} \quad (2)$$

where:

- The factor for allocation by population for each m at each i is $F_i^{pm} = \frac{P_i^m}{\sum_m P_i^m}$;
- The factor for allocation by cost of travel for each m at i is $F_{ij}^{cm} = \frac{f^m(c_{ij}^m)}{\sum_m f^m(c_{ij}^m)}$

Implementing F_{ij}^{tm} , Equation (3) gives the multimodal version of spatial availability V_i^m :

$$V_i^m = \sum_{j=1}^J O_j F_{ij}^{tm} \quad (3)$$

Where:




Fig 1. Multimodal synthetic example: locations of employment centers (in orange), population centers (in blue), number of jobs and population, and travel times for two modes (slower mode x and faster mode z).

- $m = 1, 2, \dots, M$ is a set of M modes (or sub-populations) of interest. 250
- F_{ij}^{tm} is a balancing factor F_{ij}^t for each m at each i . 251
- V_i^m is the spatial availability V_i for each m at each i ; the sum of V_i^m for all m at each i is equivalent to the total sum of opportunities in the region (i.e., 252
- $\sum_j O_j = \sum_i V_i = \sum_m \sum_i V_i^m$). 253

Next we use a synthetic example to contrast multimodal spatial availability with multimodal versions of Hansen-type accessibility (unconstrained) and Shen-type (unconstrained and competitive) accessibility. 255
256
257

An illustrative synthetic example

Consider the simple system shown in Figure 1. The figure shows a region with population at three population centers (A, B, C) and jobs at three employment centers ($1, 2, 3$). The population at each origin i consists of two sub-populations, one using a faster mode z and another using a slower mode x , to travel to employment centers. Population center A is Suburban: it is closest to its own relatively large employment center at 1, close to the Urban's equally large employment center 2, and has a population that is smaller than the Urban B and larger than the Satellite C . B has the largest x -using population (40%), followed by A (33%) then C (30%). This synthetic example is inspired by the single-mode example used in Shen (1998) [24] and reconfigured in Soukhov et al. (2023) [15]. 258
259
260
261
262
263
264
265
266
267
268

From the perspective of access to a *finite* amount of opportunities in the region (210,000 jobs), the sub-population that is most proximate to jobs (lowest cost to reach), furthest from large populations (least competition), and uses the fastest mode z (greatest range) can potentially reach the largest number of opportunities. This appears to be the sub-population at A using mode z . Sub-populations located in opposite conditions (i.e., more distant from jobs, close to large populations, and using slower mode x) are at a relative disadvantage. The competition for opportunities between different mode-using populations matters as it reflects how well the land-use and transport system serves (or does not serve) certain populations. 269
270
271
272
273
274
275
276
277

Table 1. Accessibility values at each origin (i) per mode (m) (columns three to five) and aggregated per i (columns six and seven) for the synthetic example.

i	m	S_i^m	a_i^m	V_i^m	a_i	V_i
A	x	27,292.18	0.95	15,696.89	1.36	67,482.61
	z	44,999.80	1.57	51,785.72		
B	x	27,292.18	0.64	38,170.03	0.88	132,638.94
	z	44,999.80	1.05	94,468.91		
C	x	2,240.38	0.68	2,035.86	0.99	9,878.45
	z	3,745.89	1.12	7,842.59		
TOTALS		150,570.22	N/A	210,000.00	N/A	210,000.00

The values calculated for S_i^m (Hansen-type accessibility), a_i^m (Shen-type accessibility), and V_i^m (spatial availability) for each i and m are shown in the middle three columns and are aggregated for each i in the final two columns in Table 1 . As in the example in Shen (1998) [24], we use a negative exponential impedance function $f^m(c_{ij}^m) = \exp(-\beta \cdot c_{ij})$ with $\beta = 0.1$ for both x and z modes for all accessibility measures calculations. Notice that in this example we use the same impedance function but the travel times are different for the two modes. More generally, it is possible to use different impedance functions for the modes, as the empirical example in the following section demonstrates.

Hansen-type accessibility S_i^m is presented for each origin and mode in the third column of Table 1 . For all i , the travel by z results in higher values of S_i^m than travel by x . Lack of competition, or alternatively the assumption of an inexhaustible resource in the calculation of S_i^m , leads to a curious result. Since the populations in A and B have the same travel impedance to employment centers 1, 2 and 3 (either 15, 30, or 100 minutes using x or 10, 25, or 80 minutes using z), their values of S_i^m are the same for both A and B . Furthermore, the total sum of S_i^m in the region is equal to 150,570.2. This value lacks an intuitive interpretation: it represents the weighted sum of opportunities that may be reached within the region according to the travel impedance (i.e., the travel behavior and the characteristics of the modes) and does not usefully translate into any sort of benchmark. To connect this example to the aforementioned literature, S_i^m is calculated in the work of Tahmasbi et al. (2019) [34]; they contrast differences in S_i^m values between modes in a relative and comparative sense, but make no further interpretation of the S_i^m values. More densely populated metropolitan regions will tend to have more opportunities and hence large S_i^m values and less densely populated regions, smaller values; how much of these differences may simply be an artifact of region density?

In the fourth and sixth columns in Table 1 the results for Shen-type accessibility are reported: first for both origin and mode a_i^m as well as aggregated by the weighted mean mode-population ($\sum_m \frac{P_i^m}{P_i} * a_i^m$) to represent a value for each origin a_i . Unlike S_i^m , this measure does consider competition. For instance, the population travelling by x from A and B do not have the same values of a_i^m as those travelling by z . In fact, A has the highest values a_i^m and a_i values since this center has the lowest travel impedance to opportunities (lower than at C , A and B are equal) and faces relatively low competition, not being close to a relatively large population (lower than at B).

However, the calculations of a_i^m are not constrained: the total sum of a_i^m or a_i is practically meaningless since it represents a sum of ratios. For instance, the population travelling by z from A has a value of 1.57 jobs per job-seeking population compared to 0.95 for users of mode x . What is the meaning of these values? The difference between

these modes is equal to 0.62, but 0.62 of what? How many more job opportunities can users of z reach compared to user of x ? When a_i^m is aggregated to a_i as shown in the sixth column, the values face similar interpretability issues. The Shen-type measure is implemented in aforementioned work of Tao et al. (2020) [48] to calculate modal a_i^m values and the aggregated a_i is implemented in the work of Carpentier et al. (2020) [50]. However, similar to Hansen-type accessibility, these works discuss relative and spatially comparative differences in values, but veer from interpreting the values of a_i^m or a_i themselves. In fairness, interpretation is complicated by the multiple counting of opportunities between zones and modes.

In contrast, spatial availability V_i considers competition and is constrained such that the total sum of values is equal to the total number of opportunities in the region (i.e., 210,000 jobs). Seen in fifth column of Table 1 , the values of V_i^m for A and B are not the same within each mode (as this measure considers competition). In fact, at A , users of mode z capture 36,088.84 more spatially available jobs (of the 210,000 jobs in the region) than the sub-population travelling by the slower-mode x . The numerical difference is clear since it refers to opportunities out of the total.

Furthermore, the proportional allocation mechanism also means that the values of V_i^m for any origin i can be aggregated across m and compared between zones ($V_i = \sum_m \sum_i V_i^m$). This aggregation, V_i , is shown in the seventh column in Table 1 . A is allocated 67,482.61 spatially available opportunities for both modes. 77% of this spatial availability allocated to A is assigned to users of mode z despite representing 66% of A 's population.

Spatial availability can be further aggregated to better interpret competition between modes. Across the entire region, 130,000 people use z (62% of the region population). However, users of z account for 73% of the region's total spatial availability - while the remaining 27% is allocated to users of mode x who are 38% of the total population. Notably, the population who uses x have 11% fewer spatially available opportunities than its share in the population. This realization could lead us to ask normative questions: how unequal should availability of opportunities be by mode? What intervention could help to redistribute spatial availability to sub-populations commensurate with their proportion of the total?

Since spatial availability is constrained to the total opportunities in the region, the values at i have a straightforward interpretation. Inequality in V_i^m values can be explored through a variety of approaches. For instance, consider travel times. The population of travelers who use z accounts for 67% of the potential travel time traveled in the region: this is 7% less travel time than the proportion of spatial available opportunities that is allocated to them. In other words, the population of users of z travels fewer minutes overall and has more spatial availability of opportunities than users of the slower mode x .

Alternatively, inequities in spatial availability between modes can be explored through proportional benchmarks. A spatial availability per capita v_i^m is presented in Equation (4):

$$v_i^m = \frac{V_i^m}{P_i^m} \quad (4)$$

The values of v_i^m for A , B , and C for users of x are 0.95, 0.64 and 0.68 spatially available jobs per capita, respectively. The values of v_i^m for users of z are much higher, with values of: 1.57, 1.05 and 1.12 respectively. Users of x , especially those at B and C , are directly impacted by the jobs that are spatially available to users of z *in addition to* the mass effect (occurring at B , high population density) and high travel impedance (occurring at the Satellite C). Notably, v_i^m values are equal to the ratios of the Shen-type measure a_i^m in this case, however they take on a different interpretation.

If, let us say, the planning goal was to have one spatially available job per mode-using population, a policy intervention could be devised, to reduce the values of v_i^z (making it slower or more expensive) and increase the values of v_i^x (making it faster or less expensive). The purpose of this synthetic demonstration is to show how spatial availability can be used to quantify the competitive (dis)advantage in a multimodal application. In what follows, we demonstrate the use of multimodal spatial availability through an empirical example.

Empirical example

Context

The context for the empirical example is the city of Madrid, Spain. This city implemented a Low Emission Zone (LEZ) in 2017 to pursue goals set out in the national climate change agenda such as cutting nitrogen dioxide levels and prioritizing people's movement in the city. LEZs elsewhere have similarly been implemented as interventions to reduce GHG emissions, improve air quality, and support sustainable mobility [51,52]. Though the rules of exclusion vary by city, LEZs aim to deter/reduce traffic in designated zones under threat of penalty (e.g., fines, seizure of vehicle). In other words, LEZs implement a form of *geographic discrimination* as they change how people can reach opportunities by making it more costly for some forms of travel, typically cars, to circulate in predetermined zones. When considering opportunities as finite in a region, this discrimination reduces the competition of one mode and opens up opportunities for other modes to better thrive. At their core, LEZs operate by changing the accessibility landscape of a city from the perspective of multiple modes.

In geographic scope, the 2017 boundaries of the LEZ in Madrid were relatively modest, covering only approximately 4.72 km^2 of the central business district of the city (the so-called LEZ Centro). As of this writing, there are plans to expand these boundaries to the area inside the M-30, an orbital highway in proximity to the city center. Within the 2017 LEZ Centro implementation, all cars, motorcycles and freight vehicles with environmental labels A or B (older makes and models of fossil fuel internal combustion engine vehicles), were disallowed from entering the zone unless they are used by residents or meet other exemptions. This restriction impacted approximately half of all car trips that used to travel into what is now the LEZ Centro [53].

The purpose of this empirical example is to quantify spatial availability to employment opportunities by different modes in Madrid after LEZ Centro implementation. Particularly, we demonstrate how V_i^m can be used to illustrate the spatial availability advantage that more sustainable modes (that are often slower than car) gain within/around the LEZ Centro. We speculate on how this competitive advantage is heightened as a result of the LEZ implementation that restricts car mobility.

Data

The source of origin-destination data for our empirical example is the 2018 Travel Survey of the Community of Madrid [54]. This is a representative survey that offers a snap-shot of travel patterns for a typical weekday in 2018. The survey collected 222,744 trips from a representative sample of 85,064 households across the traffic analysis zones (TAZ) in the Community of Madrid. For context, the population older than 3 years in the Community is 6,507,184.

In this example, we use all direct home-to-full-time-work trips, by all modes. The trips are expanded using population weights. Figures 2 and 3 show the number of




Fig 2. Distribution of jobs taken by people living and working in Madrid as reported in the 2018 travel survey. Grey TAZs have no jobs. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.




Fig 3. Population living and working in Madrid by mode of transportation as reported in the 2018 travel survey and represented at the level of TAZ. Grey TAZ have no population. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.

workers and the distribution of full-time jobs in the City of Madrid by TAZ. The TAZ shapefiles are available from the Community of Madrid open data portal [55]. The pink boundary represents the LEZ Centro in effect in 2017 and reflected in the 2018 travel survey. The purple boundary represents the LEZ planned for the boundaries of the M-30 highway and is present in the plots as a spatial reference for areas in proximity to the LEZ Centro.

The total sum of jobs O_j are shown in Figure 2 and the populations that go to a work destination by four modal categories P_i^m , is displayed in Figure 3. The modal shares in Figure 3 are calculated based on the primary mode specified in the survey and summarized into four categories as follows:

- Car/motor: all cars and operating modes (e.g., cab, private driver, company, rental car, main driver of a private car, passenger in a private car) and all public, private or company motorcycle/mopeds.
- Transit: all bus, trams, and trains.
- Bike: all bicycle trips (e.g., private, public, or company bike trips) and “other” types of micromobility options.
- Walk: pedestrian mode.

Some aggregation of modes is necessary to calculate the travel impedance functions by mode. From Figure 2, the largest concentration of jobs is within, near, and to the north of LEZ Centro. The populations with access to those jobs by mode (Figure 3) are spatially distinct. Travel by car and transit represent 37% and 47% of the modal share respectively. The population that travels by transit is more spatially distributed than those using cars - particularly near and within LEZ Centro. This distribution is likely caused by a variety of factors including: transit coverage and service within with city, effective car infrastructure outside of the M-30, and/or the impact of the LEZ Centro itself. From Figure 3, active travel is less common than motorised trips at 1% and 15% for cycling and walking respectively. Noticeably, there is a positive trend between the walking and cycling in zones where transit is also present. This positive trend is higher than for car-using populations.

Travel times are provided within the travel survey by mode. This information is used to calibrate mode-specific travel impedance functions $f^m(c_{ij}^m)$. To illustrate the modal differences in travel times, the following descriptive statistics per mode are presented:

- Car/motor: mean 36 minutes (min: 0 minutes, Q2: 15 minutes, Q3: 55 minutes, max: 120 minutes)
- Transit: mean 55 minutes (min: 1 minutes, Q2: 30 minutes, Q3: 80 minutes, max: 120 minutes)
- Bike: mean 34 minutes (min: 5 minutes, Q2: 15 minutes, Q3: 40 minutes, max: 115 minutes)
- Walk: mean 27 minutes (min: 1 minutes, Q2: 10 minutes, Q3: 45 minutes, max: 119 minutes)

Impedance functions $f^m(c_{ij}^m)$ are calibrated from the travel times in the survey via the empirical trip length distribution (TLD). An empirical TLD is given by the proportion of trips at various travel cost bins. This distribution is then used to estimate the parameters of a function for the travel impedance [as done in 56,57,58]. To fit the impedance functions, we use the Maximum likelihood estimation and the Nelder-Mead method for direct optimization available within the `{fitdistrplus}` R package [59]. Based on goodness-of-fit criteria and associated diagnostics, the gamma and log-normal probability density functions are selected as best fitting curves for the motorised and non-motorised modes respectively. The selection of functional forms aligns with empirical examples in other regions [15,60,61]. The shape and rate parameters for the




Fig 4. Fitted impedance function against empirical TLD (bars) corresponding to the home to full-time work origin destination flows for the City of Madrid from the 2018 travel survey.

gamma functions (motorised modes) are 1.8651852 and 0.051468 for car/motor and 2.7566235 and 0.0499193 for transit; for the log-normal functions (non-motorised modes), the mean and standard deviation parameters are 3.2372212 and 0.7575986 for bike and 2.9918042 and 0.7575986 for walk.

Figure 4 includes four plots to visualize the calibrated impedance functions (represented as black lines) superimposed on the empirical TLD. The impedance functions can be interpreted as the propensity to travel (y-axis) given a trip travel time (x-axis). The functions reflect a combination of possibilities and preferences: the travel behavior given the transportation technologies available. For example, trips shorter than 5 minutes do not occur frequently for any mode; this reflects the spatial separation between places of residence and places of work commonly seen in many cities. In terms of the non-motorised modes, there is a preference towards walking trips around 15 minutes in duration, as seen from the highest value of $f_{\text{walk}}(c_{ij}^{\text{walk}})$. With respect to travel by bicycle, longer travel times are more common; although the highest value of the impedance also corresponds to approximately 15 minutes, the curve has a longer tail and values decrease less rapidly at longer travel times than is the case of $f_{\text{walk}}(c_{ij}^{\text{walk}})$. A similar trend can be observed for the motorised modal options where transit mode is more spread out than car/motor mode. All in all, these functions represent the propensity of travel by mode by duration of trip, and are used to calculate the proportional allocation factors F_{ij}^m for V_i^m .

Results

Figure 5 illustrates the multimodal spatial availability landscape for each of the four modes m at the level of traffic analysis zones i . V_i^m is a proportion of the total number of 847,574 jobs in the city. Since V_i^m is calculated based on the population of workers and the distribution of jobs, the values can be understood as the number of full-time jobs that are spatially available to full-time workers at that i traveling by mode m , relative to all the jobs in the city.

Figure 5 is a snapshot of the spatial availability as reflected by the multimodal origin-destination flows and travel times from the 2018 travel survey: it incorporates the




Fig 5. Spatial availability of jobs per origin and mode V_i^m in Madrid at the level of TAZ. Grey TAZ have no population. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.

travel behaviour after LEZ implementation i.e., reduced car trips into the LEZ Centro. Furthermore, this implementation of spatial availability assumes that all employment opportunities are of interest to the entire population. Also, opportunities are proportionally allocated to mode-using populations based on travel time and mode-using population residing in the zones relative to the total travel time and population.

There are noticeable differences in the magnitude of V_i^m between modes. In Figure 5, the majority of V_i^m are allocated to workers travelling by car and transit. This can be expected since users of these modes represent 84.1% of the total population. The ability to travel at greater speeds also advantages these modes compared to the non-motorized modes. However, differences in V_i^{car} and $V_i^{transit}$ values exist in space: car users outside of the M-30 are allocated greater spatial availability, while some zones inside the M-30 have greater spatial availability for transit. Overall, the magnitude of V_i^m values for non-motorized mode-users are lower than for car and transit, but the highest values of V_i^{bike} and V_i^{walk} tend to be found in zones within the M-30 and origins with higher $V_i^{transit}$.

To highlight the spatial differences in modal competitive advantage, Figure 6 displays the spatial availability and population per mode aggregated for three areas of the city. Shifting focus to the left-most bars of Figure 6, motorised mode users can avail 95.3% of all jobs in the city (Spatial Availability by Mode). However, car users are allocated a disproportionate share of spatial availability relative to their city-wide population. The combined population of car and transit users is 36.6% and 47.5% respectively, and these populations are respectively allocated 48.0% and 47.3% of the city's job availability. When conceptualising the number of opportunities accessed as a finite value (total: 847,574 jobs), fewer opportunities are spatially available to lesser competitive modes. Modes are at a disadvantage when relative travel cost is high (see Figure 4) and the mode-using population is relatively small compared to all populations (especially populations with lower travel costs).

Though car mode offers the most spatial availability overall, this is not the case within the Centro. As summarized in the two right-most bars in Figure 6, the proportion of jobs spatially available to car users in Centro is 13.8% (5,373




Fig 6. Proportion of population by mode and spatial availability of jobs by mode aggregated for three areas. From left to right, the city of Madrid (All), the area within the M-30 highway (M-30), the area within the Centro region (Centro).

opportunities), less than the proportion of the car users in the Centro (16.1%). The trend in the Centro for car-users is opposite to that of the city overall (left-most bars) and the areas inside the M-30 (middle bars). We suspect that car-mode's competitive advantage is blunted by the LEZ: the number of car trips are relatively reduced in the area making non-car modes more competitive. Car mode's advantage in the Centro is also diminished by the relative increment of the mass effect and concentration of jobs (Figure 2) within/around the Centro.

Since car mode is less competitive within the Centro, other modes are relatively *more* competitive. Referring to the active travel modes in the right-most bars in Figure 6, 1.7% and 16.1% of opportunities are spatially available to bike and walk modes respectively, while their populations represent 1.2% and 14.7% of the population. The disparity between the proportions of cyclists and walkers and the proportions of jobs spatially available to them is *smaller* than displayed in the other two aggregations (All and M-30). We suspect that by restricting the ability of cars to enter Centro, the LEZ contributes to leveling the playing field for slower modes, in particular cycling and walking but also transit. Transit users are generally close to parity city-wide (left-most bars), with nearly as many spatially available jobs as transit users. Still, transit mode has the greatest advantage in the Centro with 68.5% of spatially available jobs for 51.4% of transit users in Centro. This result makes intuitive sense: after car, transit is the mode with the greatest range and, unlike car, it faced no restrictions by the LEZ.

The spatial differences in the competitive (dis)advantage of spatial availability between modes can also be visualized at a finer level of spatial granularity. Figure 7 shows v_i^m , the spatial availability V_i^m divided by the population of users of m . Values of v_i^m below one are shown in shades of orange, and indicate TAZs with less than one spatially available opportunity per capita for the mode. Values above one are shown in shades of green, and indicate TAZs with more than one spatially available opportunity per capita for the mode. The highest spatial availability per capita (shown in blue) is for car users in a zone northeast just beyond the M-30. These plots illustrate in unambiguous fashion, and in a quantity that is comparable over space and time, the advantage in terms of spatial availability of car for most of the city (bottom left plot,




Fig 7. Distribution of spatially available jobs per capita by mode of transportatin (v_i^m) represented at the level of TAZ. Grey TAZ have no population that use the mode. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.

areas denoted with green v_i^m values above one). It can also be observed that spatial availability of jobs is relatively well balanced for transit users over most of the regions (i.e., many zones are light green). In contrast, spatial availability of jobs for non-motorised modes is low (under one) overall, although less so within/around the LEZ Centro.

Since v_i^m values are comparable across regions and over time, Figure 7 potentially provides a benchmark for quantifying changes in LEZ policies in the future. Even within the M-30, $v_i^c ar$ values are still high (over 1) for most zones. These results may give reasonable grounds to speculate that a spatial expansion of the LEZ to include all areas within the M-30 would increase the spatial availability of jobs for transit users, cyclists and pedestrians. However, further investigation is needed.

Discussion and conclusions

Accessibility measures are an important tool in transportation research [9] and are increasingly seen as valuable for planning purposes [4–8]. They boast a long history of development, beginning with Hansen-type S_i^m measures, with other developments like Shen's a_i^m , to account for competition/congestion. The more recent spatial availability measure V_i^m has in common with these accessibility indicators that it is a weighted sum of the opportunities in a region from the perspective of a determined origin i . Aggregations of opportunities embody principles of gravitational/spatial interaction modelling that date back to at least H.C. Carey [62], and are part of a line of research that includes the work of Ravenstein [63], Reilly [64], Stewart [65–67], Zipf [68,69], Wilson [49], and many others. In this way, S_i^m , a_i^m , and V_i^m can be interpreted as scores of the potential for interaction with opportunities in space.

Different accessibility indicators are characterized by how they weight and aggregate opportunities. Spatial availability's contribution to the literature is to incorporate a proportional allocation mechanism that essentially constrains the sums to match the number of opportunities in the region: it is a singly-constrained accessibility measure

that natively accommodates congestion and competition. The effort with spatial availability is in line with previous research on proportional allocation by Páez et al. (2019) [12]. As initially introduced by Soukhov et al. (2023) [15], spatial availability was designed for a homogeneous population traveling by a single mode of transportation. In this paper, we extended spatial availability for the case of heterogeneous populations. We discussed this in terms of multiple modes of transportation, but the framework can accommodate equally well variations in travel behavior by population segments.

An empirical example using data from Madrid helps to illustrate the potential of multimodal spatial availability analysis, including its ability to account for competition for opportunities within and between modes. Particularly relevant is the fact that spatial availability scores relate directly to the total number of opportunities in the region. This makes it possible to compare the results to intuitive benchmarks, such as opportunities per population, in ways that other accessibility measures cannot or tend to obfuscate. This comparability is preserved between regions and over time. The example suggests that once opportunities are treated as finite, it could be suggested that restrictions to travel by car (due to the LEZ) leave more spatially available opportunities for non-car users. This difference for car travel in locations within/around the LEZ Centro seem to increase the number of opportunities spatially available to transit users (transit being the second most competitive mode) as well as non-motorised modes. In effect, a policy such as LEZ appears to help improve the spatial availability situation of active travel and transit mode users in the parts of the city where it is implemented, though additional research is needed. To further speculate, the spatial availability allocated to car-users near but outside the LEZ Centro is still relatively high, potentially supporting the case for LEZ expansion from this perspective. The purpose of the empirical example is to illustrate the kind of insights that can be derived from the application of multimodal spatial availability.

There are some intriguing opportunities for future research. Accessibility indicators are not designed to work as modal split models, and yet, in the case of policies that alter the relative cost of various forms of transportation, one can reasonably expect to see some shifts between modes. In our empirical example, we used data collected after the introduction of LEZ Centro. However, given a modal split model to predict modal shares, accessibility indicators, including spatial availability, can be used to investigate changes to the accessibility landscape. A similar logic can be applied for destination choice. Our empirical example presented a snapshot of this, and in future research it may be interesting to investigate changes in spatial availability *between* policy interventions. The plan to expand Madrid's LEZ to the ring contained by the M-30 presents an excellent opportunity. Given the intuitive interpretation of spatial availability scores as fractions of opportunities from the total, relative and absolute changes in the spatial availability landscape can be assessed, thus helping to evaluate the implications of policy interventions.

Our empirical example dealt with differences in travel by mode only, but it is possible to think of the intersection between mode of travel and different types of travelers. This would expand the number of sub-populations in the analysis from, say, $m = M$ (modes) to $m = M \cdot Q$ (modes times population segments), each with their own characteristic impedance function. Evaluations of this kind will be especially relevant as LEZ are implemented in cities globally, and the question of their impact on disadvantaged populations who have become mobility-restricted increasingly come to the fore [52,70,71].

To close, in this work spatial availability considers competition by allocating opportunities (the subject of the single-constraint) to modal populations in zones based on zonal proportions. Opportunity congestion can be seen on a continuum, but how it is to be considered within accessibility research is an ongoing subject of exploration

[14,17,18]. It is in this context we present spatial availability and its multimodal extension. While our focus was on a multiple modes, this consideration is just one case of heterogeneous populations (i.e., travel by different modes). The multimodal method itself can easily accommodate other forms of population or opportunity heterogeneity, for example: variations in rich and poor, young and old, types of opportunities. Like preceding accessibility measures, the potential applications of spatial availability are as numerous as the potential study contexts.

629
630
631
632
633
634
635

Author contributions

636
637
638
639
640

The authors confirm contribution to the paper as follows: study conception and design: AS, JTO, JSL, AP.; data collection: AS, JTO, JSL.; analysis and interpretation of results: AS, JTO, JSL, AP.; draft manuscript preparation: AS, JSL, AP. All authors reviewed the results and approved the final version of the manuscript.

References

641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661


1. Hansen WG. How accessibility shapes land use. *Journal of the American Institute of Planners*. 1959;25: 73–76. doi:10.1080/01944365908978307
2. Geurs KT, Wee B van. Accessibility evaluation of land-use and transport strategies: Review and research directions. *Journal of Transport Geography*. 2004;12: 127–140. Available: <http://www.sciencedirect.com/science/article/B6VG8-4B28VY7-1/2/61478339c14cab4fa58438ad7b1f4610> C:/Papers/Journal of Transport Geography/Journal of Transport Geography (2004) 12 (2) 127-140.pdf
3. Páez A, Scott DM, Morency C. Measuring accessibility: Positive and normative implementations of various accessibility indicators. *Journal of Transport Geography*. 2012;25: 141–153. doi:10.1016/j.jtrangeo.2012.03.016
4. Handy S. Is accessibility an idea whose time has finally come? *Transportation Research Part D: Transport and Environment*. 2020;83: 102319. doi:<https://doi.org/10.1016/j.trd.2020.102319>
5. Levinson D, King D. Transport access manual: A guide for measuring connection between people and places. University of Sydney; 2020. Available: <https://ses.library.usyd.edu.au/handle/2123/23733>
6. Siddiq F, D. Taylor B. Tools of the trade?: Assessing the progress of accessibility measures for planning practice. *Journal of the American Planning Association*. 2021;87: 497–511. doi:10.1080/01944363.2021.1899036
7. Yan X. Toward accessibility-based planning addressing the myth of travel cost savings. *JOURNAL OF THE AMERICAN PLANNING ASSOCIATION*. 2021;87: 409–423. doi:10.1080/01944363.2020.1850321
8. El-Geneidy A, Levinson D. Making accessibility work in practice. *Transport Reviews*. 2022;42: 129–133. doi:10.1080/01441647.2021.1975954
9. Shi Y, Blainey S, Sun C, Jing P. A literature review on accessibility using bibliometric analysis techniques. *Journal of Transport Geography*. 2020;87: 102810. doi:10.1016/j.jtrangeo.2020.102810
10. Handy S, Niemeier D. Measuring accessibility: An exploration of issues and alternatives. *Environment and Planning A*. 1997;29: 1175–1194.


11. Kwan MP. Space-time and integral measures of individual accessibility: A comparative analysis using a point-based framework. *Geographical Analysis*. 1998;30: 191–216. Available: ISI:000074579200001 C:/Papers/Geographical Analysis/Geographical Analysis (1998) 30 (3) 191-216.pdf 662
12. Páez A, Higgins CD, Vivona SF. Demand and level of service inflation in floating catchment area (FCA) methods. *PloS one*. 2019;14: e0218773. doi:10.1371/journal.pone.0218773 663
13. Wang F. From 2SFCA to i2SFCA: Integration, derivation and validation. *International Journal of Geographical Information Science*. 2021;35: 628–638. doi:10.1080/13658816.2020.1811868 664
14. Merlin LA, Hu L. Does competition matter in measures of job accessibility? Explaining employment in los angeles. *Journal of Transport Geography*. 2017;64: 77–88. doi:10.1016/j.jtrangeo.2017.08.009 665
15. Soukhover A, Páez A, Higgins CD, Mohamed M. Introducing spatial availability, a singly-constrained measure of competitive accessibility | PLOS ONE. *PLOS ONE*. 2023; 1–30. doi:<https://doi.org/10.1371/journal.pone.0278468> 666
16. Lin J, Cromley G. Using the transportation problem to build a congestion/threshold constrained spatial accessibility model. *Journal of Transport Geography*. 2023;112: 103691. doi:10.1016/j.jtrangeo.2023.103691 667
17. Van Wee B, Hagoort M, Annema JA. Accessibility measures with competition. *Journal of Transport Geography*. 2001;9: 199–208. doi:10.1016/S0966-6923(01)00010-2 668
18. Kelobonye K, Zhou H, McCarney G, Xia J(Cecilia). Measuring the accessibility and spatial equity of urban services under competition using the cumulative opportunities measure. *Journal of Transport Geography*. 2020;85: 102706. doi:10.1016/j.jtrangeo.2020.102706 669
19. Cui B, Boisjoly G, Wasfi R, Orpana H, Manaugh K, Buliung R, et al. Spatial access by public transport and likelihood of healthcare consultations at hospitals. *TRANSPORTATION RESEARCH RECORD*. 2020;2674: 188–198. doi:10.1177/0361198120952793 670
20. Mao L, Nekorchuk D. Measuring spatial accessibility to healthcare for populations with multiple transportation modes. *Health & Place*. 2013;24: 115–122. doi:10.1016/j.healthplace.2013.08.008 671
21. Joseph AE, Bantock PR. Measuring potential physical accessibility to general practitioners in rural areas: A method and case study. *Social Science & Medicine*. 1982;16: 85–90. doi:10.1016/0277-9536(82)90428-2 672
22. Higgs G, Zahnow R, Corcoran J, Langford M, Fry R. Modelling spatial access to general practitioner surgeries: Does public transport availability matter? *JOURNAL OF TRANSPORT & HEALTH*. 2017;6: 143–154. doi:10.1016/j.jth.2017.05.361 673
23. Weibull JW. An axiomatic approach to the measurement of accessibility. *Regional Science and Urban Economics*. 1976;6: 357–379. doi:10.1016/0166-0462(76)90031-4 674
24. Shen Q. Location characteristics of inner-city neighborhoods and employment accessibility of low-wage workers. *Environ Plann B*. 1998;25: 345–365. doi:10.1068/b250345 675
25. Li C, Wang J. Measuring multi-activities accessibility and equity with accessibility-oriented development strategies. *Transportation Research Part D: Transport and Environment*. 2024;126: 104035. doi:10.1016/j.trd.2023.104035 676


- 691
- 692
- 693
- 694
- 695
- 696
- 697
- 698
- 699
- 700
- 701
- 702
- 703
- 704
- 705
- 706
- 707
- 708
- 709
- 710
- 711
- 712
- 713
- 714
- 715
- 716
- 717
- 718
- 719
- 720
- 721
26. Wu J, Chen H, Wang H, He Q, Zhou K. Will the opening community policy improve the equity of green accessibility and in what ways? — response based on a 2-step floating catchment area method and genetic algorithm. *Journal of Cleaner Production.* 2020;263: 121454. doi:10.1016/j.jclepro.2020.121454
 27. Chen X. Enhancing the two-step floating catchment area model for community food access mapping: Case of the supplemental nutrition assistance program. *The Professional Geographer.* 2019;71: 668–680. doi:10.1080/00330124.2019.1578978
 28. Luo W, Wang F. Measures of spatial accessibility to health care in a GIS environment: Synthesis and a case study in the chicago region. *Environ Plann B Plann Des.* 2003;30: 865–884. doi:10.1068/b29120
 29. Páez A, Mercado R, Farber S, Morency C, Roorda M. Accessibility to health care facilities in montreal island: An application of relative accessibility indicators from the perspective of senior and non-senior residents. *International Journal of Health Geographics.* 2010;9: 1–9.
 30. Moniruzzaman M, Páez A, Nurul Habib KM, Morency C. Mode use and trip length of seniors in montreal. *Journal of Transport Geography.* 2013;30: 89–99. doi:<http://dx.doi.org/10.1016/j.jtrangeo.2013.03.007>
 31. Reyes M, Páez A, Morency C. Walking accessibility to urban parks by children: A case study of montreal. *Landscape and Urban Planning.* 2014;125: 38–47. doi:10.1016/j.landurbplan.2014.02.002
 32. Páez A, Farber S, Mercado R, Roorda M, Morency C. Jobs and the single parent: An analysis of accessibility to employment in toronto. *Urban Geography.* 2013;34: 815–842. doi:10.1080/02723638.2013.778600
 33. Wu H, Levinson D. Unifying access. *Transportation Research Part D: Transport and Environment.* 2020;83: 102355. doi:10.1016/j.trd.2020.102355
 34. Tahmasbi B, Mansourianfar MH, Haghshenas H, Kim I. Multimodal accessibility-based equity assessment of urban public facilities distribution. *Sustainable Cities and Society.* 2019;49: 101633. doi:10.1016/j.scs.2019.101633
 35. Lunke EB. Modal accessibility disparities and transport poverty in the oslo region. *Transportation Research Part D: Transport and Environment.* 2022;103: 103171. doi:10.1016/j.trd.2022.103171
 36. Páez A, Mercado RG, Farber S, Morency C, Roorda M. Relative accessibility deprivation indicators for urban settings: Definitions and application to food deserts in montreal. *Urban Studies.* 2010;47: 1415–1438. doi:10.1177/0042098009353626
 37. Campbell KB, Rising JA, Klopp JM, Mbilo JM. Accessibility across transport modes and residential developments in nairobi. *Journal of Transport Geography.* 2019;74: 77–90.
 38. Maharjan S, Tilahun N, Ermagun A. Spatial equity of modal access gap to multiple destination types across chicago. *Journal of Transport Geography.* 2022;104: 103437. doi:10.1016/j.jtrangeo.2022.103437
 39. Grengs J. Job accessibility and the modal mismatch in detroit. *Journal of Transport Geography.* 2010;18: 42–54. doi:10.1016/j.jtrangeo.2009.01.012
 40. Kawabata M, Shen Q. Job accessibility as an indicator of auto-oriented urban structure: A comparison of boston and los angeles with tokyo. *Environ Plann B Plann Des.* 2006;33: 115–130. doi:10.1068/b31144


41. Kwok RCW, Yeh AGO. The use of modal accessibility gap as an indicator
for sustainable transport development. *Environ Plan A*. 2004;36: 921–936.
doi:10.1068/a3673
42. Morris JM, Dumble PL, Wigan MR. Accessibility indicators for transport planning.
Transportation Research Part A: General. 1979;13: 91–109. doi:10.1016/0191-
2607(79)90012-8
43. Liotta C, Kervinio Y, Levrel H, Tardieu L. Planning for environmental justice -
reducing well-being inequalities through urban greening. *Environmental Science & Policy*. 2020;112: 47–60. doi:<https://doi.org/10.1016/j.envsci.2020.03.017>
44. Natural England. Nature nearby: Accessible natural greenspace guidance.
<http://www.naturalengland.org.uk/>; 2010 Mar. Available: <https://redfrogforum.org/wp-content/uploads/2019/11/67-Nature-Nearby%20%80%99-Accessible-Natural-Greenspace-Guidance.pdf>
45. OECD. Frameworks and sector policies for urban development in chile. *OECD urban policy reviews, chile 2013*. 2013. doi:<http://dx.doi.org/10.1787/9789264191808-en>
46. Lara-Valencia F, García-Pérez H. Space for equity: Socioeconomic variations in
the provision of public parks in hermosillo, mexico. *Local Environment*. 2015;20:
350–368. doi:10.1080/13549839.2013.857647
47. Martens K, Golub A. A fair distribution of accessibility: Interpreting civil rights
regulations for regional transportation plans. *Journal of Planning Education and Research*. 2021;41: 425–444. doi:10.1177/0739456x18791014
48. Tao Z, Zhou J, Lin X, Chao H, Li G. Investigating the impacts of public transport
on job accessibility in Shenzhen, China: A multi-modal approach. *Land Use Policy*. 2020;99: 105025. doi:10.1016/j.landusepol.2020.105025
49. Wilson AG. A family of spatial interaction models, and associated developments.
Environment and Planning A. 1971;3: 1–32.
50. Carpentieri G, Guida C, Masoumi HE. Multimodal Accessibility to Primary
Health Services for the Elderly: A Case Study of Naples, Italy. *Sustainability*.
2020;12: 781. doi:10.3390/su12030781
51. Margaryan S. Low emission zones and population health. *Journal of Health Economics*.
2021;76: 102402. doi:10.1016/j.jhealeco.2020.102402
52. Verbeek T, Hincks S. The “just” management of urban air pollution? A geospatial
analysis of low emission zones in brussels and london. *Applied Geography*.
2022;140: 102642. doi:10.1016/j.apgeog.2022.102642
53. Tarriño-Ortiz J, Gómez J, Soria-Lara JA, Vassallo JM. Analyzing the impact
of low emission zones on modal shift. *Sustainable Cities and Society*. 2022;77:
103562. doi:10.1016/j.scs.2021.103562
54. Comunidad de Madrid. Resultados de la EDM 2018 - Datos Abiertos. 2020
[cited 31 Jul 2023]. Available: <https://datos.comunidad.madrid/catalogo/dataset/resultados-edm2018>
55. Comunidad de Madrid. Zonificación de transporte ZT208 de la EDM2018 -
Datos Abiertos. 2020 [cited 1 Dec 2023]. Available: <https://datos.crtm.es/datasets/zonificacionzt208>
56. Lopez FA, Páez A. Spatial clustering of high-tech manufacturing and knowledge-
intensive service firms in the greater toronto area. *Canadian Geographer-Geographie Canadien*. 2017;61: 240–252. doi:10.1111/cag.12326


57. Horbachov P, Svichynskyi S. Theoretical substantiation of trip length distribution
for home-based work trips in urban transit systems. *Journal of Transport and Land
Use*. 2018;11: 593–632. Available: <https://www.jstor.org/stable/26622420>
58. Batista SFA, Leclercq L, Geroliminis N. Estimation of regional trip length
distributions for the calibration of the aggregated network traffic mod-
els. *Transportation Research Part B: Methodological*. 2019;122: 192–217.
doi:10.1016/j.trb.2019.02.009
59. Delignette-Muller ML, Dutang C. fitdistrplus: An R package for fitting dis-
tributions. *Journal of Statistical Software*. 2015;64: 1–34. Available: <https://www.jstatsoft.org/article/view/v064i04>
60. Reggiani A, Bucci P, Russo G. Accessibility and impedance forms: Empirical
applications to the german commuting network. *International Regional Science
Review*. 2011;34: 230–252. doi:10.1177/0160017610387296
61. Soukhov A, Páez A. TTS2016R: A data set to study population and employment
patterns from the 2016 transportation tomorrow survey in the greater golden
horseshoe area, ontario, canada. *Environment and Planning B: Urban Analytics
and City Science*. 2023; 23998083221146781. doi:10.1177/23998083221146781
62. Carey HC. Principles of social science. Philadelphia: J.B. Lippincot; Co.; 1858.
63. Ravenstein EG. The laws of migration. *Journal of the Royal Statistical Society*.
1889;52: 241–305. doi:10.2307/2979333
64. Reilly WJ. Methods for the study of retail relationships. 1929.
65. Stewart JQ. An inverse distance variation for certain social influences. *Science*.
1941;93: 89–90. Available: <http://www.jstor.org/stable/1668130>
66. Stewart JQ. Suggested principles of "social physics". *Science*. 1947;106: 179–180.
Available: <http://www.jstor.org/stable/1675368>
67. Stewart JQ. Demographic gravitation: Evidence and applications. *Sociometry*.
1948;11: 31–58. doi:10.2307/2785468
68. Zipf GK. The p 1 p 2/d hypothesis: The case of railway express. *The Journal of
Psychology*. 1946;22: 3–8. doi:10.1080/00223980.1946.9917292
69. Zipf GK. The P1P2/d hypothesis: On the intercity movement of persons. *Ameri-
can Sociological Review*. 1946;11: 677–686. doi:10.2307/2087063
70. De Vrij E, Vanoutrive T. "No-one visits me anymore": Low emission
zones and social exclusion via sustainable transport policy. 2022 [cited 27
Jul 2023]. Available: <https://www.tandfonline.com/doi/epdf/10.1080/1523908X.2021.2022465?needAccess=true&role=button>
71. Liotta C. What drives inequalities in low emission zones' impacts on job accessi-
bility? Virtual; 2023. doi:10.17605/OSF.IO/9VQU7



















Click here to access/download
Other
Journal-manuscript.tex



Multimodal spatial availability: a singly-constrained measure of accessibility considering multiple modes

Anastasia Soukhov ¹ * , Javier Tarriño-Ortiz ² , Julio A. Soria-Lara ² , Antonio Páez ¹

¹ Department of Earth, Environment and Society, McMaster University, Hamilton, Canada

² Centro de Investigación del Transporte (TRANSyT), Universidad Politécnica de Madrid, Madrid, Spain

* Corresponding author: soukhoa@mcmaster.ca (AS)

Abstract

Place-based accessibility measures communicate the potential interaction with opportunities at a zone that populations can access. Recent research has aimed to address the way explored the implications of how opportunities are counted in accessibility analysis by different accessibility methods. In conventional accessibility measures, opportunities are often multiply counted, which multiply counted if more than one zone offers access to the same opportunity. This multi-count of opportunities leads to values of accessibility that are difficult to interpret. Constraining the A possible solution to enhance the meaning-making of accessibility results is by constraining the calculations to match a known quantity ensures that the measurements . This ensures all zonal values sum up to a predetermined quantity (i.e., the total number of opportunities), and so. In this way, each value can be meaningfully related to this total. A recent effort that implements this solution is spatial availability, a singly-constrained accessibility measure. In this paper, we extend spatial availability for use in the case of multiple modes or, more generally, heterogeneous population segments with distinct travel behaviors. After deriving a multimodal version of spatial availability, we proceed to illustrate its features using a synthetic example. Next, we We then apply it to an empirical example of low emission zones in Madrid, Spain. We conclude the paper with suggestions for future research and its use in evaluating policy interventions.

Introduction

Accessibility is a key concept in the analysis of land use and transportation systems [e.g., 1,2,31–3], and too and is coming of age from the perspective of planning research [see *inter alia*, 4,5–8]. Beginning with the work of Hansen (1959) [1], accessibility measures have been widely used to evaluate the efficiency of transportation systems when combined with the distribution of populations and opportunities in space [9]. As such, it In this way, accessibility is a holistic measure of spatial systems that measures the ease of reaching population-relevant destinations [10,11].

In practice, the The most common form of accessibility measure is based on the gravity model . These measures are sums of weighted e.g. the Hansen-type measure [1]; these measures sum “weighted” opportunities around a focal point (i.e., a potential origin), based on how expensive it is to reach them. Recent research in accessibility

analysis has paid attention to the way opportunities are counted in the pertinent calculations. Conventionally explored the implications of methods by which opportunities are summed, especially in the context of competitive accessibility [15]. In a typical Hansen-type accessibility measure, the sums around origins are not constrained, which means that: the same opportunity can enter the sum for different origins. Counting the same opportunity multiple times treats it as if it was inexhaustible. But opportunities in general are not inexhaustible, and in fact some of them (or non-rival [16]). However, this conceptualisation may not reflect reality, as opportunities are often more exclusive than not. Some opportunities are by definition exclusive: for example a typical example is employment, once a job is taken up by someone in the population, the same job is no longer available for any other person to take [14,17]. More generally, opportunities are subject to congestion: for example, multiple people can obtain services from the same family doctor, but the it could be conceptualised that all opportunities are somewhat exclusive so they are subject to some amount of congestion or capacity-constraint: multiple people use a specific opportunity at a given time and the more people who do, the more congested the service will be opportunity. Congestion can be seen on a continuum, and debate on how congestion within accessibility measures can be considered is ongoing [14,17,18]. Nonetheless, competition has been widely considered for traditionally exclusive opportunities types such as employment and healthcare opportunities [14,17,19–21,21–24] and more recently for educational facilities [18,25] as well as less exclusive amenities types such as greenspace and recreation amenities [25,26], and shopping destinations [18,27].

The issue consideration of congestion in accessibility measures was the motivation for the development of approaches that consider competition [21,23,24] and are popularly applied in the literature as floating catchment area approaches methods [12,13,28]. While these approaches purport to account for congestion, Paez Páez et al. (2019) [412] demonstrate that in general demonstrates that they do not solve the issue of multiple counting of opportunities in general, thus leading to biases in the calculation of total demand and supply, sometimes inflating them, other times deflating (population) and supply (of opportunities). They sometimes inflate counts and other times deflate them. In response to this this line, recent research has paid closer attention to the way opportunities are counted in accessibility analysis. Paez Páez et al. (2019) [412], for example, tackle focuses on floating catchment area methods and introduce introduces a normalization of the impedance matrix to allocate the population and then the level of service (i.e., the supply to demand) proportionally. More recently, Soukhov et al. (2023) [15] introduced a singly-constrained measure of accessibility, called spatial availability, that employs a similar, but more sophisticated proportional allocation mechanism. The work of these authors show that floating catchment area methods can be seen as singly-constrained accessibility measures, and improve on existing approaches by guaranteeing that each opportunity is counted only once—in. In other words, treating spatial availability treats the opportunities as finite. The proportional allocation mechanism of spatial availability constrains the calculations to match a known quantity, therefore ensuring that the measurements sum up to a predetermined quantity (i.e., the total number of opportunities), and so each value can be meaningfully related to this total.

A limitation of spatial availability as introduced by Soukhov et al. (2023) [15] is that it was developed for the case of a homogeneous population, for example for the case of a single mode of transportation. However, the finite nature of opportunities makes the analysis of heterogeneous populations very relevant. In the case of multiple modes of transportation, people who travel by slower modes (e.g., active modes) can usually reach fewer opportunities than people who travel by faster modes and whose range is

typically far wider (e.g., car). This implies that slower travelers will often face increased competition for local opportunities from travelers who can reach said opportunities from farther afield.

The objective of this paper is to address this limitation of spatial availability. Our This paper's primary motivation is to extend spatial availability for the case of multimodal accessibility, but it is worthwhile noting that this (i.e., travel by different modes). It is worth noting though that the consideration for travel costs by different modes is in fact just one case of heterogeneous populations (i.e., travel by different modes). The method itself can easily accommodate other forms of heterogeneity, for example: variations in travel behavior between older and younger adults (e.g., Páez et al. (2010) [e.g., 1629]), the propensity of older adults to use different modes of transportation (e.g., Moniruzzaman et al. (2013) [e.g., 1730]), the usually shorter trip lengths of children compared to grown-ups adults (e.g., Reyes et al. (2014) [e.g., 1831]), or the more limited travel ranges of single parents (e.g., Páez et al. (2010) [e.g., 1932]).

The paper rest of this paper is organized as follows. In Section 2, we provide a brief review of multimodal accessibility. In the following Section 3, we demonstrate the derivation of the new spatial availability expression for multiple modes. In Section 4, we illustrate relevant issues through a synthetic example. This is followed in Section 5 by an empirical example using home-to-work data from the city of Madrid, Spain after the implementation of its Low Emission Zones (LEZ). Data for this example comes is sourced from the city's 2018 travel survey. The example shows the differences in spatial availability empirical example demonstrates the multimodal spatial availability landscape in 2018. It highlights the differences within and outside the LEZ for travelers using different modes, namely, car, transit, cycling and walking. In Section 6, we provide concluding remarks on the strengths of the use of spatial availability as a multimodal accessibility measure, and discuss potential future uses in policy planning scenarios as well as directions for future research.

A brief review of multimodal accessibility

Location-based Place-based accessibility indicators are quantitative measures of potential interaction with opportunities for locations within a given region: they are summary measures of the relationship between land-use and transport systems. Arguably, the most commonly used are measures measures are based on the gravity model [2033], of which ; this includes cumulative opportunity measures and weighted cumulative opportunity measures are particular forms that are a special case of the gravity model [5,10]. These measures assign a weight to opportunities based on how easy it is to reach gravity model based measures weight opportunities depending on the ease of reaching them. Given an origin (i) and a destination (j), an impedance function $f^m(c_{ij}^m)$ converts the cost of travel (e.g., time, money, generalized cost) into a score that represents the propensity for potential interaction. These measures originate from that the work proposed by Hansen (1959) [1], which can take the following form in the multimodal case: $S_i^m = \sum_j O_j f^m(c_{ij}^m)$ where. In this form, m is a set of modes which that have mode-specific travel costs (c_{ij}^m) and/or travel impedance functions ($f^m(\cdot)$).

Hansen-type accessibility is not constrained, which is to say it does not consider the opportunities as finite. To cite an example, Tahmasbi et al. (2019) [2134] use Hansen-type accessibility to assess the potential interaction with retail locations by three modes: walking, public transit, and car (i.e., $m = w, p, c$). S_i^m is the sum of retail locations j that can potentially be reached under the travel impedance as calculated for each i and m . In other words, for each origin i three accessibility scores are calculated. In this work, Tahmasbi et al. [2134] show that car travel affords the highest S_i^m values

in the majority of i , i.e., travelers who use a car can potentially reach more retail opportunities than populations using other modes. However, higher S_i^m values for car do not affect the values of S_i^m for other modes: in effect, each mode is analysed as if the others did not exist. Since the measure is not constrained, each opportunity is typically counted multiple times within and between modes, and as a result the sum of accessibility is not necessarily a meaningful quantity. The accessibility scores for the modes are often values that are difficult to interpret beyond making statements about relative size. For example, Lunke (2022) [2235], researching the region of Oslo, reports accessibility scores for car in the order of tens of thousands of employment opportunities in the Oslo region. The corresponding scores for transit are lower, but still often in the thousands or tens of thousands. As reported, the ratio of the transit to the car score can be lower than 0.2 (meaning transit gives access to less than 20% of the opportunities than car). But despite the discussion about “sufficient accessibility”, it is unclear what the unconstrained scores mean: is having access to but 10,000 jobs by transit insufficient? After all, 10,000 employment opportunities are still plenty of opportunities. These ratios can be found elsewhere in the literature e.g., 23, e.g., Figs. 7, 8, and 9 in Páez et al. (2010) [36], Fig. 5 in Páez et al. (2010) [29], Páez et al. (2013) Figs. 6, 7, 16, 19, and 8 in [32], and they. They are useful as relative assessment of when some members of the public are better or worse off than others, but they do not say much about are silent on how bad is “worse off”.

Besides ratios of accessibility, another way seen in the literature to improve interpretability of scores sometimes seen in the literature is to standardize them to lie in the range is to standardise them within a [0-1] range. This adjustment is only helpful insofar as it facilitates relative comparisons, but interpretation of the scores remains challenging because the values are specific to a region and convey no meaning about the magnitude of the scores. In this approach, zones always have values between 0 and 1, but how remarkable is a zone with a low score for pedestrians and a high value for car? And if remarkable, what does the difference in these standardized values mean for planners? By how much should transport systems and land-use configurations be changed to improve conditions? And in what way can these scores be used to track differences over time? Or between regions? These questions lack straightforward answers since certain values will always be relatively ‘low’ or ‘high’, but do not track to a quantity that can be intuitively understood. Presentation or discussion of Hansen-type accessibility that has been standardized standardised in this way is not uncommon in the literature [e.g., 24, 25, 37, 38].

Once If we understand opportunities to be finite and/or subject to some levels of congestion, it is possible for an accessibility measure to take on a crisper meaning. As considered in the long tradition of accessibility research, capacity of opportunities is limited and thus is subject to competition by population. Accessibility research has a history of considering opportunity competition, especially regarding school-seats, hospital capacity, and employment opportunities [4214, 15, 26–3017–25, 39–42]. There are only so many school-seats, hospital capacity, employment opportunities, etc., in a region and if If one person reaches an opportunity – it is taken: the supply of an opportunity and the demand for that opportunity are two components of accessibility the nodes in accessibility analysis. These types of opportunities are unambiguously exclusive. These are clear examples of opportunities that are unambiguously competitive. But we would go as far as to argue that every type of opportunity is subject to congestion or capacity constraint, even when the opportunities are conventionally seen as non-competitive inexhaustible.

Amenities are a good example of this. For instance, standards for providing green spaces are often stated in the form of exclusive access, in units of amenity per capita. A case in point is a the Ile-de-France region, a jurisdiction that suggested in a For

example, a 2013 planning document ~~that at the municipal level at least 10 m² of for the Ile-de-France region suggested a public green space should be supplied municipal standard of 10 m² per inhabitant [3143]~~. Green spaces are not evenly distributed, which means that who has meaning those who have access to them hinges depends on where they are and how easy is to reach them they are to reach. This formulation of provision of amenities amenity provision is not unusual. For As another example, Natural England , an organization that recommends an Accessible Natural Greenspace Standard recommends a national “accessible natural greenspace standard” such that the minimum supply of space is one ha of statutory Local Nature Reserves 1 ha of statutory local nature reserves per thousand population ¹[44]. Similarly, the World Health Organization [cited in 3245] recommends that cities provide a minimum of 9 m² of green area per inhabitant. For our purposes, standards of this type translate into “how much of this resource is available to one individual that has not been claimed by anyone else?”. Green spaces often have large capacities, but they still have a capacity , and it is not the same for a person to have access to 5m²-5m² of uncongested green space as 15m²-15m². This difference is in fact a matter of justice [31,3343,46]. Constraining accessibility is in this way—a useful way to evaluate the congested availability of any type of opportunity. As development of sound standards is emphasized in the planning literature, in particular in regards to fairness in transportation [see 3447], spatial availability analysis is a useful way can be used to develop and assess standards.

The relevance of the considerations above is put in sharper relief when we think about the use of multiple modes (or heterogeneous populations). If we return to Oslo for a moment [2235], we notice that the places that have high accessibility by transit are also the places that have very high accessibility by car (in their Figure 2). Those two populations are going for the same opportunities, and those travelling by transit have fewer to choose from to begin with the start. More generally, people in a zone who are advantaged with relatively low cost of travel will have the ability to potentially reach more opportunities than other people. Due to this advantage, through the perspective of finite opportunities, there are fewer opportunities left for everyone else, especially for those who use modes that are slower or otherwise more expensive.

As noted in the Introduction, competitive accessibility was the rationale for developing floating catchment area methods (FCA), popularized by Luo et al. (2003) [4328] who reformulated the work of Shen (1998) [4224] into two steps (although similar, and earlier, developments are found in [30,3521,23]). Shen-type accessibility is formulated as: $a_i^m = \sum_j \frac{O_j f^m(c_{ij}^m)}{\sum_m D_j^m}$ where D_j^m is the potential demand for opportunities equal to travel impedance weighted population $\sum_i P_i^m f^m(c_{ij}^m)$ and the remaining variables are repeated in the Hansen-type measure. Shen-type modal accessibility (a_i^m) can be understood as a ratio of the travel impedance-weighted supply of opportunities for m -mode in i over the travel impedance-weighted demand for opportunities. In this way, it considers competition. That said, the measure remains unconstrained, meaning both population and opportunities are multiply counted [see 1412]. In other words, interpretation of the Shen-type accessibility scores between modes is fraught as it is for Hansen-type measures.

To illustrate, Tao et al. (2020) [3648] calculate calculates a_i^m to jobs for different income-group populations in Shenzhen, China using $m = \text{public transit}$ and $m = \text{car}$ for those using transit and car. Their results indicate that zones with low-income populations have lower a_i^m than zones with higher-income populations. Further, they show that $a_i^{m=\text{public transit}}$ is lower than $a_i^{m=\text{car}}$ at a_i^{car} in many zones, arguing that this may further place those zones with lower-income populations at a disadvantage.

¹ see <https://redfrogforum.org/wp-content/uploads/2019/11/67-Nature-Nearby%20%99-Acessible-Natur>

a_i and/or a_i^m are used to compare relative spatial differences in overall competitive accessibility and multimodal competitive accessibility, but because opportunities were doubly counted (entering the sums of both modes), this makes for uneasy interpretations of the differences in a_i^m between modes. Questions that this approach leaves unaddressed include: what is the impact of competition on the difference in a_i^m values? How does the impact vary spatially? And what is the interpretation of this difference?

Spatial availability improves on ~~previously discussed accessibility approaches using the Hansen-type measure and the discussed Hansen-type and Shen-type measure accessibility approaches~~ by constraining the sum of opportunities, that is, by treating opportunities as finite. This is done by means of proportional allocation factors that follow well established principles of spatial interaction and the gravity model [see 3749]. In Soukhov et al. (2023) [15] these factors consider: the mass effect (e.g., the size of populations at different origins); and the cost of travel from different zones (e.g., some sub-populations face relatively higher or lower costs). The following section introduces the multimodal form of spatial availability.

Multimodal spatial availability

In brief, we define the spatial availability V_i at an origin i (V_i) as the proportion of all opportunities in the region that are allocated to ~~location origin~~ i from all destinations j . V_i is a value of how many opportunities are available to each location i out of all the opportunities in the region. The general formulation of spatial availability V_i is shown in Equation (1) [see 15]:

$$V_i = \sum_{j=1}^J O_j F_{ij}^t \quad (1)$$

Where:

- F_{ij}^t is a balancing factor that depends on the size of the populations at different locations that demand opportunities O_j , as well as the cost of movement in the system $f(c_{ij})$.
- V_i is the number of spatially available opportunities at i ; the sum of V_i is identical to the total number of opportunities in the region (i.e., $\sum_j O_j = \sum_i V_i$); ~~in other words, opportunities are dealt with as finite resources.~~

Compared to Hansen-type accessibility :-

$$A_i = \sum_{j=1}^J O_j f(c_{ij})$$

$S_i = \sum_{j=1}^J O_j f(c_{ij})$, we see that spatial availability is, like the Hansen-type measure, a weighted sum of the opportunities. What makes spatial availability stand apart from other approaches is how the weight used in the sum ~~is~~ (balancing factor F_{ij}^t) implements a proportional allocation ~~mechanisms mechanism~~ to ensure that the sum of V_i is constrained to match the total number of opportunities in the region. As such, spatial availability is singly-constrained and ~~naturally implements competition or congestion~~ ~~natively considers competition~~. F_{ij}^t consists of two parts. The first part is a population-based proportional allocation factor to model the mass effect of the gravity model:

$$F_i^p = \frac{P_i}{\sum_i P_i}$$

This factor makes opportunities available based on demand. Secondly, there is an impedance-based proportional allocation factor that models the cost effect:

$$F_{ij}^c = \frac{F_{ij}^c}{\sum_j F_{ij}^c}$$

This factor makes opportunities available preferentially to those who can reach them at a lower cost. F_i^p and F_{ij}^c are designed so that they both equal 1 when summed across all i in the region (e.g., $\sum_i F_i^p = 1$ and $\sum_i F_{ij}^c = 1$). These factors are combined multiplicatively to yield F_{ij}^t which ensures that a proportion of the opportunities O_j are allocated to each i accordingly. In other words, assuming a finite number of opportunities in the region, F_{ij}^t proportionally allocates O_j to each i such that the resulting V_i value represents the number of opportunities *available* to the population at i . Each zonal value is a proportion of the opportunities in the region (i.e., $\sum_j O_j = \sum_i V_i$).

The focus of this paper is to extend V_i for the measurement of multimodal applications (or more generally heterogeneous populations). To do so, the balancing factors ~~need to be~~are reformulated so that 1) the mass effect now accounts not only for the size of the population at i , but also the size of sub-populations within i ; and 2) the cost of travel is not only for different zones, but by sub-populations within each zone (e.g., the cost of travel from i by car, transit, walking, etc.) relative to all zones. When we introduce modes (or sub-populations) m , the proportional allocation factors need to satisfy the condition that F_i^{pm} and F_{ij}^{cm} can be summed across each m at each i and then across all i to equal to 1. They are also similarly combined multiplicatively to obtain their joint effect, represented as the combined balancing factor F_{ij}^{tm} similar to that detailed in Equation (2). This factor is given by:

$$F_{ij}^{tm} = \frac{F_i^{pm} \cdot F_{ij}^{cm}}{\sum_{m=1}^M \sum_{i=1}^N F_i^{pm} \cdot F_{ij}^{cm}} \quad (2)$$

where:

- The factor for allocation by population for each m at each i is $F_i^{pm} = \frac{P_i^m}{\sum_m P_i^m}$;
- The factor for allocation by cost of travel for each m at i is $F_{ij}^{cm} = \frac{f^m(c_{ij}^m)}{\sum_m \sum_i f^m(c_{ij}^m)}$.

Implementing F_{ij}^{tm} , ~~the following~~ Equation (3) gives the multimodal version of spatial availability V_i^m :

$$V_i^m = \sum_{j=1}^J O_j F_{ij}^{tm} \quad (3)$$

Where:

- $m = 1, 2, \dots, M$ is a set of M modes (or sub-populations) of interest.
- F_{ij}^{tm} is a balancing factor F_{ij}^t for each m at each i .
- V_i^m is the spatial availability V_i for each m at each i ; the sum of V_i^m for all m at each i is equivalent to the total sum of opportunities in the region (i.e., $\sum_j O_j = \sum_i V_i = \sum_m \sum_i V_i^m$).

Next we use a synthetic example to contrast multimodal ~~accessibility and spatial availability~~spatial availability with multimodal versions of Hansen-type accessibility (unconstrained) and Shen-type (unconstrained and competitive) accessibility.




Fig 1. Multimodal synthetic example: locations of employment centers (in orange), population centers (in blue), number of jobs and population, and travel times for two modes (slower mode x and faster mode z).

An illustrative synthetic example

Consider the simple system shown in Figure 1. The figure shows a region with population at three population centers (A , B , C) and jobs at three employment centers (1 , 2 , 3). The population at each origin i consists of two sub-populations, one using a faster mode z and another using a slower mode x , to travel to employment centers. Population center A is Suburban: it is closest to its own relatively large employment center at 1 , close to the Urban's equally large employment center 2 , and has a population that is smaller than the Urban B and larger than the Satellite C . B has the largest x -using population (40%), followed by ~~then~~ A ~~(33%)~~ then C (30%). This synthetic example is inspired by the single-mode example used in [Shen \(1998\)](#) [1224] and reconfigured in [Soukhov et al. \(2023\)](#) [15].

From the perspective of access to a *finite* amount of opportunities in the region (210,000 jobs), the sub-population that is most proximate to jobs (~~low~~ ~~lowest~~ cost to reach), furthest from large populations (~~less~~ ~~least~~ competition), and uses the fastest mode z (~~greater~~ ~~greatest~~ range) can potentially reach the largest number of opportunities. This appears to be the sub-population at A using mode z .

Sub-populations located in opposite conditions (i.e., more distant from jobs, close to large populations, and using ~~slow~~ ~~slower~~ mode x) are at a relative disadvantage. The competition for opportunities between different mode-using populations matters as it reflects how well the land-use and transport system serves (or does not serve) certain populations.

Table 1. Accessibility values at each origin (i) per mode (m) (columns three to five) and aggregated per i (columns six and seven) for the synthetic example.

i	m	S_i^m	a_i^m	V_i^m	a_i	V_i
A	x	27,292.18	0.95	15,696.89	1.36	67,482.61
	z	44,999.80	1.57	51,785.72		
	x	27,292.18	0.64	38,170.03		

Table 1. Accessibility values at each origin (i) per mode (m) (columns three to five) and aggregated per i (columns six and seven) for the synthetic example.

i	m	S_i^m	a_i^m	V_i^m	\bar{a}_i	V_i
B	z	44,999.80	1.05	94,468.91		
	x	2,240.38	0.68	2,035.86	0.99	9,878.45
C	z	3,745.89	1.12	7,842.59		
TOTALS		150,570.22	N/A	210,000.00	N/A	210,000.00

The values calculated for S_i^m (Hansen-type accessibility), a_i^m (Shen-type accessibility), and V_i^m (spatial availability) for each i and m are shown in the middle three columns and are aggregated for each i in the final two columns in Table 1 . As in the example in Shen (1998) [1224], we use a negative exponential impedance function $f^m(c_{ij}^m) = \exp(-\beta \cdot c_{ij})$ with $\beta = 0.1$ for both x and z modes for all accessibility measures calculations. Notice that in this example we use the same impedance function but the travel times are different for the two modes. More generally, it is possible to use different impedance functions for the modes, as demonstrated in the empirical example in the following section demonstrates.

Hansen-type accessibility S_i^m is presented for each origin and mode in the third column of Table 1 . For all i , the travel by z results in higher values of S_i^m than travel by x . Lack of competition, or alternatively the assumption of an inexhaustible resource in the calculation of S_i^m , lead to a curious result. Since the populations in A and B have the same travel impedance to employment centers 1, 2 and 3 (either 15, 30, or 100 minutes using x or 10, 25, or 80 minutes using z), their values of S_i^m are the same for both A and B . Furthermore, the total sum of S_i^m in the region is equal to 150,570.2. This value lacks an intuitive interpretation: it represents the weighted sum of opportunities that may be reached within the region according to the travel impedance (i.e., the travel behavior and the characteristics of the modes) and does not usefully translate into any sort of benchmark. To connect this example to the aforementioned literature, S_i^m is calculated in the work of Tahmasbi et al. (2019) [2134]; they contrast differences in S_i^m values between modes in a relative and comparative sense, but make no further interpretation of the S_i^m values. More densely populated metropolitan regions will tend to have more opportunities and hence large S_i^m values and less densely regions, smaller values; how much of these differences may simply an artifact of region density?

In the fourth and sixth columns in Table 1 the results for Shen-type accessibility are reported: first for both origin and mode a_i^m as well as aggregated by the weighted mean mode-population ($\sum_m \frac{P_i^m}{P_i} * a_i^m$) to represent a value for each origin a_i . Unlike S_i^m , this measure does consider competition. For instance, the population travelling by x from A and B do not have the same values of a_i^m as those travelling by z . In fact, A has the highest values a_i^m and a_i values since this center has the lowest travel impedance to opportunities (lower than at C , A and B are equal) and faces relatively low competition, not being close to a relatively large population (lower than at B).

However, the calculations of a_i^m are not constrained: the total sum of a_i^m or a_i is practically meaningless since it represents a sum of ratios. For instance, the population travelling by z from A has a value of 1.57 jobs per job-seeking population compared to 0.95 for users of mode x . What is the meaning of these values? The difference between these modes is equal to 0.62, but 0.62 of what? How many more job opportunities can users of z reach compared to user of x ? When a_i^m is aggregated to a_i as shown in the sixth column, the values face similar interpretability issues. The Shen-type measure is implemented in aforementioned work of Tao et al. (2020) [3648] to calculate modal a_i^m

values and the aggregated a_i is implemented in the work of Carpentier et al. (2020) [3850]. However, similar to Hansen-type accessibility, these works discuss relative and spatially comparative differences in values, but veer from interpreting the values of a_i^m or a_i themselves. In fairness, interpretation is complicated by the multiple counting of opportunities between zones and modes.

In contrast, spatial availability V_i considers competition and is constrained such that the total sum of values is equal to the total number of opportunities in the region (i.e., 210,000 jobs). Seen in fifth column of Table 1, the values of V_i^m ~~in-for~~ A and B are not the same within each mode (as this measure considers competition). In fact, at A, users of mode z capture 36,088.84 more spatially available jobs (of the 210,000 jobs in the region) than the sub-population travelling by ~~the slower-mode~~ x. The numerical difference is clear since it refers to opportunities out of the total.

Furthermore, the proportional allocation mechanism also means that the values of V_i^m for any origin i can be aggregated across m and compared between zones ($V_i = \sum_m \sum_i V_i^m$). This aggregation, V_i , is shown in the seventh column in Table 1. ~~Again looking at center A, A~~ is allocated 67,482.61 spatially available opportunities for both modes. 77% of this spatial availability allocated to A is assigned to users of mode z despite representing 66% of A's population.

Spatial availability can be further aggregated to better interpret competition between modes. Across the entire region, 130,000 people use z (62% of the region population). However, users of z account for 73% of the region's total spatial availability - while the remaining 27% is allocated to users of mode x who are 38% of the total population. Notably, the population who uses x have 11% fewer spatially available opportunities than its share in the population. This realization ~~leads could lead~~ us to ask normative questions ~~such as~~: how unequal should availability of opportunities be by mode? What intervention could help to redistribute spatial availability to sub-populations commensurate with their proportion of the total?

Since spatial availability is constrained ~~and has an interpretable meaning as a proportion of to~~ the total opportunities in the region, the values at i have a straightforward interpretation. Inequality in V_i^m values can be explored through a variety of approaches. For instance, consider travel times. The population of travelers who use z accounts for 67% of the potential travel time traveled in the region: this is 7% less travel time than the proportion of spatial available opportunities that is allocated to them. In other words, the population of users of z travels fewer minutes overall and has more spatial availability of opportunities than users of the slower mode x.

Alternatively, inequities in spatial availability between modes can be explored through proportional benchmarks. A spatial availability per capita v_i^m is presented in Equation (4):

$$v_i^m = \frac{V_i^m}{P_i^m} \quad (4)$$

The values of v_i^m for A, B, and C for users of x are 0.95, 0.64 and 0.68 spatially available jobs per capita, respectively. The values of v_i^m for users of z are much higher, with values of: 1.57, 1.05 and 1.12 respectively. Users of x, especially those at B and C, are directly impacted by the jobs that are spatially available to users of z *in addition to* the mass effect (occurring at B, high population density) and high travel impedance (occurring at the Satellite C). ~~Notably, v_i^m values are equal to the ratios of the Shen-type measure a_i^m in this case, however they take on a different interpretation.~~

If, let us say, the planning goal was to have one spatially available job per mode-using population, a policy intervention could be devised, to reduce the values of v_i^z (making it slower or more expensive) and increase ~~he~~ ~~the~~ values of v_i^x (making it faster or ~~les~~ ~~less~~ expensive). The purpose of this ~~simple synthetic~~ demonstration is to

show how spatial availability can be used to quantify the competitive (dis)advantage in
a multimodal application. In what follows, we demonstrate the use of multimodal
spatial availability through an empirical example.

Empirical example

Context

The context for the empirical example is the city of Madrid, Spain. This city
implemented a Low Emission Zone (LEZ) in 2017 to ~~pursue~~ goals set out in the
national climate change agenda, ~~such as cutting~~ nitrogen dioxide levels, ~~and to~~
~~prioritize and prioritizing~~ people's movement in the city. LEZs elsewhere have similarly
been implemented as interventions to reduce GHG emissions, improve air quality, and
support sustainable mobility [39,40,51,52]. Though the rules of exclusion vary by city,
LEZs aim to deter/reduce traffic in designated zones under threat of penalty (e.g., fines,
seizure of vehicle). In other words, LEZs implement a form of *geographic discrimination*
as they change how people can reach opportunities by making it more costly for some
forms of travel, typically cars, to circulate in predetermined zones. When considering
opportunities as finite in a region, this discrimination reduces the competition of one
mode and opens up opportunities for other modes to better thrive. At their core, LEZs
operate by changing the accessibility landscape of a city from the perspective of
multiple modes.

In geographic scope, the 2017 boundaries of the LEZ in Madrid were relatively
modest, covering only approximately 4.72 km² of the central business district of the city
(the so-called LEZ Centro). As of this writing, there are plans to expand these
boundaries to the area inside the M-30, an orbital highway in proximity to the city
center (*i.e.*, LEZ M-30). Within the 2017 LEZ Centro implementation, all cars,
motorcycles and freight vehicles with environmental labels A or B (older makes and
models of fossil fuel internal combustion engine vehicles), were disallowed from entering
the zone unless they are used by residents or meet other exemptions. This restriction
impacted approximately half of all car trips that used to travel into what is now the
LEZ Centro [41,53].

~~For this case study, we use~~ The purpose of this empirical example is to quantify
spatial availability to ~~quantify access to employment~~ opportunities by different modes
in Madrid after LEZ Centro implementation. Particularly, we demonstrate how V_i^m
can be used to ~~derive insights into how the restriction of car mobility in areas~~
~~around~~illustrate the spatial availability advantage that more sustainable modes (that
~~are often slower than car)~~ gain within ~~within the LEZ Centro may have allowed more~~
~~sustainable (but often slower or more costly modes)~~ to become more competitive
around the LEZ Centro. We speculate on how this competitive advantage is
heightened as a result of the LEZ implementation that restricts car mobility.

Data

The source of origin-destination data for our empirical example is the 2018 Travel
Survey of the Community of Madrid [42,54]. This is a representative survey that offers a
snap-shot of travel patterns for a typical weekday in 2018. The survey collected 222,744
trips from a representative sample of 85,064 households across the traffic analysis zones
(TAZ) in the Community of Madrid. For context, the population older than 3 years in
the Community is 6,507,184.

In this example, we use all direct home-to-full-time-work trips, by all modes. The
trips are expanded using population weights. Figures 2 and 3 show the number of




Fig 2. Distribution of jobs taken by people living and working in Madrid as reported in the 2018 travel survey. Grey TAZs have no jobs. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.




Fig 3. Population living and working in Madrid by mode of transportation as reported in the 2018 travel survey and represented at the level of TAZ. Grey TAZ have no population. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.

workers and the distribution of full-time jobs in the City of Madrid by TAZ. The TAZ shapefiles are available from the Community of Madrid open data portal [4355]. The light grey pink boundary represents the LEZ Centro in effect in 2017. The survey was conducted after the introduction of LEZ Centro. The dark grey 2017 and reflected in the 2018 travel survey. The purple boundary represents the LEZ planned for the boundaries of the M-30 highway and is present in the plots as a spatial reference for areas in proximity to the LEZ Centro.

The total sum of jobs O_j are shown in Figure 2 and the populations that go to a work destination by four modal categories P_i^m , is displayed in Figure 3. The modal shares in Figure 3 are calculated based on those measured the primary mode specified in the survey . The modal categories and the mode types within each category are reported and summarized into four categories as follows:

- Car/motor: all cars and operating modes (e.g., cab, private driver, company, rental car, main driver of a private car, passenger in a private car) and all public, private or company motorcycle/mopeds.
- Transit: all bus, trams, and trains.
- Bike: all bicycle trips (e.g., private, public, or company bike trips) and “other” types of micromobility options.
- Walk: walking or by footpedestrian mode.

Some aggregation of modes is necessary to calculate the travel impedance functions by mode. From Figure 2, it can be seen that the largest concentration of jobs is within, near, and to the north of LEZ Centro. The populations with access to those jobs by mode (Figure 3) are spatially distinct. Travel by car and transit represent 37% and 47% of the modal share respectively. The population that travels by transit is more spatially distributed than those using cars - particularly near and within LEZ Centro. This distribution is likely caused by a variety of factors including: transit coverage and service within with city, effective car infrastructure outside of the M-30, and/or the impact of the LEZ Centro itself. From Figure 3, it can be seen that active travel is less common than motorised trips at 1% and 15% for cycling and walking respectively. Noticeably, there is a positive trend between the walking and cycling in zones where transit is also present. This positive trend is higher than for ear-trip-car-using populations.

Travel times are provided within the travel survey by mode. This information is used to calibrate mode-specific travel impedance functions $f^m(c_{ij}^m)$. To illustrate the modal differences in travel times, the following descriptive statistics per mode are presented:

- Car/motor: mean 36 minutes (min: 0 minutes, Q2: 15 minutes, Q3: 55 minutes, max: 120 minutes)
- Transit: mean 55 minutes (min: 1 minutes, Q2: 30 minutes, Q3: 80 minutes, max: 120 minutes)
- Bike: mean 34 minutes (min: 5 minutes, Q2: 15 minutes, Q3: 40 minutes, max: 115 minutes)
- Walk: mean 27 minutes (min: 1 minutes, Q2: 10 minutes, Q3: 45 minutes, max: 119 minutes)

Impedance functions $f^m(c_{ij}^m)$ are calibrated from the travel times in the survey via the empirical trip length distribution (TLD). An empirical TLD is given by the proportion of trips at various travel cost bins. This distribution is then used to estimate the parameters of a function for the travel impedance [as done in 44,45,4656,57,58]. To fit the impedance functions, we use the Maximum likelihood estimation and the Nelder-Mead method for direct optimization available within the R-{fitdistrplus} R package [4759]. Based on goodness-of-fit criteria and associated diagnostics, the gamma and log-normal probability density functions are selected as best fitting curves for the




Fig 4. Fitted impedance function against empirical TLD (bars) corresponding to the home to full-time work origin destination flows for the City of Madrid from the 2018 travel survey.

motorised and non-motorised modes respectively. The selection of functional forms aligns with empirical examples in other regions [15, 48, 49, 60, 61]. The shape and rate parameters for the gamma functions (motorised modes) are 1.8651852 and 0.051468 for car/motor and 2.7566235 and 0.0499193 for transit; for the log-normal functions (non-motorised modes), the mean and standard deviation parameters are 3.2372212 and 0.7575986 for bike and 2.9918042 and 0.7575986 for walk.

Figure 4 includes four plots to visualize the calibrated impedance functions (represented as black lines) superimposed on the empirical TLD. The impedance functions can be interpreted as the propensity to travel (y-axis) given a trip travel time (x-axis). The functions reflect a combination of possibilities and preferences: the travel behavior given the transportation technologies available. For example, trips shorter than 5 minutes do not occur frequently for any mode; this reflects the spatial separation between places of residence and places of work commonly seen in many cities. In terms of the non-motorised modes, there is a preference towards walking trips around 15 minutes in duration, as seen from the highest value of $f_{walk}(c_{ij}^{walk})$. With respect to travel by bicycle, longer travel times are more common; although the highest value of the impedance also corresponds to approximately 15 minutes, the curve has a longer tail and values decrease less rapidly at longer travel times than is the case of $f_{walk}(c_{ij}^{walk})$. A similar trend can be observed for the motorised modal options where transit mode is more spread out than car/motor mode. All in all, these functions represent the propensity of travel by mode by duration of trip, and are used to calculate the proportional allocation factors F_{ij}^m for V_i^m .

Results

At this point, it is worthwhile reiterating that the empirical example is a snap-shot of spatial availability by mode using data from the 2018 travel survey. Our purpose in this empirical example is to investigate the trends in availability of employment opportunities by mode, and illustrate how spatial availability can be used in discussions about the competitive advantage of various modes within Madrid Centro. The spatial availability of jobs V_i^m is calculated. Figure 5 illustrates the multimodal




Fig 5. Spatial availability of jobs per origin and mode V_i^m in Madrid at the level of TAZ. Grey TAZ have no population. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.

spatial availability landscape for each of the four modes m at the level of traffic analysis zones i in Madrid and displayed in Figure 5.

Spatial availability of jobs per origin and mode V_i^m in Madrid at the level of TAZ. Grey TAZ have no population. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.

In the figure, V_i^m is a proportion of the total number of 847,574 jobs in the region city. Since V_i^m is calculated based on the population of workers and the distribution of jobs, the values can be understood as the number of full-time jobs that are spatially available to full-time workers at that i traveling by mode m , relative to all the jobs in the city.

Figure 5 is a snapshot of the spatial availability as reflected by the multimodal origin-destination flows and travel times from the 2018 travel survey: it incorporates the travel behaviour after LEZ implementation i.e., reduced car trips into the LEZ Centro. Furthermore, this implementation of spatial availability assumes that all employment opportunities are of interest to the entire population. Also, opportunities are proportionally allocated to mode-using populations based on travel time and mode-using population residing in the zones relative to the total travel time and population.

There are noticeable differences in the magnitude of V_i^m between modes as seen in Figure 5. The In Figure 5, the majority of V_i^m (which is to say of spatially available jobs) are allocated to workers travelling by car and transit. In a way, this is to This can be expected since users of these modes represent 84.1% of the total population. However, the The ability to travel at greater speeds also impacts these results. Furthermore advantages these modes compared to the non-motorized modes. However, differences in V_i^m values within modes also V_i^{car} and V_i^{transit} values exist in space: car users outside of the M-30 region appear to enjoy are allocated greater spatial availability, while some zones inside the M-30 to have greater spatial availability for transit. Overall, the magnitude of V_i^m values for cyclists and pedestrians non-motorized mode-users are lower than for car and transit, but the highest values of V_i^{bike} and V_i^{walk} tend to be found in zones within the M-30 and origins with higher




Fig 6. Proportion of population by mode and spatial availability of jobs by mode aggregated for three areas. From left to right, the city of Madrid (All), the area within the M-30 highway (M-30), the area within the Centro region (Centro).

spatial availability by transit $V_i^{transit}$.

The differences between the shares of modes and their shares of spatially available opportunities highlights the competitive advantage of certain modes, although this effect is not geographically uniform. As seen in To highlight the spatial differences in modal competitive advantage. Figure 6 displays the spatial availability and population per mode aggregated for three areas of the city. Shifting focus to the left-most ecolumns bars of Figure 6, users of 'car/motor' and 'transit' together motorised mode users can avail 95.3% of all jobs in the city (Spatial Availability by Mode). However, car /motor users have users are allocated a disproportionate share of V_i^m relative to the population of users of this mode (Population by Mode), compared to opportunities that are spatially available to transit users spatial availability relative to their city-wide population. The combined population of car and transit users is 36.6% and 47.5% respectively, but and these populations are respectively allocated 48.0% and 47.3% respectively, of the city's jobs. When treating job availability. When conceptualising the number of opportunities that can be reached accessed as a finite value (total: 847,574 opportunities), fewer opportunities are spatially available to slower modes (i.e., walking and cycling), even taking into account that their share is smaller overall. These modes lesser competitive modes. Modes are at a disadvantage as a result of: the travel impedance for longer trips when relative travel cost is high (see Figure 4; their low population values overall; and larger populations in origins with high shares of travel by motorised modes. These factors all contribute to the the car/motor mode being most advantaged in capturing spatially available job opportunities overall.) and the mode-using population is relatively small compared to all populations (especially populations with lower travel costs).

The big picture demonstrates how car is the most advantageous mode, however it is interesting to notice that this advantage appears to be blunted by the LEZ. Unlike the results for the whole city and even within the M-30 ring, the proportion of car users in Centro is larger than the proportion of opportunities spatially available to them. The restriction on cars in effect reduces competition by this mode, and leads to a relative increment of the mass effect of the modes allowed within the LEZ, which

also contains a large number of jobs (see Figure 2). Though car mode offers the most spatial availability overall, this is not the case within the Centro. As summarized in the two right-most ecolumns bars in Figure 6, the proportion of jobs spatially available to car users in Centro is (13.8% or (5,373 opportunities). For reference, this is less than the proportion of the car users in the Centro (16.1%), evidently less than the proportion of car users in the city, and is the opposite of the overall trend. The trend in the Centro for car-users is opposite to that of the city overall (left-most ecolumns) and within the bars) and the areas inside the M-30 (middle ecolumns).

It is also clear that more opportunities are spatially available to bars). We suspect that car-mode's competitive advantage is blunted by the LEZ: the number of car trips are relatively reduced in the area making non-car users within Centro. In the case of active travel, the proportions of cyclists and walkers within LEZ Centro still exceeds the proportions of jobs spatially available to them—however, the disparity is drastically reduced compared to the rest of the city. As seen in Figure 6, there is a higher proportion of opportunities that are spatially available to pedestrians and cyclists in Centro than in the City overall and in areas within the M-30. Notably, within Centro, modes more competitive. Car mode's advantage in the Centro is also diminished by the relative increment of the mass effect and concentration of jobs (Figure 2) within/around the Centro.

Since car mode is less competitive within the Centro, other modes are relatively more competitive. Referring to the active travel modes in the right-most bars in Figure 6, 1.7% and 16.1% of opportunities are spatially available to bike and walk modes respectively, while their populations represent 1.2% and 14.7% of the population. By The disparity between the proportions of cyclists and walkers and the proportions of jobs spatially available to them is smaller than displayed in the other two aggregations (All and M-30). We suspect that by restricting the ability of cars to enter Centro, the LEZ seems to contribute to contributes to leveling the playing field for slower modes, in particular cycling and walking, but also transit. As seen in the Figure 6, transit Transit users are generally close to parity across the regioncity-wide (left-most bars), with nearly as many spatially available jobs as transit users. Still, this transit mode has the greatest advantage in LEZ-the Centro with 68.5% of spatially available jobs in Centro for 51.4% of transit users in Centro. This result makes intuitive sense: after car, it transit is the mode with the greatest range, and unlike car it is unrestricted in the LEZCentroand, unlike car, it faced no restrictions by the LEZ.

The spatial differences in the competitive dis/(dis)advantage of spatial availability between modes can also be visualized at a finer level of spatial granularity. Figure 7 shows v_i^m , the spatial availability V_i^m divided by the population of users of m . Values of v_i^m below one are shown in shades of orange, and indicate TAZs with less than one spatially available opportunity per capita for the mode. Values above one are shown in shades of green, and indicate TAZs with more than one spatially available opportunity per capita for the mode. The highest spatial availability per capita (shown in blue) is for car users in a zone northeast just beyond the M-30. These plots illustrate in unambiguous fashion, and in a quantity that is comparable over space and time, the advantage in terms of spatial availability of car for most of the city (bottom left plot, areas denoted with green v_i^m values above one). It can also be observed that spatial availability of jobs is relatively well balanced for transit users over most of the regions (i.e., many zones are light orange or light green). Spatial In contrast, spatial availability of jobs for non-motorised modes, in contrast, is low (under one) overall, although less so within/around the LEZ Centro.

Incidentally, Since v_i^m values for car within and near LEZ Centro is close to or below one in Figure 7, while all non-car modes have relatively higher v_i^m values. Since these values are comparable across regions and over time, Figure 7 potentially provides




Fig 7. Distribution of spatially available jobs per capita by mode of transportation (v_i^m) represented at the level of TAZ. Grey TAZ have no population that use the mode. Ranges of values in the legend are quintiles. The TAZ shapefile is available from the Community of Madrid open data portal.

a benchmark for quantifying changes in LEZ policies in the future. As Figure 7 also shows, many areas Even within the M-30 have high (white/green) v_i^m values for car, but the results for LEZ Centro, v_i^c values are still high (over 1) for most zones. These results may give reasonable grounds to speculate that a spatial expansion of the LEZ to include all areas within the M-30 would likely increase the spatial availability of jobs for transit users, cyclists and pedestrians. However, further investigation is needed.

Discussion and conclusions

Accessibility measures are an important tool in transportation research [9] and are increasingly seen as valuable for planning purposes [4–8]. They boast a long history of development, beginning with Hansen-type S_i^m measures, with other developments like Shen's a_i^m , to account for competition/congestion. The more recent spatial availability measure V_i^m has in common with these accessibility indicators that it is a weighted sum of the opportunities in a region from the perspective of a determined origin i . Aggregations of opportunities embody principles of gravitational/spatial interaction modelling that date back to at least H.C. Carey [50,62], and are part of a line of research that includes the work of Ravenstein [51,63], Reilly [52,64], Stewart [53,55,65–67], Zipf [56,57,68,69], Wilson [37,49], and many others. In this way, S_i^m , a_i^m , and yes, V_i^m , can be interpreted as scores of the potential for interaction with opportunities in space.

Different accessibility indicators are characterized by how they weight and aggregate opportunities. Spatial availability's contribution to the literature is to incorporate a proportional allocation mechanism that essentially constrains the sums to match the number of opportunities in the region; in this way, it is a singly-constrained accessibility measure that naturally accommodates congestion and competition. The effort with spatial availability is in line with previous research on proportional allocation by Paez-Páez et al. (2019) [14,12]. As initially introduced by Soukhov et al. (2023) [15], spatial availability was designed for a homogeneous population traveling by a single mode of transportation. In this paper, we extended spatial availability for

the case of heterogeneous populations. We discussed this in terms of multiple modes of transportation, but the framework can accommodate equally well variations in travel behavior by population segments.

An empirical example using data from Madrid helped helps to illustrate the potential of multimodal spatial availability analysis, including its ability to account for competition for opportunities within and between modes. Particularly relevant is the fact that spatial availability scores relate directly to the total number of opportunities in the region. This makes it possible to compare the results to intuitive benchmarks, such as opportunities per population, in ways that other accessibility measures cannot or tend to obfuscate. This comparability is preserved between regions and over time. The example suggests that once that opportunities are treated as being finite, finite, it could be suggested that restrictions to travel by car (due to the LEZ) leave more spatially available opportunities for non-car users non-car users. This difference for car travel in locations within and immediately around the LEZ Centro seems seem to increase the number of opportunities spatially available to transit users (transit being the second most competitive mode), as well as the spatial availability from the perspective of non-motorised modes. In effect, a policy such as Low Emission Zones help to improve the accessibility LEZ appears to help improve the spatial availability situation of active travel and transit mode users in the parts of the city where it is implemented.—

, though additional research is needed. To further speculate, the spatial availability allocated to car-users near but outside the LEZ Centro is still relatively high, potentially supporting the case for LEZ expansion from this perspective. The purpose of the empirical example is to illustrate the kind of insights that can be derived from the application of multimodal spatial availability. But there

There are some intriguing opportunities for future research. Accessibility indicators are not designed to work as modal split models, and yet, in the case of policies that alter the relative cost of various forms of transportation, one can reasonably expect to see some shifts between modes. In our empirical example, we used data collected after the introduction of LEZ Centro. However, given a modal split model to project predict model shares, accessibility indicators, including spatial availability, can be used to investigate changes to the accessibility landscape. Ditto A similar logic can be applied for destination choice. Our empirical example presented but a snapshot of this, and in future research it will may be interesting to investigate changes in spatial availability between policy interventions. The expansion of plan to expand Madrid's LEZ to the ring contained by the M-30 orbital presents an excellent opportunity to do so. Given the intuitive and straightforward interpretation of spatial availability scores as fractions of opportunities from the total, relative and absolute changes in the accessibility spatial availability landscape can be assessed, thus helping to evaluate the implications of policy interventions.

Finally, our Our empirical example dealt with differences in travel by mode only, but it is possible to think of the intersection between mode of travel and different types of travelers. This would expand the number of sub-populations in the analysis from, say, $m = M$ (modes) to $m = M \cdot Q$ (modes times population segments), each with their own characteristic impedance function. Evaluations of this kind will be especially relevant as LEZ are implemented in cities globally, and the question of their impact on disadvantaged populations who have become mobility-restricted increasingly come to the fore [40,58,59,52,70,71].

To close, in this work spatial availability considers competition by allocating opportunities (the subject of the single-constraint) to modal populations in zones based on zonal proportions. Opportunity congestion can be seen on a continuum, but how it is to be considered within accessibility research is an ongoing subject of exploration [14,17,18]. It is in this context we present spatial availability and its

multimodal extension. While our focus was on a multiple modes, this consideration is just one case of heterogeneous populations (i.e., travel by different modes). The multimodal method itself can easily accommodate other forms of population or opportunity heterogeneity, for example: variations in rich and poor, young and old, types of opportunities. Like preceding accessibility measures, the potential applications of spatial availability are as numerous as the potential study contexts.

Author contributions

The authors confirm contribution to the paper as follows: study conception and design: AS, JTO, JSL, AP.; data collection: AS, JTO, JSL.; analysis and interpretation of results: AS, JTO, JSL, AP.; draft manuscript preparation: AS, JSL, AP. All authors reviewed the results and approved the final version of the manuscript.

References

1. Hansen WG. How accessibility shapes land use. *Journal of the American Institute of Planners*. 1959;25: 73–76. doi:10.1080/01944365908978307
2. Geurs KT, Wee B van. Accessibility evaluation of land-use and transport strategies: Review and research directions. *Journal of Transport Geography*. 2004;12: 127–140. Available: <http://www.sciencedirect.com/science/article/B6VG8-4B28VY7-1/2/61478339c14cab4fa58438ad7b1f4610> C:/Papers/Journal of Transport Geography/Journal of Transport Geography (2004) 12 (2) 127-140.pdf
3. Páez A, Scott DM, Morency C. Measuring accessibility: Positive and normative implementations of various accessibility indicators. *Journal of Transport Geography*. 2012;25: 141–153. doi:10.1016/j.jtrangeo.2012.03.016
4. Handy S. Is accessibility an idea whose time has finally come? *Transportation Research Part D: Transport and Environment*. 2020;83: 102319. doi:<https://doi.org/10.1016/j.trd.2020.102319>
5. Levinson D, King D. Transport access manual: A guide for measuring connection between people and places. University of Sydney; 2020. Available: <https://ses.library.usyd.edu.au/handle/2123/23733>
6. Siddiq F, D. Taylor B. Tools of the trade?: Assessing the progress of accessibility measures for planning practice. *Journal of the American Planning Association*. 2021;87: 497–511. doi:10.1080/01944363.2021.1899036
7. Yan X. Toward accessibility-based planning addressing the myth of travel cost savings. *JOURNAL OF THE AMERICAN PLANNING ASSOCIATION*. 2021;87: 409–423. doi:10.1080/01944363.2020.1850321
8. El-Geneidy A, Levinson D. Making accessibility work in practice. *Transport Reviews*. 2022;42: 129–133. doi:10.1080/01441647.2021.1975954
9. Shi Y, Blainey S, Sun C, Jing P. A literature review on accessibility using bibliometric analysis techniques. *Journal of Transport Geography*. 2020;87: 102810. doi:10.1016/j.jtrangeo.2020.102810
10. Handy S, Niemeier D. Measuring accessibility: An exploration of issues and alternatives. *Environment and Planning A*. 1997;29: 1175–1194.
11. Kwan MP. Space-time and integral measures of individual accessibility: A comparative analysis using a point-based framework. *Geographical Analysis*. 1998;30: 191–216. Available: ISI:000074579200001 C:/Papers/Geographical Analysis/Geographical Analysis (1998) 30 (3) 191-216.pdf

- 753
- 754
- 755
- 756
- 757
- 758
- 759
- 760
- 761
- 762
- 763
- 764
- 765
- 766
- 767
- 768
- 769
- 770
- 771
- 772
- 773
- 774
- 775
- 776
- 777
- 778
- 779
12. Páez A, Higgins CD, Vivona SF. Demand and level of service inflation in floating catchment area (FCA) methods. *PLoS one.* 2019;14: e0218773. doi:10.1371/journal.pone.0218773
 13. Wang F. From 2SFCA to i2SFCA: Integration, derivation and validation. *International Journal of Geographical Information Science.* 2021;35: 628–638. doi:10.1080/13658816.2020.1811868
 14. Merlin LA, Hu L. Does competition matter in measures of job accessibility? Explaining employment in los angeles. *Journal of Transport Geography.* 2017;64: 77–88. doi:10.1016/j.jtrangeo.2017.08.009
 15. Soukhov A, Páez A, Higgins CD, Mohamed M. Introducing spatial availability, a singly-constrained measure of competitive accessibility | PLOS ONE. *PLOS ONE.* 2023; 1–30. doi:<https://doi.org/10.1371/journal.pone.0278468>
 16. Lin J, Cromley G. Using the transportation problem to build a congestion/threshold constrained spatial accessibility model. *Journal of Transport Geography.* 2023;112: 103691. doi:10.1016/j.jtrangeo.2023.103691
 17. Van Wee B, Hagoort M, Annema JA. Accessibility measures with competition. *Journal of Transport Geography.* 2001;9: 199–208. doi:10.1016/S0966-6923(01)00010-2
 - pre 18. Kelobonye K, Zhou H, McCarney G, Xia J(Cecilia). Measuring the accessibility and spatial equity of urban services under competition using the cumulative opportunities measure. *Journal of Transport Geography.* 2020;85: 102706. doi:10.1016/j.jtrangeo.2020.102706
 - pre 19. Cui B, Boisjoly G, Wasfi R, Orpana H, Manaugh K, Buliung R, et al. Spatial access by public transport and likelihood of healthcare consultations at hospitals. *TRANSPORTATION RESEARCH RECORD.* 2020;2674: 188–198. doi:10.1177/0361198120952793
 - pre 20. Mao L, Nekorchuk D. Measuring spatial accessibility to healthcare for populations with multiple transportation modes. *Health & Place.* 2013;24: 115–122. doi:10.1016/j.healthplace.2013.08.008
 - pre 21. Joseph AE, Bantock PR. Measuring potential physical accessibility to general practitioners in rural areas: A method and case study. *Social Science & Medicine.* 1982;16: 85–90. doi:10.1016/0277-9536(82)90428-2
 - pre 22. Higgs G, Zahnow R, Corcoran J, Langford M, Fry R. Modelling spatial access to general practitioner surgeries: Does public transport availability matter? *JOURNAL OF TRANSPORT & HEALTH.* 2017;6: 143–154. doi:10.1016/j.jth.2017.05.361
 - pre 23. Weibull JW. An axiomatic approach to the measurement of accessibility. *Regional Science and Urban Economics.* 1976;6: 357–379. doi:10.1016/0166-0462(76)90031-4
 - pre 24. Shen Q. Location characteristics of inner-city neighborhoods and employment accessibility of low-wage workers. *Environ Plann B.* 1998;25: 345–365. doi:10.1068/b250345

25. Li C, Wang J. Measuring multi-activities accessibility and equity with accessibility-oriented development strategies. *Transportation Research Part D: Transport and Environment*. 2024;126: 104035. doi:10.1016/j.trd.2023.104035 780
781
- pre
26. Wu J, Chen H, Wang H, He Q, Zhou K. Will the opening community policy improve the equity of green accessibility and in what ways? — response based on a 2-step floating catchment area method and genetic algorithm. *Journal of Cleaner Production*. 2020;263: 121454. doi:10.1016/j.jclepro.2020.121454 782
783
- pre
27. Chen X. Enhancing the two-step floating catchment area model for community food access mapping: Case of the supplemental nutrition assistance program. *The Professional Geographer*. 2019;71: 668–680. doi:10.1080/00330124.2019.1578978 784
785
- pre
28. Luo W, Wang F. Measures of spatial accessibility to health care in a GIS environment: Synthesis and a case study in the chicago region. *Environ Plann B Plann Des.* 2003;30: 865–884. doi:10.1068/b29120 786
787
- pre
29. Páez A, Mercado R, Farber S, Morency C, Roorda M. Accessibility to health care facilities in montreal island: An application of relative accessibility indicators from the perspective of senior and non-senior residents. *International Journal of Health Geographics*. 2010;9: 1–9. 788
789
- pre
30. Moniruzzaman M, Páez A, Nurul Habib KM, Morency C. Mode use and trip length of seniors in montreal. *Journal of Transport Geography*. 2013;30: 89–99. doi:<http://dx.doi.org/10.1016/j.jtrangeo.2013.03.007> 790
791
31. Reyes M, Páez A, Morency C. Walking accessibility to urban parks by children: A case study of montreal. *Landscape and Urban Planning*. 2014;125: 38–47. doi:10.1016/j.landurbplan.2014.02.002 792
793
32. Páez A, Farber S, Mercado R, Roorda M, Morency C. Jobs and the single parent: An analysis of accessibility to employment in toronto. *Urban Geography*. 2013;34: 815–842. doi:10.1080/02723638.2013.778600 794
795
33. Wu H, Levinson D. Unifying access. *Transportation Research Part D: Transport and Environment*. 2020;83: 102355. doi:10.1016/j.trd.2020.102355 796
797
34. Tahmasbi B, Mansourianfar MH, Haghshenas H, Kim I. Multimodal accessibility-based equity assessment of urban public facilities distribution. *Sustainable Cities and Society*. 2019;49: 101633. doi:10.1016/j.scs.2019.101633 798
799
35. Lunke EB. Modal accessibility disparities and transport poverty in the oslo region. *Transportation Research Part D: Transport and Environment*. 2022;103: 103171. doi:10.1016/j.trd.2022.103171 800
801
36. Páez A, Mercado RG, Farber S, Morency C, Roorda M. Relative accessibility deprivation indicators for urban settings: Definitions and application to food deserts in montreal. *Urban Studies*. 2010;47: 1415–1438. doi:10.1177/0042098009353626 802
803
37. Campbell KB, Rising JA, Klopp JM, Mbilo JM. Accessibility across transport modes and residential developments in nairobi. *Journal of Transport Geography*. 2019;74: 77–90. 804
805
38. Maharjan S, Tilahun N, Ermagun A. Spatial equity of modal access gap to multiple destination types across chicago. *Journal of Transport Geography*. 2022;104: 103437. doi:10.1016/j.jtrangeo.2022.103437 806
807
39. Grengs J. Job accessibility and the modal mismatch in detroit. *Journal of Transport Geography*. 2010;18: 42–54. doi:10.1016/j.jtrangeo.2009.01.012 808
809

40. Kawabata M, Shen Q. Job accessibility as an indicator of auto-oriented urban
structure: A comparison of boston and los angeles with tokyo. Environ Plann B
Plann Des. 2006;33: 115–130. doi:10.1068/b31144 810
41. Kwok RCW, Yeh AGO. The use of modal accessibility gap as an indicator
for sustainable transport development. Environ Plan A. 2004;36: 921–936.
doi:10.1068/a3673 811
42. Morris JM, Dumble PL, Wigan MR. Accessibility indicators for transport planning.
Transportation Research Part A: General. 1979;13: 91–109. doi:10.1016/0191-
2607(79)90012-8 812
43. Liotta C, Kervinio Y, Levrel H, Tardieu L. Planning for environmental justice -
reducing well-being inequalities through urban greening. Environmental Science
& Policy. 2020;112: 47–60. doi:<https://doi.org/10.1016/j.envsci.2020.03.017> 813
44. Natural England. Nature nearby: Accessible natural greenspace guidance.
<http://www.naturalengland.org.uk/>; 2010 Mar. Available: <https://redfrogforum.org/wp-content/uploads/2019/11/67-Nature-Nearby%2080%99-Accessible-Natural-Greenspace-Guidance.pdf> 814
45. OECD. Frameworks and sector policies for urban development in chile. OECD
urban policy reviews, chile 2013. 2013. doi:<http://dx.doi.org/10.1787/9789264191808-en> 815
46. Lara-Valencia F, García-Pérez H. Space for equity: Socioeconomic variations in
the provision of public parks in hermosillo, mexico. Local Environment. 2015;20:
350–368. doi:10.1080/13549839.2013.857647 816
47. Martens K, Golub A. A fair distribution of accessibility: Interpreting civil rights
regulations for regional transportation plans. Journal of Planning Education and
Research. 2021;41: 425–444. doi:10.1177/0739456x18791014 817
- pre 818
48. Tao Z, Zhou J, Lin X, Chao H, Li G. Investigating the impacts of public transport
on job accessibility in Shenzhen, China: A multi-modal approach. Land Use
Policy. 2020;99: 105025. doi:10.1016/j.landusepol.2020.105025 819
49. Wilson AG. A family of spatial interaction models, and associated developments.
Environment and Planning A. 1971;3: 1–32. 820
50. Carpentieri G, Guida C, Masoumi HE. Multimodal Accessibility to Primary
Health Services for the Elderly: A Case Study of Naples, Italy. Sustainability.
2020;12: 781. doi:10.3390/su12030781 821
51. Margaryan S. Low emission zones and population health. Journal of Health
Economics. 2021;76: 102402. doi:10.1016/j.jhealeco.2020.102402 822
52. Verbeek T, Hincks S. The “just” management of urban air pollution? A geospatial
analysis of low emission zones in brussels and london. Applied Geography.
2022;140: 102642. doi:10.1016/j.apgeog.2022.102642 823
53. Tarriño-Ortiz J, Gómez J, Soria-Lara JA, Vassallo JM. Analyzing the impact
of low emission zones on modal shift. Sustainable Cities and Society. 2022;77:
103562. doi:10.1016/j.scs.2021.103562 824
54. Comunidad de Madrid. Resultados de la EDM 2018 - Datos Abiertos. 2020
[cited 31 Jul 2023]. Available: <https://datos.comunidad.madrid/catalogo/dataset/resultados-edm2018> 825
55. Comunidad de Madrid. Zonificación de transporte ZT208 de la EDM2018 -
Datos Abiertos. 2020 [cited 1 Dec 2023]. Available: <https://datos.crtm.es/datasets/zonificacionzt208> 826

56. Lopez FA, Páez A. Spatial clustering of high-tech manufacturing and knowledge-intensive service firms in the greater toronto area. *Canadian Geographer-Geographe Canadien*. 2017;61: 240–252. doi:10.1111/cag.12326 842
57. Horbachov P, Svirchynskyi S. Theoretical substantiation of trip length distribution for home-based work trips in urban transit systems. *Journal of Transport and Land Use*. 2018;11: 593–632. Available: <https://www.jstor.org/stable/26622420> 843
58. Batista SFA, Leclercq L, Geroliminis N. Estimation of regional trip length distributions for the calibration of the aggregated network traffic models. *Transportation Research Part B: Methodological*. 2019;122: 192–217. doi:10.1016/j.trb.2019.02.009 844
59. Delignette-Muller ML, Dutang C. fitdistrplus: An R package for fitting distributions. *Journal of Statistical Software*. 2015;64: 1–34. Available: <https://www.jstatsoft.org/article/view/v064i04> 845
60. Reggiani A, Bucci P, Russo G. Accessibility and impedance forms: Empirical applications to the german commuting network. *International Regional Science Review*. 2011;34: 230–252. doi:10.1177/0160017610387296 846
61. Soukhov A, Páez A. TTS2016R: A data set to study population and employment patterns from the 2016 transportation tomorrow survey in the greater golden horseshoe area, ontario, canada. *Environment and Planning B: Urban Analytics and City Science*. 2023; 23998083221146781. doi:10.1177/23998083221146781 847
62. Carey HC. Principles of social science. Philadelphia: J.B. Lippincot; Co.; 1858. 848
63. Ravenstein EG. The laws of migration. *Journal of the Royal Statistical Society*. 1889;52: 241–305. doi:10.2307/2979333 849
64. Reilly WJ. Methods for the study of retail relationships. 1929. 850
65. Stewart JQ. An inverse distance variation for certain social influences. *Science*. 1941;93: 89–90. Available: <http://www.jstor.org/stable/1668130> 851
66. Stewart JQ. Suggested principles of "social physics". *Science*. 1947;106: 179–180. Available: <http://www.jstor.org/stable/1675368> 852
67. Stewart JQ. Demographic gravitation: Evidence and applications. *Sociometry*. 1948;11: 31–58. doi:10.2307/2785468 853
68. Zipf GK. The p 1 p 2/d hypothesis: The case of railway express. *The Journal of Psychology*. 1946;22: 3–8. doi:10.1080/00223980.1946.9917292 854
69. Zipf GK. The P1P2/d hypothesis: On the intercity movement of persons. *American Sociological Review*. 1946;11: 677–686. doi:10.2307/2087063 855
70. De Vrij E, Vanoutrive T. "No-one visits me anymore": Low emission zones and social exclusion via sustainable transport policy. 2022 [cited 27 Jul 2023]. Available: <https://www.tandfonline.com/doi/epdf/10.1080/1523908X.2021.2022465?needAccess=true&role=button> 856
71. Liotta C. What drives inequalities in low emission zones' impacts on job accessibility? Virtual; 2023. doi:10.17605/OSF.IO/9VQU7 857

PLOS ONE submission: Response to reviewers

2024-01-26

Thank you for the time and care taken by the editorial team and reviewers in providing feedback to the second round of revision to the manuscript. No doubt, the further revised version submitted is more articulate than the first. Our responses to comments to Reviewer #2 are shown below in blue. Reviewer #3 and #1 did not have any additional comments.

Reviewer #2:

I appreciate the fact that the authors have largely revised the paper to answer the reviewers' comments. Still, I feel like some of my comments have been insufficiently addressed in the revised draft, as detailed below.

Thank you: comments provided by all reviewers were exceptionally helpful in clarifying the manuscript. We address the outstanding three comments and additional minor comments in this response letter.

The authors have adequately addressed my comment on the fact that their new measure is not useful for studying access to non-competitive resources in the revised introduction.

Thank you, we appreciate your understanding.

My comment on the fact that the new measure doesn't allow to study the absolute gains or losses in accessibility from public transport or land use system changes has inadequately been accounted for. First, what your new measure can or cannot do remains unclear to me: for instance, how would an improvement in the transport sector that benefits all transport modes and locations uniformly, but still reduces all transportation times in the city, be accounted for? Second, I do not see where this point is discussed in the paper.

This is a great question, and we think we know the answer. We interpreted your comment initially as to mean changes in accessibility, and we responded accordingly. Your example makes it clear that you had something else in mind. The answer to your question can be found in point 2 in the conclusion of Soukhov et al. (2023) (p. 25) where it says "Shen-type accessibility can be used to compute the availability of jobs (the rate and the absolute values if the original definition is corrected), however, if the analyst is interested in internal values and secondary analysis of the results, spatial availability should be considered". The internal values referred to there are the estimates of trip length/duration/cost associated with the spatial availability of opportunities; the secondary analysis, in turn, referred to estimating the system-wide cost of competitive accessibility. To use your example, suppose that there is a change in the transportation system that is uniform: accessibility does not change but travel times are shorter for every mode. As Soukhov et al. (2023) demonstrate in the section *Why does proportional allocation matter?* (p. 15), a difference between spatial availability and unconstrained accessibility measures, is that spatial availability allocates the actual number of opportunities to each origin. As a result, the estimates of travel time can be used to quantify the system-wide impacts of spatial availability. In your hypothetical example, spatial availability would remain constant, but the system-wide cost of travel, as calculated from the intermediate values (i.e., the detailed table of opportunities allocated to origins by origin-destination pair), would decrease.

My comment on modal shift has partially been accounted for. A key question is whether people can shift transport modes easily or not: indeed, it seems to be that your new accessibility measure, based on competition, does only make sense in case people cannot easily shift transport modes.

Thank you for your comment. For the empirical example we use data collected at least one year *after* the introduction of Madrid LEZ. We then make the (hopefully reasonable) assumption that all modal shifts caused by LEZ have already taken place. We could (if we had the data) calculate spatial availability using

the mode shares *before* the introduction of Madrid LEZ. Here, however, we are not conducting a before/after comparison of the policy, but only of the spatial availability already in the context of LEZ. In other words, our discussion is based not on a comparison over time, but a comparison over space. We have further enhanced the results to make this interpretation more clear.

You partially answer that question in the paragraph starting l46 by explaining why some populations, e.g. children, elderly, or single parents, might have different characteristics in terms of transportation choice and mode use. Still, in the case of the Madrid LEZ, you do not explain why private cars and public transport users are in competition. For instance, you state that “restrictions to travel by car leave more spatially available opportunities for non-car-users” (l585).

Our discussion of competition is not based on hypothetical modal shifts caused by LEZ, but rather on the comparison of spatial availability after LEZ over space. Fig. 6 in the paper shows that bike and walk consistently have fewer jobs available than their share of users in the population. But, they receive a larger share *within* the boundaries of Centro, where the number of cars that can enter is limited by the LEZ policy. In other words, the restriction, which is what distinguishes Centro from the boundary of the M-30 or the whole region, seems to open up a window of opportunity for jobs to become available to cyclists and pedestrians.

But it seems to me that the LEZ aims at promoting a modal shift toward less polluting cars, public transport, or active modes rather than favoring public transport users?

No question that promoting a modal shift is part of the policy. However, as we noted above, we assume that the data already incorporates said shift. Given the modal shares, our analysis indicates that the winning mode within the boundaries of LEZ is transit (Fig. 6).

Relatedly, your measure does not make any difference between car users that can easily shift to public transport, and car users that cannot.

You are absolutely right. That said, the job of allocating users to various modes is not the job of our measure, but the job of a mode split or mode choice model. The scope of our measure is to allocate opportunities to users by mode. Given changes in the shares of different modes, the measure can be calculated to examine the spatial availability under those conditions.

My other comments have been accounted for, and the writing of the paper has largely been improved.

Finally, I have a few additional minor comments:

Fig 5: the boundaries of the LEZs, and in particular of the LEZ centro, are really hard to see.

There is a typo l56: “The paper rest of the paper”

Thank you bringing these comments to our attention. We have changed the colours and slightly increased the size of the spatial borders for LEZ Centro and M-30 on all figures (now the borders are Pink and Purple instead of Light and Medium Grey) to improve visibility. We have also corrected the identified typo. Additionally, we have improved phrasing and corrected grammatical errors throughout the manuscript.

We wish to thank you for your thoughtful and constructive comments throughout the revision process so far. A sticking point is the shift in modes. In this respect, we would like to reiterate that our measure is not intended to do the things that modal split or mode choice models are supposed to do. Our empirical example is cross-sectional, and we believe bypasses the question of modal shifts while still giving useful information about the spatial distribution of opportunities and the ability of different modes to reach them. We would argue that the materials presented here are already an advance over existing methods—even in the case when accessibility remains constant but the cost of travel declines uniformly. Still, we wish to acknowledge that the use of multimodal spatial availability in over-time comparisons would benefit from being paired with a modal split or mode choice model, something that we are prevented from trying in our empirical example due to data limitations.

References

Soukhov, Anastasia, Antonio Páez, Christopher D. Higgins, and Moataz Mohamed. 2023. “Introducing Spatial Availability, a Singly-Constrained Measure of Competitive Accessibility | PLOS ONE.” *PLOS*

ONE, 1–30. <https://doi.org/https://doi.org/10.1371/journal.pone.0278468>.



Click here to download Data Review URL

<http://www.github.com/soukhova/Multimodal-spatial-availability/tree/150afb75986d42aec522d1682ce1be9b5c7b3eb2>