[TDDE09 2026] Lecture 2.1

Points: 4/5

✓ **Correct** 1/1 Points

1. What component would you not typically need in a pipeline for interlingual machine translation?

- (●) sentiment classifier
- ( ) syntactic dependency parser
- ( ) part-of-speech tagger

✗ **Incorrect** 0/1 Points

2. In the Noisy Channel Model, which of the following quantities do we want to maximise when translating from Arabic (A) to Swedish (S)?

- (●) $P(S \mid A)P(A)$
- ( ) $P(S \mid A)P(S)$
- ( ) $P(A \mid S)P(S)$

✓ **Correct** 1/1 Points

3. Which of the following statements is true about word alignments when viewed as a mathematical relation R between the set of positions on the source side and the set of positions on the target side?

- ( ) R is a function.

- ( ) The inverse of R is a function.
- (●) Neither of these statements is true.

✓ **Correct** 1/1 Points

4. Which of the following is an advantage of neural machine translation (NMT) over statistical machine translation (SMT)?

- (●) NMT systems do not need complex feature engineering.
- ( ) NMT systems can be trained without parallel text.
- ( ) NMT systems are more interpretable than SMT systems.

✓ **Correct** 1/1 Points

5. Why does the BLEU evaluation measure include a brevity penalty?

- (●) It is easy to achieve high precision with short translations.
- ( ) It is easy to achieve high recall with short translations.
- ( ) Short translations should be penalised because they are typically not very informative.

Microsoft 365

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Microsoft Forms | AI-Powered surveys, quizzes and polls Create my own form

Privacy and cookies | Terms of use