[TDDE09 2026] Lecture 2.6

Points: 4/5

✓ **Correct** 1/1 Points

1. What is the purpose of the segment encoding in BERT?

- (●) to distinguish between different segments of sentence pairs
- ( ) to distinguish between different segments of words
- ( ) to distinguish between different segments of the word embeddings

✓ **Correct** 1/1 Points

2. BERT is pre-trained on the masked language modelling task. Why is this task not suitable for pre-training GPT models?

- ( ) Masked language modelling does not scale up to the number of parameters in GPT.
- (●) GPT is based on the Transformer decoder, and as such can only 'look back'.
- ( ) GPT is trained on individual sentences, not sentence pairs (like BERT).

✓ **Correct** 1/1 Points

3. What is the main purpose of the [CLS] token in BERT?

- (●) It is used as a representation of the complete input sentence pair.
- ( ) It is used for the masked language modelling task.

- ( ) It is used as a padding token.

✓ **Correct** 1/1 Points

4. In masked language modelling, we generate training examples by randomly branching into one of three cases. Which of these would typically make the token representation at the selected position more dissimilar to the representations of the surrounding tokens?

- ( ) replace the selected token with the [MASK] token
- (•) replace the selected token with a random word
- ( ) not replace the selected token

✗ **Incorrect** 0/1 Points

5. Which advantage does replaced token detection have over masked language modelling?

- (•) It does not need the [MASK] token.
- ( ) It only needs two classes.
- ( ) It learns from all input tokens.

Microsoft 365

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Microsoft Forms | AI-Powered surveys, quizzes and polls Create my own form

Privacy and cookies | Terms of use