


IMOTARA · INTERNAL DOCUMENT

# Connect MVP

Execution Plan — Full Technical Specification

| VERSION    | STATUS       | CATEGORY        | FEE          |
|------------|--------------|-----------------|--------------|
| <b>1.0</b> | <b>Ready</b> | <b>1</b>        | <b>20%</b>   |
| June 2026  | No code yet  | Mental Wellness | Platform cut |



1

MVP Scope

**What this plan covers:** A text-chat based mental wellness companion marketplace with per-minute billing, multi-currency support, and full Supabase Realtime integration. Audio/video calls, additional consultant categories, and advanced scheduling are deferred to later phases.

IN MVP

- Mental Wellness Companion (male + female)
- Text chat via Supabase Realtime
- Per-minute pre-pay wallet billing
- 20% platform fee (invisible to users)
- Multi-currency rates (7 currencies)
- Consultant profile: photo, bio, expertise tags
- Online status + instant connect
- Offline → request scheduled meeting
- Session history with chat replay
- Post-session ratings + reviews
- Admin approval + email notification
- Non-clinical disclaimer
- Emergency crisis button
- Age gate (under-18 blocked)
- CoC agreement at registration

DEFERRED (LATER PHASES)

- Audio / video calls (Daily.co)
- 11 other consultant categories
- Calendar slot picker + timezone
- Government ID verification
- Featured / paid listings
- Subscription tier benefits
- AI consultant recommendations
- Tip consultant button
- Rebook prompt
- Admin analytics dashboard
- Automated payouts via UPI/Bank
- Mood check-in post-session
- AI bio translation
- Background check flow

4 Mandatory Safety Additions

| ITEM     |                         | WHERE SHOWN                                 | DESCRIPTION                                                 |
|----------|-------------------------|---------------------------------------------|-------------------------------------------------------------|
| Required | Non-clinical disclaimer | Consultant card, profile, session start     | Text warning that companions are not licensed professionals |
| Required | Emergency button        | Inside active chat session (always visible) | Single tap → regional crisis hotlines by detected country   |

|                 |              |                                      |                                                             |
|-----------------|--------------|--------------------------------------|-------------------------------------------------------------|
| <b>Required</b> | Age gate     | /connect page load                   | Check profiles.date_of_birth — block under-18 with redirect |
| <b>Required</b> | CoC checkbox | Last step of consultant registration | Explicit agreement to Code of Conduct before submission     |

## 2 Per-Minute Billing Model

**Core principle:** User pays upfront. Both parties see minutes (not money). Imotara's 20% is invisible — taken at recharge time. Unused minutes stay in wallet for next session with the same consultant.

### Calculation

Consultant sets rate:  $R$  per minute (their currency)

User recharges:  $A$  (their currency)

Platform fee (20%):  $A \times 0.20 \rightarrow$  Imotara holds

Usable credit (80%):  $A \times 0.80$

Minutes credited:  $(A \times 0.80) / R$

Both user & consultant see:  $X$  minutes (same number)

Neither sees: the 20/80 split

During session (every 60s):

Deduct 1 min from wallet

At  $<1$  min remaining: warning banner shown

At 0 min: session auto-completes

After session ( $T$  minutes used):

Imotara keeps: already held from recharge

**Consultant credited:**  $T \times R \times 0.80$

Unused balance: stays in user wallet (consultant-specific)

### Example

Consultant rate: ₹50 / minute

User recharges: ₹1,800

Platform fee: ₹1,800 × 0.20 = ₹360

Usable credit: ₹1,800 × 0.80 = ₹1,440

Minutes credited: ₹1,440 ÷ ₹50 = 28.8 minutes

After 28.8 min session:

**Imotara receives: ₹360 (already held)**

**Consultant earns: ₹1,440**

Unused balance: ₹0 (session fully consumed)

Recharge UX (Duration-First)

Step 1: User taps "Talk Now" on consultant profile

Step 2: Insufficient balance check → Recharge screen opens

Step 3: Duration picker shown

[15 min] [30 min] [60 min] [Custom: \_\_\_\_]

Step 4: Live cost breakdown

Consultant fee: 30 × ₹50 = ₹1,500

Platform fee: 20% = ₹300

---

Total to pay: ₹1,800

You will get: 30 min 00 sec of talk time

Step 5: [Pay ₹1,800 via Razorpay]

Step 6: On success → balance credited → session starts

Multi-Currency Support

| SUPPORTED CURRENCIES              | GATEWAY                          | EXCHANGE RATE SOURCE                      |
|-----------------------------------|----------------------------------|-------------------------------------------|
| INR, USD, EUR, GBP, AED, SGD, AUD | Razorpay (INR) · Stripe (others) | open.exchangerate-api.com — daily refresh |

Rates cached in Supabase `app_settings` (key: `exchange_rates` ). Each recharge is tied to a specific consultant — balance is consultant-specific, not global.

## 3 Database Schema

6 new tables. All with Row-Level Security. `connect_messages` and `connect_sessions` added to Supabase Realtime publication.

### `connect_consultants`

```
CREATE TABLE connect_consultants (  
  id                uuid          PRIMARY KEY DEFAULT gen_random_uuid(),  
  user_id           uuid          NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,  
  display_name      text          NOT NULL,  
  gender            text          CHECK (gender IN ('male','female')),  
  photo_url         text,  
  bio               text          CHECK (char_length(bio) <= 500),  
  expertise_tags    text[],       -- ['Stress & Anxiety','Loneliness',...]  
  languages         text[],  
  rate_per_min      numeric(10,2) NOT NULL,  
  currency_code     text          NOT NULL DEFAULT 'INR',  
  rate_per_min_inr  numeric(10,2), -- snapshot for sorting  
  availability_note  text,  
  coc_agreed        boolean       NOT NULL DEFAULT false,  
  status            text          NOT NULL DEFAULT 'pending'  
                                CHECK (status IN ('pending','approved','suspended','rejected')),  
  rejection_reason  text,  
  is_online         boolean       NOT NULL DEFAULT false,  
  rating_avg        numeric(3,2) DEFAULT 0,  
  rating_count      integer       DEFAULT 0,  
  sessions_completed integer      DEFAULT 0,  
  created_at        timestampz    DEFAULT now(),  
  updated_at        timestampz    DEFAULT now()  
);
```

### `connect_sessions`

```
CREATE TABLE connect_sessions (  
  id                uuid          PRIMARY KEY DEFAULT gen_random_uuid(),  
  user_id           uuid          NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,  
  consultant_id     uuid          NOT NULL REFERENCES connect_consultants(id),  
  type              text          NOT NULL CHECK (type IN ('instant','scheduled')),  
  status            text          NOT NULL DEFAULT 'pending'  
                                CHECK (status IN ('pending','accepted','declined','active',
```

```

                                'completed','cancelled')),
scheduled_note    text,        -- user's preferred time in free text
started_at       timestampz,
ended_at         timestampz,
minutes_used     numeric(10,2) DEFAULT 0,
amount_charged   numeric(12,2) DEFAULT 0,
currency_code    text         DEFAULT 'INR',
rating           integer      CHECK (rating BETWEEN 1 AND 5),
review_text      text         CHECK (char_length(review_text) <= 200),
review_submitted_at timestampz,
created_at       timestampz DEFAULT now()
);

```

## connect\_messages

```

CREATE TABLE connect_messages (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),
  session_id  uuid NOT NULL REFERENCES connect_sessions(id) ON DELETE CASCADE,
  sender_id   uuid NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
  content     text NOT NULL CHECK (char_length(content) <= 2000),
  created_at  timestampz DEFAULT now()
);
-- Enable Realtime
ALTER PUBLICATION supabase_realtime ADD TABLE connect_messages;
ALTER PUBLICATION supabase_realtime ADD TABLE connect_sessions;

```

## connect\_wallet

```

CREATE TABLE connect_wallet (
  user_id       uuid PRIMARY KEY REFERENCES auth.users(id) ON DELETE CASCADE,
  balance_amount numeric(12,2) NOT NULL DEFAULT 0,
  balance_currency text      NOT NULL DEFAULT 'INR',
  earned_amount  numeric(12,2) NOT NULL DEFAULT 0, -- for consultants
  earned_currency text      NOT NULL DEFAULT 'INR',
  pending_payout numeric(12,2) NOT NULL DEFAULT 0,
  updated_at     timestampz DEFAULT now()
);

```

## connect\_recharges

```

CREATE TABLE connect_recharges (
  id          uuid PRIMARY KEY DEFAULT gen_random_uuid(),

```

```

user_id          uuid  NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
consultant_id    uuid  NOT NULL REFERENCES connect_consultants(id),
razorpay_order_id text,
razorpay_payment_id text,
amount           numeric(12,2) NOT NULL,
currency_code    text  NOT NULL DEFAULT 'INR',
minutes_credited numeric(10,2) NOT NULL,
platform_fee     numeric(12,2) NOT NULL,
consultant_credit numeric(12,2) NOT NULL,
status           text  NOT NULL DEFAULT 'pending'
                CHECK (status IN ('pending','completed','failed')),
created_at       timestampz DEFAULT now()
);

```

## connect\_payouts

```

CREATE TABLE connect_payouts (
  id                uuid  PRIMARY KEY DEFAULT gen_random_uuid(),
  consultant_user_id uuid  NOT NULL REFERENCES auth.users(id),
  amount            numeric(12,2) NOT NULL,
  currency_code     text  NOT NULL DEFAULT 'INR',
  payout_method     text  CHECK (payout_method IN ('upi','bank','paypal')),
  payout_details    jsonb,
  status            text  NOT NULL DEFAULT 'pending'
                CHECK (status IN ('pending','processing','completed','failed')),
  admin_note        text,
  created_at        timestampz DEFAULT now(),
  processed_at      timestampz
);

```

**RLS Note:** All writes to `connect_wallet` go through API routes using the service role. Direct client writes are blocked. `connect_consultants` status field changes are admin-only via service role.

## 4 API Routes

### Consultant Routes

|       |                                  |                                                                                   |
|-------|----------------------------------|-----------------------------------------------------------------------------------|
| GET   | /api/connect/consultants         | List approved consultants (filters: gender, expertise_tags, languages, is_online) |
| GET   | /api/connect/consultants/[id]    | Single consultant public profile                                                  |
| POST  | /api/connect/consultant/register | Submit consultant registration (any authed user)                                  |
| PATCH | /api/connect/consultant/status   | Toggle is_online (approved consultants only)                                      |
| PATCH | /api/connect/consultant/profile  | Update bio, tags, rate, photo (cannot change status)                              |
| GET   | /api/connect/consultant/earnings | Consultant earnings breakdown + session history                                   |
| POST  | /api/connect/consultant/payout   | Request payout → creates connect_payouts row + notifies admin                     |

### Session Routes

|       |                                   |                                                                                      |
|-------|-----------------------------------|--------------------------------------------------------------------------------------|
| POST  | /api/connect/sessions             | Create session (instant or scheduled). type=instant notifies consultant via Realtime |
| GET   | /api/connect/sessions             | User's session list (most recent first)                                              |
| PATCH | /api/connect/sessions/[id]        | Accept / decline / complete / cancel (participants only)                             |
| POST  | /api/connect/sessions/[id]/tick   | Deduct 1 minute every 60s. Auto-completes at 0. Returns {remaining_minutes, status}  |
| POST  | /api/connect/sessions/[id]/review | Submit rating + review after session completes. Updates consultant rating_avg        |

### Wallet Routes

|      |                                     |                                                                        |
|------|-------------------------------------|------------------------------------------------------------------------|
| GET  | /api/connect/wallet                 | Get balance amount + minutes remaining + earned amount (if consultant) |
| POST | /api/connect/wallet/recharge/create | Create Razorpay order. Body: {consultant_id, amount, currency_code}    |

POST

/api/connect/wallet/recharge/verify

Verify HMAC signature → credit wallet. Splits 20/80 in connect\_recharges

Admin Routes

GET

/api/admin/connect/pending

Pending consultant applications list

PATCH

/api/admin/connect/[id]/approve

Approve or reject. Sends email to consultant

GET

/api/admin/connect/consultants

All consultants (all statuses)

PATCH

/api/admin/connect/consultants/[id]

Suspend / reinstate

## 5 Web Implementation

### Pages

| FILE PATH                                            | ROUTE                                | DESCRIPTION                                                                                            |
|------------------------------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------|
| <code>src/app/connect/page.tsx</code>                | <code>/connect</code>                | Main page — Browse consultants, My Sessions, Wallet tabs. 4th tab "Dashboard" if user is a consultant. |
| <code>src/app/connect/register/page.tsx</code>       | <code>/connect/register</code>       | 3-step consultant registration form. Shows application status after submit.                            |
| <code>src/app/connect/session/[id]/page.tsx</code>   | <code>/connect/session/:id</code>    | Full-screen chat. Timer bar. Emergency button. Post-session review form.                               |
| <code>src/app/connect/age-restricted/page.tsx</code> | <code>/connect/age-restricted</code> | Age gate redirect page for under-18 users.                                                             |

### New Components

| FILE PATH                                              | PURPOSE                                                                                            |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <code>src/components/connect/ConsultantCard.tsx</code> | Card showing photo, name, expertise tags, rate, online status. Talk Now / Request Meeting buttons. |
| <code>src/components/connect/RechargeModal.tsx</code>  | Duration picker + live cost breakdown + Razorpay payment trigger.                                  |
| <code>src/components/connect/EmergencyModal.tsx</code> | Crisis hotlines by detected country. Always accessible from active session.                        |
| <code>src/components/connect/SessionTimer.tsx</code>   | Countdown bar — ticks every second, calls <code>/tick</code> API every 60s.                        |

`src/components/connect/ConnectDisclaimer.tsx`

Non-clinical disclaimer text component (reused everywhere).

`src/components/connect/ChatWindow.tsx`

Realtime message list + input. Subscribes to `connect_messages` channel.

## Navigation Change — SiteHeader.tsx

```
// src/components/SiteHeader.tsx
// Move Connect to primary nav, Tutorial to More menu

const PRIMARY_LINKS = [
  { href: '/',      label: 'Home'    },
  { href: '/chat',  label: 'Chat'    },
  { href: '/history', label: 'History' },
  { href: '/grow',  label: 'Grow'    },
  { href: '/connect', label: 'Connect' }, // was in MORE_LINKS
];

const MORE_LINKS = [
  { href: '/tutorial', label: 'Tutorial' }, // moved from PRIMARY
  // ... other existing MORE_LINKS
];
```

## Admin Panel Addition — `src/app/admin/page.tsx`

Add a new collapsible "Connect" section with three sub-sections:

### PENDING APPLICATIONS

- Table: name, bio excerpt, rate/currency, submitted date
- Approve button → sends approval email
- Reject button → modal for reason → sends rejection email

### ALL CONSULTANTS

- Table: name, status badge, sessions, rating, online
- Suspend / Reinstate actions
- View full profile
- Payout Requests sub-table

6

Mobile Implementation

New Screen Files

| FILE PATH                                         | SCREEN         | DESCRIPTION                                                                                            |
|---------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------|
| src/screens/connect/ConnectScreen.tsx             | Connect Tab    | Main tab. Browse consultants + wallet balance. Non-clinical disclaimer banner at top.                  |
| src/screens/connect/ConsultantProfileScreen.tsx   | Profile        | Full profile with photo, bio, expertise tags, rate, online status. Talk Now / Request Meeting.         |
| src/screens/connect/ConnectChatScreen.tsx         | Active Session | Full-screen chat with Supabase Realtime, timer bar, emergency button (top-right), post-session review. |
| src/screens/connect/RechargeScreen.tsx            | Recharge       | Duration selector + cost breakdown + Razorpay payment. Pushed from ConsultantProfile.                  |
| src/screens/connect/ConsultantDashboardScreen.tsx | Dashboard      | For consultant users: online toggle, pending requests (Accept/Decline), earnings summary.              |
| src/screens/connect/RegisterConsultantScreen.tsx  | Register       | 3-step form matching web. Photo picker. CoC checkbox. Submit → pending status shown.                   |

Navigation Change — RootNavigator.tsx

```
// imotara-mobile/src/navigation/RootNavigator.tsx

// BEFORE:
// Chat | History | Trends | Settings

// AFTER:
// Chat | History | Trends | Connect | Settings

import ConnectScreen from '../screens/connect/ConnectScreen';

// Add between Trends and Settings:
<Tab.Screen
  name="Connect"
  component={ConnectScreen}
  options={{
    tabBarLabel: 'Connect',
    tabBarIcon: ({ color, size }) => (
      <Ionicons name="people-outline" size={size} color={color} />
    ),
  }}
/>
```

## Supabase Realtime (Mobile)

```
// In ConnectChatScreen.tsx
const channel = supabase
  .channel(`connect:session:${sessionId}`)
  .on('postgres_changes', {
    event: 'INSERT',
    schema: 'public',
    table: 'connect_messages',
    filter: `session_id=eq.${sessionId}`
  }, (payload) => {
    setMessages(prev => [...prev, payload.new]);
  })
  .subscribe();

// Also subscribe to session status changes
const statusChannel = supabase
  .channel(`session:status:${sessionId}`)
  .on('postgres_changes', {
    event: 'UPDATE',
    schema: 'public',
    table: 'connect_sessions',
    filter: `id=eq.${sessionId}`
  }, (payload) => {
    setSessionStatus(payload.new.status);
  })
```

```
}  
  .subscribe();
```

## 7 Safety & Compliance

### 1. Non-Clinical Disclaimer

**Display text:** "Imotara Connect provides peer wellness companionship only. Companions are not licensed therapists or medical professionals. If you are in crisis, please use the help button below."

Shown on: consultant card (as tooltip/footer), consultant profile page (banner at top), session start screen (before first message), consultant registration form.

### 2. Emergency Crisis Button & Hotlines

```
const CRISIS_LINES = {
  IN: [
    { name: 'iCall',          number: '9152987821'    },
    { name: 'Vandrevala Foundation', number: '1860-2662-345' },
    { name: 'Snehi',          number: '044-24640050'    },
  ],
  US: [{ name: '988 Suicide & Crisis Lifeline', number: '988'   }],
  GB: [{ name: 'Samaritans',          number: '116 123'       }],
  default: [{ name: 'Find A Helpline', url: 'https://findahelpline.com' }],
};
```

Button location: Inside ConnectChatScreen header (red icon, always visible). On web: fixed bottom-right button on `/connect/session/[id]`. Tapping opens a modal — no navigation away from session.

### 3. Age Gate

```
// src/app/connect/page.tsx – server component check
const profile = await getUserProfile(userId);
const birthYear = new Date(profile.date_of_birth).getFullYear();
const age = new Date().getFullYear() - birthYear;
if (age < 18) redirect('/connect/age-restricted');
```

If `date_of_birth` is null, show a prompt to enter birth year before proceeding. Do not allow bypass.

### 4. Code of Conduct Agreement

**CoC text at registration:** "I agree to Imotara's Code of Conduct for Wellness Companions: I will not provide clinical, medical, or legal advice; will not make romantic or sexual advances toward users; will not solicit money outside the Imotara platform. I understand that violations result in immediate account suspension."

Stored as `coc_agreed = true` on the `connect_consultants` row. Registration API rejects submission if `coc_agreed != true`.

8

## Build Order

1

### SQL Migration

Create docs/sql/connect\_schema.sql. Run in Supabase. 6 tables + RLS + Realtime publication.

2

### Core API — Consultant Registration + Browse

/api/connect/consultants (GET) · /api/connect/consultant/register (POST) · /api/connect/consultant/status (PATCH)

3

### Core API — Sessions

/api/connect/sessions (GET, POST) · /api/connect/sessions/[id] (PATCH) · /api/connect/sessions/[id]/tick (POST)

4

### Core API — Wallet & Recharge

/api/connect/wallet · /api/connect/wallet/recharge/create · /api/connect/wallet/recharge/verify (Razorpay HMAC)

5

### Web — /connect main page

Replace static page. Browse + My Sessions + Wallet tabs. ConsultantCard component. Age gate check. Non-clinical disclaimer.

6

### Web — /connect/register

3-step registration form. Photo upload to Supabase Storage. CoC checkbox. Application status display.

7

### Web — /connect/session/[id]

Supabase Realtime chat. SessionTimer (60s tick). Emergency modal. RechargeModal. Post-session review form.

8

### Web — SiteHeader nav update

Move Connect to PRIMARY\_LINKS. Move Tutorial to MORE\_LINKS.

9

### Admin — Connect section

Pending applications table. Approve/reject with email. All consultants list. Payout requests.

10

### API — Review + Earnings + Payout

/api/connect/sessions/[id]/review · /api/connect/consultant/earnings · /api/connect/consultant/payout

11

### Mobile — ConnectScreen + ConsultantProfileScreen

Browse list with online status. Full profile view. Talk Now / Request Meeting buttons.

### Mobile — RechargeScreen

12 Duration selector + breakdown. Razorpay payment. Returns to profile on success.

13 **Mobile — ConnectChatScreen**

Supabase Realtime messages. Timer bar. Emergency button. Post-session review.

14 **Mobile — ConsultantDashboardScreen + RegisterConsultantScreen**

Dashboard with online toggle + pending requests. Registration form matching web.

15 **Mobile — RootNavigator update**

Add Connect as 5th bottom tab between Trends and Settings.

16 **Exchange Rate Cron**

/api/cron/exchange-rates — daily refresh of rates in app\_settings. Vercel cron config.

17 **End-to-End Test**

Register consultant → admin approve → user recharges → instant session → chat → timer → auto-complete → rating → consultant earnings credited.

---

Imotara Connect MVP Execution Plan · Version 1.0 · June 2026 · Internal Use Only