

**PESTICIDE FORMULATIONS REGISTERED FOR USE IN THE COUNTRY
UNDER THE INSECTICIDES ACT, 1968**

(Updated on 31.03.2026)

FORMULATIONS OF PESTICIDES	
S. No.	Formulation registered
	A. INSECTICIDES
1	Abamectin 1.9% EC
2	Acephate 75% SP
3	Acephate 95% SG
4	Acephate 97% DF
5	Acetamiprid 20% SP
6	Acequinocyl 15 % SC
7	Afidopyropen 50 g/LDC
8	Allerthrin 0.02% Coil
9	Allerthrin 0.05% Coil
10	Allerthrin 0.2% Coil
11	Allerthrin 0.5% Aerosol
12	Allerthrin 0.5% Coil
13	Allerthrin 3.6% LV
14	Allerthrin 4%Mat
15	Alphacypermethrin 0.1% RTU
16	Alphacypermethrin 0.5% Chalk
17	Alphacypermethrin 0.667% LLIN
18	Alphacypermethrin 05% WP
19	Alphacypermethrin10.00% EC
20	Alphacypermethrin10.00% SC
21	Aluminiumphosphide15% Tab (12gm)
22	Aluminium phosphide 56% Powder
23	Aluminium phosphide 56% Tab
24	Aluminium phosphide 6% Tab
25	Aluminium phosphide 77.5%GR
26	Barium Carbonate 1%P
27	Benfuracarb 03% GR
28	Benfuracarb 40% EC
29	Benzoate00.10 %w/w Gel
30	Benzpyrimoxan10% SC
31	Beta-cyfluthrin 02.45% SC
32	Bifenazate 22.60% SC
33	Bifenazate 50 % WP
34	Bifenthrin 0.05% MC(8hrs)
35	Bifenthrin 02.50% EC
36	Bifenthrin 08% SC
37	Bifenthrin 08.80% CS
38	Bifenthrin 10% EC

39	Bifenthrin 10% WP
40	Bistrifluron 1% Bait
41	Brodifacoum 0.005 %w/w BB
42	Broflanilide 20% SC
43	Broflanilide 300 g/l SC
44	Bromadiolone 00.005% RB
45	Bromadiolone 00.25% CB
46	Buprofezin 25% SC
47	Buprofezin 70% DF
48	Carbofuran 03% CG
49	Carbosulfan 06% Granules
50	Carbosulfan 25% DS
51	Carbosulfan 25% EC
52	Cartap Hydrochloride 04% Granules
53	Cartap Hydrochloride 50% SP
54	Cartap Hydrochloride 75% SG
55	Chlorantraniliprole 0.40% GR
56	Chlorantraniliprole 0.53% w/w GR
57	Chlorantraniliprole 18.50% SC
58	Chlorantraniliprole 35% WG
59	Chlorantraniliprole 47.85% w/w SC
60	Chlorantraniliprole 50% FS
61	Chlorfenapyr 10 % SC
62	Chlorfenapyr 240 g/l SC
63	Chlorfluazuron 05.40%EC
64	Chlorpyrifos 01.50% DP
65	Chlorpyrifos 10% Granules
66	Chlorpyrifos 20% EC
67	Chlorpyrifos 50% EC
68	Chlorpyrifos 02 %w/w EC
69	Chlorpyrifos 75 %w/w WG
70	Chlorpyrifos 19% ME
71	Chlorpyrifos Methyl 40%EC
72	Chromafenozide 80%WP
73	Clothianidin 0.5% GR
74	Clothianidin 50% WDG
75	Coumatetralyl 0.037% Bait
76	Coumatetralyl 0.75% Gel
77	Cyantraniliprole 10.26% OD
78	Cyantraniliprole 28.30% OD
79	Cyantraniliprole 18.41% w/w SC
80	Cyantraniliprole 48% w/w FS (Cyantraniliprole 60% w/v FS) (Cyantraniliprole 600 g/l FS)
81	Cyclaniliprole 100 DC
82	Cyclaniliprole 7.4 % SL
83	Cyenopyrafen 30% SC

84	Cyflumetofen 20% SC
85	Cyfluthrin 05% EW
86	Cyfluthrin 10% WP
87	Cypermethrin 0.1% Aqueous
88	Cypermethrin 0.25% DP
89	Cypermethrin 03% Smoke Generator
90	Cypermethrin 1% Chalk
91	Cypermethrin 1% Dust
92	Cypermethrin 10% EC
93	Cypermethrin 25% EC
94	Cyphenothrin 7.2% VP w/w (For use by pest control operators only)
95	DDT 50% WP
96	DDT 75% WP
97	Deltamethrin 00.50% w/w Chalk
98	Deltamethrin 1.0 % SB Anti Insect Enamel
99	Deltamethrin 01 % RTU
100	Deltamethrin 01.25% w/w (01.00% w/v) EC
101	Deltamethrin 01.80% EC
102	Deltamethrin 02.50%Flow
103	Deltamethrin 02.50% WP
104	Deltamethrin 02.80% EC
105	Deltamethrin 1.25% ULV
106	Deltamethrin 11%w/w EC
107	Deltamethrin 25 % Tablet
108	Deltamethrin 55% mg/m ² (impregnated bed net)
109	Deltamethrin 25% WG
110	Diafenthiuron 47.80% SC
111	Diafenthiuron 50% WP
112	Diflubenzuron 0.1% w/w Termite bait
113	Diflubenzuron 02% GR
114	Diflubenzuron 02% Tablets
115	Diflubenzuron 25% WP
116	Dimethoate 30% EC
117	Dimpropyridaz 120 g/L SL
118	Dinotefuran 0.5% RB Gel
119	Dinotefuran 20% SG
120	Dinotefuran 70% WG
121	D-transallethrin 0.1% Coil
122	D-transallethrin 2% Mat
123	D-transallethrin 21.97% Mos.Mat
124	Emamectinbenzoate 01.90% EC
125	Emamectinbenzoate 05% SG
126	Ethion 50% EC
127	Ethofenprox 10% EC
128	Ethylene Dichloride and Carbon Tetra chloride mixture (EDCT mixture3:1)

129	Etoxazole10% SC
130	Fenazaquin10% EC
131	Fenazaquin18.3% SC
132	Fenmezoditiaz 200 g/l SC
133	Fenmezoditiaz 10% WG
134	Fenitrothion 2% Spray
135	Fenitrothion 20% OL
136	Fenitrothion40% WP
137	Fenobucarb (BPMC) 50%EC
138	Fenpropathrin 10% EC
139	Fenpropathrin 10% EW
140	Fenpropathrin 30% EC
141	Fenpyroximate 05% EC
142	Fenpyroximate 05% SC
143	Fenvalerate 00.40% DP
144	Fenvalerate 02% Conc.
145	Fenvalerate 20% EC
146	Fipronil 0.03% Gel
147	Fipronil 0.05% GEL
148	Fipronil 0.30% GR
149	Fipronil 0.60%w/w GR
150	Fipronil 0.6% WG
151	Fipronil 0.8% WG
152	Fipronil 2.92% EC
153	Fipronil 5% SC
154	Fipronil 18.87% w/w SC
155	Fipronil 80% WG
156	Flocoumafen 0.005% Block Bait
157	Flometoquin 10% SC
158	Flonicamid 50% WG
159	Fluazandolizine 41.15 % SC
160	Flubendiamide 00.70% GR
161	Flubendiamide 20%WG
162	Flubendiamide 39.35% w/w SC
163	Flufenoxuron 10% DC
164	Flumite 20% SC/ Flufenzine 20% SC
165	Flupyradifurone 17.09% w/w SL
166	Flupyrimin 10%SC
167	Flupyrimin 2%GR
168	Flupyrimin 41.32% FS
169	Fluvalinate 25% EC
170	Fluxametamide 10% EC
171	Gossyplure wax formulation-I
172	Hexythiazox 5.45% w/w EC
173	Imidacloprid 0.03% w/w Gel

174	Imidacloprid 0.30% GR
175	Imidacloprid 2.15% w/w Gel
176	Imidacloprid 17.1%w/w SL
177	Imidacloprid 17.80% SL
178	Imidacloprid 30.50% m/m SC
179	Imidacloprid 48%FS
180	Imidacloprid 70% WG
181	Imidacloprid 70% WS
182	Indoxacarb 14.50 % SC
183	Indoxacarb 15.80 % EC
184	Isocycloseram 9.2% w/w DC (Isocycloseram 10% DC)
185	Isocycloseram 18.1% SC
186	Lambda-cyhalothrin 0.50% Chalk
187	Lambda-cyhalothrin 22.8% CS
188	Lambda cyhalothrin 24% WDG
189	Lambda-cyhalothrin 2.43% CS
190	Lambda-cyhalothrin 2.50% EC
191	Lambda-cyhalothrin 4.90% CS
192	Lambda-cyhalothrin 5% EC
193	Lambda-cyhalothrin 10% WP
194	Lambda-cyhalothrin 9.7 % CS
195	Malathion 02% House Hold Spray
196	Malathion 05%DP
197	Malathion 25 %WP
198	Malathion 50% EC
199	Malathion 96%ULV
200	Metaflumizone 22%SC
201	Metaldehyde 2.5%DP
202	Methoxyfenozide 21.8%w/w SC
203	Methyl Bromide 98%w/w
204	Metofluthrin 0.005% Mosquito coil (12 Hrs)
205	Metofluthrin 0.005% Mosquito coil (7 Hrs)
206	Metofluthrin 0.14% w/w Aerosol
207	Metofluthrin 0.32%LV
208	Milbemectin 01% EC
209	Monocrotophos15% SG
210	Nitepyram 25% SP
211	Novaluron 08.80 %SC
212	Novaluron 10% EC
213	Oxydemeton-methyl 25%EC
214	Permethrin 02.00% w/w for Import only (Olyset@Net)
215	Permethrin 2.0% Aerosol
216	Permethrin 25% EC
217	Phenthoate 2% DP
218	Phenthoate 50% EC

219	Phosalone 04 % DP
220	Phosalone 35 %EC
221	Phosmet50%WP
222	Pirimiphosmethyl 50%EC
223	Pirimiphos-methyl 01% Spray
224	Prallethrin 0.04% Mosquito coil (11 Hrs)
225	Prallethrin 0.04%Mosquitocoil(12Hrs)
226	Prallethrin 0.04%Mosquitocoil(6Hrs)
227	Prallethrin 0.5% Mosquitocoil
228	Prallethrin 0.8% Redmosquitomat
229	Prallethrin 0.8% Vaporizer
230	Prallethrin 1.2% Mat
231	Prallethrin 19% w/w VP
232	Profenofos 50% EC
233	Propargite 57 % EC
234	Propetamphos 1% Spray
235	Propoxur 01% Spray
236	Propoxur 02% Bait
237	Propoxur 20% EC
238	Pymetrozine 50% WG
239	Pyrethrin 0.20% Spray
240	Pyribenzoxim 05 % w/w EC
241	Pyridaben 20 % w/w WP
242	Pyridalyl 10% EC
243	Pyrifluinazon 20% WG
244	Pyriproxyfen 0.50% GR
245	Pyriproxyfen10 % EC
246	Pyriproxyfen 10% EW
247	Quinalphos 01.50% DP
248	Quinalphos 5 % Granules
249	Quinalphos 20 % AF
250	Quinalphos25 % EC
251	Quinalphos25 % Gel
252	Renofluthrin 0.025% w/w Mosquito Coil
253	Renofluthrin 1.5% w/w Liquid Vaporiser
254	Renofluthrin 5% MUP
255	S-Bioallethrin 2.4% Mat
256	Spinetoram 0.1% RB
257	Spinetoram 11.70%SC
258	Spinosad 2.50% SC
259	Spinosad 2.50% w/w GR
260	Spinosad 20.62% w/w EC
261	Spinosad 45%SC
262	Spiromesifen 22.90% SC
263	Spirotetramat 15.31%w/w OD

264	Sulfoxaflor 11.4%w/w SC
265	Sulfoxaflor 21.8%w/w SC
266	Sulfoxaflor 50% WG
268	Tebufenpyrad 20% WP
269	Tebufenozide 22.64% w/w (24% w/v) SC
270	Temephos 50 % EC
271	Tetraniliprole 18.18 %w/w SC
272	Tetraniliprole 40.34%FS
273	Thiacloprid 21.70% SC
274	Thiamethoxam 0.01%w/w Gel Bait
275	Thiamethoxam 25%WG
276	Thiamethoxam 30 %FS
277	Thiamethoxam 70% WS
278	Thiamethoxam 75 % w/w SG
279	Thiamethoxam 1.2% GR
280	Thiocyclam Hydrogen Oxalate 50% SP
281	Thiodicarb 75% WP
282	Tolfenpyrad 15% EC
283	Transfluthrin 0.15% Mosquito coil
284	Transfluthrin 0.03% Mos.Coil
285	Transfluthrin 0.08% Aerosol
286	Transfluthrin 0.88% Liquid Vaporiser
287	Transfluthrin 1%EU
288	Transfluthrin 1.2%LV
289	Transfluthrin 1.6%LV
290	Transfluthrin 12.0%AE
291	Transfluthrin 20% MV Gel (30 days mat tray)
292	Triflumezopyrim 10.6% SC
293	Triflumezopyrim 20% WG
294	Zinc Phosphide 01%bait (Household Product)
295	Zinc Phosphide 80%Powder
B. HERBICIDES	
296	2,4-D Amine Salt 58% SL
297	2,4-D Ethyl Ester 20% WP
298	2,4-D Ethyl Ester 38% EC
299	2,4-D Ethyl Ester 4.5% GR
300	2,4-D Sodium Salt 80% min.
301	2,4-D Sodium 95% WDG
302	Ametryn 80% WG
303	Anilofos 18% EC
304	Anilofos 2% G
305	Anilofos 30% EC
306	Atrazine 50% WP
307	Azimsulfuron 50% DF
308	Beflubutamid 2.5% GR

309	Bensulfuron Methyl 60% DF
310	Bentazone 480 g/l SL
311	Bispyribac Sodium 10% SC
312	Butachlor 5% GR
313	Butachlor 50% EC
314	Butachlor 50% EW
315	Carfentrazone ethyl 40% DF
316	Chlorimuron Ethyl 25% WP + Surfactant
317	Cinmethylin 10% EC
318	Clethodim 13% w/w EC (Clethodim 12% w/v EC)
319	Clethodim 25% EC
320	Clodinafop propargyl 12.5% EC
321	Clodinafop-propargyl 15% DF
322	Clodinafop-propargyl 15% WP
323	Clomazone 50% EC
324	Cyhalofop-butyl 10% EC
325	Dicamba 48% SL
326	Diclofop-methyl 28% EC
327	Diclosulam 84% WDG
328	Diuron 80% WP
329	Ethalfluralin 35.65% EC (36% EC)
330	Ethoxysulfuron 15% WDG
331	Fenoxaprop-p-ethyl 10% EC
332	Fenoxaprop-p-ethyl 6.7% w/w EC
333	Fenoxaprop-p-ethyl 9% w/w DF
334	Fenoxaprop-p-ethyl 9.3% w/w EC
335	Florpyrauxifen-benzyl 2.7% EC
336	Fluazifop-p-butyl 13.4% EC
337	Flucetosulfuron 10% WG
338	Flazasulfuron 10% WP
339	Fluchloralin 45% EC
340	Flufenacet 60% DF
341	Flumioxazin 50% SC
342	Flurochloridone 18.3% CS
343	Fluroxypyr meptyl 48% w/v (45.5% w/w) EC
344	Fluthiacet methyl 10.3% EC
345	Fomesafen 250 g/l (22.5% w/w) SL
346	Glufosinate Ammonium 13.5% SL
347	Glufosinate Ammonium 50% WG
348	Glyphosate 20.2% SL (IPA Salt)
349	Glyphosate 41% SL (IPA Salt)
350	Glyphosate 54% SL (IPA Salt)
351	Glyphosate Ammonium Salt 20% SL
352	Glyphosate Ammonium Salt 5% SL
353	Glyphosate Ammonium Salt 71% SG

354	Glyphosate potassium salt 41.60% (equivalent to 54% SL w/v)
355	Halosulfuron methyl 75%WG
356	Haloxypfop R Methyl 10.5%w/w EC
357	Imazethapyr 10%SL
358	Imazethapyr 10%SL+ Surfactant
359	Imazethapyr 70% WG + Surfactant
360	Ipfencarbazone 25% SC (22.81% w/w)
361	Isoproturon 50%WP
362	Isoproturon 75%WP
363	MCPA, Amine salt 40%WSC
364	Metamifop 10%EC
365	Metamitron 70%SC
366	Methabenzthiazuron 70%WP
367	Metolachlor 50%EC
368	Metribuzin 70% WG
369	Metribuzin70% WP
370	Metsulfuron-methyl 20%WG
371	Metsulfuron-methyl 20%WP
372	Orthosulfamuron 50%WG
373	Oxadiargyl 6%EC
374	Oxadiargyl 80%WP
375	Oxadiazon 25% EC
376	Oxyfluorfen 0.35% GR
377	Oxyfluorfen 20% DF
378	Oxyfluorfen 23.5% EC
379	Paraquat dichloride 24% SL
380	Pendimethalin 30% EC
381	Pendimethalin 38.7% CS
382	Pendimethalin 5% Gr.
383	Penoxsulam 2.67% OD
384	Penoxsulam 21.7% SC
385	Pinoxaden 5.1% EC
386	Pretilachlor 30.7% EC
387	Pretilachlor 37% EW
388	Pretilachlor 50% EC
389	Propanil 35% EC
390	Propanil 80% DF
391	Propaquizafop10% EC
392	Pyrazosulfuron-ethyl 10% WP
393	Pyrazosulfuron-ethyl 70% WDG
394	Pyribenzoxim 5 % w/w EC
395	PyriothiobacSodium10% EC
396	Pyroxasulfone 85% WG
397	Quinclorac 250 g/l SC
398	Quizalofop-ethyl 10% EC

399	Quizalofop-ethyl 5% EC
400	Quizalofop-p-tefury 14.41% EC
401	Saflufenacil 70.0% WG
402	Sulfentrazone 39.6% SC
403	Sulfosulfuron 75% WG
404	Tembotrione 34.4% SC
405	Tolpyralate 40% (w/v) SC
406	Topramezone 336g/l w/v SC
407	Triallate 50% EC
408	Triafamone 18.52% SC
409	Triasulfuron 20% WG
C. PLANT GROWTH REGULATORS	
410	1-Methylcyclopropene 0.014% VP
411	1-Methylcyclopropene 3.3%VP (Vapour Releasing Product)
412	Alpha Naphthyl Acetic Acid 4.5% SL (Na salt)
413	Chlormequat Chloride 50% SL
414	Chlorpropham 300 g/l EC
415	Chlorpropham 50% HN
416	Chlorpropham 55.37% w/w (624 g/l) HN
417	Ethephon 10% Paste
418	Ethephon 39% SL
419	ETHEPHON 20% WP
420	Forchlorfenuron (CPPU) 0.1% L
421	Forchlorfenuron 0.12% EC
422	Gibberellic Acid 0.001% L
423	Gibberellic Acid 0.1% GR
424	Gibberellic Acid 0.186% SP
425	Gibberellic Acid 0.45% SL
426	Gibberellic Acid 40% WSG
427	Gibberellic Acid Technical 90 % w/w
428	Hydrogen Cyanamide 49% AS
429	Hydrogen Cyanamide 50% SL
430	Mepiquat chloride 5% AS
431	Nitrobenzene 20% w/w EW
432	Paclobutrazol 23% SC
433	Paclobutrazol 40% SC
434	Prohexadione-Ca 10% WG
435	Sodiumparanitrophenolate 0.3% SL
436	Sodiumparanitrophenolate 1.8% SL
437	Triacntanol 0.05% EC
438	Triacntanol 0.05% w/w min. GR
439	Triacntanol 0.1% EW
D. FUNGICIDES	
440	Amisulbrom 17.7% (20% w/v) SC
441	Aureofungin 46.15% SP

442	Azoxystrobin 23% SC
443	Bitertanol 25% WP
444	Bupimate 26.7% EC
445	Captan 50% WG
446	Captan 50% WP
447	Captan 75% WS
448	Captan 75% WP
449	Carbendazim 25% DS
450	Carbendazim 46.27% SC
451	Carbendazim 5% GR
452	Carbendazim 50% WP
453	Carboxin 75% WP
454	Carpropamid 27.8% SC
455	Chlorothalonil 75% WP
456	Copper Hydroxide 46.1% WG
457	Copper Hydroxide 53.8% DF
458	Copper Hydroxide 61.41% WG
459	Copper Hydroxide 77% WP
460	Copper Oxychloride 40% paste
461	Copper Oxychloride 50% WP
462	Copper Oxychloride 50% WG
463	Copper Oxychloride 56% OP
464	Copper Sulphate 2.62% SC
465	Copper Sulphate Pentahydrate 23.99 % (Containing copper content 6 % w/v)
466	Cyazofamid 34.5% SC
467	Cyflufenamide 5% EW
468	Cymoxanil 50% WP
469	Difenoconazole 25% EC
470	Difenoconazole 3% WS
471	Dimethomorph 50% WP
472	Dithianon 75% WP
473	Dodine 40% SC
474	Dodine 65% WP
475	Edifenphos 50% EC
476	Ethaboxam 40% SC
477	Fludioxonil 20.4% SC
478	Flusilazole 40% EC
479	Fluoxapiprolin 1.9% SC
480	Fluxapyroxad 333g/l FS
481	Fosetyl-Al 80% WP
482	Hexaconazole 0.5% GR
483	Hexaconazole 2% SC
484	Hexaconazole 5% EC
485	Hexaconazole 5% SC
486	Hexaconazole 75% WG

487	Iprobenfos (Kitazin)17% GR
488	Iprobenfos (Kitazin) 48% EC
489	Iprodione 50% WP
490	Isoprothiolane 40% EC
491	Kasugamycin 3% SL
492	Kresoxim-methyl 44.3% (500g/l) SC
493	Lime Sulphur 22% SC
494	Mancozeb 35% SC
495	Mancozeb 75% WP
496	Mancozeb 75% WG
497	Mandipropamid 23.4% SC
498	Meptyldinocap 35.7% EC
499	Metalaxyl-M 31.8% ES
500	Metalaxyl 35% WS
501	Metiram 70% WG
502	Metrafenone 500 g/l SC
503	Myclobutanil 10% WP
504	Oxathiapipron 10.1% OD
505	Oxycarboxin 20% EC
506	Paclobutarzole 23% SC
507	Paclobutrazole 40% SC
508	Penconazole 10% EC
509	Pencycuron 22.9% SC
510	Penflufen 22.43% FS
511	Picoxystrobin 22.52% SC
512	Polyoxin D Zinc salt 5% SC
513	Prochloraz 39.6% EC
514	Propiconazole 25% EC
515	Propineb 70% WP
516	Pyraclostrobin 100g/l CS
517	Pyraclostrobin 20% WG
518	Pyriofenone 18% w/v SC (16.51% w/w)
519	Sulphur 40% SC
520	Sulphur 52% Flowable
521	Sulphur 55.16% SC (800 gm/L)
522	Sulphur 80% WG
523	Sulphur 80% WP
524	Sulphur 85% DP
525	Tebuconazole 2% DS
526	Tebuconazole 25% WG
527	Tebuconazole 25.9% EC
528	Tebuconazole 38.39% SC
529	Tebuconazole 5.36% FS
530	Tebuconazole 5.4% (6.0%w/v) FS
531	Tetraconazole 11.6% w/w (12.5% w/v) SL

532	Tetraconazole 3.8% EW
533	Thiifluzamide 24% SC
534	Thiophanate-methyl 41.7% SC
535	Thiophanate-methyl 70% WG
536	Thiophanate-methyl 70% WP
537	Thiram 40% FS
538	Thiram 75% WS
539	Thiram 80% WP
540	Triadimefon 25% WP
541	Tribasic Copper Sulphate 34.5% SC
542	Tricyclazole 70% WG
543	Tricyclazole 75% WP
544	Triflumizole 42.14%w/w SC
545	Triflumizole 15% w/w EC
546	Validamycin 3%L
547	Zineb 75%WP
548	Zineb 80%WP
549	Ziram 27%SC
550	Ziram 80% WP
E. NEMATOCIDES	
551	Cyclobutrifluram 41.6% FS
552	Cyclobutrifluram 38.4% SC
553	Fluensulfone 2% GR
554	Fluopyram 34.48 % w/w SC
555	Fluazaindolizine 41.15% SC
F. BIO-INSECTICIDES	
556	Azadirachtin 0.15% EC w/w Min. Neem Seed Kernel Based
557	Azadirachtin 0.15%EC
558	Azadirachtin 00.30% EC (3000 PPM) Min. Neem Seed Kernel Based
559	Azadirachtin 01.00% EC Min. Neem Based
560	Azadirachtin 01.00% EC (10000 PPM) Min. Neem Based
561	Azadirachtin 00.03% EC Min. Neem Oil Based
562	Azadirachtin 00.03% WSP (300 PPM) Neem Oil Based
563	Azadirachtin 05.00% w/w Min. Neem Extract Concentrates
564	Bacillus firmus 1.5% AS (CFU count: 1×10^8 /ml min. [Strain AMMFA-BFI, NCMR, Accession No. MCC 0584]
565	<i>Bacillus thuringiensis</i> var. <i>galleriae</i> 1593 M serotype H595b, 1.3%
566	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i>
567	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> , serotype H-39,3B, Strain Z-52
568	<i>Bacillus thuringiensis</i> serovar <i>kurstaki</i> (3a,3b,3c) 5.0%WP Potency 55000SU
569	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> 0.5%WPserotype 3a,3b,3c, Strain DORBt-1, Potency 9000 IU/mg min.
570	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> 0.5%WPserotype 3a,3b,3c, Strain DORBt-1; NAIMCC-B-01118, Potency13329IU/mg min.
571	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> 0.5% WP serotype 3a,3b,3c, Strain DORBt-1, Potency 16000 IU/mg min.

572	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> 2.5% AS
573	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> 10% WSL (CFU Count: 2×10^9 / gm Min.) Potency: 14245 IU/ml min. [Strain name: NBAIR-BtG4, Accession Number: JN120763, JN120765]
575	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> Strain HD-1, serotype 3a,3b,3.5%ES for Import & repack. Potency 17600 IU/mg
577	<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> Serotype 3a,3b, SAIIWG Potency:- 53000; SU/mg, 32000IU/mg
579	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> WP
580	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> , Serotype H-14(VECTOBAC12AS) Potency1200ITU /MG
581	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> 5.0% AS [Strain VCRC-B-17, Serotype H-14, Accession No.- MTCC5596]
582	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> , Serotype H-14,5% WP Potency 2000 ITU/mg
585	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> , Strain Designation- ABIL, Accession No. NAMICC- B01318(CFU Count- 4.8×10^8) Serotype H-14,5%WP Potency 7000 ITU/mg
586	<i>Bacillus thuringiensis</i> var. <i>sphaericus</i> 1593 Mserotype H59 5b
587	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> 12% AS (Vectobac)
588	<i>Bacillus sphaericus</i> 1593M serotype H595b, 1.3% flowable concentrate Potency 13000 IU/mg
589	<i>Bacillus subtilis</i> 1.5% AS [Strain AMMFA-BS1; (NCMR Accession No. MCC 0581)]
590	<i>Bacillus subtilis</i> 5% SP [Strain IPL/BS/102, Accession No. MTCC 25692]
591	<i>Beauveria bassiana</i> 1.15% WP
592	<i>Beauveria bassiana</i> 1.15% WP (1x10 ⁸ /gmmin) Strain BB-ICAR-RJP, Accession No–MCC1022
593	<i>Beauveria bassiana</i> 1.15% WP (Strain: BB –5372, own R&D Isolate)
594	<i>Beauveria bassiana</i> 1.15%WP (1x10 ⁸ /gm min) Strain ICAR, Research Complex, Umiam, Meghalaya, Accession No– NAIMCC-F-03045
595	<i>Beauveria bassiana</i> 1.15%WP (1x10 ⁸ /gm min) Accession No –NAIMCC-F- 03045, Strain No. NBAIM, MAU.
596	<i>Beauveria bassiana</i> 1.15%WP (1x10 ⁸ /spores/ml) Strain BCRL, Accession No–BCRLBbpx-6892
597	<i>Beauveria bassiana</i> 1.0% WP, Strain No: NBRI–9947 (1x10 ⁸ CFU/gm Min.)
598	<i>Beauveria bassiana</i> 1.0% WP (1x10 ⁹ CFU/gm min), Strain No. IPL/BB/MI/01
599	<i>Beauveria bassiana</i> 1.0% WP (1x10 ⁸ CFU/gm min), Strain No. SVBPU/CSP/Bb- 10, Accession No. ITCC-7520
600	<i>Beauveria bassiana</i> 1.5% AS [Strain AMMFA-BB1, NCMR Accession No. MCC 0579]
601	<i>Beauveria bassiana</i> 5.0% WP, (1x10 ⁸ CFU/gm min) Strain IARI, Accession No. ITCC-7353
602	<i>Beauveria bassiana</i> 5.0% SC, Strain: NBAII, Bangalore, Accession No. ITCC- 7102
603	<i>Beauveria bassiana</i> 5.0% AS Strain: BB-AAU-RJP Accession No. MCC–1024
604	<i>Beauveria bassiana</i> 1.15% WP (1x10 ⁸ /gm min) Accession No–NAIMCC-F- 03048
605	<i>Beauveria bassiana</i> 10.00% SC
606	<i>Beauveria bassiana</i> 1.5% Liquid Formulation (CFU count 10×10^8) Accession No. MTCC-5171
607	<i>Beauveria bassiana</i> 1.15%WP (1X10 ⁶ CFU/gm min)
608	<i>Isaria fumosorosea</i> 5% SC [Strain: ICAR-NBAIR Pfu, Accession No. KC147664]
609	<i>Lecanicillium (Verticillium) lecanii</i> 1.5% AS [Strain AMMFA-VI; (NCMR Accession No. MCC 0577)]

610	<i>Metarhizium anisopliae</i> 1.5% AS [Strain AMMFA-MAI; (NCMR Accession No. MCC 0578)]
611	<i>Metarhizium anisopliae</i> 1.0% WP (1x10 ⁸ CFU/gm min) Strain No. IPL/KC/44 (Own R&D Isolate), Accession No. 6895
612	<i>Metarhizium anisopliae</i> 1.15% WP (1x10 ⁸ CFU/gm min) Accession No. MTCC– 5173
614	<i>Metarhizium anisopliae</i> 1.15% WP (1x10 ⁸ CFU/gm min) Strain No. AAI, Allahabad, Accession No. NAIMCC-F-03037.
616	<i>Metarhizium anisopliae</i> 10% GR (CFU count 1X 10 ⁸ /gm. min.) Strain BCRL– Me, Accession No. ITCC6911
619	<i>Metarhizium anisopliae</i> 2% WP [Strain ICAR-NBAIR, Ma4, Accession No. NAIMCC-F-01296)
621	<i>Metarhizium anisopliae</i> 1.5% A.S. (CFU count: 1x10 ⁸ /ml Min.) Strain-AMMFAMA1, NCMR Accession number MCC 0578 (Bio-pesticide)
622	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 0.43% AS (1x10 ⁹ POB/ml)
623	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 2.0% AS, Strain No. GBS/HNPV-01(1x10 ⁹ POB/ml Min.)
624	Nuclear Polyhedrosis Virus of <i>Helicoverpa armigera</i> 2.0% AS, Strain No. BIL/HV-9POB(1x10 ⁹ POB/ml Min.)
625	Nuclear Polyhedrosis Virus of <i>Spodoptera litura</i> 0.5% AS, (1x10 ⁹ POB/ml Min.)
626	<i>Paecilomyces lilacinus</i> 01.15% WP
627	<i>Paecilomyces lilacinus</i> 01.50% LF (CFU count 1x10 ⁸ /ml min.)(Accession No. MTCC No. 5175, T-Stanes PI-1 Strain)
628	PB Rope L
629	<i>Pseudomonas fluorescens</i> 1.0% WP (Strain No. IIHR-PF-2, Accession No. ITCC- B0034)
630	<i>Pseudomonas fluorescens</i> 1.5% AS [Strain AMMFA-PF1; (NCMR Accession No. MCC 0580)]
631	<i>Pseudomonas fluorescens</i> 5% SP [Strain IPL/PS/102, Accession No. MTCC 25694]
632	<i>Trichoderma harzianum</i> 1.0% WP (Strain No. IIHR-TH-2 Accessions No. ITCC 6888)
633	<i>Trichoderma harzianum</i> 1.5% WP (Strain No. IIHR-TV-5 Accessions No. ITCC 6889)
634	<i>Trichoderma harzianum</i> 1.5% AS [Strain AMMFA-TH1; (NCMR Accession No. MCC 0583)]
635	<i>Trichoderma viride</i> 1.5% AS [Strain AMMFA-TV1; (NCMR Accession No. MCC 0582)]
636	<i>Trichoderma viride</i> 1.5% WP (Strain No. IIHR-TV-5 Accessions No. ITCC 6889)
637	<i>Trichoderma viride</i> 5% SP [Strain IPL/VT/102, Accession No. MTCC 25775]
638	<i>Verticillium chlamydosporium</i> 1.0% WP, (2x10 ⁶ CFU/gm min) Strain –IIHR-VC- 3 Accession No –ITCC-6898
639	<i>Verticillium lecanii</i> 1.15% WP, (1x10 ⁸ CFU/gm min) Strain –ASMEGH-VL Accession No– MCC-1028
640	<i>Lecanicillium (Verticillium) lecanii</i> 1.5% A.S. (CFU count: 1x10 ⁸ /ml Min.) Strain-AMMFA-V1, NCMR Accession number MCC 0577 (Biopesticide)
641	<i>Verticillium lecanii</i> 1.50% Liquid Formulation, (1x10 ⁸ CFU/ml. min.) Strain–T Stanes VI-1, Accession No– MTCC-5172
642	<i>Verticillium lecanii</i> 3.0% AS, (strain: Accession No. MCC-1127, Strain No. MPKV /Biocontrol/RVN/VL-01
643	<i>Verticillium lecanii</i> 5.0% SC, (1x10 ⁸ CFU/gm Min.) Strain –Own Red Isolate, Strain No. VI- 17874, MTCC No. 5716
644	<i>Verticillium lecanii</i> 5.0% SC, (Strain: Accession No. NFCCI-2638
G. BIO-FUNGICIDES	

645	<i>Ampelomyces quisqualis</i> 2.0% WP (Aq-1MTCC-5683)
646	<i>Ampelomyces quisqualis</i> 1.5% AS (CFU count: 2×10^6 /ml min.) [Strain AMMFA-AQI, NBAIM, Accession No. NAIMCC-SF-0117]
647	<i>Ampelomyces quisqualis</i> 1.5% LF (Strain T Stanes Aq 1; Accession No. MTCC 5683)
648	<i>Bacillus subtilis</i> 1.0% WP (CPBT15, MTCC5527)
649	<i>Bacillus subtilis</i> 1.15% A.S.
650	<i>Bacillus subtilis</i> 1.5% LF (Bs-1, MTCC25072)
651	<i>Bacillus subtilis</i> 1.5% A.S. (BIL, BS-168)
652	<i>Bacillus subtilis</i> 1.5% A.S.(KTSBMTCC5786)
653	<i>Bacillus subtilis</i> 1.5% A.S. (AMMFA-BS 1, NCMR Accession No. MCC 0581)
654	<i>Bacillus subtilis</i> 2.0% A.S. (IPL/BS/09, MTCC-5728)
655	<i>Pseudomonas fluorescens</i> 1.5% LF (PF-1, MTCCNo.5671)
656	<i>Pseudomonas fluorescens</i> 0.5% W.P.(TNAUPF1ITCCBE-0005)
657	<i>Pseudomonas fluorescens</i> 1.0% W.P. (IIHR-PF-2, ITCCB-0034)
658	<i>Pseudomonas fluorescens</i> 1.0% W.P. (IPL/PS-01, MTCC-5727)
659	<i>Pseudomonas fluorescens</i> 1.15% A.S. (AS AAIF, MCC2539)
660	<i>Pseudomonas fluorescens</i> 1.5% WP
661	<i>Pseudomonas fluorescens</i> 1.75% WP (PF-1MTCCNo.5671)
662	<i>Pseudomonas fluorescens</i> 2.0% A.S. (IPL/PS-01)
663	<i>Trichoderma harzianum</i> 0.5% WS (T-39)
664	<i>Trichoderma harzianum</i> 1.0% WP (Th3, ITCC-5593)
665	<i>Trichoderma harzianum</i> 1.0% W.P. (IIHR-Th-2, ITCC-6888)
666	<i>Trichoderma harzianum</i> 2.0% A.S. (IPL/VT/1026893)
667	<i>Trichoderma harzianum</i> 20% SC (CFU count: 2×10^6 /ml min.) [ICAR-IIOR strain Th4d, Accession No. NAIMCC-F-02188]
668	<i>Trichoderma harzianum</i> 2.0% WP (NBRI-1055)
669	<i>Trichoderma harzianum</i> 5.0% SC (ITCC-7111)
670	<i>Trichoderma harzianum</i> 5.0% WP
671	<i>Trichoderma reesei</i> 3.0 % WP (CFU Count: 1×10^7 /gm min.) [Strain No. CRT-3, Accession No. NAIMCC-SF-00300]
672	<i>Trichoderma reesei</i> 3.0% WP (CSR-T-3, NAIMCC-SF-0030)
673	<i>Trichoderma viride</i> 0.50% W.P.
674	<i>Trichoderma viride</i> 1.0 % AS (TV AAU RJP, MCC 1013)
675	<i>Trichoderma viride</i> 1.0% W.P. (Tv-1, ITCC-6914)
676	<i>Trichoderma viride</i> 1.00% W.P. (IPL/VT/101)
677	<i>Trichoderma viride</i> 1.00% W.P. (T-14)
678	<i>Trichoderma viride</i> 1.5% LF (Tv-1, MTCC-5170)
679	<i>Trichoderma viride</i> 1.5% W.P. (IIHR-Tv-5, ITCC-6889)
680	<i>Trichoderma viride</i> 1.5% A.S. (AMMFA-TV 1, NCMR Accession No. MCC 0582)
681	<i>Trichoderma viride</i> 2% W.P. (BHU, NAIMCC F 02976)
682	<i>Trichoderma viride</i> 5% LF (NAIM-F-03034)
FORMULATIONS OF COMBINATION OF PESTICIDES	
S. No.	Formulation registered
	A. INSECTICIDES

683	Acephate 25%+ Fenvalerate 3% EC
684	Acephate 45%+ Cypermethrin 5% DF
685	Acephate 50%+ Bifenthrin 10% WDG
686	Acephate 50%+ Fiproni 15% WDG
687	Acephate 50%+ Imidacloprid 1.8% SP
688	Acephate 50% + Imidacloprid 5% WG
689	Acetamiprid 0.4%+ Chlorpyrifos 20% EC
690	Acetamiprid 1.1%+ Cypermethrin 5.5% EC
691	Acetamiprid 20% + Chlorantraniliprole 20% WG
692	Acetamiprid 25% + Bifenthrin 25% WG
693	Acetamiprid 19.5% + Chlorantraniliprole 19.5% FS
694	Afidopyropen 50 g/l + Abamectin 25 g/l DC
695	Alphacypermethrin 75 g/l + Teflubenzuron 75 g/l SC
696	Benzpyrimoxan 10% + Pymetrozine 20% WG
697	Benzpyrimoxan 15% + Fipronil 10% SC
698	Benzpyrimoxan 10.0 % + Thiamethoxam 3.3 % SC
699	Betacyfluthrin 8.49%+Imidacloprid 9.81% OD
700	Bifenthrin 2.5% + Acetamiprid 2.1% ME
701	Bifenthrin 10% + Thiamethoxam 5% SC
702	Bifenthrin 3% + Chlorpyrifos 30% EC
703	Bifenthrin 8%+ Clothianidin 10% SC
704	Bifenthrin 25% + Thiamethoxam 25% WG
705	Bifenthrin 32 % + Chlorantraniliprole 12% WG
706	Buprofezin 20%+ Acephate 50% WP
707	Buprofezin 20%+ Acetamiprid 2% WP
708	Buprofezin 22.0%+ Fipronil 3.0% SC
709	Buprofezin 22.5% + Diafenthiuron 27% w/v SC
710	Buprofezin 23.1%+ Fipronil 3.85% SC
711	Buprofezin 9.0%+ Acephate 24.0% WP
712	Buprofezin 15%+ Acephate 35% WP
713	Cartap hydrochloride 25% + Eamectin benzoate 1% SG
714	CartapHydrochloride 4.0%+ Fipronil 0.50% GC
715	Cartaphydrochloride 50%+ Buprofezin 10% WP
716	CartapHydrochloride 7.5%w/w+ Eamectin Benzoate 0.25%w/w GR
717	Cartap hydrochloride 7.5% + Chlorantraniliprole 0.4% GR
718	Chlorantraniliprole 0.35% + Fipronil 0.35% GR
719	Chlorantraniliprole 0.50% + Thiamethoxam 1% GR
720	Chlorantraniliprole 0.53% w/w + Fipronil 0.8% w/w GR
721	Chlorantraniliprole 0.83% + Fipronil 1.33% w/w GR
722	Chlorantraniliprole 12% + Fipronil 30% w/w WG
723	Chlorantraniliprole 4.3%+ Abamectin 1.7% SC
724	Chlorantraniliprole 4.5% + Novaluron 11.5% + Eamectin Benzoate 1.5% SE
725	Chlorantraniliprole 5.2% + Novaluron 8.5% SC

726	Chlorantraniliprole 7.5% w/w + Thiamethoxam 7.5% w/w OD
727	Chlorantraniliprole 8.8% + Thiamethoxam 17.5% SC
728	Chlorantraniliprole 9.3% + Lambdacyhalothrin 4.6% ZC
729	Chlorpyrifos 16% + Alphacypermethrin 1% EC
730	Chlorantraniliprole 15% + Emamectin benzoate 7.5% SC
731	Chlorantraniliprole 24% + Emamectin Benzoate 8.8% WG
732	Chlorantraniliprole 0.4% + Fipronil 0.6% GR
733	Chlorantraniliprole 10% + Novaluron 20% SC
734	Chlorantraniliprole 0.45% + Fipronil 0.5% + Emamectin benzoate 0.18% GR
735	Chlorantraniliprole 0.4% + Fipronil 0.6% + Clothianidin 1.0% GR
736	Chlorantraniliprole 6.5% + Lufenuron 5% + Emamectin benzoate 2% SC
737	Clothianidin 10% + Chlorantraniliprole 6% WG
738	Chlorpyrifos 50% + Cypermethrin 5% EC
739	Chlorpyrifos 50% + Cypermethrin 5% WG
740	Clothianidin 3.5% + Pyriproxyfen 8% SE
741	Cyantraniliprole 16.9% + Lufenuron 16.9% SC
742	Cyantraniliprole 7.3% + Diafenthiuron 36.4% SC
743	Cyantraniliprole 10 % + Pymetrozine 50 % WG
744	Cyantraniliprole 19.8% + Thiamethoxam 19.8% FS
745	Cyclanilide 2.10% + MepiquatChloride 8.40% SC
746	Cyfluthrin 0.025% + Tranfluthrin 0.04% Aerosol
747	Cypermethrin10% + Indoxacarb 10% SC
748	Cypermethrin 3% + Quinalphos 20% EC
749	Deltamethrin 0.02% + Allethrin 0.13% EC
750	Deltamethrin 0.05% + Allethrin 0.04% EC
751	Deltamethrin 0.15% + Piperonyl 0.55% EC
752	Deltamethrin 0.15%+Fipronil 0.55% EC
753	Deltamethrin 0.72% + Buprofezin 5.65% EC
754	Deltamethrin 2.5% + D-trans-allethrin 2.0% EC
755	Diafenthiuron 30% + Pyriproxyfen 8% SE
756	Diafenthiuron 40% + Spinetoram 5% SC
757	Diafenthiuron 47.0% + Bifenthrin 9.4% SC
758	Diafenthiuron 48.0% + Dinotefuran 8.0% WG
759	Diafenthiuron 18% + Fipronil 8% + Dinotefuran 5% SC
760	Diafenthiuron 12% + Fipronil 8% + Tolfenpyrad 5% SC
761	Diflubenzuron 20% + Deltamethrin 2% SC
762	Dimethoate 20% + Cypermethrin 3% EC
763	Dinotefuran 11% + Pymetrozine 36% WG
764	Dinotefuran 15% + Pymetrozine 45% WG
765	Dinotefuran 4% + Acephate 50% SG
766	Dinotefuran 5% + Ethion 50% EC
767	Didinotefuran 12% + Thiamethoxam 22.5% + Pymetrozine 30% WG
768	D-trans-allethrin 0.1% + Permethrin 0.03% + Imiprothrin 0.02% Aerosol
769	Emamectin benzoate 1.1% + Diafenthiuron 30% SC
770	EmamectinBenzoate1.5% + Fipronil 3.5% SC

771	EmamectinBenzoate1.5% + Profenofos 35% WDG
772	Emamectin benzoate 2.2% + Permethrin 15.3% SC
773	EmamectinBenzoate 5% + Lufenuron 40% WG
774	Emamectin benzoate 3.5% + Lambda cyhalothrin 5% WP
774	Emamectin benzoate 3.8% + Thiamethoxam 20% WDG
775	Emamectin Benzoate 1.25% + Lambda Cyhalothrin 1.5% + Bifenthrin 4.5% EC
777	Emamectin benzoate 1.9% + Chlorantraniliprole 5% + Deltamethrin 1% EC
778	Emamectin Benzoate 1.1% + Deltamethrin 1.5% + Lambda Cyhalothrin 1.5% ME
779	Ethion 40% + Cypermethrin 5% EC
780	Ethiprole 10.7% + Pymetrozine 40% WG
781	Ethiprole 40% + Imidacloprid 40% WG
782	Etofenprox 6% + Diafenthiuron 25% WG
783	Etoxazole 6 % + Abamectin 1.5 % SC
784	Fenazaquin10% + Bifenthrin 4% EC
785	Fenobucarb 20% + Buprofezin 5% SE
786	Fenobucarb 22.5% + Buprofezin 11.25% + Acephate 2.5% ME
787	Fipronil 10% + Diafenthiuron 30% WG
788	Fipronil 12.5% + Lambda-cyhalothrin 5% ZC
789	Fipronil 15% + Deltamethrin 2.5% SC
790	Fipronil 15%+ Flonicamid 15% WDG
791	Fipronil 2.50% + Propargite 35.00% SE
792	Fipronil 4%+ Acetamiprid 4%w/w SC
793	Fipronil 4%+ Thiamethoxam 4%w/w SC
794	Fipronil 40%+ Imidacloprid 40% WG
795	Fipronil 15 % + Imidacloprid 5 % SC
796	Fipronil 5% + Buprofezin 20% SC
797	Fipronil 15 % + Chlorantraniliprole 5 % SC
798	Fipronil 7% + Hexythiazox 2%w/w SC
799	Fipronil 8% + Pymetrozine 35% WG
800	Flonicamid 11.7% + Diafenthiuron 36% WG
801	Flonicamid 20% + Fipronil 8% SC
802	Flonicamid 18% + Spirotetramat 13.5% SC
803	Flonicamid 20% + Chlorantraniliprole 8% + Abamectin 2% SC
804	Flonicamid 15% + Pyriproxyfen 12% + Acetamiprid 2% ME
805	Flubendiamide19.92% + Thiacloprid19.92% SC
806	Flubendiamide 3.50% + Hexaconazole 5% WG
807	Flubendiamide 4%+ Buprofezin 20%SC
808	Flubendiamide 7.5%+ Kresoximmethyl 37.5% SC
809	Flubendiamide 8.33%+ Deltamethrin 5.56% SC
810	Fluxametamide 3.8%+ Pyridaben 9.5% SC
811	Fluxametamide 5.81 % + Bifenthrin 5.81 % EC
812	Hexythiazox 3.5 + Diafenthiuron 42% WDG
813	Imidacloprid 18.50% + Hexaconazole1.50% FS
814	Imidacloprid 20%+ Bifenthrin 8% SL
815	Imidacloprid 21% + Beta-cyfluthrin10.5% SC

816	Imidacloprid 6.0% + Lambdacyhalothrin 4.0% SL
817	Imiprothrin 0.05% + Cypermethrin 1.0% CL
818	Imiprothrin 0.07% + Cypermethrin 0.20% Aerosol
819	Imiprothrin 0.1% + Cyphenothrin 0.15%
820	Indoxacarb 10% + Thiamethoxam 10% WG
821	Indoxacarb 14.5% + Acetamiprid 7.7% SC
822	Indoxacarb 5% + Fipronil 5% SC
823	Indoxacarb 12% (12% S-Isomer, 4% R-Isomer) + Chlorantraniliprole 12% OD
824	Indoxacarb 20% + Emamectin benzoate 4% EC
825	Isoprothiolane 28% + Fipronil 5% EC
826	Lambda-Cyhalothrin 5% + Clothianidin 5% + Carbendazim 37% SC
827	Lambda Cyhalothrin 10% + Lufenuron 12% SC
828	Lufenuron 4% + Emamectin Benzoate 1.5% EC
829	Lufenuron 20% + Chlorantraniliprole 10% + Pyriproxyfen 5% WG
830	Methoxyfenozide 18% + Emamectin benzoate 1.8% SC
831	Methoxyfenozide 20 % + Chlorantraniliprole 5 % SC
832	Methoxyfenozide 5% + Chlorpyrifos 25% SE
833	Nitenpyram 15.0% + Fipronil 20.0% WP
834	Novaluron 5.25% + Emamectin benzoate 0.9%w/w SC
835	Novaluron 5.25%+ Indoxacarb 4.5%SC
836	Novaluron 9.45% + Lambda cyhalothrin 1.9% ZC
837	Phenthoate 45% + Cypermethrin 6% EC
838	Phenthoate 35% + Emamectin benzoate 3.5% EC
839	Profenofos 40% + Cypermethrin 4% EC
840	Profenofos 40% + Cypermethrin 4% w/v EW
841	Profenofos 50% + Cypermethrin 5% WDG
842	Profenofos 50 % + Fenpropathrin 5 % EC
843	Profenofos 40 % + Fenpyroximate2.50 % EC
844	Profenofos 40% + Lambda cyhalothrin 1.5% EC
845	Propargite 42% + Hexythiazox 2%EC
846	Propargite 50% + Bifenthrin 5%SE
847	Propoxur 0.5% + Cyfluthrin 0.025% Spray
848	Propoxur 0.75% + Cyfluthrin 0.025% Aerosol
849	Pyrethrin 0.05% + Malathion 1% Household
850	Pyriproxyfen 10% + Bifenthrin 10%EC
851	Pyriproxyfen 5% + Fenpropathrin 15%EC
852	Pyriproxyfen 5.0% + Diafenthiuron 25%SE
853	Pyriproxyfen 8% + Dinotefuran5% + Diafenthiuron18%SC
854	Pymetrozine 14.8% + Fipronil 7.5% + Dinotefuran 4.8% SC
855	Pymetrozine 29.2% w/w + Dinotefuran 11.7% w/w WDG
856	Pymetrozine 11.3% + Triflumezopyrim 1.9% SC
857	Pyridalyl 7% + Emamectin benzoate 1% EC
858	Sedaxane 12.61% + Azoxystrobin 3.15% + Thiamethoxam 22.6% FS
859	Spinoteram 5.66% + Methoxyfenozide 28.3% SC
860	Spiropidion 9.6% + Abamectin 1.4% SC u/s

861	Spiropidion 30% w/w + Acetamiprid 24% w/w WG
862	Spiromesifen 15% + Hexythiazox 2.2% + Abamectin 1.15% SC
863	Spirotetramat 11.01% + Imidacloprid 11.01% SC
864	Sulfoxaflor 7.5% + Buprofezin 15% SC
865	Sulphur 75% + Chlorantraniliprole 0.85% WDG
866	Tetraniliprole 10.08 % + Thiacloprid 30.25 % SC
867	Tetraniliprole 10.81% + Spirotetramat 21.62% SC
868	Tetraniliprole 16% + Lambda-Cyhalothrin 10% OD
869	Thiamethoxam 0.4% + Bifenthrin 0.8% GR
870	Thiamethoxam 0.9% + Fipronil 0.2%GR
871	Thiamethoxam 1.0% + Chlorantraniliprole 0.5% GR
872	Thiamethoxam 1.25% + Fipronil 1.25% + Chlorantraniliprole 0.6% GR
873	Thiamethoxam 12.6% + Lambda-cyhalothrin 9.5%ZC
874	Thiamethoxam 1.25% + Fipronil 1.25% + Chlorantraniliprole 0.6% GR
875	Tolfenpyrad 15% + Bifenthrin 7.5% SE
876	Tolfenpyrad 30% + Pyriproxyfen 10% + Acetamiprid 4% EC
877	Transfluthrin1.0% + Cypermethrin 0.25% Spray
878	Triflumezopyrim 0.45% + Chlorantraniliprole 0.5% GR
879	Thiocyclam hydrogen oxalate 3.0% + Clothianidin 1.2% GR
B. FUNGICIDES	
880	Ametoctradin 27%+Dimethomorph 20.27%SC
881	Ametoctradin 25%(w/w) + Metalaxyl 20%(w/w) WDG
882	Amisulbrom 5.21% + Zoxamide 10.41% SC
883	Azoxystrobin 20% + Boscalid 25% SE
884	Azoxystrobin 11.0%+Tebuconazole18.3%SC
885	Azoxystrobin 11.5%+Mancozeb 30.0%WP
886	Azoxystrobin 12.5%+Tebuconazole 12.5%SC
887	Azoxystrobin 120g/l+Tebuconazole 240g/lSC
888	Azoxystrobin 14% +Epoxiconazole 09%SC
889	Azoxystrobin16.7%+Tricyclazole 33.3%SC
890	Azoxystrobin18.2%+Cyproconazole 7.3%SC
891	Azoxystrobin18.2%+Difenoconazole 11.4%SC
892	Azoxystrobin 4.7%+Mancozeb59.7%+Tebuconazole 5.6%WG
893	Azoxystrobin 4.8%+Chlorothalonil 40.0%SC
894	Azoxystrobin 5.1%+Tebuconazole9.1 %+ Prochloraz18.2% EC
895	Azoxystrobin 7.1%+Propiconazole 11.9%SE
896	Azoxystrobin 8.3% + Mancozeb 66.7% WG
897	Azoxystrobin 20% + Thifluzamide 15% SC
898	Azoxystrobin 25% + Boscalid 35% WG
899	Azoxystrobin 8.3% + Mancozeb 66.7% WG u/s
900	Azoxystrobin 13.04% + Thiafluzamide 15.66% SC
901	Azoxystrobin 4.5% + Mancozeb 67.5% + Cyproconazole 3.0% WG
902	Azoxystrobin 7.5% + Tebuconazole 12% + Isoprothiolane 12% SE
903	Azoxystrobin 30.5% + Myclobutanil 4.85% SE
904	Azoxystrobin 18.75% + Tricyclazole 37.5% WG

905	Azoxystrobin 4% + Isoprothiolane 12% + Mancozeb 30% WP w/w
904	Benalaxyl 8.0 % + Mancozeb 65% WP
907	Benalaxyl-M 4.0% + Mancozeb 65.0% WP
908	Boscalid 25.2 + Pyraclostrobin 12.8% WG
909	Captan 70% + Hexaconazole 5% WP
910	Carbendazim 1.92% + Mancozeb 10.08% GR
911	Carbendazim 12% + Mancozeb 63% WP
912	Carbendazim 12% + Mancozeb 63% WS
913	Carbendazim 25% + Flusilazole 12.5% SE
914	Carbendazim 25% + Mancozeb 50% WS
915	Carbendazim 11.57% + Tebuconazole 11.57% SC
916	Carboxin 17.5% + Thiram 17.5% FF
917	Carboxin 37.5% + Thiram 37.5% WS
918	Chlorothalonil 40% + Difenconazole 4% w/w SC
919	Chlorothalonil 12.5% + Mancozeb 62.5% WG
920	Chlorothalonil 40% + Thiophanate methyl 35% WDG
921	Chlorothalonil 35 % + Cymoxanil 15% + Metalaxyl 2 % SC
922	Copper Sulphate 47.15% + Mancozeb 30% WDG
923	Copper Oxychloride 47% + Metalaxyl 8% WP
924	Cymoxanil 8% + Mancozeb 64% WP
925	Cyazofamid 25% + Pyraclostrobin 18% w/v SC
926	Cyazofamid 6.2% + Mancozeb 60.8% WP
927	Cyproconazole 12.5% + Tebuconazole 12.5% w/w SC
928	Difenconazole 10% + Mancozeb 50% WDG
929	Difenconazole 4% + Propineb 64% DF
930	Difenconazole 6% + Validamycin 6% SC
931.	Difenconazole 4.8% + Mancozeb 64% WP
932	Difenconazole 4% + Propineb 64% DF
933	Dimethomorph 12% + Pyraclostrobin 6.7% WG
934	Famoxadone 16.6% + Cymoxanil 22.1% SC
935	Fenamidone 10% + Mancozeb 50% WDG
936	Fenamidone 4.44% + Fosetyl-Al 66.66% WDG
937	Fenoxanil 5% + Isoprothiolane 30% EC
938	Fluindapyr 20.9% + Flutriafol 20.9% SC
940	Fluopicolide 5.56% + Propamocarbhydrochloride 55.6% SC
941	CF-1020 (Fluopicolide 10% + Dimethomorph 20% SC)
942	Fluopyram 17.7% + Tebuconazole 17.7% SC
943	Fluopyram 21.37% + Trifloxystrobin 21.37% SC
944	Fluopicolide 17.54% + Cymoxanil 21.05% SC
945	Fluxapyroxad 167g/L + Pyraclostrobin 333g/L SC
946	Fluxapyroxad 250g/l + Pyraclostrobin 250g/l SC
947	Fluxapyroxad 62.5g/l + Epoxiconazole 62.5g/l EC
948	Fluxapyroxad 75g/l + Difenconazole 50g/l SC
949	Hexaconazole 4% + Carbendazim 16% w/w SC
950	Hexaconazole 4% + Zineb 68% WP

951	Hexaconazole 5%+Validamycin 2.5%SC
952	Inpyrfluxam 6% + Tebuconazole 20% SC
953	Ipflufenquin 10% + Azoxystrobin 22.5% WG
954	Iprodion 25% + Carbendazim 25% WP
955	Iprovalicarb 5.5% + Propineb 61.25%WP
956	Iprovalicarb 8.4% + copper oxychloride 68.2% w/w (40.6% w/w as Cu) WG
957	Isoprothiolane 25% + Picoxystrobin 10% EC
958	Isopyrazam 11.16% w/w + Azoxystrobin 17.86% w/w SC
959	Isopyrazam 11.5% w/w + Difenconazole 11.5% w/w SC
960	Kasugamycin 5% + Copper Oxychloride 45%WP
961	Kasugamycin 6% + Thiafluzamide 26% SC
962	Kasugamycin 1% + Tebuconazole 14% + Kresoxim methyl 20% w/w SC
963	Kresoximmethyl 15% + chlorothalonil 56%WG
964	Kresoximmethyl 18% + Mancozeb 54%w/w WP
965	Kresoximmethyl 40%+Hexaconazole8%w/w WG
966	Mancozeb 40%+Azoxystrobin 7.0%w/w OS
967	Mancozeb 68% + Hexaconazole 4% WG
968	Mancozeb 50%+Thiophanate methyl 25%WG
969	Mancozeb 60% + Pyraclostrobin 5% w/w WG
970	Mancozeb 40.0% + Tebuconazole 1.0 % WS
971	Mancozeb 52.6% + Hexaconazole 2.4 % WG
972	Mancozeb 64% + Thiophanate Methyl 12% WP
973	Mancozeb 69.7% + Cyazofamid 5.3 % WG
974	Mandipropamid 5.0%+Mancozeb 60.0%WG
975	Mefentrifluconazole 133g/l + Fluxapyroxad 89g/l +Pyraclostrobin 178 g/l SC
976	Metalaxyl-M 3.3%+Chlorothalonil 33.1%SC
977	Metalaxyl-M 3.9%+Mancozeb 64%WG
978	Metalaxyl-M 8%+Mancozeb 64%WP
979	Metalaxyl-M 4%+Mancozeb 64%WP
980	Metiram 44%+Dimethomorph 9%WG
981	Metiram 55%+Pyraclostrobin 5%WG
982	Oxathiapiprolin 1.4% + Azoxystrobin 14.46% SC
983	Oxathiapiprolin 0.6% w/w + Mancozeb 60 % w/w WG
984	Oxathiapiprolin 2.77% + Mandipropamid 23.08% SC
985	Oxathiapiprolin 4.61% w/w + Amisulbrom 23.08% w/w SE
986	Penflufen 13.28+Trifloxystrobin 13.28% FS
987	Picoxystrobin 6.78%+Tricyclazole 20.33% SC
988	Picoxystrobin 7.05%+Propiconazole 11.7% SC
989	Prochloraz 23.5%+Tricyclazole 20% SE
990	Prochloraz 24.4%+Tebuconazole 12.1%EW
991	Prochloraz 34.8%+Propiconazole 7.8%EC
992	Prochloraz 5.7%+Tebuconazole 1.4%ES
993	Propiconazole 10.7%+Tricyclazole 34.2%SE
994	Propiconazole 13.9%+Difenconazole 13.9%EC
995	Propiconazole 10% + Thiophanate methyl 42% WP

996	Propineb 54.2%+Tricyclazole 15.0%WP
997	Propineb 70.0% + Cymoxanil 6.0% WP
998	Pyraclostrobin 133g/l+Epoxiconazole 50g/l(w/v) SE
999	Pyraclostrobin 10% + Thifluzamide 10% SC
1001	Pyraclostrobin 75 g/l + Tricyclazole 150 g/l ZC
1002	Pyraclostrobin 10% + Metiram 30% + Difenconazole 10% WG
1003	Pydiflumetofen 6.89% + Difenconazole 11.49% SC (Pydiflumetofen 7.5% + Difenconazole 12.5% SC)
1004	Pydiflumetofen 13.6% + Propiconazole 11.4% SE
1005	Sedaxane12.61%+Azoxystrobin3.15%+Thiamethoxam22.06%FS
1006	Sedaxane 15.27% + Fludioxonil 7.64 + Metalaxyl-M 3.06% FS
1007	Sedaxane 2.2% w/w + Fludioxonil 2.2% w/w+ Thiamethoxam 22.8%w/w FS
1008	Sedaxane 2.36% w/w + Fludioxonil 2.36% w/w FS (Sedaxane 2.5% w/v + Fludioxonil 2.5% w/v FS)
1009	Sedaxane 3.70% w/w + Fludioxonil 4.63% w/w FS
1010	Streptomycin + Tetracycline (90+10)
1011	Streptomycin + Tetracycline (9%+1%)
1012	Sulphur 58.5% w/w (84% w/v) + Azoxystrobin 4.2% w/w (6% w/v) SC
1013	Sulphur 50% + Propineb 25% DF
1014	Tebuconazole10% +Sulphur65%WG
1015	Tebuconazole15%+Zineb57%WDG
1016	Tebuconazole 50% + Trifloxystrobin 25%WG
1017	Tebuconazole 6.7% +Captan 26.9% SC
1018	Thiafluzamide 15% + Difenconazole 20% SC
1019	Thifluzamide 9% + Difenconazole 6% + Validamycin 3% SC
1020	Thiophanate Methyl 38% + Kasugamycin 2.23SC
1021	Thiophanate Methyl 450g/L + Pyraclostrobin 50g/L FS
1022	Thiophanate methyl 50% + picoxystrobin 10% WG
1023	Thiophanate methyl 15% + Copper oxychloride 40% WP
1024	Tricyclazole 18% + Mancozeb 62%WP
1025	Tricyclazole18.0+Tebuconazole 14.4%SC
1026	Tricyclazole 20.4%+Azoxystrobin 6.8%SC
1027	Tricyclazole 45%+Hexaconazole 10%WG
1028	Triflumezopyrim 10% w/w + Spinetoram 12% w/w WG
1029	Triflumezopyrim 4.79% w/w + Spinetoram 8.62 % w/w SC
1030	Trifloxystrobin 25% + Hexaconazole 25% WG
1031	Triticonazole 80 g/l + Pyraclostrobin 40% g/l FS
1032	Trifloxystrobin 10% + Difenconazole 12.5% + Sulphur 3% SC
1033	Trifloxystrobin 6% + Thiamethoxam 24% + Thiophanate methyl 9.5% FS
1034	Valifenalate 6%+Mancozeb 60%WG
1035	Validamycin 5% + Tebuconazole 15% SC
1036	Validamycin 2.8% + Propiconazole 6% EW
1037	Zoxamide 33% + Cymoxanil 33% WP
C. HERBICIDES	
1038	2,4-D Sodium Salt 44%+Metribuzin 35%+ Pyrazosulfuron ethyl 1.0%WDG

1039	2,4-D Sodium salt 48% + Metribuzin 32% + Chlorimuron ethyl 0.85% WDG
1040	2,4-D sodium salt 50% + Metribuzin 15% WP
1041	Aclonifen 36.89 + Diflufenican 6.15% + Pyroxasulfone 4.10% SC
1042	Ametryn 73.1%+ Trifloxysulfuron Sodium 1.8% WG
1043	Anilofos 24%+ 2,4-D Ethyl Ester 32% EC
1044	Bensulfuron methyl 0.6%+Pretilachlor 6% Gr.
1045	Bensulfuron methyl 4.8% + Pretilachlor 48% OD
1046	Bispyribac Sodium 0.25% + Penoxsulam 0.25% + Pyrazosulfuron Ethyl 0.20% GR
1047	Bispyribac-Sodium 15% + Metsulfuron-methyl 2.4% + Chlorimuron ethyl 3.6% OD
1048	Bispyribac Sodium 20%+Pyrazosulfuron Ethyl 15% WDG
1049	Bispyribac sodium 38% + Chlorimuron ethyl 2.5% + Metsulfuron methyl 2.5% WG
1050	Bispyribac sodium 2.00% + 2,4-D sodium salt 54.30% SP
1051	Bispyribac Sodium 7.6 % + Fenoxaprop-p- ethyl 11.4 % w/w WG
1052	Bispyribac sodium 9.5% + Penoxsulam 7.8% SC
1053	Bispyribac sodium 7.6% + Fenoxaprop-p-ethyl 11.4% WG
1054	BISPYRIBAC-SODIUM 25% + METSULFURON-METHYL 4% + PYRAZOSULFURON-ETHYL 20% WP
1055	Bixlozone 50% + Metribuzin 10% WG
1056	Carfentrazone ethyl 0.43% + Glyphosate 30.82%EW
1057	Carfentrazone ethyl 20% + Sulfosulfuron 25%WG
1058	Carfentrazone ethyl 5% + Clodinafop propargyl 15% DF
1059	Clodinafop propargyl 15% + Metsulfuron methyl 1%WP
1060	Clodinafop propargyl 9%+Metribuzin 20%WP(w/w)
1061	Clodinafop-propargyl 10%+Metribuzin 17%+Metsulfuron-methyl 0.53% WP
1062	Clodinafop- propargyl 12.25 % + Oxyfluorfen 14.7 % EC
1063	Clomazone 20% + 2,4-DEthyl Ester 30%EC
1064	Clomazone22.5%+Metribuzin 21%WP
1065	Diclosulam 0.9% + Pendimethalin 35% SL
1066	Diuron 25.6% + Glyphosate 14.9% + Oxyfluorfen 11.5% SC
1067	Fenoxaprop-p-ethyl 7.77%+ Metribuzin13.6% EC
1068	Fenoxaprop-p-ethyl 6% + Chlorimuron ethyl 0.9% + Imazethapyr 10% SC
1069	Fenoxaprop p ethyl 5% + Chlorimuron ethyl 0.6% + Pretilachlor 50% ME
1070	Fenoxaprop p ethyl 6% + Pyrazosulfuron ethyl 1.5% + Pretilachlor 50% ME
1071	Florpyrauxifen-benzyl 1.31% +Penoxsulam 2.1%OD
1072	Florpyrauxifen-benzyl 2.13% + Cyhalofop butyl 10.64% EC
1073	Fluazifop-p-butyl 11.1%+Fomesafen 11.1%SL
1074	Fluthiacet-methyl 2.5 % + Quizalofop-ethyl 10 % EC
1075	Fluroxpyr 13.8% + (Meptyl 20%) + Metribuzin 5.6% EC
1076	Fomesafen12%+ Quizalofop ethyl 3%SC
1077	Fomesafen 12.5% + Fenoxaprop-p-Ethyl 10% + Chlorimuron Ethyl 0.9% ME
1078	Fomesafen 12.5% + Quizalofop ethyl 4.68% EC
1079	Fomesafen 16.8% + Propaquizafop 5.2% ME
1080	Fomesafen 17.5% + Clodinafop-propargyl 12.5% ME
1081	Glufosinate ammonium 11.65% + Metolachlor 27.30% EW
1082	Glufosinate ammonium 13.4% + Oxyfluorfen 4.8% w/w EW

1083	Glufosinate ammonium 14.3% + Glyphosate (isopropyl ammonium) 18.04% SL
1084	Halauxifen methyl 20.8%+Florasulam 20.0%w/w WG (With Surfactant)
1085	Haloxypfop R Methyl 12.8% + Imazethapyr 10% ME
1086	Halosulfuron methyl 12%+Metribuzin55%WG
1087	Halosulfuron methyl 6% + Metribuzin 50% WG
1088	Halosulfuron methyl 5%+Atrazine48%WG
1089	Hexazinone13.2% + Diuron 46.8% WP
1090	Imazapic 17.5% + Imazapyr 52.5% WG
1091	Imazethapyr 35%+Imazamox35%WG
1092	Indaziflam1.65% + Glyphosate Isopropyl Ammonium 44.63%SC
1093	Imazosulfuron 1% + Pretilachlor 8% GR
1093	Mesosulfuron methyl 3% +Iodosulfuronmethylsodium0.6% WG
1094	Mesotrione2.27%+Atrazine 22.7%SC
1095	Mesotrione 7.5% + Atrazine 60% + Halosulfuron-methyl 3.7% WG
1096	Metamifop 8% + Imazethapyr 4% + Imazamox 3% ME
1097	Metolachlor 39.37% + Oxyfluorfen 3.94% EC
1098	Metolachlor 35.98% + Sulfentrazone 11.51% EC
1099	MEtribuzine 21% + Pyroxasulfone 12.75% WG
1100	Metribuzin 42% + Clodinafop propargyl 12%WG
1101	Metribuzin 16.8% + 2,4-D sodium salt 56% WP
1102	Metsulfuron methyl 10%+Carfentrazone ethyl 40%DF
1103	Metsulfuron methyl 10%+Chlorimuron ethyl 10%WP
1105	Orthosulfamuron 0.6% + Pretilachlor 6% GR
1106	Oxyfluorfen 2.5% + Glyphosate (Isopropyl amine salt) 41%SC
1107	Oxyfluorfen 20% + Clodinafop propargyl 5% DF
1108	Oxadiargyl 1% + Pretilachlor 6% GR
1109	Paraquat dichloride 7.50% + Glyphosate 30% SC
1110	Paraquat dichloride 24% + Oxyfluorfen 5% SC
1111	Paraquat dichloride 22.4% + Oxyfluorfen 1.99% EW
1112	Pendimethalin 30%+Imazethapyr 2% EC
1113	Pendimethalin 35%+ Metribuzin 3.5%SE
1114	Pendimethalin 38.4%+Pyrazosulfuron ethyl 0.85%ZC
1115	Pendimethalin 15% + Pyrazosulfuron ethyl 0.15% GR
1116	Pendimethalin 40%+ Metribuzin 8% EC
1117	Pendimethalin 29.75% + Metribuzin 11.25% ZC
1118	Penoxsulam 0.97%+ Butachlor 38.8% SE
1119	Penoxsulam 1.02 %+ Cyhalofop-butyl 5.1% OD
1120	Penoxsulam 1% + Pendimethalin 24% SE
1121	Penoxsulam 2% + Oxadiazon 21% w/w SC
1122	Penoxasulam 9.0% + Pyrazusulfuron ethyl 6.0% WDG
1123	Penoxasulam 1.2% + Pretilachlor 30.8% SE
1124	Pretilachlor 27.4% w/w + Florpyrauxifen-benzyl 0.91% w/w EC
1125	Pretilachlor 30.0% + Pyrazosulfuron Ethyl 0.75% WG
1126	Pretilachlor 30.2% w/w + Florpyrauxifen-Benzyl 1.01% w/w EW
1127	Pretilachlor 6%+Pyrazosulfuron Ethyl 0.15% (H)

1128	Pretilachlor 6.0%+Pyrazosulfuron Ethyl 0.15% GR
1129	Pretilachlor 30.2% + Florpyrauxifen benzyl 1.01% EW
1130	Propanil 60% + Propyrisulfuron 2% WG
1131	Propanil 35.1% + Penoxsulam 0.9% w/w SC
1132	Propaquizafop 2.5%+ Imazethapyr 3.75% w/w ME
1133	Propaquizafop 5%+ Oxyfluorfen 12% w/w EC
1134	Pyriftalid 31.0%w/w+ Bensulfuron methyl 15.7%w/w SC
1135	Pyrithiobac Sodium 4.5 w/w % + Glyphosate 60% w/w SG
1136	Pyrithiobac Sodium 6% + Quizalofop-ethyl 4% w/w EC
1137	Pyrithiobac sodium 3.1% + Pendimethalin 34.0% ZC
1138	Pyroxasulfone 63.75% + Diclosulam 13% WG
1139	Saflufenacil 68 g/l + Dimethenamid-P 600 g/l EC
1140	Quizalofop ethyl 10%EC+Chlorimuronethyl 25%WP + Surfactant (0.2) (Herbicide) (Twin pack)
1141	Quizalofop ethyl 4%+Oxyfluorfen 6% EC
1142	Quizalofop ethyl 7.5%+Imazethapyr 15%w/w EC
1143	Quizalofop ethyl 8.8% + Oxyfluorfen 19% WG
1144	Quizalofop-ethyl 3.6% + Fomesafen 12% + Imazethapyr 7% SC
1145	Sodium Acifluorfen 6.5% + Clodinafop propargyl 8% EC
1146	Sulfentrazone 28%+ Clomazone 30% WP
1147	Sulfosulfuron 75%+Metsulfuron Methyl 5%WG
1148	Topramezone 10g/l + Atrazine 300g/l SC
1149	Topramezone 32 g/l + Dimethenamid-p 538 g/l EC
1150	Triafamone 20%+ Ethoxysulfuron 10%WG
1151	Tembotrione 9% + Atrazine 45% WG
D. INSECTICIDE + FUNGICIDE	
1153	Azoxystrobin 1.3%+Tebuconazole 0.22%+Thiamethoxam 25.9% FS
1154	Azoxystrobin 2.5%+Thiophanate Methyl 11.25%+Thiamethoxam 25%FS
1155	Azoxystrobin 1.5% + Carbendazim 8.0% + Thiamethoxam 30% FS w/w
1156	Azoxystrobin 12% + Fenpyroximate 2.5% + Emamectin Benzoate 1% WG
1157	Azoxystrobin 10% + Fipronil 5% SC
1158	Carboxin 22.5% + Thiram 22.5% + Imidacloprid 18% WS
1159	Chlorantraniliprole 0.64% + Tebuconazole 3% + Clothianidin 1.92% GR
1160	Chlorantraniliprole 15.75% + Clothianidin 26.25% SC
1161	Flubendiamide 3.5%+Hexaconazole 5%WG
1162	Flubendiamide 7.5%+Kresoxim methyl 37.5%SC
1163	Imidacloprid 18.5%+Hexaconazole 1.5%FS
1164	Isoprothiolane 28%+Fipronil 5% EC
1165	ISOPROTHIOLANE 15% + TRIFLOXYSTROBIN 2.5% + PYMETROZINE 7.5% SE
1166	Pyraclostrobin 3.5% + Thiram 15% + Clothianidin 22.5% FS
1167	Pyraclostrobin 10% + Fipronil 5% SC
1168	Pymetrozine 11.3% w/w + Triflumezopyrim 1.9% w/w SC
1169	Pymetrozine 25.0% + Thiamethoxam 17.5% + Hexaconazole 12.5% WG
1170	Pymetrozine 29.2% w/w + Dinotefuran 11.7% w/w WDG
1171	Pymetrozine 30 % + Tebuconazole 37 % WG
1172	Pymetrozine 30% + Dinotefuran 10% + Pyraclostrobin 20% WG

1173	TRIFLOXYSTROBIN 4% + FLUXAPYROXAD 6.66% + CLOTHIANIDIN 25% FS
E. PLANT GROTH REGULATORS	
1174	Cyclanilide 2.10% w/w + Mepiquat Chloride 8.40% w/w SC
1175	Gibberellic acid 1.8% + 6-Benzyl Adenine 1.8% L
1176	Gibberellic acid 1.8% w/w + 6-Benzylaminopurine 1.8% w/w L
F. PLANT GROWTH REGULATOR + FUNGICIDE	
1177	Triacontanol 180 g/ L + Pyraclostrobin 40 g/L FS