IMPLEMENTATION OF BOOLEAN LOGIC IN VAMAN ESP

Naru Soundarya narusoundarya2002@gmail.com IITH Future Wireless Communication (FWC)

November 3, 2022

ASSIGNMENT

Contents

FWC22021

1	problem	1
2	solution	1
3	Components	1
4	The steps for implementation:	1

1 problem

Write the Boolean Expression for the result of the Logic Circuit as shown below:




Figure 1: circuit

2 solution

F = U(V + !W)

3 Components

Components	Values	Quantity
Vaman Board		1
JumperWires	M-F	5
Breadboard		1
USB-C Cable		1
USB-UART		1

4 The steps for implementation:

1. Connect the USB-UART pins to the Vaman ESP32 pins according to Table

VAMAN LC PINS	UART PINS
GND	GND
ENB	ENB
TXD0	RXD
RXD0	TXD
0	IO0
5V	5V

2. Flash the following setup code through USB-UART using laptop

https://github.com/soundaryanaru/FWC_assignments/blob/main/iot/codes/setup/src/main.cpp

```
svn co https://github.com/soundaryanaru/
FWC_assignments/trunk/iot/codes/setup
cd setup
pio run
pio run —t upload
```

after entering your wifi username and password (in quotes below)

```
#define STASSID "..." // Add your network credentials #define STAPSK "..."
```

in src/main.cpp file

3. You can notice that vaman will be connected to the network credentials provided above. Connect your laptop to the same network , You should be able to find the ip address of your vaman-esp on laptop using

T
ifconfig
nmap -sn 192.168.93.1/24
IIIIIap —Sii 192.100.93.1/24

where your computer's ip address is the output of ifconfig and given by 192.168.6.x

4. Login to termux-ubuntu on the android device and execute the following commands:

```
proot—distro login debian
cd /data/data/com.termux/files/home/
mkdir iot
svn co https://github.com/soundaryanaru/FWC—
assignments/trunk/iot/codes/ota
cd codes
```

5. Assuming that the username is Soundarya and password is nithya@123, flash the following code wirelessly

```
https://github.com/soundaryanaru/FWC_assignments/blob/main/iot/codes/ota/src/main.cpp
```

through

```
pio run
pio run —t nobuild —t upload ——upload—port
ip_addres_of_esp
```

where you may replace the above ip address with the ip address of your vaman-esp.