

SQL Code

```
1  -- phpMyAdmin SQL Dump
2  -- version 5.2.1deb1+deb12u1
3  -- https://www.phpmyadmin.net/
4  --
5  -- Host: localhost:3306
6  -- Erstellungszeit: 27. Mrz 2026 um 08:41
7  -- Server-Version: 10.11.14-MariaDB-0+deb12u2
8  -- PHP-Version: 8.2.30
9
10 SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
11 START TRANSACTION;
12 SET time_zone = "+00:00";
13
14
15 /*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
16 /*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
17 /*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
18 /*!40101 SET NAMES utf8mb4 */;
19
20 --
21 -- Datenbank: `inventar`
22 --
23
24 DELIMITER $$
25 --
26 -- Prozeduren
27 --
28 CREATE DEFINER=`admin`@`%` PROCEDURE `cleanup_logs` (IN `keep_days` INT)
29 BEGIN
30     DECLARE deleted_count INT DEFAULT 0;
31
32     IF keep_days < 1 THEN
33         SIGNAL SQLSTATE '45000'
34             SET MESSAGE_TEXT = 'keep_days muss mindestens 1 sein';
35     END IF;
36
37     DELETE FROM `logs`
38     WHERE created_at < DATE_SUB(NOW(), INTERVAL keep_days DAY);
39
40     SET deleted_count = ROW_COUNT();
41
42     SELECT
43         deleted_count          AS deleted_rows,
44         NOW()                  AS cleanup_time,
45         keep_days              AS kept_days,
46         DATE_SUB(NOW(), INTERVAL keep_days DAY) AS deleted_before;
47 END$$
48
```

```
49 CREATE DEFINER=`admin`@`%` PROCEDURE `upsert_host` (IN `p_ip` VARCHAR(45), IN
`p_mac` VARCHAR(17), IN `p_hostname` VARCHAR(255), IN `p_vendor` VARCHAR(100))
BEGIN
50     DECLARE v_id INT UNSIGNED DEFAULT NULL;
51
52
53     IF p_mac IS NOT NULL AND p_mac != '' THEN
54         SELECT id INTO v_id FROM network_hosts WHERE mac = p_mac LIMIT 1;
55     END IF;
56
57
58     IF v_id IS NULL THEN
59         SELECT id INTO v_id FROM network_hosts WHERE ip = p_ip LIMIT 1;
60     END IF;
61
62
63     IF v_id IS NOT NULL THEN
64         UPDATE network_hosts SET
65             ip          = p_ip,
66             mac          = COALESCE(p_mac, mac),
67             hostname     = COALESCE(p_hostname, hostname),
68             vendor       = COALESCE(p_vendor, vendor),
69             last_seen    = NOW(),
70             seen_count   = seen_count + 1
71         WHERE id = v_id;
72     ELSE
73         INSERT INTO network_hosts (ip, mac, hostname, vendor)
74         VALUES (p_ip, NULLIF(p_mac, ''), NULLIF(p_hostname, ''),
75 NULLIF(p_vendor, ''));
76     END IF;
77 END$$
78
79 CREATE DEFINER=`admin`@`%` PROCEDURE `upsert_user` (IN `p_ip` VARCHAR(45)
CHARSET utf8mb4 COLLATE utf8mb4_unicode_ci, IN `p_mac` VARCHAR(17) CHARSET
utf8mb4 COLLATE utf8mb4_unicode_ci, IN `p_hostname` VARCHAR(255) CHARSET
utf8mb4 COLLATE utf8mb4_unicode_ci, IN `p_vendor` VARCHAR(100) CHARSET utf8mb4
COLLATE utf8mb4_unicode_ci) BEGIN
80     DECLARE v_id INT UNSIGNED DEFAULT NULL;
81
82
83     IF p_mac IS NOT NULL AND p_mac != '' THEN
84         SELECT id INTO v_id FROM users WHERE mac = p_mac LIMIT 1;
85     END IF;
86
87
88     IF v_id IS NULL THEN
89         SELECT id INTO v_id FROM users WHERE ip = p_ip LIMIT 1;
90     END IF;
91
92
93     IF v_id IS NOT NULL THEN
94         UPDATE users SET
95             ip          = p_ip,
```

```

95         mac          = COALESCE(NULLIF(p_mac, ''),      mac),
96         hostname     = COALESCE(NULLIF(p_hostname, ''), hostname),
97         vendor       = COALESCE(NULLIF(p_vendor, ''),   vendor),
98         last_seen    = NOW(),
99         seen_count   = seen_count + 1
100     WHERE id = v_id;
101 ELSE
102     INSERT INTO users (ip, mac, hostname, vendor)
103     VALUES (
104         p_ip,
105         NULLIF(p_mac, ''),
106         NULLIF(p_hostname, ''),
107         NULLIF(p_vendor, '')
108     );
109 END IF;
110 END$$
111
112 DELIMITER ;
113
114 -----
115
116 --
117 -- Tabellenstruktur für Tabelle `categories`
118 --
119
120 CREATE TABLE `categories` (
121   `id` int(11) NOT NULL,
122   `name` varchar(100) NOT NULL,
123   `parent_id` int(11) DEFAULT NULL,
124   `icon` varchar(50) DEFAULT NULL
125 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
126
127 --
128 -- Daten für Tabelle `categories`
129 --
130
131 INSERT INTO `categories` (`id`, `name`, `parent_id`, `icon`) VALUES
132 (1, 'Hardware', NULL, NULL),
133 (2, 'Peripherie', NULL, NULL),
134 (3, 'Software', NULL, NULL),
135 (4, 'Website', NULL, NULL),
136 (5, 'Literatur', NULL, NULL),
137 (6, 'Werkzeug', NULL, NULL),
138 (7, 'Sicherheit', NULL, NULL),
139 (8, 'Laptop', 1, NULL),
140 (9, 'Audio', 2, NULL),
141 (10, 'Speicher', 1, NULL),
142 (11, 'Netzwerk', 1, NULL),
143 (12, 'Lizenz', NULL, NULL),
144 (13, 'Maker', NULL, NULL);
145
146 -----
147
```

```
148 --
149 -- Tabellenstruktur für Tabelle `feedback`
150 --
151
152 CREATE TABLE `feedback` (
153   `id` int(11) NOT NULL,
154   `name` varchar(255) NOT NULL,
155   `problem` text NOT NULL,
156   `created_at` datetime NOT NULL
157 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
158
159 --
160 -- Daten für Tabelle `feedback`
161 --
162
163 INSERT INTO `feedback` (`id`, `name`, `problem`, `created_at`) VALUES
164 (1, 'test', 'sigma test problem und so', '2026-03-23 12:11:13');
165
166 -----
167
168 --
169 -- Tabellenstruktur für Tabelle `items`
170 --
171
172 CREATE TABLE `items` (
173   `id` int(11) NOT NULL,
174   `name` varchar(255) NOT NULL,
175   `brand` varchar(100) DEFAULT NULL,
176   `model` varchar(100) DEFAULT NULL,
177   `serial_number` varchar(100) DEFAULT NULL,
178   `category_id` int(11) DEFAULT NULL,
179   `status` enum('verfügbar', 'ausgeliehen', 'defekt', 'verschollen', 'entsorgt')
180 NOT NULL DEFAULT 'verfügbar',
181   `item_condition` enum('neu', 'gut', 'akzeptabel', 'schlecht') DEFAULT NULL,
182   `location_id` int(11) DEFAULT NULL,
183   `notes` text DEFAULT NULL,
184   `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
185   `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE
186 current_timestamp()
187 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
188
189 --
190 -- Daten für Tabelle `items`
191 --
192
193 INSERT INTO `items` (`id`, `name`, `brand`, `model`, `serial_number`,
194 `category_id`, `status`, `item_condition`, `location_id`, `notes`,
195 `created_at`, `updated_at`) VALUES
196 (16, 'USB Studio Kondensator-Mikrofon', 'the t.bone', 'SC 440 USB', '197603',
197 9, 'verfügbar', 'akzeptabel', 1, 'Mit USB-Anschluss für den direkten Betrieb
198 am Computer. Charakteristik: Niere. Frequenzbereich: 60-19.000 Hz. Inkl.
199 Kunststoff Case, Spinne und 1,8m USB-Kabel.', '2026-02-20 10:37:43',
200 '2026-02-20 10:37:43'),
```

```
193 (17, 'FUJITSU SIEMENS Laptop', 'Fujitsu Siemens', 'Amilo Pa1538',
    'YSMB064576', 8, 'verfügbar', 'gut', 3, NULL, '2026-02-20 10:37:43',
    '2026-03-04 08:10:37'),
194 (19, 'QR-Code-Generator', 'http://172.17.17.131/docs/19/qr.html', 'Web', NULL,
    4, 'verfügbar', NULL, NULL, 'Eine sehr simple Website auf der man QR-Codes
    generieren kann.\n', '2026-02-20 10:37:43', '2026-02-24 10:21:26'),
195 (20, 'Voltcraft M-3650D Digitales Multimeter', 'VOLT CRAFT', 'M-3650D', NULL,
    6, 'verfügbar', 'gut', 3, NULL, '2026-02-20 10:37:43', '2026-03-04 08:43:37'),
196 (21, 'Windows XP Professional Key', 'Microsoft', 'XP Professional', NULL, 12,
    'verfügbar', 'neu', 1, NULL, '2026-02-20 10:37:43', '2026-02-25 09:56:56'),
197 (22, 'Raspberry Pi B+', 'Raspberry Pi', 'B+', NULL, 1, 'verfügbar',
    'akzeptabel', 1, '3/4 der Raspberry Pi B+ sind in einem Gehäuse eingebaut. In
    der Juwel 80 Premium Box.', '2026-02-20 10:37:43', '2026-02-20 10:37:43'),
198 (23, 'Raspberry Pi 4 B 2GB', 'Raspberry Pi', '4 B 2GB', NULL, 1, 'verfügbar',
    NULL, 4, 'In der Juwel 80 Premium Box.', '2026-02-20 10:37:43', '2026-02-20
    10:37:43'),
199 (24, 'Official Raspberry Pi Power Supply', 'Raspberry Pi', 'USB-C', NULL, 1,
    'verfügbar', 'gut', 4, 'In der Juwel 80 Premium Box.', '2026-02-20 10:37:43',
    '2026-02-20 10:37:43'),
200 (25, 'Wireless USB Adapter', 'EDIMAX', 'EW-7811Un', NULL, 1, 'verfügbar',
    'akzeptabel', 4, 'In der Juwel 80 Premium Box.', '2026-02-20 10:37:43',
    '2026-02-20 10:37:43'),
201 (26, 'Micro USB Stromversorgung', NULL, 'Micro USB', NULL, 1, 'verfügbar',
    'akzeptabel', 4, 'In der Juwel 80 Premium Box.', '2026-02-20 10:37:43',
    '2026-02-27 10:45:06'),
202 (27, 'SSD SATA II 32GB', 'Mushkin Enhanced', '32GB', NULL, 10, 'verfügbar',
    NULL, 1, 'In dem Metall-Koffer mit dem "<m" Logo. Kleine SSD, aber guter
    Behälter.', '2026-02-20 10:37:43', '2026-02-24 11:19:41'),
203 (28, 'Arduino Nano', 'Arduino', 'Nano', NULL, 1, 'verfügbar', 'akzeptabel', 1,
    'Beide Arduino Nano sind in der gleichen Verpackung.', '2026-02-20 10:37:43',
    '2026-02-20 10:37:43'),
204 (29, 'Taschenlampe', 'ACS', NULL, NULL, 1, 'verfügbar', 'akzeptabel', 1, 'In
    der schwarzen Box.', '2026-02-20 10:37:43', '2026-02-20 10:37:43'),
205 (30, 'HP Compaq 615 Laptop', 'Hewlett-Packard', 'Compaq 615', NULL, 8,
    'verfügbar', NULL, 5, NULL, '2026-02-20 10:37:43', '2026-02-20 10:37:43'),
206 (31, 'HP Compaq 6735s Laptop', 'Hewlett-Packard', 'HP Compaq 6735s', NULL, 8,
    'verfügbar', NULL, 5, NULL, '2026-02-20 10:37:43', '2026-02-20 10:37:43'),
207 (32, 'ESD Matte', NULL, NULL, NULL, 7, 'verfügbar', 'gut', 3, 'In dem Econa-
    Konzentrat Karton.', '2026-02-20 10:37:43', '2026-02-27 10:45:15'),
208 (33, 'Ethernet Switch 8-Port', 'SEDNA', 'SE-NS-108', NULL, 1, 'verfügbar',
    'gut', 3, '8 Ports. Vermutlich unbenutzt.', '2026-02-20 10:37:43', '2026-02-20
    10:37:43'),
209 (34, 'Barcode Scanner', 'HandHeld Products', '3800G14-USBKITE', NULL, 1,
    'verfügbar', 'akzeptabel', 3, NULL, '2026-02-20 10:37:43', '2026-02-20
    10:37:43'),
210 (35, 'Dual Channel RAM DDR2 4GB', 'G.Skill', 'F2-8500CL5D-4GBPK', NULL, 1,
    'verfügbar', 'neu', 1, 'Dual DDR2 4GB.', '2026-02-20 10:37:43', '2026-02-20
    10:37:43'),
211 (36, 'Einführung in Microsoft Windows 95', 'Microsoft', 'Windows 95', NULL, 5,
    'verfügbar', 'akzeptabel', 2, 'Ein paar der Bücher haben zusätzlich eine
    Floppy Disk und eine CD mit einem Windows 95 Image.', '2026-02-20 10:37:43',
    '2026-02-26 13:23:26'),
```

```
212 (37, 'Dual Channel RAM DDR4 8GB', 'Corsair', 'CHMK8GX4M2A2666C16', NULL, 1,
    'verfügbar', 'akzeptabel', 1, 'Dual DDR4 2x4GB | 8GB 2666MHz.', '2026-02-20
    10:37:43', '2026-02-20 10:37:43'),
213 (38, 'Dual Channel RAM DDR400 1GB', 'ADATA', 'AD1U400A1G3-S', NULL, 1,
    'verfügbar', 'akzeptabel', 1, 'DDR400(3) 1Gx16 U-DIMM.', '2026-02-20
    10:37:43', '2026-02-20 10:37:43'),
214 (39, 'Werkzeugkasten', NULL, NULL, NULL, 6, 'verfügbar', 'akzeptabel', 6,
    NULL, '2026-02-20 10:37:43', '2026-02-20 10:37:43'),
215 (40, 'Monitor', 'BenQ', 'G922HDL', NULL, 1, 'verfügbar', 'akzeptabel', 4,
    NULL, '2026-02-20 10:37:43', '2026-02-20 10:37:43'),
216 (49, 'BIOS Projekt', '', '', NULL, 4, 'verfügbar', 'gut', NULL, NULL,
    '2026-02-20 10:37:43', '2026-02-20 10:37:43');

217
218 -- -----
219
220 --
221 -- Tabellenstruktur für Tabelle `item_tags`
222 --
223
224 CREATE TABLE `item_tags` (
225   `item_id` int(11) NOT NULL,
226   `tag_id` int(11) NOT NULL
227 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
228
229 --
230 -- Daten für Tabelle `item_tags`
231 --
232
233 INSERT INTO `item_tags` (`item_id`, `tag_id`) VALUES
234 (16, 9),
235 (17, 1),
236 (17, 2),
237 (19, 6),
238 (20, 2),
239 (20, 12),
240 (21, 6),
241 (21, 8),
242 (22, 3),
243 (23, 3),
244 (24, 3),
245 (24, 12),
246 (25, 5),
247 (26, 12),
248 (28, 2),
249 (28, 4),
250 (30, 1),
251 (31, 1),
252 (33, 5),
253 (35, 7),
254 (36, 8),
255 (37, 7),
256 (38, 7);
257
```

```
258 -- -----
259
260 --
261 -- Tabellenstruktur für Tabelle `locations`
262 --
263
264 CREATE TABLE `locations` (
265   `id` int(11) NOT NULL,
266   `room` varchar(100) DEFAULT NULL,
267   `schrank` varchar(50) DEFAULT NULL,
268   `regal` varchar(50) DEFAULT NULL,
269   `position` varchar(100) DEFAULT NULL
270 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
271
272 --
273 -- Daten für Tabelle `locations`
274 --
275
276 INSERT INTO `locations` (`id`, `room`, `schrank`, `regal`, `position`) VALUES
277 (1, NULL, 'S', '1', NULL),
278 (2, NULL, 'S', '2', NULL),
279 (3, NULL, 'S', '3', NULL),
280 (4, NULL, 'S', '4', NULL),
281 (5, NULL, '1', '5', NULL),
282 (6, NULL, '3', '4', NULL);
283
284 -- -----
285
286 --
287 -- Tabellenstruktur für Tabelle `logs`
288 --
289
290 CREATE TABLE `logs` (
291   `id` bigint(20) UNSIGNED NOT NULL,
292   `created_at` datetime NOT NULL DEFAULT current_timestamp(),
293   `level` enum('debug','info','warning','error') NOT NULL DEFAULT 'info',
294   `action` varchar(100) NOT NULL,
295   `detail` varchar(512) DEFAULT NULL,
296   `ip` varchar(45) DEFAULT NULL COMMENT 'IPv4 oder IPv6',
297   `user_agent` varchar(512) DEFAULT NULL,
298   `browser` varchar(100) DEFAULT NULL,
299   `os` varchar(100) DEFAULT NULL,
300   `device_type` enum('desktop','mobile','tablet','unknown') DEFAULT 'unknown',
301   `language` varchar(64) DEFAULT NULL,
302   `method` enum('GET','POST','PUT','PATCH','DELETE','HEAD','OPTIONS') DEFAULT
303 NULL,
304   `url` varchar(512) DEFAULT NULL,
305   `referrer` varchar(512) DEFAULT NULL,
306   `session_id` varchar(128) DEFAULT NULL,
307   `extra_data` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_bin DEFAULT NULL
308 CHECK (json_valid(`extra_data`))
309 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci
310 COMMENT='Aktions- und Zugriffslog für das Inventarsystem';
```

```
308
309 --
310 -- Daten für Tabelle `logs`
311 --
312
313 INSERT INTO `logs` (`id`, `created_at`, `level`, `action`, `detail`, `ip`,
`user_agent`, `browser`, `os`, `device_type`, `language`, `method`, `url`,
`referrer`, `session_id`, `extra_data`) VALUES
314 (9, '2026-03-16 09:05:55', 'info', 'page_view', NULL, '127.0.0.1',
'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
'desktop', 'de-DE', 'GET', 'http://localhost/api.php?action=formdata',
'http://localhost/', 'ndri9p668ttqrdc775cm39o51v', '{"action\":"
\"formdata\"}'),
315 (10, '2026-03-16 09:05:57', 'info', 'overlay_accepted', NULL, '127.0.0.1',
'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
'desktop', 'de-DE', 'POST', 'http://localhost/api.php', 'http://localhost/',
'ndri9p668ttqrdc775cm39o51v', NULL),
316 (11, '2026-03-16 09:10:52', 'info', 'page_view', NULL, '127.0.0.1',
'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
'desktop', 'de-DE', 'GET', 'http://localhost/api.php?action=formdata',
'http://localhost/', 'ndri9p668ttqrdc775cm39o51v', '{"action\":"
\"formdata\"}'),
317 (12, '2026-03-17 13:13:50', 'info', 'page_view', NULL, '127.0.0.1',
'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
'{"action\":"\"formdata\"}'),
318 (13, '2026-03-17 13:13:51', 'info', 'overlay_accepted', NULL, '127.0.0.1',
'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
'Firefox 148', 'Linux', 'desktop', 'de', 'POST', 'http://localhost/api.php',
'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or', NULL),
319 (14, '2026-03-17 13:15:36', 'warning', 'csrf_violation', 'Ungültiger CSRF-
Token', '127.0.0.1', 'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101
Firefox/148.0', 'Firefox 148', 'Linux', 'desktop', 'de', 'POST', 'http://
localhost/api.php', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or', NULL),
320 (15, '2026-03-17 13:16:20', 'warning', 'csrf_violation', 'Ungültiger CSRF-
Token', '127.0.0.1', 'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101
Firefox/148.0', 'Firefox 148', 'Linux', 'desktop', 'de', 'POST', 'http://
localhost/api.php', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or', NULL),
321 (16, '2026-03-17 13:55:29', 'info', 'page_view', NULL, '127.0.0.1',
'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
'{"action\":"\"formdata\"}'),
322 (17, '2026-03-17 13:55:46', 'info', 'page_view', NULL, '127.0.0.1',
'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
'{"action\":"\"formdata\"}'),
```



```
323 (18, '2026-03-17 13:55:48', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action\":\"formdata\"}'),
324 (19, '2026-03-17 13:56:36', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action\":\"formdata\"}'),
325 (20, '2026-03-17 13:57:45', 'info', 'item_created', 'ID 41: test',
    '127.0.0.1', 'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101
    Firefox/148.0', 'Firefox 148', 'Linux', 'desktop', 'de', 'POST', 'http://
    localhost/api.php', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"item_id\":\"41\",\"status\":\"verfügbar\",\"specs\":0,\"tags\":1,\"images\":0,
    \"docs\":0,\"rejected\":0,\"category_id\":null,\"location_id\":null}'),
326 (21, '2026-03-17 13:58:16', 'error', 'item_error', 'Verzeichnis konnte nicht
    erstellt werden: /var/www/private/docs/42/images/', '127.0.0.1', 'Mozilla/5.0
    (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0', 'Firefox 148',
    'Linux', 'desktop', 'de', 'POST', 'http://localhost/api.php', 'http://
    localhost/', 'iivkcdh7jna0c1ulighjmq47or', '{"trace\":\"#0 \\var\\www\\
    private\\api.php(680): makeDir()\\n#1 {main}\\\"}'),
327 (22, '2026-03-17 13:58:34', 'error', 'item_error', 'Verzeichnis konnte nicht
    erstellt werden: /var/www/private/docs/43/images/', '127.0.0.1', 'Mozilla/5.0
    (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0', 'Firefox 148',
    'Linux', 'desktop', 'de', 'POST', 'http://localhost/api.php', 'http://
    localhost/', 'iivkcdh7jna0c1ulighjmq47or', '{"trace\":\"#0 \\var\\www\\
    private\\api.php(680): makeDir()\\n#1 {main}\\\"}'),
328 (23, '2026-03-17 14:04:04', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action\":\"formdata\"}'),
329 (24, '2026-03-17 14:04:05', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action\":\"formdata\"}'),
330 (25, '2026-03-17 14:04:16', 'error', 'item_error', 'Verzeichnis konnte nicht
    erstellt werden: /var/www/private/docs/44/images/', '127.0.0.1', 'Mozilla/5.0
    (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0', 'Firefox 148',
    'Linux', 'desktop', 'de', 'POST', 'http://localhost/api.php', 'http://
    localhost/', 'iivkcdh7jna0c1ulighjmq47or', '{"trace\":\"#0 \\var\\www\\
    private\\api.php(679): makeDir()\\n#1 {main}\\\"}'),
331 (26, '2026-03-17 14:04:44', 'error', 'item_error', 'Verzeichnis konnte nicht
    erstellt werden: /var/www/private/docs/45/images/', '127.0.0.1', 'Mozilla/5.0
    (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0', 'Firefox 148',
    'Linux', 'desktop', 'de', 'POST', 'http://localhost/api.php', 'http://
    localhost/', 'iivkcdh7jna0c1ulighjmq47or', '{"trace\":\"#0 \\var\\www\\
    private\\api.php(679): makeDir()\\n#1 {main}\\\"}'),
```

```
332 (27, '2026-03-17 14:07:48', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action":"formdata"}'),
333 (28, '2026-03-17 14:07:49', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action":"formdata"}'),
334 (29, '2026-03-17 14:07:51', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action":"formdata"}'),
335 (30, '2026-03-17 14:08:10', 'info', 'item_created', 'ID 46: gfgdfg',
    '127.0.0.1', 'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101
    Firefox/148.0', 'Firefox 148', 'Linux', 'desktop', 'de', 'POST', 'http://
    localhost/api.php', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"item_id":46,"status":"verfügbar","specs":0,"tags":2,"images":1,
    "docs":0,"rejected":0,"category_id":null,"location_id":null}'),
336 (31, '2026-03-17 14:08:22', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/?', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action":"formdata"}'),
337 (32, '2026-03-17 14:08:23', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/?', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action":"formdata"}'),
338 (33, '2026-03-17 14:09:28', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action":"formdata"}'),
339 (34, '2026-03-17 14:09:43', 'info', 'item_created', 'ID 47: test',
    '127.0.0.1', 'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101
    Firefox/148.0', 'Firefox 148', 'Linux', 'desktop', 'de', 'POST', 'http://
    localhost/api.php', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"item_id":47,"status":"verfügbar","specs":0,"tags":2,"images":1,
    "docs":0,"rejected":0,"category_id":null,"location_id":null}'),
340 (35, '2026-03-17 14:10:58', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101 Firefox/148.0',
    'Firefox 148', 'Linux', 'desktop', 'de', 'GET', 'http://localhost/api.php?
    action=formdata', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"action":"formdata"}'),
341 (36, '2026-03-17 14:11:20', 'info', 'item_created', 'ID 48: 5643zhfh',
    '127.0.0.1', 'Mozilla/5.0 (X11; Linux x86_64; rv:148.0) Gecko/20100101
    Firefox/148.0', 'Firefox 148', 'Linux', 'desktop', 'de', 'POST', 'http://
    localhost/api.php', 'http://localhost/', 'iivkcdh7jna0c1ulighjmq47or',
    '{"item_id":48,"status":"defekt","specs":1,"tags":3,"images":1,
    "docs":0,"rejected":0,"category_id":11,"location_id":2}'),
```

```
342 (37, '2026-03-25 07:41:19', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
343 (38, '2026-03-25 07:41:21', 'info', 'overlay_accepted', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'POST', 'http://localhost:8080/api.php', 'http://
    localhost:8080/', '0un63r529vnkvelqs65gevheu3', NULL),
344 (39, '2026-03-25 07:45:28', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
345 (40, '2026-03-25 07:50:45', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
346 (41, '2026-03-25 07:51:37', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
347 (42, '2026-03-25 07:52:31', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
348 (43, '2026-03-25 07:54:36', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
349 (44, '2026-03-25 07:54:52', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
350 (45, '2026-03-25 07:55:15', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \"formdata\"}'),
```

```
351 (46, '2026-03-25 07:55:35', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
352 (47, '2026-03-25 07:56:04', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
353 (48, '2026-03-25 07:56:16', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
354 (49, '2026-03-25 07:56:32', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
355 (50, '2026-03-25 07:56:45', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
356 (51, '2026-03-25 07:56:57', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
357 (52, '2026-03-25 07:57:35', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
358 (53, '2026-03-25 07:58:07', 'info', 'page_view', NULL, '127.0.0.1',
    'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
    Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
    'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
    'http://localhost:8080/', '0un63r529vnkvelqs65gevheu3', '{"action":
    \'formdata\'')},
```

```
359 (54, '2026-03-25 08:30:23', 'info', 'page_view', NULL, '127.0.0.1',
360 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
361 Gecko) Chrome/145.0.0.0 Safari/537.36', 'Chrome 145', 'Windows 10/11',
362 'desktop', 'de-DE', 'GET', 'http://localhost:8080/api.php?action=formdata',
363 'http://localhost:8080/', '0un63r529vnmkvelqs65gevehu3', '{"action":
364 "formdata"}');
365
366 -- -----
367
368 --
369 -- Stellvertreter-Struktur des Views `logs_daily_stats`
370 -- (Siehe unten für die tatsächliche Ansicht)
371 --
372 CREATE TABLE `logs_daily_stats` (
373   `date` date
374   , `total_requests` bigint(21)
375   , `errors` decimal(23,0)
376   , `warnings` decimal(23,0)
377   , `items_created` decimal(23,0)
378   , `items_deleted` decimal(23,0)
379   , `page_views` decimal(23,0)
380   , `overlay_accepts` decimal(23,0)
381   , `unique_ips` bigint(21)
382   , `unique_sessions` bigint(21)
383   , `mobile_visits` decimal(23,0)
384   , `desktop_visits` decimal(23,0)
385 );
386
387 -- -----
388
389 --
390 -- Stellvertreter-Struktur des Views `logs_errors`
391 -- (Siehe unten für die tatsächliche Ansicht)
392 --
393 CREATE TABLE `logs_errors` (
394   `id` bigint(20) unsigned
395   , `created_at` datetime
396   , `level` enum('debug', 'info', 'warning', 'error')
397   , `action` varchar(100)
398   , `detail` varchar(512)
399   , `ip` varchar(45)
400   , `user_agent` varchar(512)
401   , `browser` varchar(100)
402   , `os` varchar(100)
403   , `device_type` enum('desktop', 'mobile', 'tablet', 'unknown')
404   , `language` varchar(64)
405   , `method` enum('GET', 'POST', 'PUT', 'PATCH', 'DELETE', 'HEAD', 'OPTIONS')
406   , `url` varchar(512)
407   , `referrer` varchar(512)
408   , `session_id` varchar(128)
409   , `extra_data` longtext
410 );
```

```
407  -- -----
408
409  --
410  -- Stellvertreter-Struktur des Views `logs_recent`
411  -- (Siehe unten für die tatsächliche Ansicht)
412  --
413  CREATE TABLE `logs_recent` (
414    `id` bigint(20) unsigned
415    , `created_at` datetime
416    , `level` enum('debug', 'info', 'warning', 'error')
417    , `action` varchar(100)
418    , `detail` varchar(512)
419    , `ip` varchar(45)
420    , `browser` varchar(100)
421    , `os` varchar(100)
422    , `device_type` enum('desktop', 'mobile', 'tablet', 'unknown')
423    , `method` enum('GET', 'POST', 'PUT', 'PATCH', 'DELETE', 'HEAD', 'OPTIONS')
424    , `url` varchar(512)
425    , `session_id` varchar(128)
426    , `extra_data` longtext
427  );
428
429  -- -----
430
431  --
432  -- Tabellenstruktur für Tabelle `specs`
433  --
434
435  CREATE TABLE `specs` (
436    `id` int(11) NOT NULL,
437    `item_id` int(11) NOT NULL,
438    `key` varchar(100) NOT NULL,
439    `value` varchar(255) NOT NULL
440  ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
441
442  --
443  -- Daten für Tabelle `specs`
444  --
445
446  INSERT INTO `specs` (`id`, `item_id`, `key`, `value`) VALUES
447  (2, 16, 'Frequenzbereich', '60-19.000 Hz'),
448  (3, 16, 'Anschluss', 'USB'),
449  (4, 16, 'Abmessungen', 'ca. Ø 50 × 186 mm'),
450  (6, 23, 'RAM', '2 GB'),
451  (11, 27, 'Kapazität', '32 GB'),
452  (12, 27, 'Interface', 'SATA II'),
453  (17, 33, 'Ports', '8'),
454  (18, 35, 'Typ', 'DDR2'),
455  (19, 35, 'Kapazität', '4 GB'),
456  (20, 35, 'Anzahl', '9'),
457  (22, 36, 'Anzahl', '23'),
458  (23, 37, 'Typ', 'DDR4'),
459  (24, 37, 'Kapazität', '8 GB'),
```



```
460 (25, 37, 'Taktrate', '2666 MHz'),
461 (26, 38, 'Typ', 'DDR400'),
462 (27, 38, 'Kapazität', '1 GB'),
463 (30, 17, 'Prozessor (CPU)', 'AMD Turion 64 X2 TL-50 Dual-Core, 1.6 GHz'),
464 (31, 17, 'Grafikkarte', 'NVIDIA GeForce Go 7400 (128 MB VRAM, TurboCache bis
512 MB)'),
465 (32, 17, 'Bildschirm', '15,4" WXGA (1280 × 800), CrystalView TFT'),
466 (33, 17, 'Mainboard', 'Intel 945PM'),
467 (34, 17, 'Massenspeicher', 'Unbekannt'),
468 (35, 17, 'Gewicht', '2.7 kg'),
469 (36, 17, 'Erscheinungsjahr', 'Mai 2006'),
470 (37, 23, 'CPU', 'Broadcom BCM2711, Quad-Core Cortex-A72 (ARMv8) 64-bit'),
471 (38, 23, 'CPU Takt', '1.5 GHz'),
472 (39, 23, 'RAM', '2 GB LPDDR4 SDRAM'),
473 (40, 23, 'GPU', 'Broadcom VideoCore VI'),
474 (41, 23, 'WLAN', '2.4 GHz & 5 GHz IEEE 802.11 b/g/n/ac'),
475 (42, 23, 'Bluetooth', 'Bluetooth 5.0 + BLE'),
476 (43, 23, 'LAN', 'Gigabit Ethernet'),
477 (44, 23, 'USB', '2× USB 3.0, 2× USB 2.0'),
478 (45, 23, 'Videoausgänge', '2× micro-HDMI (bis 4K@60 Hz)'),
479 (46, 23, 'Kamera', '2-Lane MIPI CSI Port'),
480 (47, 23, 'Display', '2-Lane MIPI DSI Port'),
481 (48, 23, 'Audio', '4-Pol Stereo Audio + Composite Video'),
482 (49, 23, 'GPIO', '40-Pin GPIO Header'),
483 (50, 23, 'Massenspeicher', 'microSD-Kartenslot'),
484 (51, 23, 'Stromversorgung', '5 V DC über USB-C (min. 3 A)'),
485 (52, 23, 'Abmessungen', 'ca. 85 × 56 × 17 mm'),
486 (53, 23, 'Gewicht', 'ca. 52 g'),
487 (54, 22, 'SoC', 'Broadcom BCM2835'),
488 (55, 22, 'CPU', 'ARM1176JZF-S (ARMv6, Single-Core)'),
489 (56, 22, 'CPU Takt', '700 MHz'),
490 (57, 22, 'RAM', '512 MB SDRAM'),
491 (58, 22, 'GPU', 'Broadcom VideoCore IV'),
492 (59, 22, 'USB', '4× USB 2.0'),
493 (60, 22, 'Netzwerk', '10/100 Mbit Ethernet (RJ45)'),
494 (61, 22, 'WLAN', 'Nicht vorhanden'),
495 (62, 22, 'Bluetooth', 'Nicht vorhanden'),
496 (63, 22, 'Videoausgang', '1× Full-Size HDMI'),
497 (64, 22, 'Analog Audio/Video', '3.5 mm Kombi-Audio + Composite'),
498 (65, 22, 'Kamera', 'CSI-2 Kamera-Port'),
499 (66, 22, 'Display', 'DSI Display-Port'),
500 (67, 22, 'GPIO', '40-Pin GPIO Header'),
501 (68, 22, 'Massenspeicher', 'microSD-Kartenslot'),
502 (69, 22, 'Stromversorgung', '5 V über Micro-USB'),
503 (70, 22, 'Abmessungen', 'ca. 85 mm × 56 mm'),
504 (71, 22, 'Erscheinungsjahr', '2014'),
505 (72, 16, 'Empfindlichkeit', '~-13,3 dB (re 1 V/Pa)'),
506 (73, 16, 'Max. Schalldruckpegel (SPL)', 'bis ca. 134 dB'),
507 (74, 16, 'Aufnahmemodus', 'nur Mono'),
508 (75, 16, 'Gewicht', 'ca. 378 g'),
509 (76, 16, 'Herstellernummer', '197603'),
510 (77, 16, 'Verfügbarkeit seit', 'ca. 2007'),
511 (78, 17, 'Arbeitsspeicher (RAM)', '1 GB (meist 1024 MB)'),
```

```

512 (79, 17, 'Optisches Laufwerk', 'Double-Layer DVD-Brenner'),
513 (80, 17, 'Networking', 'WLAN 802.11b/g, 10/100 Mbit Ethernet'),
514 (81, 17, 'Ports / Anschlüsse', 'USB, IEEE1394, DVI-I, S-Video, Kartenleser,
Line-In/Mic, Headphone/S/PDIF'),
515 (82, 17, 'Audio', 'HD Audio, 2 Lautsprecher, Mikrofon eingebaut'),
516 (83, 20, 'Gerätetyp', 'Handheld-Digitalmultimeter (Messgerät)'),
517 (84, 20, 'Messbereiche (DC)', 'bis 1000 V DC'),
518 (85, 20, 'Messbereiche (AC)', 'bis 750 V AC'),
519 (86, 20, 'Strommessung', 'bis 20 A'),
520 (87, 20, 'Abmessungen', 'ca. 85 × 40 × 180 mm'),
521 (88, 20, 'Stromversorgung', 'Batterie (9 V-Block typisch)');
522
523 -- -----
524
525 --
526 -- Tabellenstruktur für Tabelle `tags`
527 --
528
529 CREATE TABLE `tags` (
530   `id` int(11) NOT NULL,
531   `name` varchar(100) NOT NULL
532 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
533
534 --
535 -- Daten für Tabelle `tags`
536 --
537
538 INSERT INTO `tags` (`id`, `name`) VALUES
539 (9, 'audio'),
540 (2, 'elektronik'),
541 (1, 'laptop'),
542 (4, 'mikrocontroller'),
543 (5, 'netzwerk'),
544 (7, 'ram'),
545 (3, 'raspberry'),
546 (6, 'software'),
547 (10, 'speicher'),
548 (12, 'strom'),
549 (8, 'vintage'),
550 (11, 'werkzeug');
551
552 -- -----
553
554 --
555 -- Tabellenstruktur für Tabelle `users`
556 --
557
558 CREATE TABLE `users` (
559   `id` int(10) UNSIGNED NOT NULL,
560   `ip` varchar(45) NOT NULL,
561   `mac` varchar(17) DEFAULT NULL,
562   `hostname` varchar(255) DEFAULT NULL,
563   `vendor` varchar(100) DEFAULT NULL,

```



```
564     `label` varchar(100) DEFAULT NULL COMMENT 'Manueller Anzeigename z.B. Büro-
565     `notes` text DEFAULT NULL,
566     `first_seen` datetime NOT NULL DEFAULT current_timestamp(),
567     `last_seen` datetime NOT NULL DEFAULT current_timestamp() ON UPDATE
current_timestamp(),
568     `seen_count` int(10) UNSIGNED NOT NULL DEFAULT 1
569 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci
COMMENT='Erkannte Netzwerkgeräte mit IP, MAC und Hostname';
570
571 --
572 -- Daten für Tabelle `users`
573 --
574
575 INSERT INTO `users` (`id`, `ip`, `mac`, `hostname`, `vendor`, `label`,
576 `notes`, `first_seen`, `last_seen`, `seen_count`) VALUES
577 (2, '172.17.17.35', '38:de:ad:d5:02:82', 'MXMN', NULL, NULL, NULL, '2026-03-16
08:59:21', '2026-03-16 08:59:21', 1),
578 (3, '10.1.200.5', '24:5e:be:31:0b:d9', 'NASABSO1', NULL, NULL, NULL,
'2026-03-17 13:50:41', '2026-03-17 13:50:41', 1),
579 (4, '10.1.200.6', '00:08:9b:ea:3f:e2', 'NASABSO2', NULL, NULL, NULL,
'2026-03-17 13:51:31', '2026-03-17 13:51:31', 1),
580 (5, '10.1.200.7', '24:5e:be:5c:db:0b', 'NASABSO3', NULL, NULL, NULL,
'2026-03-17 13:51:32', '2026-03-17 13:51:32', 1),
581 (6, '10.1.200.8', '24:5e:be:5e:de:a6', 'NASABSO4', NULL, NULL, NULL,
'2026-03-17 13:51:34', '2026-03-17 13:51:34', 1);
582
583 -----
584 --
585 -- Stellvertreter-Struktur des Views `users_recent`
586 -- (Siehe unten für die tatsächliche Ansicht)
587 --
588 CREATE TABLE `users_recent` (
589   `id` int(10) unsigned
590   , `ip` varchar(45)
591   , `mac` varchar(17)
592   , `hostname` varchar(255)
593   , `vendor` varchar(100)
594   , `label` varchar(100)
595   , `last_seen` datetime
596   , `seen_count` int(10) unsigned
597 );
598
599 -----
600 --
601 -- Stellvertreter-Struktur des Views `users_unknown`
602 -- (Siehe unten für die tatsächliche Ansicht)
603 --
604 --
605 CREATE TABLE `users_unknown` (
606   `id` int(10) unsigned
607   , `ip` varchar(45)
```

```
608 ,`mac` varchar(17)
609 ,`vendor` varchar(100)
610 ,`last_seen` datetime
611 );
612
613 -- -----
614
615 --
616 -- Struktur des Views `logs_daily_stats`
617 --
618 DROP TABLE IF EXISTS `logs_daily_stats`;
619
620 CREATE ALGORITHM=UNDEFINED DEFINER=`admin`@`%` SQL SECURITY DEFINER VIEW
`logs_daily_stats` AS SELECT cast(`logs`.`created_at` as date) AS `date`,
count(0) AS `total_requests`, sum(`logs`.`level` = 'error') AS `errors`,
sum(`logs`.`level` = 'warning') AS `warnings`, sum(`logs`.`action` =
'item_created') AS `items_created`, sum(`logs`.`action` = 'item_deleted') AS
`items_deleted`, sum(`logs`.`action` = 'page_view') AS `page_views`,
sum(`logs`.`action` = 'overlay_accepted') AS `overlay_accepts`, count(distinct
`logs`.`ip`) AS `unique_ips`, count(distinct `logs`.`session_id`) AS
`unique_sessions`, sum(`logs`.`device_type` = 'mobile') AS `mobile_visits`,
sum(`logs`.`device_type` = 'desktop') AS `desktop_visits` FROM `logs` GROUP BY
cast(`logs`.`created_at` as date) ORDER BY cast(`logs`.`created_at` as date)
DESC ;
621
622 -- -----
623
624 --
625 -- Struktur des Views `logs_errors`
626 --
627 DROP TABLE IF EXISTS `logs_errors`;
628
629 CREATE ALGORITHM=UNDEFINED DEFINER=`admin`@`%` SQL SECURITY DEFINER VIEW
`logs_errors` AS SELECT `logs`.`id` AS `id`, `logs`.`created_at` AS
`created_at`, `logs`.`level` AS `level`, `logs`.`action` AS `action`,
`logs`.`detail` AS `detail`, `logs`.`ip` AS `ip`, `logs`.`user_agent` AS
`user_agent`, `logs`.`browser` AS `browser`, `logs`.`os` AS `os`,
`logs`.`device_type` AS `device_type`, `logs`.`language` AS `language`,
`logs`.`method` AS `method`, `logs`.`url` AS `url`, `logs`.`referrer` AS
`referrer`, `logs`.`session_id` AS `session_id`, `logs`.`extra_data` AS
`extra_data` FROM `logs` WHERE `logs`.`level` in ('error','warning') ORDER BY
`logs`.`id` DESC ;
630
631 -- -----
632
633 --
634 -- Struktur des Views `logs_recent`
635 --
636 DROP TABLE IF EXISTS `logs_recent`;
637
```

```

638 CREATE ALGORITHM=UNDEFINED DEFINER=`admin`@`%` SQL SECURITY DEFINER VIEW
    `logs_recent` AS SELECT `logs`.`id` AS `id`, `logs`.`created_at` AS
    `created_at`, `logs`.`level` AS `level`, `logs`.`action` AS `action`,
    `logs`.`detail` AS `detail`, `logs`.`ip` AS `ip`, `logs`.`browser` AS
    `browser`, `logs`.`os` AS `os`, `logs`.`device_type` AS `device_type`,
    `logs`.`method` AS `method`, `logs`.`url` AS `url`, `logs`.`session_id` AS
    `session_id`, `logs`.`extra_data` AS `extra_data` FROM `logs` ORDER BY
    `logs`.`id` DESC LIMIT 0, 500 ;

639
640 -- -----
641
642 --
643 -- Struktur des Views `users_recent`
644 --
645 DROP TABLE IF EXISTS `users_recent`;
646
647 CREATE ALGORITHM=UNDEFINED DEFINER=`admin`@`%` SQL SECURITY DEFINER VIEW
    `users_recent` AS SELECT `users`.`id` AS `id`, `users`.`ip` AS `ip`,
    `users`.`mac` AS `mac`, `users`.`hostname` AS `hostname`, `users`.`vendor` AS
    `vendor`, `users`.`label` AS `label`, `users`.`last_seen` AS `last_seen`,
    `users`.`seen_count` AS `seen_count` FROM `users` WHERE `users`.`last_seen` >=
    current_timestamp() - interval 24 hour ORDER BY `users`.`last_seen` DESC ;

648
649 -- -----
650
651 --
652 -- Struktur des Views `users_unknown`
653 --
654 DROP TABLE IF EXISTS `users_unknown`;
655
656 CREATE ALGORITHM=UNDEFINED DEFINER=`admin`@`%` SQL SECURITY DEFINER VIEW
    `users_unknown` AS SELECT `users`.`id` AS `id`, `users`.`ip` AS `ip`,
    `users`.`mac` AS `mac`, `users`.`vendor` AS `vendor`, `users`.`last_seen` AS
    `last_seen` FROM `users` WHERE `users`.`hostname` is null ORDER BY
    `users`.`last_seen` DESC ;

657
658 --
659 -- Indizes der exportierten Tabellen
660 --
661
662 --
663 -- Indizes für die Tabelle `categories`
664 --
665 ALTER TABLE `categories`
666     ADD PRIMARY KEY (`id`),
667     ADD KEY `parent_id` (`parent_id`);
668
669 --
670 -- Indizes für die Tabelle `feedback`
671 --
672 ALTER TABLE `feedback`
673     ADD PRIMARY KEY (`id`);
674

```

```
675 --
676 -- Indizes für die Tabelle `items`
677 --
678 ALTER TABLE `items`
679     ADD PRIMARY KEY (`id`),
680     ADD KEY `category_id` (`category_id`),
681     ADD KEY `location_id` (`location_id`);
682
683 --
684 -- Indizes für die Tabelle `item_tags`
685 --
686 ALTER TABLE `item_tags`
687     ADD PRIMARY KEY (`item_id`, `tag_id`),
688     ADD KEY `tag_id` (`tag_id`);
689
690 --
691 -- Indizes für die Tabelle `locations`
692 --
693 ALTER TABLE `locations`
694     ADD PRIMARY KEY (`id`);
695
696 --
697 -- Indizes für die Tabelle `logs`
698 --
699 ALTER TABLE `logs`
700     ADD PRIMARY KEY (`id`),
701     ADD KEY `idx_created_at` (`created_at`),
702     ADD KEY `idx_level` (`level`),
703     ADD KEY `idx_action` (`action`),
704     ADD KEY `idx_ip` (`ip`),
705     ADD KEY `idx_session` (`session_id`),
706     ADD KEY `idx_level_time` (`level`, `created_at`);
707
708 --
709 -- Indizes für die Tabelle `specs`
710 --
711 ALTER TABLE `specs`
712     ADD PRIMARY KEY (`id`),
713     ADD KEY `item_id` (`item_id`);
714
715 --
716 -- Indizes für die Tabelle `tags`
717 --
718 ALTER TABLE `tags`
719     ADD PRIMARY KEY (`id`),
720     ADD UNIQUE KEY `name` (`name`);
721
722 --
723 -- Indizes für die Tabelle `users`
724 --
725 ALTER TABLE `users`
726     ADD PRIMARY KEY (`id`),
727     ADD UNIQUE KEY `uq_mac` (`mac`),
```

```
728     ADD KEY `idx_ip` (`ip`),
729     ADD KEY `idx_hostname` (`hostname`),
730     ADD KEY `idx_last_seen` (`last_seen`);
731
732 --
733 -- AUTO_INCREMENT für exportierte Tabellen
734 --
735
736 --
737 -- AUTO_INCREMENT für Tabelle `categories`
738 --
739 ALTER TABLE `categories`
740     MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=14;
741
742 --
743 -- AUTO_INCREMENT für Tabelle `feedback`
744 --
745 ALTER TABLE `feedback`
746     MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=2;
747
748 --
749 -- AUTO_INCREMENT für Tabelle `items`
750 --
751 ALTER TABLE `items`
752     MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=50;
753
754 --
755 -- AUTO_INCREMENT für Tabelle `locations`
756 --
757 ALTER TABLE `locations`
758     MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=7;
759
760 --
761 -- AUTO_INCREMENT für Tabelle `logs`
762 --
763 ALTER TABLE `logs`
764     MODIFY `id` bigint(20) UNSIGNED NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=55;
765
766 --
767 -- AUTO_INCREMENT für Tabelle `specs`
768 --
769 ALTER TABLE `specs`
770     MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=90;
771
772 --
773 -- AUTO_INCREMENT für Tabelle `tags`
774 --
775 ALTER TABLE `tags`
776     MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=13;
777
778 --
779 -- AUTO_INCREMENT für Tabelle `users`
780 --
```

```
781 ALTER TABLE `users`
782     MODIFY `id` int(10) UNSIGNED NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=7;
783
784 --
785 -- Constraints der exportierten Tabellen
786 --
787 --
788 -- Constraints der Tabelle `categories`
789 --
790 --
791 ALTER TABLE `categories`
792     ADD CONSTRAINT `categories_ibfk_1` FOREIGN KEY (`parent_id`) REFERENCES
`categories` (`id`) ON DELETE SET NULL;
793
794 --
795 -- Constraints der Tabelle `items`
796 --
797 ALTER TABLE `items`
798     ADD CONSTRAINT `items_ibfk_1` FOREIGN KEY (`category_id`) REFERENCES
`categories` (`id`) ON DELETE SET NULL,
799     ADD CONSTRAINT `items_ibfk_2` FOREIGN KEY (`location_id`) REFERENCES
`locations` (`id`) ON DELETE SET NULL;
800
801 --
802 -- Constraints der Tabelle `item_tags`
803 --
804 ALTER TABLE `item_tags`
805     ADD CONSTRAINT `item_tags_ibfk_1` FOREIGN KEY (`item_id`) REFERENCES `items`
(`id`) ON DELETE CASCADE,
806     ADD CONSTRAINT `item_tags_ibfk_2` FOREIGN KEY (`tag_id`) REFERENCES `tags`
(`id`) ON DELETE CASCADE;
807
808 --
809 -- Constraints der Tabelle `specs`
810 --
811 ALTER TABLE `specs`
812     ADD CONSTRAINT `specs_ibfk_1` FOREIGN KEY (`item_id`) REFERENCES `items`
(`id`) ON DELETE CASCADE;
813 COMMIT;
814
815 /*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
816 /*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
817 /*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
818
```