WELCOME

Prepare. Run. Perform.

The illustrated user manual for S2A Pilot and S2A Pilot Bridge.



Pilot 1.5.6 · Demo show · Safari on Mac.

From your first Cue to the show. Create a show, add media and follow the instructions in Show. If you use QLab, transfer your work with Bridge.

PILOT 1.5.6	BRIDGE 1.3.3
Prepare and follow a show in your browser.	Import the show into QLab 5 on Mac.

Edition 1.0 · 15 October 2026

A general workflow illustrated with the real Pilot interface in Safari on Mac. File selection and save dialogs depend on your device. Bridge workflow illustrations are explanatory diagrams.

CONTENTS

Your workflow

You can also open chapters using this PDF's bookmarks.

01 Discover Pilot 3
02 First show 4
03 Create and organise Cues 5
04 Add music 8
05 Media settings 10
06 Timeline in Edit 12
07 Video and visuals 13
08 Save and reopen 15
09 Show mode 17
10 Maverick and Iceman 19
11 Cue sheet PDF 22
12 Video output 24
13 Before the performance 25
14 Discover Bridge 26
15 Import into QLab 28
16 Bridge monitor 31
Pilot and Bridge troubleshooting 32
Glossary 34
Versions and resources 35


Get started quickly

Follow chapters 02, 03, 04 and 08, then switch to Show in chapter 09. Read the Bridge section later if you use QLab.


01 · DISCOVER PILOT

Two modes, one show

Edit is for preparation. Show is for following the performance.



In Edit, project controls stay above the Timeline.



The Timeline displays times, Cues and media.

1 **Prepare in Edit**

Name the show, create Cues and add files. A Cue is a timed marker with a title and optional instructions, visual and media.

2 **Follow in Show**

The active and upcoming Cues become easier to read. Editing tools are hidden. Use Edit to return to preparation.


A show is more than a PDF

The ZIP keeps the project and its files for reopening. The PDF is a cue sheet to read or print.

02 · YOUR FIRST SHOW

Create your first act

Manual example: a 3 min 20 soundtrack and six Cues.



Controls for creating, opening and saving.

1 **Choose New**

Start an empty show. Before replacing important work, export it using Save as…

2 **Enter the show name**

Replace the suggested name with a recognisable title, such as “S2A Gala - discovery”.

3 **Add your first Cue**

Use Back to start to return to zero, then click Cue. Open its row to add a title and instructions.


Timing sets the pace

Cues are triggered at their positions in the show. Set their times, then test the sequence before the performance.

03 · CREATE AND ORGANISE

Fill in a Cue

Click its row to open its settings.



A first Cue opened in Edit.

1 **Set the time and title**

The time field sets the Cue start. Give it a title you recognise immediately: “Curtain opening”, “Blue lighting”…

2 **Write useful instructions**

Describe the action to perform. Example: “Open the curtain. Bring up the front lights.”

3 **Add a visual if needed**

Add visual selects a reference image. It helps identify the moment; it does not replace an audio or video file to be played.

Find the open panel

Pilot centres the selected Cue for readability. If the panel is very tall, its top is brought into view. Typing does not continuously recenter it.

03 · CREATE AND ORGANISE

Organise without losing track

The list follows Cue times.



Six Cues with their times and titles.

1. **Adjust a Cue's position**

   Change its time or use its drag handle. Check the time afterwards and review the resulting order.

2. **Duplicate a marker**

   Open the Cue and choose Duplicate. The copy keeps the settings; give it its own title and time.

3. **Undo an action**

   Undo and Redo in the Edit header let you move through available changes in the history.


Automatic numbering

The number helps you find your place. Clear titles and consistent times matter most.

03 · CREATE AND ORGANISE

Delete a Cue

The bin is directly accessible on every Edit row.



Pilot asks for confirmation in a dialog matching the app theme.

1. **Find the correct row**

   Check its number, time and title before clicking the red bin.

2. **Read the confirmation**

   The dialog identifies the Cue. Choose Cancel to keep it or Delete to confirm.

3. **Check the list after deletion**

   Review Cue order and make sure no essential media or marker was removed.


Before a major reorganisation

Keep a show ZIP so you can recover a complete version with its media.

04 · ADD MUSIC

Import the audio file

The button to use is called “Music / Video”.



Import controls are in the Timeline in Edit.

1 **Choose the start time**

The media is added at the current time. For music at the start of the act, use Back to start first.

2 **Click Music / Video**

Find and select your track in your device’s file picker.

3 **Wait for Pilot to return**

Import creates a new Cue containing the media. Rename it if the filename is unclear.

Prepare your files

Your music must be available as a file on the device. Pilot does not directly access the iOS Music app library.

04 · ADD MUSIC

Check the import

Example: Ouverture-du-spectacle.wav, duration 03:20.



A real 3 min 20 WAV file imported into Pilot.

1. **Read the name and duration**

   The AUDIO header shows the file and its selected duration. Check that it is the right track.

2. **Listen to the file alone**

   The small Play button inside the media starts its preview, independently of the main show playback.

3. **Test the whole show**

   Stop the preview, then use main playback to check the start time.


An accepted format is not enough

Playback also depends on the codec and browser. Test your files on the show device with the actual sound setup.

05 · MEDIA SETTINGS

Choose the start and end

IN and OUT are positions within the file.



The audio editor and waveform handles.

1 Set IN

IN defines where playback starts in the file. At 00:00.0, Pilot starts at the beginning.

2 Set OUT

OUT defines where file playback stops. Here, 03:20.0 is the end of the music.

3 Listen to your selection

Use the media Play button to check the cut points. Yellow handles and waveform zoom help you refine them.

Two different kinds of time

The Cue time places it in the show. IN and OUT select the file portion played from that Cue.

05 · MEDIA SETTINGS


CUT, FADE and Loop

Choose how the media starts and which portion repeats.



FADE with a three-second duration.

SETTING	EFFECT
CUT	Immediate audio start.
FADE	The sound rises gradually over the specified duration.
Loop	Repeats the portion between IN and OUT.



Example: IN at 00:10, OUT at 03:10 and Loop checked.

1. **Choose the audio transition**

   Select CUT or FADE. For FADE, enter the required duration and listen to the result.


2. **Enable Loop only when needed**

   Check Loop for repeating ambience. Check the joins and plan when to stop or replace the ambience.

06 · TIMELINE IN EDIT

Read and move markers

The white line shows the current show time.



Audio in green, video in pink, Cue markers and waveform.

1 **Find the show time**

The timer beside Play shows your position. Click the Timeline to seek to another time.

2 **Select or move a Cue**

A marker lets you find its Cue. In Edit, moving it changes the Cue time. Check the value in the Cue afterwards.

3 **Zoom for precise adjustments**

Use the Timeline zoom controls. They change the display scale, not the show duration.


The waveform is a guide

It helps locate attacks and silence. Some media have no decodable waveform; check their playback directly.

07 · VIDEO AND VISUALS

Import and set up a video

Use the same button as for music.



Video media provides a preview, IN / OUT and an audio button.

1. **Import at the right time**

   Seek to the required start, choose Music / Video and select your video file. Pilot creates its Cue.

2. **Check the preview**

   Use the file's Play button to check the image and selected portion. Adjust IN and OUT if necessary.

3. **Decide whether to play the sound**

   Video is muted on import. The speaker button disables or enables its audio.

The Cue visual is separate

An image added with Add visual is a reference in the Show list and PDF. The video file is media intended for playback.

07 · VIDEO AND VISUALS


Recognise the mute button

Check the audio before opening video output.



Video muted

Crossed-out speaker



Audio enabled

Normal speaker

Buttons captured in Safari from the same video.

1. **Open the video Cue in Edit**

   Find the speaker button in its media settings.

2. **Choose the required state**

   Crossed-out speaker: muted video. Normal speaker: audio enabled. Click again to change state.

3. **Test the playback system**

   Listen with the music and other media. Avoid discovering unexpected video audio during the performance.


The purpose of reference images

Use a recognisable 16:9 visual. In Show, only the active visual darkens as the next Cue approaches.

08 · SAVE

Keep a portable copy

Use Save as… to get the show ZIP.



Local saving and show export.

1. **Click Save as…**

   Let Pilot prepare the package. Follow the browser’s save or download dialog.

2. **Find the ZIP file**

   Choose a recognisable name and an easy-to-find folder. Check the download has finished.

3. **Keep the complete ZIP**

   It contains the show and required files. Transfer this file to another device or import it in Bridge.

Local save ≠ backup copy

Autosave helps recover work in this browser. It does not replace a separate ZIP and may disappear if site data is cleared.

08 · REOPEN AND TRANSFER

Continue on another device

The exported file saves you from rebuilding the show.




Diagram: transferring a complete show.

1. **Transfer the ZIP**

   Use your device’s usual method: shared folder, external storage, AirDrop or another file service.

2. **Click Open in Pilot**

   Select the received ZIP and let the media load. The file picker depends on your device.

3. **Review and test the show**

   Check the title, Cues, visuals and audio/video playback before using it.


What about QLab?

In the documented version, the ZIP may also contain Bridge in companion/. Select the show ZIP in Bridge, not the app installer ZIP.

09 · SHOW MODE

Start and follow the show

Switch to Show when preparation is complete.



Maverick: the countdown is prominent in the Timeline.



The active and next Cues display their instructions.

1. **Return to the start**

   Back to start resets the show to zero and stops playback.

2. **Start with Play**

   The main button becomes Pause during playback. On a computer, Space also starts or pauses the show.

3. **Read the active Cue and anticipate the next**

   The blue glow marks the active Cue. Only the active and next Cues show descriptions.


Avoid double presses

Play / Pause ignores extra presses for 0.5 seconds after activation. While typing in a field, Space keeps its normal role.

09 · SHOW MODE

Anticipate the last ten seconds

The countdown is the main guide before the next Cue.



At 01:43, seven seconds remain until the next Cue.



The next Cue turns red; the active visual darkens.

1. **Follow the red alert**

   From ten seconds, the timer turns red and the next Cue's glow flashes. In Maverick, the countdown box follows the same alert.

2. **Prepare the next action**

   The upcoming title and instructions remain readable. Only the active visual fades.

3. **Recognise the end**

   After the final Cue, no further start is announced: the countdown shows --:--. Music end and final Cue time may differ.

10 · MAVERICK LAYOUT

The essentials in front of you

Computer and landscape iPad: active left, next right.



Maverick: past Cues disappear from the visible list.

1. **Find the two large Cues**

   The active Cue has a blue glow. The next keeps its visual and instructions so you can prepare.

2. **Read the countdown at the top**

   In Maverick, it stays in the Timeline. The Cue number helps track progress through the show.

3. **Follow the changing list**

   The list shows up to five Cues. Completed Cues are hidden; seeking back makes them available again.

On narrower screens

On iPhone and portrait iPad, the layout becomes vertical. The order stays the same: active, next, then upcoming markers.


10 · ICEMAN LAYOUT

Keep the whole list


The active and next Cues expand; the others stay compact.



Past Cue: a compact row.



Active Cue: detailed visual and instructions.



Next Cue: its countdown is inside its row.

1. **Keep the context**

   Past Cues remain listed. At each change, the old active Cue shrinks and the new next Cue expands.

2. **Let Pilot recenter**

   The active and next Cues are brought into view when a Cue changes. You can scroll between changes.

With a long list

If active + next exceeds the available height, Pilot aligns the top of the active Cue. Only these two Cues show descriptions.


10 · CHOOSE YOUR LAYOUT

Maverick or Iceman?

In Show, the Layout button sits beside the language selector.



1 · Layout: the button between language and video output.



The layout choice in the real Pilot dialog.

MAVERICK	ICEMAN
Focused view of current and upcoming Cues.	View keeping the list and past Cues.
Countdown in the Timeline.	Countdown in the next Cue.

1 **Open Layout**

Choose the display that suits how you follow the performance, then close the dialog.


2 **Save your choice**

The layout is saved in the exported show ZIP. Export again to pass on a changed choice.

11 · CUE SHEET PDF

Open the preview before sharing

The PDF is a cue sheet, separate from the editable ZIP.



Pilot's PDF preview, with viewing and download controls.

1 **Click Cue sheet PDF**

In Edit, Pilot generates the sheet and opens its preview.

2 **Check, then download**

Check titles, times, visuals and descriptions. Download from the preview to save and share the PDF.

11 · CUE SHEET PDF

What the sheet contains

Example generated by Pilot from the demo show.


TECHNICAL CUE SHEET

Gala S2A - découverte

6 Cues • Last Cue: 03:00.0 • 1 audio file(s) • 1 file video

Elapsed time (time remaining until the end)

CUE 01
00:00.0
(-03:20.0)
Ouverture du rideau
Ouvrir le rideau. Lancer les lumières de face.
MEDIA
AUDIO • Ouverture-du-spectacle.wav • IN 00:00.0 / OUT 03:20.0 • CUT

CUE 02
00:35.0
(-02:45.0)
Présentation vidéo
Lancer la présentation vidéo, puis attendre le top du régisseur.
MEDIA
VIDEO • Presentation-video.mp4 • IN 00:00.0 / OUT 00:03.2 • MUTED

CUE 03
01:10.0
(-02:10.0)
Entrée de l'artiste
Ouvrir la poursuite et attendre le salut de l'artiste.

CUE 04
01:50.0
(-01:30.0)
Ambiance bleue
Installer l'ambiance bleue. Garder le plateau dégagé.

CUE 05
02:30.0
(-00:50.0)
Salut final
Lancer le plein feu. Attendre la fin des applaudissements.

Any reproduction without the artist's authorization is prohibited.
Created with S2A Pilot - S2A Production
Page 1 / 2

First page of a sheet genuinely generated by Pilot.

The header uses the first available visual in Cue order. The sheet gathers times, titles, instructions and reference images.

The PDF's QR code

It opens the public S2A Pilot website. It does not share your show or control the performance.

12 · VIDEO OUTPUT

Display video on another screen

In Safari on Mac, use a connected screen and an extended desktop.



2 · Video output: the screen with an arrow. Layout is on its left.




Diagram: move the video window onto the second screen.

1. **Prepare the screens**

   Connect the projector or monitor and set up an extended display in Mac settings.

2. **Open Video output**

   In Show, click the output button. Allow the window to open if Safari asks.

3. **Position and test the window**

   Move the window to the playback screen and enter fullscreen. Start the show to check the video begins correctly.

Depending on the device

This separate output applies to Safari on Mac. Mirroring differs from an extended desktop; iPhone and iPad do not offer this separate-output button.

13 · BEFORE THE PERFORMANCE

Rehearse the whole show

Check these items on the device you will actually use.

- [ ] The correct ZIP is open and the show name is right.
- [ ] Cue times and instructions have been reviewed.
- [ ] Music and videos play with the correct sound.
- [ ] IN, OUT, Loop and fades have been tested.
- [ ] The Maverick / Iceman choice suits the user.
- [ ] The countdown and ten-second alerts are understood.
- [ ] External video output and fullscreen have been tested, if used.
- [ ] The backup ZIP and PDF are in an accessible folder.
- [ ] Devices have power; sleep and notification settings suit the performance.

Final check

Return to the start, check the first Cue and prepare to launch. A full rehearsal checks files, timing and output together.

14 · DISCOVER BRIDGE

Go from Pilot to QLab

S2A Pilot Bridge imports the show on a Mac running QLab 5.

S2A Pilot Bridge

Pilot import into QLab 5 · Mac app

Pilot
Prepare and export
→
Bridge
Import the ZIP
→
QLab 5
Run the show

Workflow diagram: Bridge connects the two apps.

1. **Prepare the file in Pilot**

   Finish the show and use Save as… to obtain its complete ZIP.

2. **Install Bridge on the QLab Mac**

   Version 1.3.3 is a universal app for Intel and Apple Silicon Macs running macOS 13 or later.


Two apps, two roles

Pilot prepares and displays markers. Bridge transfers the show to QLab and provides a follow-along monitor. Start the imported show in QLab.

14 · INSTALL BRIDGE

Open the Mac app

Keep the show ZIP intact for importing.



Bridge installation diagram, not a macOS window screenshot.

1. **Get Bridge**

   Download the official installer from the S2A Pilot repository. In the documented version, a copy may also be in companion/ in the show ZIP.

2. **Extract and open**

   Extract the installer archive, move S2A Pilot Bridge into Applications and open it.

3. **Allow opening if macOS asks**

   For this non-notarised app, macOS may block the first launch. After trying once, use System Settings > Privacy & Security > Open Anyway, if you recognise the downloaded app.

Separate QLab permission

Allow the connection when macOS asks whether Bridge may control QLab. If denied, check Privacy & Security > Automation.

15 · IMPORT INTO QLAB

Prepare the destination

QLab must be open and its workspace saved.




Diagram: prepare the QLab document before importing.

1. **Open the correct workspace**

   In QLab 5, open the document that will receive the act, or create one.

2. **Save it on the Mac**

   Give it a stable location. Bridge needs a saved workspace to organise associated files.

3. **Refresh in Bridge**

   Return to Bridge and use refresh in the QLab section. If several workspaces are open, choose the one that should receive the show.

If import is unavailable

Check a package is selected, QLab is open and the workspace saved. Wait for any operation already in progress.

15 · IMPORT INTO QLAB

Select the ZIP and confirm

Add… selects Pilot packages.




Diagram of actual Bridge commands; not an interface screenshot.

1. **Select the correct file**

   Choose the ZIP exported by Pilot, not the PDF alone or the Bridge installer archive. You can add several packages.

2. **Read the destination**

   Check the workspace name in the QLab section to avoid importing into another open show.

3. **Import and read the confirmation**

   Click Import into QLab. The confirmation identifies packages and workspace. Check, confirm and wait for transfer to finish.

Avoid accidental duplicate imports

Importing again may add another QLab group. Check the result before repeating the operation.

15 · CHECK THE RESULT

Check the QLab group

Each package becomes a Timeline group in the workspace.



Result diagram: a show organised in QLab.

1. **Find the imported act**

   Find its group in the workspace. Check names and Cue order.

2. **Check media and starts**

   Test audio and video files in QLab, then check the show timings.

3. **Save and rehearse**

   Save the workspace after checking. Rehearse with the intended playback equipment.


Playback settings belong to QLab

Check audio outputs, video surfaces and levels in QLab. Bridge handles import; it does not replace these show settings.

16 · BRIDGE MONITOR

Follow the act playing in QLab

The monitor displays markers for the imported act.



Follow-along diagram: playback controls stay in QLab.

1. **Open Monitor**

   After importing and linking a show to the workspace, click Monitor in Bridge.

2. **Start from QLab**

   Play the group corresponding to the imported act. The monitor switches from waiting to following the show.

3. **Read the next marker**

   The monitor shows the next Cue, its image, scheduled time and countdown. The alert turns red in the last ten seconds.

Always on top

This setting keeps the monitor above other windows. It follows the show and does not replace QLab’s transport.

TROUBLESHOOTING · PILOT

Quickly find the right action

Start with the item that matches your situation.

YOU NOTICE…	CHECK
I cannot find my music.	Prepare an accessible file on the device, then use Music / Video in Edit.
The media starts at the wrong time.	Check its Cue time, then IN and OUT in the file.
The video has no sound.	Check its speaker button, then device and playback-system sound.
The active visual darkens.	The fade is expected in the ten seconds before the next Cue.
I cannot see previous Cues.	Maverick hides them. Choose Iceman to keep the list.
I cannot find my export.	Wait for preparation to finish, then check the chosen download or save folder.
The PDF does not reopen as a project.	Use the show ZIP with Open, not the PDF.

Keep a copy before troubleshooting

If the show is still open and readable, export a ZIP before clearing browser data or changing devices.

TROUBLESHOOTING · BRIDGE

Check the QLab connection

Most blockers involve the package or destination.

SITUATION	ACTION
QLab is not detected.	Open QLab 5 and the workspace, then refresh in Bridge.
Import into QLab is greyed out.	Select a package and a saved workspace; wait for any running operation.
The ZIP is rejected.	Check it is the complete show ZIP exported by Pilot, not a PDF.
Bridge cannot control QLab.	Check macOS Automation permission for Bridge to control QLab.
The monitor keeps waiting.	Check the show link and start the corresponding imported group in QLab.
Sound or picture goes to the wrong place.	Check QLab outputs and surfaces, then connected equipment.

When asking for help

Include Pilot, Bridge and QLab versions, what you clicked and the exact message. A screenshot and sample show help identify the problem.

GLOSSARY

Useful terms

Understand the interface without extra jargon.

TERM	MEANING
Show	A sequence of markers, instructions and media for an act.
Cue	A marker at a specific time in the show.
Timeline	A line of time representing the show sequence.
Playhead	The white marker showing the current time.
Waveform	A drawing of sound amplitude, useful for finding attacks and silence.
IN / OUT	Start and end positions within the media file.
CUT / FADE	Immediate start / gradual rise in sound.
Loop	Repeats the portion between IN and OUT.
Visual	A reference image associated with a Cue.
Package / ZIP	A portable archive containing the show and its files.
QLab workspace	A QLab document containing show groups, Cues and settings.
Timeline group	A QLab group whose actions follow a timed arrangement.

REFERENCES

Versions and resources

The manual edition is independent of app versions.

REFERENCE	DOCUMENTED VERSION
S2A Pilot	1.5.6
S2A Pilot Bridge	1.3.3
Manual	Edition 1.0 · 15 October 2026
Pilot screenshots	Safari 27.0.1 on Mac · English interface

Open Pilot: s2a-production.com/S2A-Pilot/

Downloads and source: github.com/soundviking/S2A-Pilot

macOS help for a blocked app: Apple documentation.

Scope of this edition

File selection screens vary by system. This is a general workflow. The Bridge section describes the published version; its illustrations are diagrams, not Safari captures of the native app. Copilot is not offered in this version.

Screenshots were taken from Pilot 1.5.6. Capture references and layout sources are kept separately so sections can be updated without rebuilding the entire manual.

Set up a Flic button

A single Flic press can reproduce Space in Pilot while the browser window has keyboard focus.

1. Connect to the Mac

Install and open Flic for Mac, then pair the button to the Mac. Pairing it to a phone does not automatically send keyboard input to the Mac.

2. Choose a single press

Select the action for one short press in the button settings.

3. Send Space

Add Keyboard Command and select Space only, without Cmd, Ctrl, Alt or Shift. Labels may differ between Flic versions.

4. Allow keyboard control if prompted

If macOS asks to let Flic send keyboard commands, grant that permission.

5. Focus Pilot

Open Pilot in Show in the browser. Click a blank area of Pilot, outside text fields and the address bar. Keep this window active.

6. Test it

First check that Space on the physical keyboard controls Pilot, then press Flic. Leave double press and hold unassigned for this first test.

Autopilot: Play/Pause. Go mode: the same action as GO, prioritizing the next Wait marker. An early GO jumps there and plays on; after a natural wait, GO resumes the same track.

Focus matters: simulated keys may go to another application. Pilot running in the background does not guarantee that a keyboard shortcut is delivered to it. Test with the actual button.

Flic for Mac documentation - flic.io/flic-for-macos-test