The TCS Global Coding Contes



ONLINE EDITOR (B)

F

**05** Hr **18** Min **48** Sec

### Guidelines

**Coding Area** 

Public Testcase Submissions

Private Testcase Submissions

Unevaluated Submissions

**Feedback Form** 

**Graphs** 

# Coding Area

A B C D E

## Digit Pairs

+ Problem Description

Given N three-digit numbers, your task is to find bit score of all N numbers and then print the number of pairs possible based on these calculated bit score.

1. Rule for calculating bit score from three digit number:

From the 3-digit number,

- · extract largest digit and multiply by 11 then
- · extract smallest digit multiply by 7 then
- · add both the result for getting bit pairs.

Note: - Bit score should be of 2-digits, if above results in a 3-digit bit score, simply ignore most significant digit.

Consider following examples:

Say, number is 286

Largest digit is 8 and smallest digit is 2

So, 8\*11+2\*7=102 so ignore most significant bit, So bit score = 02.

Say, Number is 123

Largest digit is 3 and smallest digit is 1

So, 3\*11+7\*1=40, so bit score is 40.

### 2. Rules for making pairs from above calculated bit scores

Condition for making pairs are

- · Both bit scores should be in either odd position or even position to be eligible to form a pair.
- · Pairs can be only made if most significant digit are same and at most two pair can be made for a given significant digit.

+ Constraints

N<=500

+ Input Format

First line contains an integer N, denoting the count of numbers.

Second line contains N 3-digit integers delimited by space

+ Output

One integer value denoting the number of bit pairs.

+ Timeout

1

+ Explanation

Example 1

Input

8 234 567 321 345 123 110 767 111

Output

3

Explanation

After getting the most and least significant digits of the numbers and applying the formula given in Rule 1 we get the bit scores of the numbers as:

58 12 40 76 40 11 19 18

No. of pair possible are 3:

40 appears twice at odd-indices 3 and 5 respectively. Hence, this is one pair.

12, 11, 18 are at even-indices. Hence, two pairs are possible from these three-bit scores.

Hence total pairs possible is 3

## Upload Solution [ Question : B ]

∟ I, <b>sounish nath</b> confirm th	at the answer $\sqcup$ Took help from online sources.
submitted is my own.	(attributions)

File ...

CodeVita FAQs About CodeVita Privacy Policy Careers

© 2020 Tata Consultancy Services Limited. All Rights Reserved.