ASP.NET Core 8.0 GIT - LAB1

```
souptik@3201Lappu:~/tempGit$ git --version git version 2.43.0 souptik@3201Lappu:~/tempGit$
```

```
souptik@3201Lappu:~/tempGit$ git --version
git version 2.43.0
souptik@3201Lappu:~/tempGit$ git config --global user.name = "souptik"
souptik@3201Lappu:~/tempGit$ git config --global user.email = "souptik"
souptik@3201Lappu:~/tempGit$ git config --global user.email = "souptikkaran23@gmail.com"
souptik@3201Lappu:~/tempGit$
```

```
souptik@3201Lappu:~/tempGit$ git config --global user.name "souptik" souptik@3201Lappu:~/tempGit$ git config --global user.email "souptikkaran23@gmail.com" souptik@3201Lappu:~/tempGit$ git config --global --list user.email=souptikkaran23@gmail.com user.name=souptik souptik@3201Lappu:~/tempGit$ |
```

```
souptik@3201Lappu:~/tempGit$ mkdir git_demo
souptik@3201Lappu:~/tempGit/git_demo$ ls
souptik@3201Lappu:~/tempGit/git_demo$ touch hello.txt
souptik@3201Lappu:~/tempGit/git_demo$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint: git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in /home/souptik/tempGit/git_demo/.git/
souptik@3201Lappu:~/tempGit/git_demo$ echo "welcome souptik karan" > hello.txt
souptik@3201Lappu:~/tempGit/git_demo$ nano hello.txt
souptik@3201Lappu:~/tempGit/git_demo$
```

```
souptik@3201Lappu:~/tempGit/git_demo$ git add .
souptik@3201Lappu:~/tempGit/git_demo$ git commit -m "the welcome message has been added"
[master (root-commit) 3b45932] the welcome message has been added
1 file changed, 1 insertion(+)
create mode 100644 hello.txt
souptik@3201Lappu:~/tempGit/git_demo$ git push -u origin main
```