



Consolidated Energy Insulation

Importer Due Diligence Statement

As the importer of the glass wool insulation products into Australia, Consolidated Energy has undertaken reasonable and proportionate due diligence to ensure compliance with applicable WHS and chemical classification obligations.

Actions undertaken include: - Review of manufacturer-provided SDSs and technical data - Independent assessment of fibre chemistry against known biosoluble glass wool compositions - Identification of the absence of completed Note Q biosolubility testing - Adoption of a conservative interim carcinogenic classification to prevent under-classification risk

This due diligence process is documented and subject to review upon receipt of additional test data.

SDS Alignment

Based on available information, the fibre chemistry of the product is consistent with modern biosoluble glass wool fibres. However, formal biosolubility testing in accordance with Note Q has not yet been completed.

In the absence of confirmatory exemption data, the product is conservatively classified as Carcinogenicity Category 1B. This classification is not based on demonstrated carcinogenicity, but on regulatory precaution pending completion of relevant testing.

Classification: Carcinogenicity – Category 1B

Hazard statement: H350 – May cause cancer

Note: Classification applied on an interim basis pending completion of Note Q biosolubility testing.

Border & Regulator Explanation L

This product has been classified in accordance with GHS and Australian WHS requirements by the importer.

Although the fibre chemistry strongly indicates biosoluble glass wool consistent with Note Q exemption criteria, formal biosolubility testing has not yet been finalised. Accordingly,

an interim Carcinogenicity Category 1B classification has been applied to ensure conservative compliance and transparency.

The importer is undertaking steps to complete Note Q testing and will promptly update classification, labelling, and SDS documentation once results are available.

Reclassification Trigger

The interim Carcinogenicity Category 1B classification may be withdrawn when one or more of the following are available: - Accredited laboratory Note Q biosolubility test reports - Verified in-vitro or in-vivo dissolution rate data meeting CLP criteria - Independent expert assessment confirming Note Q compliance

All reclassification decisions will be documented and controlled.

Label Core Content – Interim Classification

Signal word: DANGER

Pictogram: GHS08 – Health Hazard

Hazard statement: H350 – May cause cancer

Supplemental text: Risk is associated with prolonged inhalation of respirable fibres

This label content is subject to review upon completion of Note Q testing.