

Aim : To simulate the radioactive decay using the Monti Carlo method.

Theory :

Monti Carlo Method:

They are a broad class of computational algorithms that rely on repeated random sampling to obtain numerical results. The underlying concept is to use randomness to solve problems that might be deterministic in principle.

Simulation of radioactive decay:

The radioactive decay simulation done by taking the value of the λ (decay constant) from the user. Then find out the probability for decay of the nucleus in the next step or probability for not decay now . And then generate the random number , then check the random number is greater than the probability or not . If the random number is greater than or equal to the probability of not decay then the nucleus is not decay now but if the random number is less than the probability of the not decay , then the nucleus is decay now.

$$\text{Probability of decay in next step} = 1 - \exp(-\lambda)$$

Program in Fortran 95:

program simulation

! Refrence for the documantions :: <https://www.ijeast.com/papers/86-90,Tesma505,IJEAST.pdf>

implicit none

! Decleartion of the variables

real :: decay_prob , atoms_prob , halflife

integer :: num_atoms , count , interval , i

logical :: f1

! Getting the user input for half life time period and intial atoms

print *, "Enter the half life time period :: "

read *, halflife

print *, "Enter the number atoms at start :: "

read *, num_atoms

!validing the parameters

```
if (halflife <= 0 .or. num_atoms <=0) then
    print *, "input parameters are not correct please enter valid parameters"
    stop "Invalid Parameter"
endif
```

! Checking and opening the file with status new or replace

```
inquire(file="decay.dat",exist=f1) ! for checking the existance of the file
if (f1) then
    open(1,file="decay.dat",status="replace")
else
    open(1,file="decay.dat",status="new",action="write")
endif
```

! Calculating the probability those atoms doesn't decay in this interval but decay in future

```
decay_prob = 1 - exp(-(0.693)/halflife)
```

! taking time to zero and write the initial points to the file

```
interval = 0
```

```
write(1,*)interval,num_atoms
```

! generating the random-number as atoms_prob and checking for those whoes are less than decay_prob

! and count the decay element and write number of left atoms into the file until the zero atoms are left

```
do while(num_atoms .ne. 0)
    count = 0
    do i = 1,num_atoms
        call random_number(atoms_prob)
        if (atoms_prob <= decay_prob) then
            count = count + 1
        endif
    enddo
    interval = interval + 1
    num_atoms = num_atoms - count
    write(1,*)interval,num_atoms
enddo
```

! closing the file

```
close(1)

print *, "simulation is complete "

stop

end program
```

Output of Program :

```
Enter the half life time period ::
10
Enter the number atoms at start ::
1000
simulation is complete
```

Simulation Result :

