

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

amway

Tables

agents1

Views

Stored Procedures

Functions

anudip

student

Tables

student

tblparents

Columns

Indexes

Foreign Key

Triggers

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Table: student

Columns:

parent_id int

student_name var

maths_marks int

science_marks int

agents1 agents1 agents1 countries tblparents tblparents tblparents tblparents tblparents tblparents tblparents student student

Limit to 1000 rows

1 • SELECT * FROM student.tblparents;

2 • SET SQL_SAFE_UPDATES =0;

3 • UPDATE tblparents SET Email_id="NA";

Result Grid

Parent_id	Parents_name	City	Age	Annual_Income	Occupation	Email_id
101	Rohit Sharma	Mumbai	35	1200000	Businessman	NA
102	Rahul	Lucknow	30	800000	Private Job	NA
103	Virat	Delhi	46	1000000	Government Employee	NA
104	Hardik	Ahmedabad	45	6 600000	Employee	NA
105	Surya	Mumbai	49	300000	labourer	NA
106	Jadeja	Chennai	39	700000	Employee	NA
107	Dinesh	Bangalore	50	400000	Helper	NA
108	bhuv	Ahmedabd	44	900000	Manager	NA
109	Chahal	Haryana	37	570000	Anchor	NA
110	Bumrah	Ahmedabad	47	750000	Painter	NA
111	Shami	chandigarh	52	1500000	Doctor	NA
112	Babar	jaipur	42	450000	Engineer	NA
113	Rizwan	Mohali	50	800000	Driver	NA
114	Shreyas	Kolkata	45	1500000	chef	NA
115	Rishabh	Delhi	36	1600000	housekeeper	NA
116	Sanju	Bangalore	45	400000	Engineer	NA
118	Shikhar	Punjab	48	1800000	Employee	NA
119	Ishan	Mumbai	36	1100000	Managerr	NA
120	Harshal	Haryana	48	500000	Athlete	NA

tblparents 1 tblparents 7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
66	18:06:12	SELECT * FROM student.tblparents LIMIT 0, 1000	20 row(s) returned	0.000 sec / 0.000 sec
67	18:06:12	SET SQL_SAFE_UPDATES =0	0 row(s) affected	0.000 sec
68	18:06:12	UPDATE tblparents SET Email_id="NA"	0 row(s) affected Rows matched: 20 Changed: 0 Warnings: 0	0.000 sec

Automatic context help is disabled. Use the toolbar icon to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

Apply Revert Context Help Snippets

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

amway

Tables

agents1

Views

Stored Procedures

Functions

anudip

student

Tables

student

tblparents

Columns

Indexes

Foreign Key

Triggers

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Table: student

Columns:

parent_id int

student_name varchar

maths_marks int

science_marks int

agents1 agents1 agents1 countries tblparents tblparents tblparents tblparents tblparents tblparents student student

Limit to 1000 rows

```
1 • SELECT * FROM student.tblparents;
2 • SELECT COUNT(Annual_Income) from tblparents where Annual_Income>600000;
```

Result Grid

COUNT(Annual_Income)
13

Filter Rows: Export: Wrap Cell Content: I A

Result Grid

Form Editor

Field Types

Query Stats

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	0.000	SELECT FROM student.tblparents	SELECT FROM student.tblparents	0.000 / 0.000
2	0.000	SELECT COUNT(Annual_Income) from tblparents where Annual_Income>600000;	SELECT COUNT(Annual_Income) from tblparents where Annual_Income>600000;	0.000 / 0.000

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

amway

Tables

agents1

Views

Stored Procedures

Functions

anudip

student

Tables

student

tblparents

Columns

Indexes

Foreign Key

Triggers

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Table: student

Columns:

parent_id int

student_name varchar

maths_marks int

science_marks int

agents1 agents1 agents1 countries tblparents tblparents tblparents tblparents tblparents tblparents student student

Limit to 1000 rows

1 • SELECT * FROM tblparents where City IN ("Delhi","Ahemdabad","Mumbai","Banglore","Chennai");

2

Result Grid

Parent_id	Parents_name	City	Age	Annual_Income	Occupation	Email_id
101	Rohit Sharma	Mumbai	35	1200000	Businessman	NA
103	Virat	Delhi	46	1000000	Government Employee	NA
105	Surya	Mumbai	49	300000	labourer	NA
106	Jadeja	Chennai	39	700000	Employee	NA
107	Dinesh	Banglore	50	400000	Helper	NA
115	Rishabh	Delhi	36	1600000	housekeeper	NA
119	Ishan	Mumbai	36	1100000	Managerr	NA
NULL	NULL	NULL	NULL	NULL	NULL	NULL

Form Editor

Field Types

Query Stats

Apply

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
72	18-12-18	SELECT COUNT(Annual_Income) from tblparents where Annual_Income>600000 LIMIT 0-1000	1 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar icon to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- amway
 - Tables
 - agents1
 - Views
 - Stored Procedures
 - Functions
- anudip
- student
 - Tables
 - student
 - tblparents
 - Columns
 - Indexes
 - Foreign Key
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Table: student

Columns:

- parent_id int
- student_name varchar
- maths_marks int
- science_marks int

agents1 agents1 agents1 countries tblparents tblparents tblparents tblparents tblparents tblparents student student

Limit to 1000 rows

1 • SELECT * FROM tblparents where Annual_Income<500000 or Age>45;

Result Grid

Parent_id	Parents_name	City	Age	Annual_Income	Occupation	Email_id
103	Virat	Delhi	46	1000000	Government Employee	NA
105	Surya	Mumbai	49	300000	labourer	NA
107	Dinesh	Banglore	50	400000	Helper	NA
110	Bumrah	Ahmedabad	47	750000	Painter	NA
111	Shami	chandigarh	52	1500000	Doctor	NA
112	Babar	jaipur	42	450000	Engineer	NA
113	Rizwan	Mohali	50	800000	Driver	NA
116	Sanju	Bangalore	45	400000	Engineer	NA
118	Shikhar	Punjab	48	1800000	Employee	NA
120	Harshal	Haryana	48	500000	Athlete	NA
1117	Deepak	Lucknow	46	700000	Actor	NA

tblparents 3 tblparents 7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	0.000	SELECT * FROM tblparents where Annual_Income<500000 or Age>45;	Query executed successfully.	0.000 / 1000

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Query Stats

Apply

Context Help

Snippets

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- amway
 - Tables
 - agents1
 - Views
 - Stored Procedures
 - Functions
- anudip
- student
 - Tables
 - student
 - tblparents
 - Columns
 - Indexes
 - Foreign Key
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Table: student

Columns:

- parent_id int
- student_name varchar
- maths_marks int
- science_marks int

agents1 agents1 countries tblparents tblparents tblparents tblparents tblparents tblparents tblparents student student student x

Limit to 1000 rows

```
1 • SELECT * FROM student.student;
2 • Create table student (parent_id int, student_name varchar(50), maths_marks int, science_marks int,
3 • foreign key (parent_id) references tblParents(parent_id));
4 • Insert into student values (101, 'Rohit Sharma', 55, 74);
5 • Insert into student values (112, 'Babar', 76, 84);
6 • Insert into student values (115, 'Rishabh', 63, 44);
7 • Insert into student values (110, 'Bumrah', 90, 74);
8 • Insert into student values (119, 'Ishan', 40, 64);
9 • Insert into student values (114, 'Shreyas', 54, 73);
10 • Insert into student values (103, 'Virat', 75, 95);
11 • Insert into student values (102, 'Rahul', 85, 96);
12 • Insert into student values (108, 'bhuv1', 58, 58);
```

Result Grid

parent_id	student_name	maths_marks	science_marks
101	Rohit Sharma	55	74
112	Babar	76	84
115	Rishabh	63	44
110	Bumrah	90	74
119	Ishan	40	64
114	Shreyas	54	73
103	Virat	75	95
102	Rahul	85	96
108	bhuv1	58	58

student 2 x

Read Only Context Help Snippets

Output

Action Output

Object Info Session

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar icon to manually get help for the current caret position or to toggle automatic help.