PRODUCT CATELOUGE

2026

DORTEC

HIGH QUALITY FENESTRATION

By GLASTAL

INNOVATING THE FUTURE OF

INFRASTRUCTURE

SLIDING • CASEMENT • FACADE • RAILING • ARCHITECTURAL

www.dortec.in

CONTENTS

01

Executive Summary

02

Introduction

Overview 05
Our Mission & Vision 06
Why Dortec 07

03

Our Products

Sliding 10
Casement 12
Facade 13
Railing 16
Architectural 18
Cladding 20
Screens 24
Partitions 26

04

Sliding

ZENITH 10
VANTA 12
GRANDEUR 13
FORGE 32 16
KURO 18

05

Casement

EON 10
EON GRANDE 12
AXEN 13

06

Facade

Point Fixed Glazing 10
Capped Curtain Wall 12
Semi-Unitized Glazing 13
Transom less Glazing 16
Unitized Glazing 18

07

Railing

Glass SS Railing 10
Non-Glass SS Railing 12
Spigot Type Railing 13
Frameless Glass Railing 16
SS Point Fixed Railing 18

08

Architectural

Glass Skylights 10
Glass Canopy 12
Aluminium Pergola 13

09

Cladding

ACP Cladding 10
HPL Cladding 12
Sheet Cladding 13
Louver & Fins Systems 16
Stone & Tile Cladding 18

26 MM SERIES

1.1. ZENITH

Product Overview:

- Ideal for Standard home Opening with smooth & Easy Openings
- Supports basic glass thickness & offers good daily -use performance
- Slim Interlock keeps the design neat without compromising function
- Best suited for budget friendly residential applications

SASH DETAILS	
MAX HEIGHT (MM)	**2000**
MAX WIDTH (MM)	**900**
WEIGHT (KG)	**90**

INTERLOCK VISIBILITY	
NON SLIM (MM)	**66**
SLIM (MM)	**20**

1. Sliding Systems

TRACK OPTIONS & DEPTH

2 TRACK (MM)	**70**
3 TRACK (MM)	**97**

HANDLE

CONCEALED	**Yes**
MORTISE	**No**

CORNER JOINT

SASH	**45 deg**
TRACK	**45 deg**

GLASS RANGE

SGU	**5 to 8 mm**
DGU	**upto 20 mm**

LOCKING TYPE

SINGLE	**Yes**
MULTIPOINT	**upto 2 Points**



SECTION B



PLAN A

OTHERS

WIND LOAD	**upto 2 Kpa**
AIR TIGHTNESS	**250 Pa**
WATER TIGHTNESS	**250 Pa**
COLOUR OPTIONS	**All RAL Shades**
MESH OPTIONS	**Yes**