Computer Science & Engineering Department I. I. T. Kharagpur

Compilers Laboratory: CS39003

3rd Year CSE: 5th Semester

Assignment - 3: Lexer for tiny C Marks: 20 Assign Date: 10th August, 2016 Submit Date: 23:55, 16th August, 2016

1 Preamble - tinyC

This assignment follows the lexical specification of C language from the International Standard ISO/IEC 9899:1999 (E). To keep the assignment within our required scope, we have chosen a subset of the specification as given below. We shall refer to this language as tinyC and subsequently (in a later assignment) specify its grammar from the Phase Structure Grammar given in the C Standard.

The lexical specification quoted here is written using a precise yet compact notation typically used for writing language specifications. We first outline the notation and then present the Lexical Grammar that we shall work with.

2 Notation

In the syntax notation used here, syntactic categories (non-terminals) are indicated by *italic type*, and literal words and character set members (terminals) by **bold type**. A colon (:) following a non-terminal introduces its definition. Alternative definitions are listed on separate lines, except when prefaced by the words "one of". An optional symbol is indicated by the subscript "opt", so that the following indicates an optional expression enclosed in braces.

```
\{expression_{opt}\}
```

3 Lexical Grammar of tinyC

1. Lexical Elements

token:

keyword identifier constant string-literal punctuator

2. Keywords

keyword: one of

u. One or			
auto	enum	$\mathbf{restrict}$	${f unsigned}$
break	extern	return	void
case	float	\mathbf{short}	volatile
char	\mathbf{for}	\mathbf{signed}	while
\mathbf{const}	goto	size of	$_{ extbf{D}}$
continue	if	\mathbf{static}	$_{ m extsf{L}}$ Complex
default	inline	\mathbf{struct}	I maginary
do	${f int}$	\mathbf{switch}	
double	long	$\mathbf{typedef}$	
else	register	union	

3. Identifiers

identifier:

identifier-nondigit identifier identifier-nondigit identifier digit

```
identifier-nondigit: one of
                                                      \mathbf{f}
                                                                                               1
                           b
                                         \mathbf{d}
                                                                   u
                           \mathbf{o}
                                  \mathbf{p}
                                         \mathbf{q}
                                                \mathbf{r}
                                                                                 \mathbf{w}
                                                                                        \mathbf{x}
                           \mathbf{B}
                                  \mathbf{C}
                                        \mathbf{D}
                                               {f E}
                                                     \mathbf{F}
                                                            \mathbf{G}
                                                                   \mathbf{H}
                                                                                 J
                                                                                        \mathbf{K}
                                                                          Ι
                           O
                                              {f R}
                    N
    digit: one of
                            \mathbf{2}
                                                        7
                 0 \quad 1
                                  3
                                       4
                                             \mathbf{5}
                                                   6
4. Constants
    constant:
              integer\mbox{-}constant
             floating	ext{-}constant
              enumeration\hbox{-}constant
              character\hbox{-}constant
    integer-constant:
             nonzero\text{-}integer\text{-}constant
    nonzero\text{-}integer\text{-}constant:
             nonzero	ext{-}digit
              nonzero-integer-constant\ digit
    nonzero-digit: one of
                1 2 3 4 5 6 7
   floating-constant:
             fractional-constant exponent-part_{opt}
              digit\text{-}sequence\ exponent\text{-}part
   fractional-constant:
              \mathit{digit}\text{-}\mathit{sequence}_{\mathit{opt}} . \mathit{digit}\text{-}\mathit{sequence}
              digit-sequence.
    exponent\hbox{-}part:
             \mathbf{e}\ sign_{opt}\ digit\text{-}sequence
             \mathbf{E}\ sign_{opt}\ digit\text{-}sequence
    \mathit{sign} \colon \mathsf{one} \; \mathsf{of}
                +
    digit-sequence:
              digit
              digit\text{-}sequence\ digit
    enumeration\mbox{-}constant:
             identifier
    character-constant:
             "c-char-sequence"
    c-char-sequence:
              c-char
              c\text{-}char\text{-}sequence\ c\text{-}char
    c-char:
             any member of the source character set except
                       the single-quote ', backslash \, or new-line character
              escape\text{-}sequence
    escape-sequence: one of
                      \'' \?
                      \'' \? \\
\b \f \n \r \t \v
5. String literals
    string	ext{-}literal:
             "s-char-sequence<sub>opt</sub>"
   s-char-sequence:
              s-char
              s-char-sequence s-char
    s-char:
```

 \mathbf{m}

 ${f z}$

 \mathbf{M}

 ${f Z}$

any member of the source character set except the double-quote $^{\rm II}$, backslash \backslash , or new-line character escape-sequence

6. Punctuators

punctuator: one of

```
[ ] ( ) { } . ->
++ -- & * + - ~ !
/ % << >> < > <= >= != ^ | && ||
? :; ...
= *= /= %= += -= <<= >>= &= ^= |=
, #
```

7. Comments

(a) Multi-line Comment

Except within a character constant, a string literal, or a comment, the characters /* introduce a comment. The contents of such a comment are examined only to identify multibyte characters and to find the characters */ that terminate it. Thus, /* ... */ comments do not nest.

(b) Single-line Comment

Except within a character constant, a string literal, or a comment, the characters // introduce a comment that includes all multibyte characters up to, but not including, the next new-line character. The contents of such a comment are examined only to identify multibyte characters and to find the terminating new-line character.

4 The Assignment

- 1. Write a flex specification for the language of tiny C using the above lexical grammar. Also write a yacc specification for defining the tokens of tiny C and generate the required y.tab.h file.
- 2. Names of your .1 and .y files should be ass3_roll.1 and ass3_roll.y respectively. The .1 file should not contain the function main(). Write your main() (in a separate file ass3_roll.c) to test your lexer. The .y file should only define the tokens.
- 3. Prepare a Makefile to compile the specifications and generate the lexer.
- 4. Prepare a test input file ass3_roll_test.c that will test all the lexical rules that you have coded.
- 5. Prepare a tar-archive with the name ass3_roll.tar containing all the files and upload to Moodle.

5 Credits

1. Specifications and Makefile: 15

2. Test file: **5**