

# Player Items Inventory

## Introduction

This video will guide you on how to setup the limited items for the player.

## Setting up the Items

Step 1: Create an empty gameObject Step 2: Add a component called 'ItemsManager'

Step 3: Create another empty gameObject and add a component 'ItemsUsageController' Script.

Assign the necessary gameObjects and components like shown in the video above.

Your setup should look like this [See the image below].



## Items Manager

Handles item inventory, including saving, retrieving, and updating item counts. It manages item availability, purchases, and upgrades.

## Items Usage Controller

Manages item usage, updates UI elements, handles item interactions, and invokes custom user-defined functions when items are used or game restarts.

| Fields                                 | Info                                                                                                                                     |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| ItemName                               | A Unique name To Save The Item Data                                                                                                      |
| GameobjectsToDeactivateOnUIButtonClick | Drag and Drop The Objects Which you want to deactivate After Each Use. For example: Grenades                                             |
| GameobjectsDeactivationDelay           | A Timer For Deactivating Objects                                                                                                         |
| ItemTexts                              | Item Text To be Updated Each Time Item is Being Used. For example: If you use 1 grenade out of 3 grenades, the text will show 2 grenades |
| DefaultItems                           | Number of items player carries each time the level launches                                                                              |
| CanMaximumCarry                        | Number of items player can maximum carry in Level                                                                                        |
| ItemUIButtons                          | UI Buttons associated with the item                                                                                                      |
| TimeToReEnableButtons                  | Time delay before UI buttons are enabled                                                                                                 |
| AddScript                              | Field to call a custom function                                                                                                          |

# Items Usage Controller

This script modifies the assigned MonoBehaviour by injecting additional code into the selected function. The item's usage is reduced only when the selected function is called.

| Fields              | Info                                                                        |
|---------------------|-----------------------------------------------------------------------------|
| targetScript        | Drag and drop the script that contains the function you want to modify.     |
| selectedMethod      | Enter the name of the function that should trigger item usage reduction.    |
| itemUsageController | Drag and drop the ItemUsageController GameObject here to manage item usage. |