

Cucumber Report

19-Feb-2023, 3:01:49 pm

Start : Feb 19, 3:01:25.466 pm

End : Feb 19, 3:01:49.004 pm

Duration : 23.538 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	feature to test functionality of -> Simple Form Demo Drag & Drop Sliders Input Form Submit [Story ID - xxxxx]	1	0	1	0	23.538 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	feature to test functionality of -> Simple Form Demo Drag & Drop Sliders *	"Drag & Drop Sliders [Scenario ID - xxxxx]"	2	1	1	0	23.535 s

* The feature name and/or scenario name has been cropped to fit in the available space.


(F)- feature to test functionality of -> Simple Form Demo | Drag & Drop Sliders | Input Form Submit [Story ID - xxxxx]

FAILED	DURATION - 23.538 s	Scenarios		Steps	
/ 3:01:25.466 pm // 3:01:49.004 pm /		Total - 1		Total - 2	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- "Drag & Drop Sliders [Scenario ID - xxxxx]

<div>FAILED</div> <div>DURATION - 23.535 s</div>		<div></div>	Steps	<div></div>
/ 3:01:25.469 pm // 3:01:49.004 pm /			Total - 2	
feature to test functionality of -> Simple Form Demo Drag & Drop Sliders Input Form Submit *			Pass - 1	
@123 @102			Fail - 1	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given Open LambdaTest Selenium Playground from and click "Drag & Drop Sliders" under "Progress Bars & Sliders"	PASSED	1.590 s
2	Then Select the slider "Default value 15" and drag the bar to make it 95 by validating whether the range value shows 95 org.openqa.selenium.JavascriptException: javascript error: setattr is not defined (Session info: chrome=109.0.5414.120) Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'PRITHWIRAJ', ip: '192.168.1.213', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [acf89a7b537e4532f47d66bf3bd35598, executeScript (script=setAttribute('value','95')), args=[[ELEMENT=e1d0b0c4-e961-4bdb-8861-aed61129217b, element-6066-11e4-a52e-4f735466cec-f=e1d0b0c4-e961-4bdb-8861-aed61129217b]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\soural\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57987}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57987/devtoo..., se:cdpVersion: 109.0.5414.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: acf89a7b537e4532f47d66bf3bd35598 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.109 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:492) at com.pages.dragDropRangeSlidersDemoPage. selectTheSliderAndDragTheBarToMakeItByValidatingWhetherTheRangeValueShows(dragDropRangeSlidersDemoPage.java:35) at parallel.Tc_01_Assignment_Task_Selenium_Java_101_Steps. selectTheSliderAndDragTheBarToMakeItByValidatingWhetherTheRangeValueShows(Tc_01_Assignment_Task_Selenium_Java_101_Steps. java:60) at ?.Select the slider "Default value 15" and drag the bar to make it 95 by validating whether the range value shows 95(file:///C:/Users/soura/ Downloads/SpotDraft_Assignment/LambdaTest.Assignment/src/test/resources/FeatureFiles/ Tc_01_Assignment_Task_Selenium_Java_101.feature:17) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>"Drag_&Drop_Sliders_[Scenario_ID_-_xxxxx]"</p> 	PASSED	0.154 s

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) "Drag & Drop Sliders [Scenario ID -
xxxxx]

(F) feature to test functionality of ->
Simple Form Demo | Drag & Drop Sliders
| Input Form Submit [Story ID - xxxxx]

LAMBDATEST

Platform

Enterprise

Resources

Developers

Pricing

Login

Book a Demo

Sign Up

> Table

> Progress Bar & Sliders

> Alert & Modals

- Bootstrap Alerts
- Bootstrap Modals
- Window Popup Modal
- Progress Bar Modal
- Javascript Alerts
- File Download

> List Box

> Others

Default value 5

5

Default value 20

20

Default value 15

15

Default value 50

50

Default value 25

25

Default value 30

30