

1. Auto detect source language nor working

Phase 1 — Import STF
Select the source ".stf" file exported from Salesforce Translation Workbench. The file is parsed locally; nothing is sent over the network in this phase.

Source file
C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.stf Browse STF... Re-parse

Parsed metadata

Language:	Japanese	Language code:	ja
Source language:		Source code:	
STF type:	Outdated and untranslated	Total rows:	2,749
Translated:	0	Untranslated:	2,749
Component types:	10		

Preview (first 100 rows)

	KEY	LABEL	TRANSLATION
1	CustomField.FSL_O2_Authorization_Info_c.FSL_...	TTL	
2	CustomField.In_App_Checklist_Settings_c.ProfileK...	ProfileKey	
3	CustomField.Opportunity_c.Amount.FieldLabel	Amount	

Save copy as STF... Continue to Phase 2 →

1_ja_2025-08-29_0907.stf ...

2. The status log should not say 11 sheets created, 10 sheets of components and 1 content sheet created.

Phase 2 — STF to Organised Excel
Group rows by component type and translation status into a structured ".xlsx" workbook. The workbook can be reviewed outside this app and re-loaded at any later phase.

Document ready: 2,749 rows, 2,749 untranslated, 10 component types.

Content Details (post-export preview)

	SHEETNAME	SAVEDAS	COMPONENTTYPE	TRANSLATIONSTATUS	TOTALRECORDS
1	CustomField_Untranslated	CustomField_Untranslated	CustomField	Untranslated	18
2	CrtLayoutSection_Untranslated	CrtLayoutSection_Untranslate	CrtLayoutSection	Untranslated	61
3	LayoutSection_Untranslated	LayoutSection_Untranslated	LayoutSection	Untranslated	9
4	PicklistValue_Untranslated	PicklistValue_Untranslated	PicklistValue	Untranslated	1,388
5	RecordType_Untranslated	RecordType_Untranslated	RecordType	Untranslated	1
6	CustomLabel_Untranslated	CustomLabel_Untranslated	CustomLabel	Untranslated	7
7	AddressCountry_Untranslated	AddressCountry_Untranslated	AddressCountry	Untranslated	1
8	AddressState_Untranslated	AddressState_Untranslated	AddressState	Untranslated	159
9	Flow_Untranslated	Flow_Untranslated	Flow	Untranslated	1,093
10	ManagedContentType_Untranslated	ManagedContentType_Untra	ManagedContentType	Untranslated	12

Convert and save .xlsx Save copy to... Load existing organised .xlsx ... Continue to Phase 3 →

Status log

```
[00:28:56] Parsed 2,749 rows (2,749 untranslated) across 10 component types.
[00:31:14] Writing STF files to C:\Users\Sourav\Dropbox\PC\Downloads\New folder (3) ...
[00:31:26] STF files written to C:\Users\Sourav\Dropbox\PC\Downloads\New folder (3)
[00:31:32] Parsing Outdated and untranslated_ja_2025-08-29 0907.stf ...
[00:31:32] Parsed 2,749 rows (2,749 untranslated) across 10 component types.
[00:31:47] Exporting 2,749 rows → C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:31:47] Wrote 11 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx
```

3. When i loaded in phase 2 using Load Existing Organized xlsx. First it should have asked me that my current flow or phase was gonna be reset and if I said yes then the components should have been reflected in real time without having to click on convert and save button again. Also when went back to phase 1 and then pressed continue to phase 2 again those data or state should have been bought here and also should have asked that the current state or flow is going to be over ridden and user should have selected yes or no accordingly the data or state of

the phase 2 could have been decided.

STH

Salesforce Translation Manager

v2.0.0

1. Import STF

Pick the source .stf file

2. STF → Excel

Convert to organised workbook

3. Translate

Auto-translate untranslated rows

2,749 rows · 10 components

Open a previously generated organised workbook so you can resume from Phase 3 (Translate) without re-parsing the STF.

Phase 2 — STF to Organised Excel

Group rows by component type and translation status into a structured ".xlsx" workbook. The workbook can be reviewed outside this app and re-loaded at any later phase.

Document ready: 36,245 rows, 4 untranslated, 25 component types.

Content Details (post-export preview)

	SHEETNAME	SAVEDAS	COMPONENTTYPE	TRANSLATIONSTATUS	TOTALRECORDS
1	ApexSharingReason_Translated	ApexSharingReason_Translated	ApexSharingReason	Translated	4
2	ButtonOrLink_Translated	ButtonOrLink_Translated	ButtonOrLink	Translated	1
3	CustomApp_Translated	CustomApp_Translated	CustomApp	Translated	12
4	CustomField_Translated	CustomField_Translated	CustomField	Translated	28,101
5	CustomReportType_Translated	CustomReportType_Translated	CustomReportType	Translated	185
6	CrtLayoutSection_Translated	CrtLayoutSection_Translated	CrtLayoutSection	Translated	172
7	CrtColumn_Translated	CrtColumn_Translated	CrtColumn	Translated	526
8	LayoutSection_Translated	LayoutSection_Translated	LayoutSection	Translated	40
9	LookupFilter_Translated	LookupFilter_Translated	LookupFilter	Translated	1
10	PicklistValue_Translated	PicklistValue_Translated	PicklistValue	Translated	4,099
11	PicklistValue_Untranslated	PicklistValue_Untranslated	PicklistValue	Untranslated	3
12	RecordType_Translated	RecordType_Translated	RecordType	Translated	45
13	StandardFieldHelo_Translated	StandardFieldHelo_Translated	StandardFieldHelo	Translated	1

Convert and save .xlsx

Save copy to...

Load existing organised .xlsx ...

Continue to Phase 3 -->

Status log

[00:31:47] Wrote 11 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:33:57] Saving copy to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:33:58] Copy saved: C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx
[00:34:12] Loading Outdated and untranslated_ja_2025-08-29 0907_organized_translated.xlsx ...
[00:34:15] Loaded 36,245 rows from Outdated and untranslated_ja_2025-08-29 0907_organized_translated.xlsx
[00:34:34] Exporting 36,245 rows → C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:34:37] Wrote 28 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx

4. Reset session have not worked properly. Values still present. Also there are two types of resets that should be there. Reset complete apps flow, Reset Phase only the current phases state will be reset and everything showing and stored should be reset.

STH

Salesforce Translation Manager

v2.0.0

1. Import STF

Pick the source .stf file

2. STF → Excel

Convert to organised workbook

3. Translate

Auto-translate untranslated rows

No file loaded

Phase 1 — Import STF

Select the source ".stf" file exported from Salesforce Translation Workbench. The file is parsed locally; nothing is sent over the network in this phase.

Source file

C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.stf

Browse STF...

Re-parse

Parsed metadata

Language: Japanese

Language code: ja

Source language: English

Source code:

STF type: Outdated and untranslated

Total rows: 2,749

Translated: 0

Untranslated: 2,749

Component types: 10

Preview (first 100 rows)

	KEY	LABEL	TRANSLATION
1	CustomField.FSL__O2_Authorization_Info__c.FSL__	TTL	
2	CustomField.In_App_Checklist_Settings__c.ProfileK...	ProfileKey	
3	CustomField.Opportunity__c.Amount.FieldLabel	Amount	

Save copy as STF...

Continue to Phase 2 -->

Status log

[00:34:34] Exporting 36,245 rows → C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:34:37] Wrote 28 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:37:28] Exporting 36,245 rows → C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:37:31] Wrote 28 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:37:32] Exporting 36,245 rows → C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:37:35] Wrote 28 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907_organized.xlsx ...
[00:39:57] Session reset to defaults.

5. In Phase 1 I cant see a feature:
11. Prioritise existing vs re-translate for mixed translation files
- Goal: when the user uploads an STF or Excel with both translated and untranslated labels, allow them to decide whether existing translations should be kept or retranslated.
- Design considerations: - On import or at the start of translation, present a choice: “Use existing translations” (default) or “Retranslate existing translations.”

- If the user chooses to retranslate, the app clears the existing translations and treats those rows as untranslated; if they choose to keep existing, only blank translations are sent to the backend. - Provide row-level control in Phase 4: clearing the translation of a specific row triggers a retranslation on demand. - Support a CLI flag such as --retranslate-existing that forces retranslation of all rows.

Dependencies: modifies the translation runner and CLI; uses translation memory and the retranslation logic.

Phase 1 — Import STF
Select the source ".stf" file exported from Salesforce Translation Workbench. The file is parsed locally; nothing is sent over the network in this phase.

Source file
C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.stf

Parsed metadata

Language:	Japanese	Language code:	ja
Source language:	English	Source code:	
STF type:	Outdated and untranslated	Total rows:	2,749
Translated:	0	Untranslated:	2,749
Component types:	10		

Preview (first 100 rows)

	KEY	LABEL	TRANSLATION
1	CustomField.FSL_O2_Authorization_Info__c.FSL_...	TTL	
2	CustomField.In_App_Checklist_Settings__c.ProfileK...	ProfileKey	
3	CustomField.Opportunity__c.Amount.FieldLabel	Amount	

Save copy as STF... Continue to Phase 2 →

Status log

```
[00:37:31] Wrote 20 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.organized.xlsx
[00:37:32] Exporting 36,245 rows → C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.organized.xlsx ...
[00:37:35] Wrote 20 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.organized.xlsx
[00:39:57] Session reset to defaults.
[00:42:30] Parsing Outdated and untranslated_ja_2025-08-29 0907.stf ...
[00:42:30] Parsed 2,749 rows (2,749 untranslated) across 10 component types.
[00:42:47] These switched to forest.
```

- For Feature - Reuse translations from an existing Excel file in phase three I can't see the checkbox as asked.
- If the translation is going on then other activities or switching to other phase should not be able to do by users right? Let me know, we can restrict users. Also why is reset progress here in phase 3 no required.

Phase 3 — Translate
Pick a target language, choose which component types to include, and start. Advanced options (backend, glossary, translation memory, performance) live under Edit → Settings.

Setup

Source: English Target: Japanese

Filter Components... Import existing translations... Rows to translate: 2,749

backend = google · workers = 4 · TM enabled · (change via Edit → Settings...)

Starting... 15%

Live feed

```
[47/2749] T:47 TM:7 D:0 ENLUS: de → JA: 7
[48/2749] T:48 TM:7 D:0 ENLUS: es → JA: 7
[49/2749] T:49 TM:7 D:0 ENLUS: fi → JA: 7
[50/2749] T:50 TM:7 D:0 ENLUS: fr → JA: フランス
... 50/2749 (1%) 1 of 4 items | ETA: 00:00 ...
[51/2749] T:51 TM:7 D:0 ENLUS: th → JA: 泰國
[52/2749] T:52 TM:7 D:0 ENLUS: Cesta → JA: セスタ
[53/2749] T:53 TM:7 D:0 ENLUS: OCS I → JA: OCS 仏
[54/2749] T:54 TM:7 D:0 ENLUS: 1589 → JA: 1589年
[55/2749] T:55 TM:7 D:0 ENLUS: 1589 → JA: 1589年
[56/2749] T:56 TM:7 D:0 ENLUS: 1524 → JA: 1524年
[57/2749] T:57 TM:7 D:0 ENLUS: 1525 → JA: 1525年
[58/2749] T:58 TM:7 D:0 ENLUS: 1686 → JA: 1686年
[59/2749] T:59 TM:7 D:0 ENLUS: 1686 → JA: 1686年
[60/2749] T:60 TM:7 D:0 ENLUS: 1685 → JA: 1685年
[61/2749] T:61 TM:7 D:0 ENLUS: 1687 → JA: 1687年
[62/2749] T:62 TM:7 D:0 ENLUS: 1685 → JA: 1685年
[63/2749] T:63 TM:7 D:0 ENLUS: 1785 → JA: 1785年
```

Start translation Reset progress Cancel Save copy to... Load .xlsx ... Continue to Phase 4 →

Status log

```
[00:37:32] Exporting 36,245 rows → C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.organized.xlsx ...
[00:37:35] Wrote 20 sheets to C:\Users\Sourav\Dropbox\PC\Downloads\Outdated and untranslated_ja_2025-08-29 0907.organized.xlsx
[00:39:57] Session reset to defaults.
[00:42:30] Parsing Outdated and untranslated_ja_2025-08-29 0907.stf ...
[00:42:30] Parsed 2,749 rows (2,749 untranslated) across 10 component types.
[00:42:47] These switched to forest.
[00:49:24] Translating: Japanese, workers=4, scope=2749 rows
```

8. In we should be able filter column wise like in excel. This should also be in its dockable version.

#	KEY	COMPONENT	STATUS	LABEL	TRANSLATION	APPROVED
2749	ManagedContentNodeType.null	ManagedCont...	Untranslated	NAMEFIELD		☐
2748	ManagedContentNodeType.null	ManagedCont...	Untranslated	MTEXT		☐
2747	ManagedContentNodeType.null	ManagedCont...	Untranslated	RTE		☐
2745	ManagedContentNodeType.null	ManagedCont...	Untranslated	NAMEFIELD		☐

Key: ManagedContentNodeType.null ☒ Apply to all rows Apply Reset to source

Source: NAMEFIELD

Translation (editable):

Save reviewed workbook (.xlsx) Continue to Phase 5 (Validate_Fix) →

9. In global replace – ‘find’ should also be there. Also does this only replace translations?

10. What’s the use of approved?

Phase 4 — Review
Browse the translations, filter to focus on what matters, edit on demand, and re-upload an externally edited Excel if you prefer to review there. Validation runs on entry so you can spot issues at a glance.

2 error(s) → Phase 5 to fix TRANSLATED 2,724 UNTRANSLATED 25 ISSUES 5 Undo Redo Load reviewed Excel... Global Replace...

Component: All Status: Untranslated Search by key or label...

KEY	COMPONENT	STATUS	LABEL	TRANSLATION	APPROVED
PicklistValue.ATLS_Subscription_Contract__c.ATLS_Technical_Resource_type.YZ	PicklistValue	Untranslated	YZ		☒
PicklistValue.ContractLineItem.ATLS_ContractLineItem.ATLS_Technical_Resource_type.DCB+	PicklistValue	Untranslated	DCB+		☐
AddressState.JP.JJJJ	AddressState	Untranslated	大阪府		☐
Flow.AutoLaunchedFlow.ATLS_Sync_SF_Event	Flow	Untranslated	-\\-		☐

Key: PicklistValue.ATLS_Subscription_Contract__c.ATLS_Technical_Resource_type.YZ ☐ Apply to all rows Apply Reset to source

Source: YZ

Translation (editable):

11. Again on phase 4 when we uploaded external reviewed file it directly replaced it should have asked if I want override or not. Infact this type of logic should be for all phase. And also, if I now go back to phase three and again proceed to phase four with proceed to phase 4 button that state or data should come to phase 4 again and of course if anything is already there again over riding confirmation

should be asked. Let me know if you dont under stand.

The screenshot shows the Salesforce Translation Manager interface in Phase 4 - Review. The left sidebar contains navigation options: 3. Translate (Auto-translate untranslated rows), 4. Browse & Review (View translations, edit, re-upload), and 5. Validate & Fix (Find issues, auto-fix, re-validate). The main area displays a summary of translation progress: 2 error(s) -> Phase 5 to fix, 1,361 translated, 1,388 untranslated, and 5 issues. Below this is a table of translations with columns: KEY, COMPONENT, STATUS, LABEL, TRANSLATION, and APPROVED. The table lists several items, including CustomField.FSL_O2_Authorization_Info, CustomField.Asset.ATLS_OEM_ID.FieldLabel, LayoutSection.ServiceResource.FSL_FSL, and PicklistValue.ATLS_Internal_Request_c.ATLS. Below the table, there is a search bar and a section for editing a specific translation. The 'Key' field contains 'PicklistValue.ATLS_Subscription_Contract_c.ATLS_Technical_Resource_type.YZ'. The 'Source' field contains 'YZ', and the 'Translation (editable)' field is empty. Buttons for 'Save reviewed workbook (.xlsx)', 'Continue to Phase 5 (Validate_Fix) ->', 'Undo', 'Redo', 'Load reviewed Excel...', and 'Global Replace...' are visible. A status log at the bottom shows various system messages.

KEY	COMPONENT	STATUS	LABEL	TRANSLATION	APPROVED
CustomField.FSL_O2_Authorization_Info...	CustomField	Untranslated	TTL		☐
CustomField.Asset.ATLS_OEM_ID.FieldLabel	CustomField	Untranslated	OEM ID		☐
LayoutSection.ServiceResource.FSL_FSL ...	LayoutSection	Untranslated	VFS		☐
PicklistValue.ATLS_Internal_Request_c.ATLS...	PicklistValue	Untranslated	FSR		☐

12. What does undo redo do its not working. one should be app wise which is on settings it should undo a step in app back and here in phase four its perfectly fine per translation undo redo is there.

This screenshot is similar to the one above, but with a menu open on the left side. The menu includes options: Edit, View, Help, Undo (Ctrl+Z), Redo (Ctrl+Y), Find & Replace... (Ctrl+H), and Settings... (Ctrl+). The main interface remains the same, showing the Phase 4 - Review summary and the table of translations. The 'Key' field in the edit section still contains 'PicklistValue.ATLS_Subscription_Contract_c.ATLS_Technical_Resource_type.YZ', and the 'Source' field contains 'YZ'. The 'Translation (editable)' field is empty. The same set of buttons is present at the bottom.

13. these kind of save names are not good use professional names.

The screenshot displays the Salesforce Translation Manager interface. On the left, a sidebar shows the workflow: 3. Translate (Auto-translate untranslated rows), 4. Browse & Review (View translations, edit, re-upload), and 5. Validate & Fix (Find issues, auto-fix, re-validate). The main area is titled 'Phase 4 — Review' and shows a table of translations with columns for Component, Status, Translated, Untranslated, and Issues. A 'Save reviewed workbook' button is visible. Two 'Save' dialog boxes are overlaid on the interface. The first dialog, titled 'Save fixed workbook as', shows the file name 'fixed' and 'Save as type: Excel files (*.xlsx)'. The second dialog, titled 'Save reviewed workbook as', shows the file name 'reviewed' and 'Save as type: Excel files (*.xlsx)'. Both file names are unprofessional. The background interface also shows a 'Status log' at the bottom with timestamps and messages.

Save fixed workbook as

File name: fixed

Save as type: Excel files (*.xlsx)

Save

Cancel

Phase 4 — Review

2 error(s) → Phase 5 to fix

TRANSLATED 2,719 UNTRANSLATED 30 ISSUES 5

Save reviewed workbook as

File name: reviewed

Save as type: Excel files (*.xlsx)

Save

Cancel


Status log

[01:14:18] Updated translation for row 132.
[01:14:18] Validation: 2 error(s), 3 warning(s).
[01:15:31] Translating: Japanese, workers=4, scope=2749 rows
[01:15:49] Translation complete -- click 'Save copy to ...' to save the translated file. Translated 1,358 (TM hits 0, dedup 662, resumed 0, skipped 1,392) in 17.4s.
[01:15:55] Translating: Japanese, workers=4, scope=2749 rows
[01:15:58] Translation complete -- click 'Save copy to ...' to save the translated file. Translated 0 (TM hits 0, dedup 0, resumed 0, skipped 2,749) in 3.0s.
[01:16:02] Validation: 2 error(s), 3 warning(s).

14. Again, page is going out of screen.

[illegible]

15. Check logic is not working properly



16. Button naming should be better. Like what does save do and download report do I am confused.

[illegible]

17. What does multi language batch do.

free Google Translate tier.

Translation

Resources

Appearance

Backend

Translator: Google Translate (free)

API key: Leave blank to use environment variable

☐ Remember API key (secure storage)

keyring not installed (keys stored in session only)

Free, rate-limited. No API key required. (No API key needed.)

☒ Ready

Performance

Workers: 4

Rate limit: 8.00 req/s

☒ Prevent system sleep during translation

Multi-language batch (optional)


Extra targets: Comma separated extra target codes (e.g. fr, de, es)

Restore Defaults

OK

Cancel

18. Why is session persistence under appereance.



19. Settings window should be move able, maxi and minimizable.

20. User guide needs to be better. Use should be able to continue with its help if stuck. FAQ should also be there.