MEDICAL LAB TECHNOLGIST 4000 MCQ

Q 1 - Identify correct statement regarding Robert Koch

A. He is known as father of bacteriology
B the causative organism of cholera, Vibrio cholera was identified by him
C. He discovered hypersensitivity phenomenon
D. All the above
ANSWER - D

Q2-Father of antiseptic surgery is

A Louis Pasteur
B. Robert Koch
C. Antonie Van Leeuwenhoek
D. Lister
ANSWER - D

Q3- which among the following is a contribution by Louis

Pasteurin the field of microbiology?
A Techniques of Pasteurization
B. Process of Fermentation
c. Rabies, cholera and anthrax vaccine
D. All the above
ANSWER - D

Q 5 - Mycobacterium leprae is also known as .....

A. Golden bacilli B. Koch's bacillus
C. Magical bacilli D. Hansen's bacilli

ANSWER - D

Q6- Drug of choice to treat leprosy is .....

A Rifampicin
B. Acyclovir
C. Zidovudine
D. Dapsone
ANSWER - D

Q7 - Mycobacterium tuberculosis is also known as

A Golden bacilli
B. Koch's bacillus
C. Magical bacilli
D. Hansen's bacilli
ANSWER - B

Q 8 -Correct statement regarding microscope is.....

A Electrons are used as a source of illumination in Electron microscope
B. Antonie Van Leeuwenhoek developed microscope first time
C. Knoll & Ruska developed electron microscope
D. All the above

ANSWER - D

Q8 - All of the following are acid-fast organisms EXCEPT

A Mycobacterium tuberculosis
B. Nocardia
C. Isospora belli

D. Staphylococcus
ANSWER - D

9. Bacterial structure involved in respiration is

A Ribosome
B. Pili
C. Mesosome
D. Flagella

ANSWER - C

10. Identify correct statement regarding bacteria

A. Respiration, cell division and sporulation are the functions of mesosome in bacteria
B. Capsule in bacteris enables adherence to surface and protection against phagocytosis
C. Heterotrophs are the bacteria that are unable to Synthesize their own food materials
D. All the above

ANSWER - D

Q11 -Correct regarding cocci are .....

A Cocci are spherical shaped bacteria
B. Cocci present in chain is known as streptococci
C. Cocci present in the shape of grapes is known as staphylococci
D. All the above
ANSWER - D

12. Coma shaped bacteria are known as

A. Staphylococci
B. Streptococci
C. Vibrio
D. Bacillus

ANSWER – C

13. Which of the following is most resistant to sterilization?

A Tubercle bacilli B. Viruses
C. Spores
D. Prions

ANSWER - D

14. Endoscope is sterilized by:

A Glutaraldehyde
B. Formaldehyde
C. Atuoclaving
D. Hot ait oven
ANSWER - A

16. Recommended transport medium for stool specimen suspected a contain VibrioCholerae is:

A Buffered glycerol saline medium
B. Venkatraman-Ramakrishanan medium
C. Nutrient broth
D. Boood agar
ANSWER - A

17. Which is an enriched media?

A Selenite F broth

B. Peptone water
C. MacConkey agar
D. Chocolate agar
ANSWER - B

18. Which of the following factor does not affect microbial growth?(RPSC Nsg Tutor 2009)

A Moisture
B. Disinfection
C Darkness
D. Temperature
ANSWER - C

19. Agar concentration required to prepare nutrient agar is:

A 1-2%
B. 4-6%
C. 0.25-0.5%
D. 0.5-1%
ANSWER - A

20. HIV is a

A. Retrovirus
B. DNA virus
C. Fungus
D Bacteria
ANSWER – A

21. MRSA is mediated due to

A Plasmid
B. Chromosome

C. Transposons
D. None

ANSWER – B

22. All of the following are vector bone diseases except
A. Malaria
8. Filariasis
C. Rubella
D. Chagas disease

ANSWER – C

23. Primary immune response the correct statement is:
A Involves IgG
B. Antibody producing cells. Memory B cell
C. No lag period
D. Slow and sluggish

ANSWER – D

24- Which of the following infectious agents can be transmitted through blood transfusion?
A HIV
B. Treponemapallidum
C. Toxoplasmagondi
D. All of the above

ANSWER – D

25- which one of the following is post streptococcal sequelae:

A Acute rheumatic fever
Cellulitis
cPharyngitis
D impetigo

ANSWER – A

26. A positive tuberculin test is indicated by and area of induration of:

A. <5mm in diameter
B. B. 6-9 mm in diameter
C.> 10 mm in diameter
D.Noinduration

ANSWER – C

27. Diagnostic test used for typhoid fever is

A Blood culture
B. Dick Test
C. shick test
D. Widal test

ANSWER – D

27. Diagnostic test used for diphtheria is

A Blood culture
B. Dick Test
C. Shick test
D. Widal test
ANSWER – C

29. Diagnostic test used for TB is.....

A Mantoux test
B. Dick Test
C hick test
D.Widal test
ANSWER – A

30. Diagnostic test used for scarlet fever is ....

A.Mantoux test
B. Dick Test
C. shick test
D. Widal test
ANSWER – B

31. Diagnostic test used for typhus fever is

Mantoux test
B. Dick Test
C shick test
D. Weil Felix

ANSWER – D

32. Route of injecting shick test toxin/ purified protein derivative(mauntox test) is .....

A Intra vascular
B. Intra dermal
C intra muscular
D Subcutaneous

ANSWER – B

33. Site for injecting shick test toxin/ purified protein derivative
mauntox test) is ...

A Right upper arm
B Left upper arm
C. Left fore arm
D.Right forearm

ANSWER – C

34. Most accurate method of diagnosis of Helicobacter pylori is:

A Culture
B. Biopsy urease test
C. Histopathology
D. Urea breath test

ANSWER – D

35. All of the following viruses are transmitted by respiratory route except:

A influenza virus
B Rota virus
C. Respiratory syncytial virus
D. Rhinovirus
ANSWER – B

36. Acid fast staining is used to detect

A. Mycobacterium TB
B Ctetani
C HIV/AIDS
D. Meningococci
ANSWER – A

37. During the window period of patient with AIDS, best diagnostic test is:

A. ELISA
B. Western Blot
C. Rapid test
D. RT-PCR
ANSWER – D

38. Best indicator of HIV prognosis

A CD4T cell count
B. CD8 T cell count
C. HIV RNA
D ELIS
ANSWER – A

39. Most effective mode of transmission of HIV:

A. Sexual
B. Blood product
C. Needle/syringe
D Mother of fetus

ANSWER – B

40. Most common malignancy in AIDS is;

A. Kaposi sarcoma
B. B-cell lymphoma
C. Leukemia
D. Burkitt's lymphoma

ANSWER – A

41- Food poison is caused by ..

A Clostridium perfringens
B. Clostridium botulism
C. Corynebacteriumdiphtherae
D. Clostridium tetani

ANSWER – B

42 -Which of the following is used for sterilization of ystoscopesendoscopes and bronchoscopes?

A Gluteraldehyde
3. Ethanol
C Methanol
D Ethylene oxide

ANSWER – A

43. Method of sterilization used for culture media is...

A Autoclave

B. Hot air oven

C. Pasteurization

D. None of the above

ANSWER – A

44. Which of the following is LIVE ATTENUATED VACCINE?

A BCG vaccine

B. Rabies vaccine

C Diphtheria toxoid

D.Tetanustoxoid

ANSWER – A

45- Which of the following single dose is sufficient for immunization

A Live attenuated vaccine

B Killed vaccine

C. Taxoids

D. None of the above

ANSWER – A

46- The method of killing of all microorganisms including their spores is known as

A. Sterilization
B. Disinfection
C. incineration
D. Lysis

ANSWER – A

47. The method of reducing the number of pathogens from anyarticle, surface or medium is called as

A Sterilization
B. Disinfection
C. Incineration
D. lysis

ANSWER – B

48. The causative agent of Tuberculosis (T.B.) is

A. Mycobacterium tuberculosis
B. Mycobacterium leprae

C. Treponemapallidum
D. Borrelia species

ANSWER – A

49. The causative agent of Syphilis is

A. Mycobacterium tuberculosis
B. Mycobacterium leprae
C. Treponemapallidum
D. Borrelia species

ANSWER – C

50. VDRL test is used for the diagnosis of

A. Syphilis
B. Tuberculosis
C. Pneumonia
D. AIDS

ANSWER – A

51. Which of the following is moist heat method ofsterilization?

A. Boiling
B. Autoclaving
C. Hot air oven
D. Both a &b

ANSWER – D

52. Temperature range used for autoclaving is....

A. 100°C for 10 min
B. 100°C for 30 min
C. 121°C for 15 min
D. 121°C for 30 min

ANSWER – C

53. ELISA is used for the diagnosis of

A. AIDS
B. Night blindness
C. Sickle cell anaemia
D. All of the above

ANSWER – A

54. Name the first organic acid produced by microbial fermentation.

A. Acetic acid
B. Lactic acid
C. Butyric acid
D. None of the above

ANSWER – B

: 55. The most common viral cause of gastroenteritis:

A Rotavirus
B. Norwalk virus
C. Adenovinis
D. Hepadnavirus

ANSWER – A

56. All are true about SARS EXCEPT:

A Epidemic is seen in India
B. Spreads by droplet
C Diagnosed by PCR
D.Caused by a type of coronavirus

ANSWER – A

57. Perinatal Hepatitis B transmission is maximum in

A 1" trimester
B. 2-trimester
C. 3 trimester
D.During delivery

ANSWER – D

58. Which Hepatitis virus is associated with highest mortality in pregnancy?

A Hepatitis A
B Hepatitis B
c. Hepatitis C
D. Hepatitis E

ANSWER – D

59. Hepatitis virus that spreads by fecal-oral route:

A. Hepatitis A
B. Hepatitis B
C. Hepatitis C
D. Hepatitis D

ANSWER – A

60. Acute hepatitis B infection is best diagnosed by:

A HBsAg
B HBeAg
C. IgM Anti HBc antobody
D.HBcAg

ANSWER – C

61. Which parameter is not included in HAI surveillance?

A CA-UTI (catheter associated urinary tract infection)
B. CLABSI (central line associated bloodstream infection)
C. VAP (ventilator associated pneumonia)

D. Open wound infections

ANSWER – D

62. Hand rub should not be used in which condition?

A. Before touching patient
B. After touching patient
C. After touching patient's surrounding
D. Hands are visibly soiled

ANSWER – D

63. How many moments of hand hygiene have been laid down by WHO?

A. 5
B. 6
C 7
D.8

ANSWER – A

64. Which antibody crosses placenta?

B IgG
A. IGA
C. IgE
D. IgM

ANSWER – B

65. Which is an example of surface Ig?

A IgA
B. IgG
C. IgE
D. IgM

ANSWER – A

66. Type I hypersensitivity is mediated by which of the following immunoglobulins?

A IgA
B. IgG
C IgM
D IgE

ANSWER – D

67. Wheal and flare is which type of hypersensitivity reaction:

A Type I
B Type II
C. Type IV
D. Type V

ANSWER – A

68. Type I hypersensitivity includes all of the following except:

A. Autoimmune hemolytic anemia

B. Anaphylaxis
C. Extrinsic asthma
D. Hay fever

ANSWER – A

69. A positive tuberculin test is an example of:
A. Type I hypersensitivity
B. Type Il hypersensitivity
C. Type Ill hypersensitivity
D. Type IV hypersensitivity

ANSWER – D

70. Application of skin graft for the second time from the same donor will result in:
A. First set rejection
B. Second set rejection
C. Both
D. None

ANSWER – B

71. Transplantation between members with same genetic constitution is known as:
A Autograft
B. Isograft

C. Allograft
D. Xenograft

ANSWER – B

72. All of the following are live-attenuated vaccines except:
A MMR
B. Yellow fever 17D vaccine
C. Salk polio vaccine
D. Sabin polio vaccine

ANSWER – C

73 : Amphitrichous flagella means
Flagella all-round the cell
Flagella at both ends
Flagella at one end
D. Flagella in tufts

ANSWER – B

74: When Flagella is present all around the cell it is called
A Amphitrichous
B. Monotrichous
C Peritrichous
D. Lopotrichous

ANSWER – C

75: India ink is used to demonstrate the following part of bacteria

A. Cell wall
B. Nucleus
C. Capsule
D. Flagella

ANSWER – C

76. Reflected light is used in

A. Light microscope
B. Phase contrast microscope
C. Darkfield microscope
D. Electron microscope

ANSWER – C

77 . Bacteria that grow between 25 to 40'C are

A Capnophilic
B. Psychrophilic
C Thermophilic
D. Mesophilic

ANSWER – D

78 . Shape of cocci

A Rod
8. Spherical

C. Comma
D. Spiral

ANSWER – B

79. Best way of sterilizing disposable plastic syringes is:
I wove 2 & 3)
A. UV rays
B.Autoclave
C. Gamma rays
D.Hot air oven

ANSWER – C

80. . The most suitable disinfectant for decontamination of HIV contaminated endoscope is (MAH19)
A 1% sodium hypochlorite
B. 2% glutaraldehyde
C 5% phenol
D. 70% ethanol

ANSWER – B

81- . Flexible fibre optic endoscopes are sterilized by
A. Autoclave
B. Cetrimide
C. 2% glutaraldehyde
D. Gamma-radiation

ANSWER – C

82- . Which of the following organism can survive pasteurization by Holder method?

A Mycobacterium

B. Brucella

D. Coxiella burnetii

C. Salmonella

ANSWER – D

83 . Temperature and duration for flash process of Pasteurization

A 77" for 20 seconds

B 100°C for 20 seconds

C. 63°C for 20 seconds

D. 63C for 30 minutes

ANSWER – A

84 . Sterilization of heat labile media is done by

A. Filtration

B. Pasteurization

C. Autoclaving

D. Tyndalization

– D

85 . Immunoglobulin that is inactivated at high temperature

A IgG

B IgA
c Igм
D IgE

ANSWER – D

86. Immunoglobulins are
A. Glycolipids
B. Glycoproteins
C. Polypeptides
D. Proteoglycans

ANSWER – B

87. Exotoxins are usually
A. Protein
B. Heat labile
C. More antigenic
D. Non-enzymatic

ANSWER – A

88. True about exotoxins
A. Produced only by gram positive bacteria
B. Neutralized by antitoxin
C. Less potent than endotoxin
D. Pyrogenic

ANSWER – B

89. The function of an adjuvant in a vaccine is to enhance its:

A. Distribution

B immunogenicity

C. Absorption

D. Shelf life

ANSWER – B

90. The Immunity resulting in the infant, as a result of immunization of a pregnant woman with tetanus tosold is called

A. innate immunity

B. Natural active immunity

C. Artificial active immunity

D. Natural passive immunity

ANSWER – D

91. Anti-D given to a Rh negative pregnant woman with Rh-positive fetus, before delivery is an example of

A. Artificial active immunity

B. Artificial passive immunity

C. Natural passive immunity

D. Adoptive immunity

ANSWER – B

92: Gram-positive bacterials which is usually sensitive to penicilinis

A.. Staphylococcus aureus
B.Enterococcus faecalis
C.Streptococcus pyogenes
D.Staphylococcus epidermidis

ANSWER – C

93- Streptococ causing neonatal meningitis

A Group-A
B. Group-B
C Group-C
D Group-D

ANSWER – B

94 . Which of the following gram positive bacteria is responsible for food poisoning?

A. Mycoplasmas
B. Pseudomonas
C. Clostridia
D. All of the above

ANSWER – C

95- . Methicillin resistance bacteria are

A Streptococci
B. Pseudomonas
C. Haemophilus
D. Staphylococci

ANSWER – D

96- The organism causing UTI in sexually active women

A. Staphylococcus aureus
B.Staphylococcus epidermidis
C. Staphylococcus saprophyticus
D. Streptococcus viridians

ANSWER – C

97- . Antibiotic used in Toxic shock syndrome

A. Vancomycin
B.Cephalosporins
C. Streptomycin
D. Clindamycin

ANSWER – D

98 . Grave's disease belongs to

A Type I hypersensitivity
B. Type Il hypersensitivity
C Type III hypersensitivity
D. Type IV hypersensitivity

ANSWER – B

99. Type of hypersensitivity involved in Rh incompatibility

A Type I hypersensitivity
B Type Il hypersensitivity
C Type Ill hypersensitivity
D Type IV hypersensitivity

ANSWER – B

100. Chemically an antigen may be

A Lipid
B. Polysaccharide
C Protein
D. Any of the above

ANSWER – D

101. Example of cell mediated hypersensitivity

A Transfusion reactions
B.Arthus reactions
C. Type Il lepra reaction
D. Tuberculin test

ANSWER – D

102. Tuberculin test is an example of

A Type hypersensitivity
B. Type Ilhypersensitivity

C Type Ill hypersensitivity
D. Type IV hypersensitivity

ANSWER – D

103. Organism that has considerable resistance to antiseptics disinfectants and antibiotics

A E.coli
B. Pseudomonas
c. Staphylococci
D. Streptococci

ANSWER – A

104. Endocarditis in a patient with colon cancer is caused by

A. Staphylococcus epidermidis
B. Streptococcus bovis
C. Streptococcus sanguis
D. Streptococcus mutans

ANSWER – B

105 . Which is a lactose fermenter?

A. Pseudomonas
B.Salmonella
C. Klebsiella
D. Shigella

ANSWER – C

106 . Rice water stool is associated with? DNB 2015

A. Cholera
B. Bacillary dysentery
C. Salmonella infection
D. Pseudomembranous colitis

ANSWER – A

107. Bacteria associated with dental caries

A. Streptococcus mutans
B. Streptococcus pyogenes
C. Streptococcus faecalis
D. Streptococcus agalactiae

ANSWER – A

108 . Dose of human teanus Ig for post exposure prophylaxis

A. 250-500 units
B. 500-750 units
C. 750-1000 units
D. 1000-1200 units

ANSWER – A

109. Most important cause of traveler's diarrhea is

A Enterotoxigenic Escherichia coli
B. Enteroinvasive E.coli
C. Enterohemorrhagic E.coli
D. Enteropathogenic E.coli

ANSWER – A

110 . Smallest virus is: (wave)

A Pox virus
B. Herpes virus
C. Parvo virus
D. Adeno virus

ANSWER – C

111- incubation period of measles

A. 1-2 days
B. 3-6 days
C. 1-7 days
D. 9 - 11 days

ANSWER – D

112. Dengue is caused by

A. Alphavirus
B. Bunyavirus
C Flavivirus
D. Hantavirus

ANSWER – C

113. Yellow fever is caused by

A Flavivirus
B Alphavirus

C Calcivirus
D. Bunyavirus
ANSWER – A

114. Infective period of Aedes mosquitoes in dengue
A 1-2 days
B-10 days
C.- Till next bite
D- Till death
ANSWER – D

115. Scrub typhus is transmitted by:
A Louse
B. Trombiculid mite
C. Rat fles
D. Soft tick
ANSWER – B

116. Tinea pedis is casued by
A. E floccosum
B.T rubrum
C. Microsporum
D. T schoenleinii

ANSWER – B

117. Tenia pedia is seen among
A. People of cold countries
B. Those wearings socks and shoes

C. Those walking barefoot
D. Hospitalized peope

ANSWER – B

118. Chances of perinatal HIV infectin to the baby
A 0.5-1%
B. 30%
C. 50%
D. 90%

ANSWER – B

119. VDRL is used in the diagnosis of
A. Syphilis
B. HIV
C. Typhoid
D. Tuberculosis
ANSWER – A
120. Incubation period for primary syphilis
A 1-2 days
B. 1-2 weeks
C. 1 month
D. 3 months
ANSWER – C

121. Jarisch-Harxheimer reaction is common in
A Congenital syphilis
B. Primary syphilis

C. Secondary syphilis
D. Tertiary syphilis

ANSWER – B

122. Lyme disease is caused by

A Borrelia vincenti
B. Borrelia burgdoferi
C. Borrelia recurrentis
D. Leptospira interrogans

ANSWER – B

123. SARS virus is a

A. Coronavirus
B. Lentivirus
C. Calcivirus
D. Arenavirus

ANSWER – A

124- Which one of the following agent can be used to malaria?

A Chloroquine
B. Albendazole
C. Attenuated vaccine
D Chloramphenice

ANSWER – A

125 . Range of incubation period in typhoid

A 3-21 days
B 10- 30 Day
C 1 - 3 months
D. 3-6 months

ANSWER – A

126. Route of administration of influenza vaccine

A. Intradermal
B. Subcutaneous
C. Per oral
D. intranasal

ANSWER – D

127. Incubation period for influenza pandemic H1N1

A. 12-24 hours
B. 1-3 days
C. 1 - 7 days
D. 5-10 day

ANSWER – C

128. Incubation period of mumps

A. 1-7 days
7-14 days
C 12-24 days
D. 21-28 days

ANSWER – C

129. Who discovered Oral polio vaccine which is used now-a-das

A. Kαprowsky
B. CoX
C. Salk
D. Sabin

ANSWER – D

130. Usual dose of purified protein derivative in Mantoux testis

A- 5 IU
B.- 50 IU
C-100 IU
D -500IU

ANSWER – A

131. Corneal beading is a complication of

A. Leprosy
B AIDS
C. Herpes simplex keratitis
D. Acanthamoeba keratitis

ANSWER – A

132. Most common site of extrathoracic TB in children

A Lymph node
B. Skeleton
C. Central nervous system
D. Heart
ANSWER – A

133. Mantoux +ve is induration measuring
A 10mm
B. 6-9mm
C. <5mm
D. >20mm
ANSWER – A

134. The botulism intoxication occurs due to
A. An endotoxin
B. An exotoxin
C. Neurotoxin
D. Mycotoxin
ANSWER – C

Question135:-Aorta arises from
A:-Right atrium
B:-Left atrium
C:-Right ventricle
D:-Left ventricle
Correct Answer:- Option-D

136:-The protein portion of the enzyme is
A:-Apoenzyme
B:-Prosthetic group
C:-Co-factor
D:-Coenzyme
Correct Answer:- Option-A

137:-Which of the following cells is not a WBC ?
A:-Neutrophil

B:-Basophil
C:-Manocyte
D:-Thrombocyte
Correct Answer:- Option-D

138:-The colouring agent used in antisera AB is
A:-Methelene blue
B:-Acriflavin
C:-Eosin
D:-Safranin
Correct Answer:- Option-C

139:-Name the anticoagulant present in purple coloured vacutainer tube
A:-Heparin
B:-EDTA
C:-Sodium citrate
D:-None of these
Correct Answer:- Option-B

140:-pH of buffered distilled water used in Leishman's staining is
A:-6.8
B:-7.2
C:-7.4
D:-8
Correct Answer:- Option-A

141:-Blood collected in CPD-A can be stored in blood bank refrigerator for _____ days.
A:-35
B:-28
C:-21
D:-25
Correct Answer:- Option-A

142:-HDN due to Rh incompatibility can be prevented by giving anti-D antibody to Rh negative mother within
_____ hours of delivery of Rh positive infant.
A:-48 hrs
B:-72 hrs
C:-24 hrs
D:-36 hrs
Correct Answer:- Option-B

143:-Which of the following is not an RBC diluting fluid ?
A:-Normal saline
B:-Dacies fluid
C:-Turkes fluid

D:-Toissons fluid
Correct Answer:- Option-C

144:-During donor screening persons having history of malaria should be avoided for a period of _____
years.
A:-1 week
B:-2 years
C:-1 year
D:-3 years
Correct Answer:- Option-D

145:-Bombay blood group persons have _____ antigen in their blood.
A:-A Ag
B:-B Ag
C:-h Ag
D:-H Ag
Correct Answer:- Option-C

146:-Depth of improved neubauer counting chamber is
A:-0.1 mm
B:-.01 mm
C:-.001 mm
D:-1 mm
Correct Answer:- Option-A

147:-Name the enzyme estimation done in semen sample to analyse the secretory function of prostate
A:-alanine transaminase
B:-asparte transaminase
C:-acid phosphatase
D:-alkaline phasphatase
Correct Answer:- Option-C

Q148:-The only cell in normal CSF is
A:-Neutrophil
B:-Lymphocyte
C:-Manocyte
D:-None of these
Correct Answer:- Option-B

Q149:-Name the tests used to detect bile salt in urine.
A:-Benzidine test
B:-Fouchet's test
C:-Ehrlich's test

D:-Hays test
Correct Answer:- Option-D

150:-Ketone bodies in urine are
A:-acetone
B:-`beta` hydroxy butyric acid
C:-Both 1 and 2
D:-None of these
Correct Answer:- Option-C

151:-Normal sperm count is
A:-80 - 160 millions / ml
B:-40 - 80 millions / ml
C:-100 - 120 millions / ml
D:-140 - 200 millions / ml
Correct Answer:- Option-A

152:-Name the hormone detected in pregnancy.
A:-ADH
B:-GH
C:-TSH
D:-hCG
Correct Answer:- Option-D

153:-Specific gravity of urine less than 1.010 indicates
A:-Diabetes millitus
B:-Diabetes insipidus
C:-Diabetic ketoacidosis
D:-None of the above
Correct Answer:- Option-B

154:-'Glucose memory test' is
A:-GCT
B:-Hb`A_1` C
C:-GTT
D:-PPBS
Correct Answer:- Option-B

155:-Which of the following is not a renal function test ?
A:-Serum urea
B:-Serum creatinine
C:-Cystatin - C
D:-Total cholesterol
Correct Answer:- Option-D

156:-Who is known as 'father of microbiology' ?

A:-Louis Pasteur
B:-Robert Koch
C:-Alexander Fleming
D:-Edward Jenner
Correct Answer:- Option-A

157:-Serum electrolytes are analysed using
A:-Calorimeter
B:-Flamephotometer
C:-Spectrophotometer
D:-None of these
Correct Answer:- Option-B

158:-Van-den-Bergh reaction is used to detect
A:-Serum creatinine
B:-Serum urea
C:-Serum bilirubin
D:-Blood glucose
Correct Answer:- Option-C

159:-Cob-Web appearance of clot in CSF indicates
A:-Jaundice
B:-Haemorrhage
C:-Spinal constriction
D:-Tuberculous meningitis
Correct Answer:- Option-D

160:-_____ is otherwise known as 'bad cholesterol'.
A:-LDL
B:-HDL
C:-VLDL
D:-Chylomicrons
Correct Answer:- Option-A

161:-All the following are motile bacteria except
A:-E.Coli
B:-Klebsiella
C:-Vibrio
D:-Proteus
Correct Answer:- Option-B

162:-Oils and grease can be sterilised using
A:-autoclave
B:-vaccine bath
C:-hot air oven

D:-none of these
Correct Answer:- Option-C

163:-Solidifying agent of a culture media is
A:-peptone
B:-meat extract
C:-sodium chloride
D:-agar
Correct Answer:- Option-D

164:-_____ is added to Mac Conkeys agar to inhibit the growth of gram positive bacteria.
A:-Bile salt
B:-Peptone
C:-Neutral red
D:-Agar
Correct Answer:- Option-A

165:-All the following are examples of transport media except
A:-VR medium
B:-Thioglycollate medium
C:-Stuarts medium
D:-Amies medium
Correct Answer:- Option-B

166:-Which of the following tests come under IMViC tests ?
A:-Coagulase test
B:-Catalase test
C:-Citrate utilisation test
D:-None of above

Correct Answer:- Option-C

167:-The type of immunoglobulin which provides local immunity is
A:-`I_g` M
B:-`I_g` D
C:-`I_g` G
D:-`I_g` A
Correct Answer:- Option-D

168:-Confirmatory tests for AIDs is
A:-Western blot
B:-Southern blot
C:-ELISA
D:-CLIA
Correct Answer:- Option-A

169:-The bacteria which require 'X' and 'V' factors for its growth is
A:-staphylococcus
B:-haemophilus
C:-brucella
D:-salmonella
Correct Answer:- Option-B

170:-RPR and VDRL tests are done for the diagnosis of
A:-AIDs
B:-Hepatitis
C:-Syphilis
D:-Malaria
Correct Answer:- Option-C

171:-All the following are examples of blood parasites except
A:-Plasmodium
B:-Brugia malayi
C:-Leishmania
D:-Giardia lamblia
Correct Answer:- Option-D

172:-The fixative used for blood containing specimen is
A:-Carnoy's fluid
B:-95% ethyl alcohol
C:-10% formalin
D:-Zenker's fluid
Correct Answer:- Option-A

173:-Staining technique for assessment of hormonal status is
A:-Pap stain
B:-Shorrs stain
C:-H & E stain
D:-JSB stain
Correct Answer:- Option-B

174:-The 'word' which refers to the 'closeness of a result on repeated analysis' is
A:-accuracy
B:-sensitivity
C:-precision
D:-specificity
Correct Answer:- Option-C

175:-'Mycology' means the study of
A:-bacteria
B:-immunity

C:-parasites
D:-fungus

Correct Answer:- Option-D

176:-Infections induced by a 'physician' is known as
A:-iatrogenic
B:-nosocomial
C:-congenital
D:-subclinical
Correct Answer:- Option-A

177:-The enzyme estimation done for the diagnosis of pancreatitis
A:-acid phosphatase
B:-amylase
C:-alkaline phosphatase
D:-creatinine kinase
Correct Answer:- Option-B

178:-The basic component of Leishman's stain is
A:-cosin
B:-malachite green
C:-methelene blue
D:-none of the above
Correct Answer:- Option-C

179:-Name the blood cells increased in asthma
A:-basophil
B:-neutrophil
C:-lymphocyte
D:-cosinophil
Correct Answer:- Option-D

180:-Intermediate host of plasmodium is
A:-man
B:-female anopheles mosquito
C:-male anopheles mosquito
D:-none of the above
Correct Answer:- Option-A

181:-Which of the following is a Romanowsky stain
A:-Leishmans stain
B:-Giemsas stain
C:-Jenners stain
D:-All the above
Correct Answer:- Option-D

182:-In wintrobes mixture, ammonium oxalate and potassium oxalate is mixed in the ratio
A:-2 : 3
B:-3 : 2
C:-1 : 4
D:-2 : 1
Correct Answer:- Option-B

183:-The anticoagulant used in OFT is
A:-EDTA
B:-Citrate
C:-Heparin
D:-Sodium flouride-potassium oxalate mixture
Correct Answer:- Option-C

184:-The bacteria showing swarming growth is
A:-E.coli
B:-Salmonella
C:-Proteus
D:-All the above
Correct Answer:- Option-C

185:-To remove blood clots from blood pipette, it is immersed in
A:-KOH
B:-`NH_4OH`
C:-INHCl
D:-3% acetic acid
Correct Answer:- Option-A

186:-Incomplete antibodies are detected using
A:-Electrophoresis
B:-Coombs test
C:-Agglutination test
D:-VDRL test
Correct Answer:- Option-B

187. Van den Bergh Reaction is use to detect ?
Ans Serum Bilirubin

188. Tuberculous Meningitis which test indicates ?
Ans cob-web- Appearance of clot.

189. Who is bad Cholestrol.?
Ans LDL

190. Which is add mac conkeys agar to inhibit the growth of gram positive bacteria?
Ans Bile Salt

191. Confirmatory Test for Aids?
Ans western Blot test.

192. The Fixative use for blood containing specimen is ?
Ans Cornoy's Fluid

193. Mycology Means Study of -?
Ans- Fungus

194. The basic component of Leishman's Stain is -
Ans methelene Blue.

195. The Anticoagulant use in OFT is?
Ans Heparin

196. To remove blood clots from blood pipetts it is immersed in
Ans KOH

197. In complete Antibody are detected using. ?
Ans Coombs Test.

198. Mycobacterium tuberculosis is also known as-
Ans- Koch's Bacillus

199. mycobacterium Leprae is is also known as -
Ans- hensen's bacillus

200. Diagnostic test use for diphtheria is -
Ans↔ Shick test

201. Diagnostic test used for Scarlet fever
Ans- dick test

202. Diagnostic test used for typhus fever is
Ans- weil Felix

203. acute hepatitis B infection is best diagnosed by
Ans- IGM anti hbc antibody

204. VDRL test used for diagnosis of
Ans- syphilis

205. tuberculin test is an example of -
Answer- type IV hypersensitivity

206. the blood test to be monitored in patients receiving oral anticoagulant is
Ans- prothrombin time.

207. Causes spurious decrease in MCV

A. Cryofibrinogen
B. hyperglycemia
C. autoaggutination
D. high WBC ct
E. reduced red cell deformability

Ans: A

Lab Technician MCQs Book Free Click Here

208. When the entire CBC is suppressed due to either anemia, infection, or hemorrhage is called?

A. Erythroplasia
B. Thrombocytopenia
C. Pancytopenia
D. Leukopenia

Ans: C

209. Total RBC count for Women is?

A. 4.4-6
B. 4.2-5
C. 4.0-5.0
D. 4.2-5.2

Ans: C

210. Total RBC for men?
A. 4.0-5.0
B. 4.6-6.0
C. 4.2-6.5
D. 4.0-6.0
Ans: B

211. What is the major metabolically available storage form of iron in the body?
A. Hemosiderin
B. Ferritin
C. Transferrin
D. Hemoglobin

Ans: B

212. The best source of active bone marrow from a 20-year old would be:
A. Iliac Crest (hip)
B. Femur (thigh)
C. Distal radius (forearm)
D. Tibia (shin)

Ans: A
213. Laboratory Studies: Red Cell Indices:
Determination of relative size of RBC. 82-98 f1
A. MCH
B. MCV
C. MCHC
D. PCV
Ans: B

214. **Laboratory Studies: Red Cell Indices:**
Measurement of average weight of Hb/RBC. 27-33 pg

A. MCH
B. MCV
C. MCHC
D. PCV

Ans: B

215 . Laboratory Studies: Red Cell Indices Evaluation of RBC saturation with Hb. 32-36%
A. MCV
B. MCH
C. MCHC
D. PCV

Ans: C

216. There are 3 classifications of Anemia. What are they?
A. In adequate production of Hb
B. Decreased RBC production
C. Increased Erythrocyte destruction
D. Blood loss

Ans: A

Lab Technician MCQs Book Free Click Here

217. What is the major metabolically available storage form of iron in the body?
A. Hemosiderin
B. Ferritin
C. Transferrin
D. Hemoglobin

Ans: B

218. Folic acid therapy can cause sickle cell anemia
A. True
B. False
C. Both
D. none

Ans: B

219. Hydroxyurea increases hemoglobin production and decreases reticulocyte cells.

A. True
B. False
C. Both
D. none

Ans: A

220. Hydroxyurea:

A. decreases nitric oxide
B. increases neutrophil and monocytes
C. inhibits DNA synthesis by acting as aribonucleotide reductase inhibitor
D. none

Ans: C

221. Hydroxyurea icreases thhe serum uric acid levels.

A. True
B. False
C. Both
D. none

Ans: A

222. Decitabine increases the fetal hemoglobin production by inducing methylation of DNA and thus prevents the switch from gamma to beta-globin production.

A. True
B. False
C. Both
D. none

Ans: B

223. Hypocupremia is seen in

A. osetoporosis, nephrotic disease
B. sprue, cliac disease
C. cardiovascular disease, colon cancer
D. A andB
E. B and C
F. All of the above

Ans: F

224 Wilsons disease can cause liver problems

A. True
B. False
C. Both
D. none

Ans: A

225. What are the treatment options for wilson's disease?

A. Pencillamine
B. Riboflavin
C. Trientine
D. Potassium disulfide
E. Zinc
F. A, B and C
G. A, C, and D
H. A, C, D, and E

Ans: H

226. Aplasia can occur because of riboflavin deficiency?

A. True

B. False
C. Both
D. none

Ans: A

227. Angular stomatitis.cheilosis is a symptom of vitamin B12 deficiency?
A. True
B. False
C. Both
D. none
Ans: B

Lab Technician MCQs Book Free Click Here

228. What is the major metabolically available storage form of iron in the body?
A. Hemosiderin
B. Ferritin
C. Transferrin
D. Hemoglobin
Ans: B

229. Which test can be used to detect hemolytic anemia?

A. Coombs test
B. Genetic testing
C. Peripheral blood smear (PBS)
D. Schilling test
Ans: A

230. Which anemia is classified as not being able to use iron properly to synthesize hemoglobin because of a inherited cause.
A. Iron deficiency anemia
B. hypochromic anemia
C. aplastic anemia
Ans: B

231. what is normal fasting Blood sugar,

A. 100-200
B. 70-110
C. 90_120
D None

Ans.. B

232. This fatal disorder results from clot/thrombus formation in the blood ciruclation

A. thromboembolism
B. DVT
C. PAD
D. Pulmonary embolism
E. All of the above

Ans: E

233. Homan's sign is classified as pain behind the knee

A. True
B. False
C. None

Ans: A

234. Patients that are sensitive to aspirin can take

A. Sulfinpyrazone
B. Clopidogrel
C. Ticlopidine
D. 1 and 2
E. 2 and 3

Ans: E

Lab Technician MCQs Book Free Click Here

235. What is the life span of RBC

A. 120
B. 100
C. 200
D. 80

Ans: A

236. What is the major metabolically available storage form of iron in the body?

A. Hemosiderin
B. Ferritin
C. Transferrin
D. Hemoglobin

Ans: B

237. The most common type of protein found in the cell membrane is:

A. Lipoprotein
B. Mucoprotein
C. Glycoprotein
D. Nucleoprotein

Ans: C

238. A multilineage cytokine among the ILs is

A. IL-1
B. IL-2
C. IL-3
D. IL-4

Ans: A

239. Warfarin should be used with caution in the following:

A. Alcoholic liver disease
B. Gastrointestinal bleeding
C. recent neurosugery
D. Liver impairment

Ans: D

240. Isozymes of 2C can greatly effect warfarin
A. True
B. False
C. none

Ans: A

241. absolute lymphocytosis 5000/mm^3) without adenopathy, hepatosplenomegaly, anemia, thrombocytopenia is what stage in CLL prognosis Scoring-Rai Staging System?

A. Stage 0
B. Stage I
C. Stage II
D. Stage III
E. Stage IV

Ans: A

242. Conventional treatment is Rai stage II for
A. Antibiotics
B. chemotherapy
C. Antivirals
D. rest

Ans: B

243. In patients with low numbers of neoplastic cells, sometimes due to treatment, PCR to amplify DNA can improve sensitivity, and detect signs of relapse.

A. True
B. False
C. none

Ans: A

244. Chronic lymphocytic leukemia is most common leukemia in what kind of people? Slide 4

A. young adults
B. older adults
C. None

Ans: B

245. absolute lymphocytosis and thrombocytopenia(< 100,000/mm^3) with or without lymphadenopathy, hepatomegaly, splenomegaly, or anemia is what stage in CLL prognosis Scoring-Rai Staging System?

A. Stage 0
B. Stage I
C. Stage II

D. Stage III
E. Stage IVN

Ans: E

246. Chronic Lymphocytic Leukemia is characterized by peripheral blood and bone marrow

A. lymphocytopenia
B. lymphocytosis
Ans: B

247. absolute lymphocytosis with either hepatomegaly or splenomegaly with or without lymphadenopathy is what stage in CLL prognosis Scoring-Rai Staging System?
A. Stage 0
B. Stage II
C. Stage II
D. Stage II
E. Stage Iv
Ans: C

248. absolute lymphocytosis without lymphadenopathy without hepatosplenomegaly, anemia, or thrombocytopenia is what stage in CLL prognosis Scoring Rai Staging System?
A. Stage 0
B. Stage I
C. Stage II
D. Stage II
E. Stage IV
Ans: B

249. IN Chronic Lymphocytic Leukemia the Lymphocyte appearance: small or slightly larger than normal, hyper-condensed(almost.
nuclear chromatin patter, bare nuclei called "smudge cells" are common.
A. soccer-ball
B. basketball
C. football
D. tennis-ball
Ans: A

250. Which of the following forms of Hh molecule has the lowest affinity for oxygen?
A. Tense
B. Relaxed
C. Arterial
D. Venous
Ans: A

251. What is the recommended cleaner for removing all oil from objective lens?
A. 70 % alcohol or lens cleaner
B. Xylene
C. Water
D. Benzene
Ans: A

252. Intravascular hemolysis is the

result of trauma to RBCs while in the circulation
A. True
B. False
Ans: A

Lab Technician MCQs Book Free Click Here

253. Blood Hb level changes in mornging and evening Time.

A 1gm%
B. 2gm%
C. 1.5Gm%
D. 2.5gm%
answer -C

25 4. The shape of a cell is maintained by

which of the following?
A. Microtubules
B. Spindle Fibers
C. Ribosomes
D. Centrioles
Ans: A

255. At which month of fetal

development does the bone marrow become the primary site of

hematopoiesis?
A. 2nd
B.5th
C. End of 6th month
D. End of 7th month
Ans: C

256. Which types of cells develop from

yolk sacs (Mesoblastic phase)?
A. Hb F, Hg A2, and Hg A
B. Gower 1 and Gower 2 Hgb
C. Portland Hgb
D. Only Erythrobla
Ans: D

257. Normal Adult Hb A contains the following polypeptide chains:
A. alpha and beta
B. alpha and epsilon
C. alpha and delta
D. alpha and brotherton
Ans: A

258. Allergic reactions are frequently
associated with an increase in the prescence of:
A. Lymphocytes
B. Neutrophils
C. Monocytes

D. Eosinophils
Ans: D

259. Lipid exchange between the RBC membrane and the plasma occurs:
A. To replace lost lipids in the membrane
B. To provide a mechanism for excretion of lipid-soluble RBC waste products
C. To ensure symmetry between the composition of the interior and exterior lipid layers
D. To provide lipid-soluble nutrients to the RBC
Ans: A

260. After the microscope has been adjusted for Kohler illumination, light intensity should never be regulated by using the...
A. Rheostat
B. Neutral density filter
C. Kohler magnifier
D. Condenser
Ans: D

261. Which of the followong types of microscopy is valuable in the identification of crystals that are able to rotate ight?

A. Compound brightfield
B. Darkfield
C. Polarizing
D. Phase-contrast

Ans: C

262. During the Medullary Phase of hematopoietic development, which bone is the first to show hematopoietic activity?
A. Femur
B. Iliac Crest
C. Skull
D. Clavicle
Ans: D

263. Given the following values, calculate the RPI Observed reticulocyte count - 6% Hct-30°%

A. 2
B. 3
C.4
D. 5
Ans: A
264. The lipids of the RBC membrane are arranged:
A. In chains beneath a protein exoskeleton
B.So that the hydrophobic portions are facing the plasma
C. In a hexagonal lattice
D. In two layers that are not symmetric in composition
Ans: D

Lab Technician MCQs Book Free Click Here

265. The hexose monophosphate pathway activity increases the RBC source of
A. Glucose and lactic acid
B. 2,3-BPG and methemoglobin
C. NADPH and reduced glutathione

D. ATP and other purine metabolites
Ans: C

266. Which single feature of normal RBC's is most responsible for limiting their life span?
A. Loss of mitochondria
B. Increased flexibility of the cell membrane
C. Reduction of Hb iron
D. Loss of nucleus
Ans: D

267. In the Iron cycle, the transferrin receptor carries:
A. Iron out of duodenal cells from the intestinal lumen
B. Iron out of duodenal cells into the plasma
C. transferrin-bound iron in the plasma
D. transferrin-bound iron into erythrocytes
Ans: D

268. A multilineage cytokine among the ILs is
A. IL-1
B. IL-2
C. IL-3
D. IL-4
Ans: A

269. Which of the following cells may

develop in sites other than the bone marrow?
A. Monocyte
B. Lymphocyte
C. Megakaryocyte
D. Neutrophil
Ans: B

270. The acceptable range for hemoglobin values on a control sample is 13+or-0.4 g/dL. A hemoglobin determination is performed five times in succession on the same control sample. The results are (in g/dL. 12 12.3, 12, 12.2, and 12.1) These results are:
A. Precise, but not accurate
B. Both accurate and precise
C. Accurate, but not precise
D. Neither accurate nor precise
Ans: A

271. The layer of the erythrocyte membrane that is largely responsible for the shape, structure, and deformability of the cell is the
A. Integral protein
B. Exterior lipid
C. Peripheral protein
D. Interior lipid
Ans: C

272. During midfetal life, the primary source of blood cells is the:
A. Bone marrow

B. Spleen
C. Lymph Nodes
D. Liver
Ans: D

273. In the bone marrow, RBC precursors are located:
A. In the center of the hematopoietic cords
B. Adjacent to megakaryocytes along the adventitial cell lining
C. Surrounding fat cells in apoptotic islands
D. Surrounding macrophages near the sinus membrane
Ans: D

274. Which of the following gathers, organizes, and directs light through the specimen?

A. Ocular
B. Objective lens
C. Condenser
D. Optical Tube
Ans: C

275. How are the globin chains gene arranged? Note: a means alpha, B means beta
A. With a genes and B genes on the same chromosome including two a genes and two B genes
B. With a genes and B genes on seperate chromosomes, two a genes on one

chromosome and one B gene on a different chromosome
C. With a genes and B genes on the same chromosome - including four a genes and four B genes
D. With a genes and B genes orn separate chromosomes - four a genes on one chromosome and two B genes on a different chromosome
Ans: B

276. The maximum number of erythrocytes generated by one Multipotential Stem Cell is:
A. 8
B. 1
C. 12
D. 16
Ans: D

277. What is the distribution of normal Hh in adults?
A. 80-90% Hb A, 5-10% Hb A2, 1-5% Hb F
B.>95% Hb A, <3.5 % Hb A2, <1-2% Hb F
Ans: B

278. The most frequent cause of needle punctures is:
A. Patient movement during venipuncture
B. Improper disposal of phlebotomy equipment
C. Inattention during removal of needle after venipuncture
D. Faiure to attach needle firmly to tube holder

Ans: B

279. Iron is incorporated into the heme molecule in which of the following8 forms:
A. Ferrop
B. Ferrous
C. Ferric
D. Apoferritin
Ans: B
Lab Technician MCQs Book Free Click Here

280. The most important practice in preventing the spread of disease is:
A. Wearing masks during patient contact
B. Proper handwashing
C. Wearing disposable lab coats
D. Identifying specimens from known or suspected HIV and HBV patients with a red label
Ans: B

281. Which of the following would correlate with an elevated ESR value?
A. Osteoarthriti
B. Polycythemia
C. Decreased globulins
D. Inflanmmation
Ans: D

282. The enzyme deficiency in the Embden-Meyerhof pathway that is responsible for most cases of nonspherocytic hemolytic anemia is:
A. Hexokinase

B.Phosphotriptokinase

C. Pyruvate Kinase
D. Glyceraldehyde 3-Phosphate
Ans: C

283. The most common type of protein found in the cell membrane is:
Lab Technician MCQs Book Free Click Here
A. Lipoprotein
B. Mucoprotein
C. Glycoprotein
D. Nucleoprotein
Ans: C

- **284MCQ: Strand of RNA is made of**
- A. ribose sugar
- B. phosphate unit
- C. nitrogen base
- D. all of above
-
- **Answer D**
- **285MCQ: Which of the following activates more than 100 different enzymes?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D
-
-
-
-
-
- **Answer B**
- **286MCQ: Which of the following are obtained from fruits, vegetables, and cereals?**
- A. monosaccharides
- B. sucrose
- C. cellulose
- D. starch

- **Answer A**
- **287MCQ: Which of the following is not included in fat-soluble vitamins?**
- A. vitamin A
- B. vitamin D
- C. vitamin E
- D. vitamin B

- **Answer D**
- **288MCQ: Which of the following is used to make rectified spirit by fermentation process?**
- A. cellulose
- B. starch
- C. glucose
- D. fructose

- **Answer –B**
- **289MCQ: Plants convert glucose ($C_6H_{12}O_6$) in to**
- A. starch only
- B. cellulose only
- C. sucrose
- D. starch and cellulose

- **Answer D**
- **290MCQ: How many amino acids are synthesized by our bodies?**
- A. 10
- B. 20
- C. 30
- D. 40
-
-
-
-
- **Answer - A**
- **291MCQ: The condensed structural formula of Caproic acid is**
- A. CH3-CH2-CH2-COOH
- B. CH3-(CH2)4-COOH
- C. CH3-(CH2)14-COOH
- D. CH3-(CH2)16-COOH
-
-
-
-
- **Answer- B**
-
- **292MCQ: Vitamin B is necessary for**
- A. eyes and skin
- B. energy production in cells
- C. healing wounds and preventing colds
- D. bones and teeth
-
-
-
-
-
-
- **Answer B**
- **293MCQ: Starch is an example of?**

- A. monosaccharides
- B. oligosaccharides
- C. polysaccharides
- D. lipids
-
-
-
-
- **Answer C**
- **294MCQ: Which of the following causes dry skin when taken in excess amount?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D
-
-
-
-
- **Answer - A**
- **295MCQ: Deficiency of vitamin A causes**
- A. night blindness
- B. anemia and bleeding gums
- C. scurvy
- D. rickets and Osteomalacia
-
-
-
-
- **Answer - A**
- **296MCQ: Vitamin B is soluble in**
- A. fat
- B. water
- C. alcohol
- D. ethers
-

- **Answer B**
- **297MCQ: Which of the following is the key to the ability of DNA to store genetic information and to pass it on from generation to generation?**
- A. double stranded structure of DNA
- B. deoxyribose sugar
- C. phosphate unit
- D. nitrogen base

- **Answer A**
- **298MCQ: Which of the following is obtained by heating bones and tendons in the water?**
- A. gelatin
- B. enzyme
- C. amylase
- D. lactase

- **Answer – A**

- **299MCQ: Deficiency of vitamin D causes**
- A. night blindness
- B. anemia and bleeding gums
- C. scurvy
- D. rickets and Osteomalacia

- **Answer -D**
- **300MCQ: Cellulose is obtained from?**
- A. animals
- B. microorganisms
- C. plants
- D. bacteria
- **Answer - C**
- **301MCQ: How much energy is provided by 1g of glucose?**
- A. 15.6 KJ
- B. 16.8 KJ
- C. 20 KJ
- D. 1.2 KJ
- **Answer - A**
- **302MCQ: How many types of vitamins are there?**
- A. two
- B. three
- C. four
- D. five
- **Answer – A**
- **304MCQ: The key to the ability of DNA to pass and store genetic information is its**
- A. hydrogen bonding
- B. double stranded structure

- C. deoxyribose sugar
- D. nitrogen base
-
-
-
-
- **Answer B**
- **305MCQ: In what form is glucose stored in animal muscles and liver cells?**
- A. glucagon
- B. vitamins
- C. glycogen
- D. starch
-
-
-
-
- **Answer C**
- **306MCQ: Vitamin E is necessary for**
- A. eyes and skin
- B. energy production in cells
- C. antioxidant
- D. blood clotting
-
-
-
-
- **Answer C**
- **307MCQ: Nucleic acids were first obtained from**
- A. blood of infected wounds
- B. pus of infected wounds
- C. skin
- D. muscles
-
-
-
-

- **Answer B**
- **308MCQ: Which of the following used the word 'vitamin' for the missing factors that were needed to sustain healthy growth?**
- A. C. Eijkman
- B. F.G Hopkins
- C. Casmir Funk
- D. Jabar Bin Hayan
- **Answer - C**
- **309MCQ: Which of the following is important in vision?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D
- **Answer A**
- **310MCQ: Which of the following is true about DNA?**
- A. it is present in cell nucleus
- B. it has single strand
- C. it has ribose sugar
- D. it is synthesized by RNA
- **Answer A**
- **311MCQ: The physical state of fat at room temperature is**
- A. solid

- B. liquid
- C. gas
- D. plasma
-
-
-
-
-
- **Answer A**
- **312MCQ: Which of the following protects our heart and kidneys from injury?**
- A. skin
- B. muscles
- C. lubricants
- D. fat
-
-
-
-
- **Answer D**
- **313MCQ: Which of the following is used as a catalyst in hydrogenation reaction?**
- A. Ni
- B. Pd
- C. Pt
- D. all of above
-
-
-
-
- **Answer D**
- **314MCQ: Which of the following are glucose and fructose?**
- A. monosaccharides
- B. oligosaccharides
- C. polysaccharides
- D. starch
-

- **Answer A**
- **315MCQ: When hydrogen is added to an alkene, the process is called**
- A. dehydration
- B. Dehydrohalogenation
- C. hydrogenation
- D. hydrochlorination

- **Answer C**
- **316: Considering the structure of DNA, each strand is made up of**
- A. deoxyribose sugar
- B. phosphate unit
- C. nitrogen base
- D. all of above

- **Answer D**
- **317MCQ: Which of the following is necessary for proper bone and tooth growth?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D

- **Answer D**
- **318MCQ: Source of caproic acid is**
- A. butter
- B. palm oil
- C. beef fat
- D. olive oil
- **Answer A**
- **319MCQ: In the structure of DNA, how many strands are twisted around each other?**
- A. one
- B. two
- C. three
- D. four
- **Answer B**
- **320MCQ: The vitamin which helps in chemical transmission of images from the eye to the brain is**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D

- **Answer A**
- **321MCQ: Specific organic compounds which are required by our bodies to prevent specific diseases but cannot be produced by our bodies are called**
- A. hydrocarbons
- B. carbohydrates
- C. proteins
- D. vitamins

- **Answer D**
- **322MCQ: Source of butyric acid is**
- A. butter
- B. palm oil
- C. beef fat
- D. olive oil

- **Answer A**
- **323MCQ: Which of the following is used in the form of wood for heat, housing, and furniture?**
- A. cellulose
- B. starch
- C. monosaccharides
- D. oligosaccharides

- **Answer A**

- **324MCQ: Raffinose is an example of**
- **A. monosaccharides**
- **B. disaccharides**
- **C. polysaccharides**
- **D. Trisaccharides**
- **Answer D**
- **325MCQ: Anemia, bleeding gums and tongue inflammation is caused by the deficiency of**
- **A. vitamin A**
- **B. vitamin B**
- **C. vitamin C**
- **D. vitamin D**
- **Answer B**
- **326MCQ: Which of the following is caused due to an extreme lack of proteins?**
- **A. malaria**
- **B. typhoid**
- **C. kwashiorkor**
- **D. anemia**

- Answer C
- **327MCQ: Two fatty acids that are components of fats are**
- A. stearic acid and oleic acid
- B. butyric acid and caproic acid
- C. palmitic acid and oleic acid
- D. none of above
- Answer B
- **328MCQ: Existence of RNA is in the form of**
- A. single strand
- B. double strand
- C. triple strand
- D. four strands
- Answer A
- **329MCQ: The amino acids which are no synthesized by the human body are called**
- A. essential amino acids
- B. non essential amino acids
- C. simple amino acids
- D. complex amino acids
- Answer B

- **330MCQ: Nutrition is derived by cows, cattle, goats, deer, sheep, and termites from**
- **A. cellulose**
- **B. starch**
- **C. monosaccharides**
- **D. oligosaccharides**
-
-
-
-
-
- **Answer A**
- **331MCQ: Monosaccharides (simple sugars) have**
- **A. oxidizing nature**
- **B. reducing nature**
- **C. redox nature**
- **D. neutralizing nature**
-
-
-
-
-
- **Answer B**
- **332MCQ: Which of the following causes a feeling of pressure inside the head when taken in excess amount?**
- **A. vitamin A**
- **B. vitamin B**
- **C. vitamin C**
- **D. vitamin D**
-
-
-
-
-
- **Answer A**

- **333MCQ: What happens if water-soluble vitamins are taken in excess?**
- **A. they cause harm**
- **B. they are readily excreted from the body**
- **C. they cause no harm**
- **D. they are not excreted from the body**
-
-
-
-
- **Answer B**
- **336MCQ: Source of palmitic acid is**
- **A. butter**
- **B. palm oil**
- **C. beef fat**
- **D. olive oil**
-
-
-
-
- **Answer B**
- **337MCQ: Cotton is an example of pure**
- **A. cellulose**
- **B. sucrose**
- **C. starch**
- **D. cloth**
-
-
-
-
- **Answer A**
- **338MCQ: Which of the following are long-chain carboxylic acids?**
- **A. fats**
- **B. oils**
- **C. proteins**

- **D. fatty acids**
-
-
-
-
-
- **Answer D**
- **339MCQ: Which of the following is not true about RNA?**
- **A. it is synthesized by DNA**
- **B. it has deoxyribose sugar**
- **C. it has single strand**
- **D. it is responsible for directing synthesis of new proteins**
-
-
-
-
-
-
-
- **Answer B**
- **340MCQ: The human body can synthesize only**
- **A. 12 amino acids**
- **B. 10 amino acids**
- **C. 15 amino acids**
- **D. 5 amino acids**
-
-
-
- **Answer B**
- **341MCQ: What is the term used for the linkage which joins two amino acid units?**
- **A. amino group**
- **B. carboxyl group**
- **C. peptide bond**

- **D. dipeptide**
-
-
- **Answer D**
- **342MCQ: Which of the following is required for the formation of blood?**
- **A. vitamin A**
- **B. vitamin B**
- **C. vitamin C**
- **D. vitamin D**
-
-
-
-
-
-
- **Answer C**
- **343MCQ: Which of the following acts as a thermal insulator in mammals?**
- **A. skin**
- **B. fat**
- **C. lipids**
- **D. proteins**
-
-
-
-
- **Answer B**
- **344MCQ: Proteins that catalyze specific biological reactions without which life would be impossible are called**
- **A. gelatin**
- **B. enzymes**
- **C. amylase**
- **D. lactase**
-

- Answer B
- **345MCQ: The linkage which joins two amino acid units is called**
- A. peptide bond
- B. covalent bond
- C. ionic bond
- D. hydrogen bond
- AnswerA
- **346MCQ: If a lipid is liquefied at room temperature, it is called**
- A. fat
- B. oil
- C. proteins
- D. ghee
- Answer B
- **347MCQ: Which of the following is added to fruit juices and flavored drinks to prevent scurvy and elimination of rickets?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D

-
- **Answer C**
- **348MCQ: Which of the following is not true about polysaccharides?**
- **A. they are amorphous solids**
- **B. they are tasteless**
- **C. they are insoluble in water**
- **D. they are reducing in nature**
-
-
-
-
- **Answer D**
- **349MCQ: Which of the following keeps the cornea moist?**
- **A. vitamin A**
- **B. vitamin B**
- **C. vitamin C**
- **D. vitamin D**
-
-
-
-
- **Answer D**
- **350MCQ: The resulting molecule after joining two amino acid units is called a/an**
- **A. amino group**
- **B. carboxyl group**
- **C. peptide bond**
- **D. dipeptide**
-
-
- **Answer D**
-
- **351MCQ: Which of the following is required for the formation of blood?**
- A. vitamin A
- B. vitamin B

- C. vitamin C
- D. vitamin D
-
-
-
- **Answer C**
- **Answer B**
- **MCQ352: Which of the following is added to fruit juices and flavored drinks to prevent scurvy and elimination of rickets?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D
-
-
-
- **Answer C**
-
- **MCQ353: Which of the following keeps the cornea moist?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D
-
-
-
- **Answer A**
- **MCQ354: The fat-soluble vitamin is**
- A. vitamin B
- B. vitamin C
- C. vitamin D
- D. vitamin F
-
-
-
- **Answer C**

- **MCQ355: Vitamin C is necessary for**
- A. eyes and skin
- B. energy production in cells
- C. healing wounds and preventing colds
- D. bones and teeth
-
-
-
- **Answer C**
- **MCQ356: Vitamin K is necessary for**
- A. eyes and skin
- B. energy production in cells
- C. antioxidant
- D. blood clotting
-
-
-
-
-
- **Answer D**
- **MCQ357: Which of the following helps in the chemical transmission of images from the eye to the brain?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D
-
-
-
-
-
-
- **Answer A**
- **MCQ358: Maltose is obtained from**
- A. sugarcane
- B. fruits

- C. cereals
- D. plants
-
-
-
-
-
- **Answer C**
- **MCQ359: By the help of fermentation, starch is converted to**
- A. rectified spirit
- B. dextrin
- C. cellulose
- D. sucrose
-
-
-
-
-
- **Answer A**
- **MCQ360: Which of the following is used in infant foods?**
- A. protease
- B. amylase
- C. diastase
- D. lactase
-
-
-
-
- **Answer D**
- **MCQ361: Delayed blood clotting is caused by the deficiency of**
- A. vitamin E
- B. vitamin K
- C. vitamin C
- D. vitamin D
-
-

- **Answer B**
- **MC362: Which of the following regulates blood calcium?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D

- **Answer D**
- **MCQ363: Which of the following helps to regulate nerve impulse transmissions?**
- A. vitamin A
- B. vitamin B
- C. vitamin C
- D. vitamin D

- **Answer B**
- **MCQ364: Which of the following are called building blocks of all proteins?**
- A. vitamins
- B. amines
- C. lipids
- D. amino acids

- **Answer D**
- **MCQ365: Vitamin C is soluble in**
- A. fat
- B. water
- C. ethers
- D. phenols

-
-
-
- **Answer B**

Human CytogeneticsMcqs free Pdf,

- **Q366 - human cytogenetics is the study of man**
- **A-Chromosomes**
- **B- cytoplasm of cell**
- **C- nuclei of the cell**
- **D- All of the above**
-
-
- **Answer - A**
-
- **Q367-human beings process 46 chromosomes divided as-**
- **A- 44 autosomes and 2 sex chromosomes**
- **B- 46 are autosomes**
- **C- 40 are autosomes and 6 sex chromosome**
- **D- None of the above**
-
- **Answer - A**
-
-
-
- **Q368-human cytogenetics study help in**
- **A- prenatal diagnosis**

- **B- In diagnosing genetic disorder**
- **C- in establishing gene therapy**
- **D- all of the above**
-
-
- **Answer - D**
-
- **Q369- name some common technique for deduction of abnormality in early foetus**
- **A- amniocentesis**
- **B- culturing of chronic villi**
- **C- a and b**
- **D- none of these**
-
-
- **Answer – C**
-
- **Q370- which of the following is a type of cell division?**
- **A- mitosis**
- **B- meiosis**
- **C- a and b**
- **D- none of these**
-
-
-
- **Answer - c**

- **Q371- mitosis occurs in**
- **A- somatic cell**
- **B- Germ cell**
- **C- a and b**
- **D- none of these**
-
-
- **Answer - A**
- **Q372- meiosis occurs in in**
- **A- somatic cell**
- **B- germ cell**
- **C- a and b**
- **D- none of these**
-
-
- **Answer – B**
-
- **Q373- total number of human beings chromosomes**
- **A- 36 chromosome**
- **B- 46 chromosome**
- **C- 48 chromosome**
- **D- 42 chromosome**
-
- **Answer – B**
-
- **Q374 - what number of sex chromosome ?**

- **A- 8 chromosome**
- **B- 10 chromosome**
- **C- 2 chromosome**
- **D- 4chro mosome**
-
-
- **Answer- C**
- **Q375- what is number of chromosomes pairs**
- **A- 23pairs**
- **B- 22 pairs**
- **C- 24 pairs**
- **D- 46 pairs**
-
-
- **Answer - A**
-
- **Q376- what time duration in cytology aspiration at an FNAC ?**
- **A- 20 second**
- **B- 30 second**
- **C- 40 seconds**
- **D- 60 seconds**
- When a lump, or a bump is discovered in superficial areas of the body such as the breast and neck, a test known as **Fine Needle Aspiration** Cytology (FNAC) is recommended to determine whether the lump is cancer. This procedure is also used to test for thyroid, salivary glands and lymph nodes illnesses
- **Answer- A**
-

- **Q377- After cytology aspiration how many times patients in under observation?**
- **A- 1 hour**
- **B- 2 hour**
- **C- 3 hour**
- **D- 4 hour**
-
-
-
- **Answer – B**
-
- **Q378- aspiration of liver what diameter of needle**
- **A- 20 gauge**
- **B- 22 gauge**
- **C- 24 gauge**
- **D- 26 gauge**
-
-
- **Answer – B**
-
- **379. Humans with the disorder PKU develop light colored hair. What kind of genetic effect is this**?
- □□□□□□ □□□□□ □□□□ □□□□□□ □□□□□ □□□ □□ □□□ □□□□□□ □□□□ □□□□ □□ □□□ □□□□□□ □□ □□□□□□□□ □□□□□□ □□?
- A. epistatic.
- B. pleiotropic.

- C. phenotypic.
- D. variable expressivity.
- E. incomplete penetrance.
- **Answer- C**
-
- **Q380: The human genome project was published in**
- A. 1999
- B. 2008
- C. 2005
- D. 2002
-
- Answer – D
-
-
- Q381 **Nitrogenous base adenine of one nucleotide forms pair with**
- A. thymine
- B. cytosine
- C. guanine
- D. adenine
-
- **Adenine forms** a **base pair** with thymine with two hydrogen bonds, while guanine **pairs** with **cytosine** with three hydrogen bonds.
-
- Answer – A
-
-
-
- **Q382 - Fundamental principles of genetics were developed by**
- A. Gregor Johann

- B. Edward Jenner
- C. J.Watson and F.Crick
- D. Darwin and Lamark
-
- Mendel's **principles of inheritance**. Our understanding of how inherited traits are passed between generations comes from **principles** first proposed by Gregor Mendel in 1866. ... He proposed the **key** laws of **genetics** from this work on **inheritance** of traits in peas in 1866.
- Answer – A
-
- **Q383- Phenotype is the expression of**
- A. genetic makeup
- B. physical makeup
- C. chemical composition
- D. metabolism
-
-
- **Phenotype** is what you see - the visible or observable **expression** of the results of genes, combined with the environmental influence on an organism's appearance or behavior.
- **Answer - B**
-
-
- **Q384: The round structures of Deoxyribonucleic Acid (DNA) around histone proteins are called**
- A. monohybrid genes
- B. hybrid genes
- C. chromosomes
- D. nucleosomes
-
- The **DNA** in eucaryotes is tightly bound to an equal mass of **histones**, which form a repeating array of **DNA-protein** particles **called** nucleosomes. The nucleosome is

composed of an octameric core of **histone proteins around** which the **DNA** double helix is wrapped.

- **Answer – D**

- **Q385: Gregor Mendel developed the fundamental principles of**
- A. botany
- B. genetics
- C. chemistry
- D. inheritance

- Answer - B
- **Q 386 - How many hydrogen bonds are present between cytosine and guanine?**
- A. 1
- B. 2
- C. 3
- D. 4

- **Answer - C**

- Q 387 **Nitrogenous base of one** cytosine **nucleotide forms pair with**

- A. thymine
- B. cytosine
- C. guanine
- **D.** adenine

- **Answer- C**

- **Q 388 - How many hydrogen bonds are present between adenine and thymine?**
- E. 1

- F. 2
- G. 3
- H. 4
-
- Answer - F
  - **Q389 - which of the following can be used as fixatives?**
  - A 10% natural buffered Formalin
  - **B-** Bouin's fluid
  - C- Carnoy's fluid
  - D- all of the above
  -
  -
  - Answer - D- all of the above
  -
  -
  - **Q390- what should be the ratio between the volume of the tissue and the fixative**
  - A- 1 ratio 5
  - B- 1 : 10
  - C- 1 ratio 20
  - D- 1 ratio 100
  -
  - Answer – c
  -
  - **Q 391 - what is the usual concentration of the commercial formaldehyde available**
  - A- 7 to 10%
  - B- 17 to 27%
  - C- 37 to 40%
  - D-40 to 50%
  -

- Answer – c
- **Q392- which is the most commonly used fixative in clinical practice?**
- A- 10% natural buffered Formalin
- B- Zenkres fluid
- C- Bouins fluid
- D- Cornoy's fluid
- Answer – A
- **Q-393- Bouins fluid is yellow because of the presence of –**
- A- chloroform
- B- picric acid
- C- formaldehyde
- D- Iodine
- Answer – B
- **Q394- of the following…… is a components of Zenkar's fluids ?**

- A- mercuric chloride
- B- potassium dichromate
- C- sodium sulphate
- D- all of the above
- Answer - D
- **Q 395 - which of the the following acid may be used for decalcification ?**
- A- 25% sulfuric acid
- B- 5% nitric acid
- C- 20% hydrochloric acid
- D-30% orthophosphoric Acid
- Answer - D
- **Q396 -which of the following acid is used in the electrolytic method for decalcification?**
- A- formic acid
- B- nitric acid
- C- HCL
- D- Acetic
- Answer - A

- **Q397- tissue Processing Unit are also known as ?**
- A- HistoKinette
- B- Histomat
- C- Histobath
- D- Histoform
-
-
- Answer - A
- **Q398 – The Section cutting Machine is Known as----**
- A- Microtome
- B- Histomate
- C- Histocut
- D- Histoform
-
-

- Answer - A

HUMAN REPRODUCTIVE SYSTEM

- **399MCQ: The process which undergoes in the primary oocytes is classified as?**
- **A. meiosis-II**
- **B. meiosis-I**
- **C. mitosis-II**
- **D. mitosis-I**
-
- **Answer – B**
- **400MCQ: Cervix separates the uterus from?**
- **A. vagina**
- **B. ovary tube**

- **C. follicle tube**
- **D. fallopian tube**
-
- **Answer - B**
-
- **401MCQ: A germinated microspore contains a tube nucleus and**
- A. three sperms
- B. one sperms
- C. four sperms
- D. two sperms
-
-
-
-
-
- **Answer – D**
- **402MCQ: The glands which are responsible for the secretion to neutralize the fluid (semen) acidity are known as**
- A. Cowper's glands
- B. seminal glands
- C. spermatogonia glands
- D. prostate glands
-
-
-
-
- **Answer D**
- **403MCQ: After the release of sperms in the ovule, the sperms enter into the**
- A. female gametophyte
- B. male gametophyte
- C. female sporophyte
- D. female gametophyte
-

- **Answer D**
- **404MCQ: The mature sperms are accumulated in the collecting ducts of**
- A. testes
- B. urethra
- C. urinary tract
- D. gall bladder
- **Answer A**
- **405MCQ: The process of gametes formation is called**
- A. primary oogonia
- B. gametogenesis
- C. cogenesis
- D. spermatogenesis
- **Answer B**



- **406MCQ: The secretions produced by seminal vesicle provide**

- A. fluid to sperms
- B. nutrition to sperms
- C. growth to sperms
- D. movement to sperms
-
-
- **Answer B**
-
- **407MCQ: The structures prepared by the cells of ovaries where oogonia are present are called**
- A. oocytes
- B. egg cells
- C. follicles
- D. calluses
-
- **Answer C**
-
- **408MCQ: The primary spermatocytes are produced by**
- A. spermatogonia
- B. oogonia
- C. primary spermatids
- D. secondary spermatids
- **Answer A**
- **409MCQ: The reproductive system of females includes**
- A. ovaries and associated ducts
- B. testes and associated ducts
- C. fallopian tubes and testes
- D. placenta and testes
- **Answer A**
-
-
- **410MCQ: After maturation, the sperms move from the epididymis to**
- A. testis
- B. collecting duct
- C. seminal vesicles

- D. vas deferens
-
-
-
-
- **Answer D**
  - **Q411 -Correct regarding cocci are .....**
  - A Cocci are spherical shaped bacteria
  - B. Cocci present in chain is known as streptococci
  - C. Cocci present in the shape of grapes is known as
  - staphylococci
  - D. All the above
  - ANSWER – D
  -
  - **412. Coma shaped bacteria are known as**
  - A. Staphylococci
  - B. Streptococci
  - C. Vibrio
  - D. Bacillus
  -
  - ANSWER – C
-
- **413MCQ: Joining of male and female gametes is called**
- A. fusion
- B. reproduction
- C. sexual reproduction
- D. asexual reproduction
-
-
-
-
- **Answer C**
-

- **414MCQ: The bag of skin in which testes are located is called**
- A. seminiferous tubules
- B. vas deferens
- C. epididymis
- D. scrotum
-
-
- **Answe r D**
- **415MCQ: The fluid which contains sperm is called**
- A. semen
- B. scrotum
- C. spermatogonia
- D. seminal vesicles
-
-
-
- **Answer A**
- **416MCQ: The bag of the skin in which testes are located is called**
- A. epididymis
- B. scrotum
- C. prostate gland
- D. epicotyls
-
-
-
- **Answer B**
- **417MCQ: Ovaries are situated just ventral to**
- A. uterus
- B. urinary bladder
- C. kidneys
- D. lungs
-
-
-
- **Answer C**

- **418MCQ: After the structural changes in the spermatids, the spermatids converts into**
- A. spermatogonia
- B. sperms
- C. egg cells
- D. spermatocytes
-
-
-
- **Answer B**
- **419MCQ: The sperms that are fused with the egg form the**
- A. ovaries
- B. androecium
- C. zygote
- D. gynoecium
- **Answer C**
-
- **420MCQ: After the fertilization of egg cells in fallopian tubes, the zygote is carried to the**
- A. uterus
- B. urethra
- C. seminal gland
- D. ovular glands
-
-
-
- **Answer A**
- **421MCQ: The small oval-shaped organs located in the abdominal cavity are called**
- A. egg cells
- B. placenta
- C. ovaries
- D. horns
-
-

- **Answer C**
- **422MCQ: In the human body, the human immune deficiency (HIV) virus destroys**
- A. Pletlets
- B. serum
- C. white blood cells
- D. red blood cells
- **Answer C**
- **423MCQ: The abbreviation of AIDS is**
- A. acquired immunodeficiency syndrome
- B. accumulated immune disorder system
- C. acquired immune disorder survival
- D. accumulated immunodeficiency system
- **Answer A**
- **424MCQ: The virus that causes AIDS in humans is called**
- A. hostile immune disorder
- B. human immunodeficiency virus
- C. human immune disorder virus
- D. human internal disorder virus
- **Answer B**
- **425MCQ: In testes, the production of sperms is classified as**
- A. oogenesis
- B. spermatogenesis
- C. primary oogonia
- D. gametogenesis

- **Answer B**

-
-
- **426MCQ: The ribs moves upwards and outwards when we**
- A. inhale
- B. exhale
- C. digestion
- D. defecate
-
-
-
- **Answer A**
- **427MCQ: More than half of total blood volume is the**
- A. red and blood cells
- B. plasma
- C. platelets
- D. all of them
-
-
-
-
-
- **Answer B**
- **428MCQ: The special organ in mammals, birds and reptiles is**
- A. lungs
- B. air sacs
- C. stomata
- D. spiracles
-
-

- **Answer A**
- **429MCQ: Platelets help in blood**
- A. producing
- B. rejuvenating
- C. clotting
- D. purifying

- **Answer C**
- **430MCQ: The circulatory system of human is composed of**
- A. heart
- B. blood
- C. blood vessels
- D. all of them

- **Answer D**
- **431MCQ: Ventricles are chambers of heart which are**
- A. upper
- B. lower
- C. middle
- D. valves

- **Answer B**
- **432MCQ: There is surrounding of rich capillaries around**
- A. trachea
- B. alveoli
- C. nostril
- D. bronchi

- **Answer B**
- **433MCQ: A pale yellow liquid in which blood cells n platelets are suspended is**
- A. plasma
- B. fluid
- C. cytoplasm
- D. liquid

- **Answer A**
- **434MCQ: The smaller sub divisions of arteries in many tiny blood vessels are called**
- A. plasma
- B. veins
- C. valves
- D. capillaries

- **Answer D**
- **435MCQ: The de-oxygenated blood from parts of body is received by**
- A. right side
- B. left side
- C. atrium
- D. ventricle

- **Answer A**
- **436MCQ: The larger blood vessels which carry blood back to heart are**
- A. arteries
- B. veins
- C. valves
- D. capillaries

- **Answer B**
- **437MCQ: Insects breath through small holes in their body called**
- A. lungs
- B. air sacs
- C. stomata

- D. spiracles

Answer D

438MCQ: The external part of nose through which air enters is called

- A. trachea
- B. alveoli
- C. nostril
- D. bronchi

Answer C

439MCQ: The air which we breath in is called

- A. inhaled air
- B. exhaled air
- C. circulated air
- D. deoxygenated air

-
- **Answer A**
- **440MCQ: The blood is mixture of**
- A. red and blood cells
- B. plasma
- C. platelets
- D. all of them
-
-
-
-
- **Answer D**
- **441MCQ: The blood vessels which carry blood away from heart to body parts are called**
- A. arteries
- B. veins
- C. valves
- D. capillaries
-
-
-
-
- **Answer A**
- **442MCQ: Bronchioles are further sub division of**
- A. trachea
- B. alveoli
- C. nostril
- D. bronchi
-
-
-
-
- **Answer D**

- **443MCQ: The muscular organ which pushes blood to all parts of body is called**
- A. heart
- B. blood
- C. blood vessels
- D. liver
-
-
-
-
- **Answer A**
- **444MCQ: The organism which carry out both aerobic and anaerobic respiration is**
- A. plants
- B. cow
- C. deer
- D. yeast
-
-
-
-
-
- **Answer D**
- **445MCQ: The size of heart is about the size of**
- A. clenched fist
- B. palm
- C. small finger
- D. foot
-
-
-
-
- **Answer A**

- **446MCQ: Human beings have specialized structure to carry out exchange of gases called**
- A. respiratory system
- B. digestion system
- C. nervous system
- D. circulatory system
- **Answer A**
- **447MCQ: The blood which is oxygenated in lungs is carried to heart by**
- A. pulmonary veins
- B. carotid veins
- C. aorta
- D. jugular vein
- **Answer A**
- **448MCQ: Blood collects oxygen from inhaled air and gives off carbon dioxide in the**
- A. lungs
- B. liver
- C. kidneys
- D. heart

-
-
- **Answer A**



- **449MCQ: Respiration which takes place in the absence of oxygen is called**
- A. cellular respiration
- B. aerobic respiration
- C. anaerobic respiration
- D. breathing
-
-
-
-
-
- **Answer C**
- **450MCQ: There is higher concentration of oxygen in**
- A. inhaled air
- B. exhaled air
- C. circulated air
- D. deoxygenated air
-
-
-
-

-
- **Answer A**
- **451MCQ: The distance which is travelled by an average red blood cell is equal to**
- A. 1500km
- B. 1200km
- C. 2100km
- D. 5100km
-
-
-
-
- **Answer A**
- **452MCQ: Heart is made of specialized**
- A. cardiac muscles
- B. connective tissues
- C. both a and b
- D. skeletal sphincters
-
-
-
-
- **AnswerC**
- **453MCQ: The composition of red blood cells have specialized protein called**
- A. iron
- B. chlorophyll
- C. copper
- D. silver
-
-
-
-
- **Answer A**

- **454MCQ: The transport system of blood by special organ heart constitutes**
- A. circulatory system
- B. respiratory system
- C. digestion system
- D. nervous system
- **Answer A**
- **455MCQ: The life span of red blood cells is**
- A. 2 months
- B. 45 days
- C. 4 months
- D. 12 days
- **Answer C**
- **456MCQ: Exhaled air is the air which we**
- A. breath in
- B. breath out
- C. transport in body
- D. use under water
- **Answer B**

- **457MCQ: The division of windpipe is done in two**
- A. bronchioles
- B. alveoli
- C. nostril
- D. bronchi
-
-
-
-
- **Answer D**
- **458MCQ: The small air sacs which are present at the end are called**
- A. trachea
- B. alveoli
- C. nostril
- D. bronchi
-
-
-
-
-
- **Answer B**
- **459MCQ: The number of chambers in a heart is**
- A. 2
- B. 3
- C. 4
- D. 1
-
-
-
-
- **Answer C**

- **460MCQ: A long wind pipe in which air enters when we breath is called**
- A. trachea
- B. alveoli
- C. nostril
- D. bronchi
-
-
-
-
- **Answer A**
- **461MCQ: The upper small chambers are called as**
- A. atria
- B. ventricle
- C. systole
- D. diastole
-
-
-
-
-
- **Answer A**
- **470MCQ: The protein which is red in color and present in blood is called**
- A. hemoglobin
- B. red cells
- C. platelets
- D. iron cells
-
-
-
-
- **Answer A**
- **471MCQ: Capillaries are**

- A. thin
- B. transfer oxygen
- C. transfer digested food
- D. all of them
-
-
-
-
-
- **Answer D**
- **472MCQ: The process by which glucose reacts with oxygen in cells in order to release energy gradually is called**
- A. cellular respiration
- B. aerobic respiration
- C. anaerobic respiration
- D. breathing
-
-
-
-
- **Answer B**
- **473MCQ: The process by which energy is released from glucose or other food molecules in the cell of living organisms is called**
- A. respiration
- B. transpiration
- C. digestion
- D. defecation
-
-
-
-
-
- **AnswerA**

- **474MCQ: The function of white blood cells is to provide**
- A. support
- B. immunity
- C. nutrients
- D. transport gases
- **Answer B**
- **475MCQ: A sheet of muscles which contracts or flatten when we breath is called**
- A. diaphragm
- B. ribs
- C. lungs
- D. stomach
- **Answer A**
- **476MCQ: When atria contracts, ventricles**
- A. relax
- B. also contract
- C. squeeze
- D. block
- **Answer A**
- **477MCQ: The function of the valves is to**

- A. transfer the blood from atria to ventricles
- B. stop the backflow of blood
- C. help chambers to contract
- D. help chambers to relax
-
-
-
- **Answer B**
- **478MCQ: The muscles of the atria and ventricles squeeze to**
- A. move the blood
- B. make some space for blood
- C. make space for air
- D. build a vacuum
-
-
-
- **Answer A**
- **479 MCQ: When ventricles contract, atria**
- A. relaxes
- B. also contracts
- C. squeezes
- D. blocks
-
-
-
- **Answer A**

481MCQ: Cotton is an example of pure

A. cellulose
B. sucrose
C. starch
D. cloth

Answer A

482MCQ: Which of the following are long-chain carboxylic acids?

A. fats
B. oils
C. proteins
D. fatty acids

Answer D

483MCQ: Which of the following is not true about RNA?

A. it is synthesized by DNA
B. it has deoxyribose sugar
C. it has single strand
D. it is responsible for directing synthesis of new proteins

Answer B

484MCQ: The human body can synthesize only

A. 12 amino acids
B. 10 amino acids
C. 15 amino acids
D. 5 amino acids

Answer B

485MCQ: What is the term used for the linkage which joins two amino acid units?

A. amino group
B. carboxyl group
C. peptide bond
D. dipeptide

Answer D

486MCQ: Which of the following is required for the formation of blood?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer C

487MCQ: Which of the following acts as a thermal insulator in mammals?

A. skin
B. fat
C. lipids
D. proteins

Answer B

488MCQ: Proteins that catalyze specific biological reactions without which life would be impossible are called

A. gelatin
B. enzymes
C. amylase
D. lactase

Answer B

489MCQ: The linkage which joins two amino acid units is called

A. peptide bond
B. covalent bond
C. ionic bond
D. hydrogen bond

AnswerA

490MCQ: If a lipid is liquefied at room temperature, it is called

A. fat
B. oil
C. proteins
D. ghee

Answer B

491MCQ: Which of the following is added to fruit juices and flavored drinks to prevent scurvy and elimination of rickets?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer C

492MCQ: Which of the following is not true about polysaccharides?

A. they are amorphous solids
B. they are tasteless
C. they are insoluble in water
D. they are reducing in nature

Answer D

493MCQ: Which of the following keeps the cornea moist?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer D

494MCQ: The resulting molecule after joining two amino acid units is called a/an

A. amino group
B. carboxyl group
C. peptide bond
D. dipeptide

Answer D

Q495 - human cytogenetics is the study of man

A-Chromosomes
B- cytoplasm of cell
C- nuclei of the cell
D- All of the above

Answer - A

Q496-human beings process 46 chromosomes divided as-

A- 44 autosomes and 2 sex chromosomes
B- 46 are autosomes
C- 40 are autosomes and 6 sex chromosome
D- None of the above

Answer - A

Q497-human cytogenetics study help in

A- prenatal diagnosis
B- In diagnosing genetic disorder
C- in establishing gene therapy
D- all of the above

Answer - D

Q498- name some common technique for deduction of abnormality in early foetus

A- amniocentesis
B- culturing of chronic villi
C- a and b
D- none of these

Answer – C

Q499- which of the following is a type of cell division?

A- mitosis
B- meiosis
C- a and b
D- none of these

Answer - c

Q500- mitosis occurs in

A- somatic cell
B- Germ cell
C- a and b
D- none of these

Answer - A

- **MCQ501: Diseases which are caused by micro-organisms are called**
- A. contagious
- B. venereal
- C. infectious
- D. incurable
-
-
-
-
- **Answer C**
- **MCQ502: A medicine which contain dead or weakened germs is used to prevent infectious disease is called a**
- A. antiseptic
- B. antibodies
- C. antibiotics
- D. vaccine
-
-
-
-
- **Answer D**
- **MCQ503: Viruses are made up of**
- A. DNA
- B. RNA
- C. protein coat
- D. all of them
-
-
-
-
- **Answer D**
- **MCQ504: Transfusion of infected blood is main reason for spread of diseases like**
- A. AIDS

- B. Hepatitis B
- C. both a and b
- D. Polio
-
-
-
-
- **Answer C**
- **MCQ505: The use of organisms specially micro-organisms in the manufacture or industrial processes is called**
- A. biotechnology
- B. bioengineering
- C. chemical process
- D. genetic engineering
-
-
-
-
- **Answer A**
- **506: Polio can lead to**
- A. paralysis
- B. nervous system distracted
- C. both a and b
- D. eye diseases
-
-
-
- **Answer C**
- **507MCQ: Bacteria are**
- A. non-living
- B. unicellular organisms
- C. multicellular organisms
- D. complex organisms
-
-

-
-
- **Answer B**
- **508MCQ: Viruses are not regarded as living things because they cannot**
- A. survive
- B. reproduce
- C. attack host cell
- D. invade
-
-
-
-
- **Answer B**
- **509MCQ: Female anopheles mosquito spread**
- A. Malaria
- B. Dengue
- C. Polio
- D. Rubella
-
-
-
-
- **Answer A**
- **5010MCQ: Bacterial diseases includes**
- A. diphtheria
- B. SARS
- C. small pox
- D. dengue fever
-
-
-
- **Answer A**
- **MCQ511: Germs spread in the form of**
- A. clusters

- B. droplets
- C. gases
- D. air
-
-
-
-
-
-
- **Answer B**
- **MCQ512: The vectors which conduct germs includes**
- A. fleas
- B. tick
- C. lice
- D. all of them
-
-
-
-
- **Answer D**
- **MCQ513: The bacteria which have ability t o convert milk sugar in to lactic acid is called**
- A. lactobacillus
- B. streptococcus
- C. gram positive bacteria
- D. gram negative bacteria
-
-
-
- **Answer A**
- **MCQ514: To fight against diseases human beings have special**
- A. natural barriers
- B. immune system
- C. both a and b
- D. antibiotics

- **Answer C**
- **MCQ515: Ability to eat away germ is specialty of**
- A. red blood cell
- B. white blood cell
- C. liver
- D. plasma
- **Answer B**
- **MCQ516: The thread like structure which helps bacteria to move is called**
- A. flagella
- B. chromosome
- C. cell wall
- D. nucleus
- **Answer A**
- **MCQ517: A medicine which is used to treat or cure bacterial diseases by killing or stopping their growth of bacteria is called**
- A. antibody
- B. antigen
- C. antibiotics
- D. antiseptics

- **Answer C**
- **MCQ518: The introduction of dead or weak germs in to body orally or by injection to train body to fight the real germs on attack is called**
- A. vaccination
- B. immunization
- C. both a and b
- D. infecting
- **Answer C**
- **MCQ519: Unicellular microscopic fungi are**
- A. yeast
- B. mould
- C. toadstool
- D. penicillium
- **Answer A**
- **MCQ520: The deadly disease which is caused by a parasitic micro-organism called plasmodium is**
- A. Malaria
- B. Dengue
- C. Polio
- D. Rubella
- **Answer A**

- **MCQ521: The enzymes which digest the outer layer of bacteria are called**
- A. lysosomes
- B. chromosomes
- C. ribosome
- D. Golgi bodies
-
-
-
-
- **Answer A**
- **MCQ522: Proteins which defend body are called**
- A. antigens
- B. antibodies
- C. disinfectant
- D. antiseptics
-
-
-
-
-
- **Answer B**
- **MCQ523: The important decomposers include**
- A. bacteria
- B. fungi
- C. both a and b
- D. virus
-
-
-
-
- **24Answer C**
- **MCQ:524 Anti-microbial compounds includes**
- A. antiseptic
- B. disinfectants

- C. both a and b
- D. antibiotics
-
-
-
-
- **Answer C**
- **MCQ525: A bacterial cell lacks**
- A. flagella
- B. chromosome
- C. cell wall
- D. nucleus
-
-
-
- **Answer D**
- **MCQ526: Sweat, saliva, tears and mucus have**
- A. lysosomes
- B. chromosomes
- C. ribosome
- D. Golgi bodies
-
-
-
-
- **Answer A**
- **MCQ527: AIDS, poliomyelitis, rabies, rubella are all**
- A. viral
- B. bacterial
- C. fungal
- D. yeast
-
-
-
-

- **Answer A**
- **MCQ528: Germs on floor and non-living things are destroyed by**
- A. antiseptic
- B. disinfectants
- C. both a and b
- D. antibiotics
-
-
-
-
- **Answer B**



- **MCQ529: A fungus which is used to make antibiotic is called**
- A. mould
- B. yeast
- C. penicillium
- D. hyphae
-
-
-
-
- **Answer C**
- **MCQ530: The outer layer of human skin is composed of**
- A. mucus
- B. collenchymas cells
- C. dead cells

- D. transporting cells
-
-
-
- **Answer C**
- **MCQ531: Germs on living things can be killed by using**
- A. antiseptic
- B. disinfectants
- C. both a and b
- D. antibiotics
-
-
-
-
- **Answer A**
- **MCQ532: The human skin is tough and water proof and germs cannot**
- A. penetrate through
- B. stay on it
- C. reproduce
- D. enter from cut
-
-
-
- **Answer A**
- **MCQ533: Most of bacteria in food is killed in stomach by**
- A. HCl
- B. NaCl
- C. HNO
- D. H2O
-
-
-
-
- **Answer A**

- **MCQ534: The examples of microscopic organisms are**
- A. bacteria
- B. micro-scopic fungi
- C. both a and b
- D. virus
- **Answer C**
- **MCQ535: The cell wall of yeast is made up of**
- A. chitin
- B. cellulose
- C. water
- D. salts
- **AnswerA**
- **MCQ536: Germs may enter the body via**
- A. mouth
- B. skin
- C. eyes
- D. all of them
- **Answer D**
- **MCQ537: Systems which open to external environment are protected from bacteria by presence of**
- A. mucus membranes
- B. HCl
- C. hairs

- D. plug
-
-
-
-
- **Answer A**
- **MCQ538: The agents which are responsible to cause infection by micro-organisms are called**
- A. pathogens
- B. DNA
- C. antibody
- D. antigen
-
-
-
-
- **Answer A**
- **MCQ540: Flu, cold and HIV are caused due to presence of**
- A. bacteria
- B. virus
- C. yeast
- D. fungi
-
-
-
-
- **Answer B**
- **MCQ541: Bacteria can exists in shapes which are**
- A. spherical
- B. rod
- C. spiral
- D. all of them
-
-
-

-
- **Answer D**
- **MCQ542: Living things which are too small to be seen with a naked eye are called**
- A. micro-organisms
- B. unicellular organisms
- C. multicellular organisms
- D. complex organisms
-
-
-
-
- **Answer A**
- **MCQ543: Mushrooms, yeasts, moulds and toadstools are examples of**
- A. bacteria
- B. virus
- C. fungi
- D. algae
-
-
-
-
- **Answer C**
- **MCQ544: Contaminated water may lead to**
- A. dysentery
- B. food poisoning
- C. flu
- D. common cold
-
-
-
-
-
- **Answer A**

- **MCQ545: Baker's yeast produce gas which helps in rising of dough it is**
- A. oxygen
- B. hydrogen
- C. carbon dioxide
- D. nitrogen
-
-
-
-
- **AnswerC**
- **MCQ546: The first antibiotic which was discovered by**
- A. Alexander Fleming
- B. Lewis
- C. Thomson
- D. Lois Pasteur
-
-
-
-
- **Answer A**
- **MCQ547: Penicillium is used to treat infections which are**
- A. viral
- B. bacterial
- C. fungal
- D. yeast
-
-
-
-
- **Answer B**
- **MCQ548: Permanent damage to skin, nerves, limbs and eyes if they are left untreated occurs in**
- A. leprosy

- B. typhoid
- C. cholera
- D. rubella
-
-
-
-
- **Answer A**
- **MCQ549: An infection which is characterized by ringed shaped itchy and scaly patches on skin is called**
- A. ringworm
- B. leprosy
- C. mildew
- D. rust
-
-
-
-
-
- **Answer A**
- **MCQ550: Fungal infections in plants includes**
- A. rust
- B. mildew
- C. blight
- D. all of them
-
-
-
- **AnswerD**
- **MCQ551: Prevention is better than**
- A. treatment
- B. cure
- C. medicine
- D. exercise
-

- **Answer B**
  - **Q552- meiosis occurs in in**
  - **A- somatic cell**
  - **B- germ cell**
  - **C- a and b**
  - **D- none of these**
  - **Answer – B**
  - **Q553- total number of human beings chromosomes**
  - **A- 36 chromosome**
  - **B- 46 chromosome**
  - **C- 48 chromosome**
  - **D- 42 chromosome**
  - **Answer – B**
  - **Q554 - what number of sex chromosome ?**
  - **A- 8 chromosome**
  - **B- 10 chromosome**
  - **C- 2 chromosome**
  - **D- 4chro mosome**
  - **Answer- C**
  - **Q555- what is number of chromosomes pairs**
  - **A- 23pairs**
  - **B- 22 pairs**
  - **C- 24 pairs**

- D-46 pairs
-
-
- Answer - A
-
- **Q556- what time duration in cytology aspiration at an FNAC ?**
- A-20 second
- B- 30 second
- C- 40 seconds
- D-60 seconds
- When a lump, or a bump is discovered in superficial areas of the body such as the breast and neck, a test known as **Fine Needle Aspiration** Cytology (FNAC) is recommended to determine whether the lump is cancer. This procedure is also used to test for thyroid, salivary glands and lymph nodes illnesses
- Answer- A
-
- **Q557- After cytology aspiration how many times patients in under observation?**
- A-1 hour
- B- 2 hour
- C- 3 hour
- D-4 hour
-
-
-
- Answer – B
-
- **Q558- aspiration of liver what diameter of needle**
- A- 20 gauge
- B- 22 gauge
- C- 24 gauge
- D-26 gauge
-
-

- **Answer – B**
-
- **559. Humans with the disorder PKU develop light colored hair. What kind of genetic effect is this?**
- □□□□□□ □□□□□ □□□□ □□□□□□ □□□□□ □□□ □□ □□□ □□□□□□ □□□□ □□□□ □□ □□□ □□□ □□□ □□ □□□□□□□□□ □□□□□□ □□?
- A. epistatic.
- B. pleiotropic.
- C. phenotypic.
- D. variable expressivity.
- E. incomplete penetrance.
- **Answer- C**
-
- **Q 560: The human genome project was published in**
- A. 1999
- B. 2008
- C. 2005
- D. 2002
-
- Answer – D
-
-
- Q 561 **Nitrogenous base adenine of one nucleotide forms pair with**
- A. thymine
- B. cytosine
- C. guanine
- D. adenine
-
- **Adenine forms** a **base pair** with thymine with two hydrogen bonds, while guanine **pairs** with **cytosine** with three hydrogen bonds.
-
- Answer – A

- **Q562 - Fundamental principles of genetics were developed by**
- A. Gregor Johann
- B. Edward Jenner
- C. J.Watson and F.Crick
- D. Darwin and Lamark
- Mendel's **principles of inheritance**. Our understanding of how inherited traits are passed between generations comes from **principles** first proposed by Gregor Mendel in 1866. ... He proposed the **key** laws of **genetics** from this work on **inheritance** of traits in peas in 1866.
- Answer – A
- **Q563- Phenotype is the expression of**
- A. genetic makeup
- B. physical makeup
- C. chemical composition
- D. metabolism
- **Phenotype** is what you see - the visible or observable **expression** of the results of genes, combined with the environmental influence on an organism's appearance or behavior.
- **Answer - B**
- **Q564: The round structures of Deoxyribonucleic Acid (DNA) around histone proteins are called**
- A. monohybrid genes
- B. hybrid genes
- C. chromosomes
- D. nucleosomes
- The **DNA** in eucaryotes is tightly bound to an equal mass of **histones**, which form a repeating array of **DNA-protein** particles **called** nucleosomes. The nucleosome is composed of an octameric core of **histone proteins around** which the **DNA** double helix is wrapped.
- **Answer – D**

- **Q565: Gregor Mendel developed the fundamental principles of**
- A. botany
- B. genetics
- C. chemistry
- D. inheritance
-
- Answer - B
-
-
-
- **Q 566 - How many hydrogen bonds are present between cytosine and guanine?**
- A. 1
- B. 2
- C. 3
- D. 4
-
- **Answer - C**
-
- Q 567 **Nitrogenous base of one** cytosine **nucleotide forms pair with**
-
- A. thymine
- B. cytosine
- C. guanine
- **D.** adenine
-
- **Answer- C**
-
-
- **Q568 - How many hydrogen bonds are present between adenine and thymine?**
- E. 1
- F. 2
- G. 3
- H. 4
-
-
- Answer - F

- **Q569 - which of the following can be used as fixatives?**

A 10% natural buffered Formalin
B- Bouin's fluid
C- Carnoy's fluid
D- all of the above

Answer - D- all of the above

Q570- what should be the ratio between the volume of the tissue and the fixative

A- 1 ratio 5
B- 1 : 10
C- 1 ratio 20
D- 1 ratio 100

Answer – c

Q 571- what is the usual concentration of the commercial formaldehyde available

A- 7 to 10%
B- 17 to 27%
C- 37 to 40%
D-40 to 50%

Answer – c

Q574 - which is the most commonly used fixative in clinical practice?

A- 10% natural buffered Formalin
B- Zenkres fluid
C- Bouins fluid
D- Cornoy's fluid

Answer – A

Q-575- Bouins fluid is yellow because of the presence of –

A- chloroform
B- picric acid
C- formaldehyde
D- Iodine

Answer – B

Q576 - of the following…… is a components of Zenkar's fluids ?

A- mercuric chloride
B- potassium dichromate
C- sodium sulphate
D- all of the above

Answer - D

Q 577 - which of the the following acid may be used for decalcification ?

A- 25% sulfuric acid
B- 5% nitric acid
C- 20% hydrochloric acid
D-30% orthophosphoric Acid

Answer - D

Q578 -which of the following acid is used in the electrolytic method for decalcification?

A- formic acid
B- nitric acid

C- HCL
D- Acetic

Answer - A

Q579- tissue Processing Unit are also known as ?

A- HistoKinette
B- Histomat
C- Histobath
D- Histoform

Answer - A

Q580 – The Section cutting Machine is Known as----

A- Microtome
B- Histomate
C- Histocut
D- Histoform

Answer – A

581. What vein/veins is not used to obtain a venous blood sample:

a. basilica vein
b. cephalic vein
c. medial cubital vein
d. femoral vein
Answer: d) femoral vein



582. A blood specimen collected in a heparinized tube is centrifuged. It will separate into:

a. serum and clot
b. plasma and clot
c. serum and plasma
d. plasma, buffy coat, RBC

Answer: d) plasma, buffy coat, RBC

583. Hemolysis may result from:

a. using a 25-gauge needle on an adult
b. vigorously shaking the blood specimen
c. refrigerating the vacutainer before use
d. leaving the tourniquet on for 3 minutes

Answer: e) all of the above

584. The test procedure that uses a Westergren tube is:

a. erythrocyte sedimentation rate
b. hematocrit
c. reticulocyte count
d. microhematocrit

Answer: a) erythrocyte sedimentation rate

585. Latex gloves protect the labemployee from:

a. accidental needle puncture

b. microtome injury

c. patient aerosols

d. body fluid

Answer: d) body fluids

586. Which statement is false when setting up an ESR:

a. it must be read in exactly one hour

b. it should be set up near a centrifuge

c. the blood level must be at exactly zero

d. it should be performed on fresh blood

Answer: b) it should be set up near a centrifuge

587**Que. FNAC** □□ □□□□ □□□ □□ -
abs□□□□□ □□□□ □□□□□□□□□□ □□□□□□□□□□

588**Que.**□□□□□□□□□ □□ □□□□□□□ □□ □□□□ □□ □□□□ □□□□□□ □□ □□□□□ □□□□ □□□□ □□ □□ □□□□ □□□□□□ □□ □□□□□ □□□ □□□□□ □□□**?**
ans□□□□□□□ □□□□□□□□ □□□

589**Que.** □□□□□□□□ □□□□□ □□ □□□□□□□□□ □□□ □□□□ □□ □□□ □□□□□□□ □□ □□□ □□□□ □□ □□□□□□ □□□□ □□□**?**
ans□□□□□□□□□□□ □□□□ (□□□□□ □□□□□□)

Questios 590 which of the following characterizes of the rokitansky method of Autopsy?
A. start abdominal cavity and start removing organs
B . remove organs employing in situ removal
C.began at the cranium and move downwards
D. remove organs employing.
Ans- ?
GIVE ANSWER

Question 591. Which type of Autopsy is one that requires the presence of a medical examination ?

a.》clinical
B 》forensic
C 》academic
D 》none
Answer - ?

GIVE ANSWER

592. Incubation period for influenza pandemic H1N1

A. 12-24 hours
B. 1-3 days
C. 1 - 7 days
D. 5-10 days

ANSWER – C

593. Incubation period of mumps

A. 1-7 days
7-14 days
C 12-24 days
D. 21-28 days

ANSWER – C

594. Who discovered Oral polio vaccine which is used now-a-das

A. Kαprowsky
B. CoX
C. Salk
D. Sabin

ANSWER – D

595. Usual dose of purified protein derivative in Mantoux testis

A- 5 IU
B.- 50 IU
C-100 IU
D -500IU

ANSWER – A

596. Corneal beading is a complication of

A. Leprosy
B AIDS
C. Herpes simplex keratitis
D. Acanthamoeba keratitis

ANSWER – A

597. Most common site of extrathoracic TB in children

A Lymph node
B. Skeleton
C. Central nervous system
D. Heart

ANSWER – A

598. Mantoux +ve is induration measuring

A 10mm
B. 6-9mm
C. <5mm
D. >20mm

ANSWER – A

599. The botulism intoxication occurs due to

A. An endotoxin
B. An exotoxin
C. Neurotoxin
D. Mycotoxin

ANSWER – C

600. Incubation period for primary syphilis

A 1-2 days
B. 1-2 weeks
C. 1 month
D. 3 months

ANSWER – C

TRANSPORT SYSTEM OF HUMAN

601MCQ: The heart is also called

A. muscular pump
B. pumping device
C. pumping machine
D. pumping muscle

Answer A

602MCQ: The walls of left ventricle are thicker than the walls of right ventricle because

A. it has to pump blood to the whole body
B. it has to pump the blood to lungs
- C. blood reaches this ventricle in huge amount
D. blood reaches this ventricle with extra pressure

Answer A

603MCQ: The vessel which takes the blood from heart to lungs, is known as

A. renal artery
B. pulmonary artery
C. renal vein
D. pulmonary vein

Answer B

604MCQ: Tiny vessels link up and form a

A. artery
B. vein
C. capillary
D. nerve

Answer B

605MCQ: The clot of blood formed in the blood vessel is known as

A. hemophilia
B. anemia
C. thrombosis
D. varicose vein

Answer C

606MCQ: 'Oxygen' is taken from

A. cells to lungs
B. heart to lungs
C. lungs to cells
D. cells to heart

Answer C

607MCQ: Top two chambers of heart are known as

A. atria
B. ventricles
C. upper chambers
D. lower chambers

Answer A

608MCQ: The dissolved food is taken from

A. liver to cells
B. stomach to cells
C. lungs to cells
D. heart to cells

Answer A

609MCQ: The lower two chambers of a heart are known as

A. atria
B. ventricles
C. upper chambers

D. lower chambers

Answer B

610MCQ: The heart is also called

A. muscular pump
B. pumping device
C. pumping machine
D. pumping muscle

Answer A

611MCQ: The cells generally known "the army of human body" are

A. white blood cells
B. platelets
C. red blood cells
D. antigens

Answer A

612: "Hemoglobin "is a combination of

A. carbohydrates and fats
B. carbohydrates and proteins
C. fats and proteins
D. proteins and iron

Answer D

613MCQ: A white blood cell is two times of a

A. red blood cell
B. platelet
C. tissue cell
D. none of above

Answer A

614MCQ: 'Plasma' contains water along with important

A. food chemicals
B. cells
C. tissues
D. bacteria

Answer A

615MCQ: Yellow pus in the wound is actually

A. red blood cells
B. plasma
C. platelets
D. infected white blood cells

Answer D

616MCQ: The task of white blood cells is to

A. defend a body from disease
B. transport oxygen
C. heal wounds
D. refresh heart

Answer A

617MCQ: Yellow pus in the wound is actually

A. red blood cells
B. plasma
C. platelets
D. infected white blood cells

Answer D

618MCQ: The deoxygenated blood is pumped to

A. arteries

B. lungs from heart
C. heart from lungs
D. veins



Answer B

619MCQ: The life span of red blood cells is about

A. 120 days
B. 200 days
C. 300 days
D. 400 days

Answer A

620MCQ: If bacteria are taken over by white blood cells, their life span

A. decreases
B. increases
C. remains same
D. may increase or decrease

Answer A

621MCQ: The number of red blood cells that die every day is

A. 100 thousand
B. 200 thousands
C. 100 million
D. 200 million

Answer D

622MCQ: The walls of veins are not thick as those of arteries because

A. the blood is in less quantity
B. the blood is deoxygenated
C. the blood is low pressured
D. the blood is thicker

Answer C

623MCQ: Deoxygenated blood is carried by

A. arteries
B. veins
C. capillaries
D. nerves

Answer B

624MCQ: In 1 mm^3, the number of platelets is

A. 100000
B. 150000
C. 200000
D. 250000

Answer D

625MCQ: The dissolved food is taken from

A. liver to cells
B. stomach to cells
C. lungs to cells
D. heart to cells

Answer A

626MCQ: When pace of heartbeat is not steady in the presence of a pacemaker

A. pacemaker may be faulty
B. it may be viral steadiness
C. it may be weakness of heart
D. it may be infected

Answer A

627MCQ: A pigment in red blood cells which makes the color of blood "Red" is known as

A. plasma
B. hemoglobin
C. fibrin
D. fibrinogen

Answer B

628MCQ: White blood cells live long because they have

A. centrioles
B. white color
C. nucleus
D. cell membrane

Answer C

629MCQ: Excessive amount of glucose is passed out from body with

A. feces
B. sweat
C. breathing
D. urine

Answer D

630MCQ: All veins carry deoxygenated blood except

A. renal vein
B. hepatic vein
C. mesenteric vein
D. pulmonary vein

Answer D

631MCQ: The biggest artery in a human body is known as

A. aorta
B. principal artery
C. main red vessel
D. major artery

Answer A

632MCQ: The part of the hand that should not be used while checking someone else's pulse is

A. index finger
B. pinky finger
C. central finger
D. thumb

33Answer D

633MCQ: The lower two chambers of a heart are known as

A. atria
B. ventricles
C. upper chambers
D. lower chambers

Answer B

634MCQ: The liquid in our body that contains 'hemoglobin' is called

A. blood
B. plasma
C. semen

D. vascular Juice

Answer A

M635CQ: Platelets' are made in

A. liver
B. bone marrow
C. spleen
D. blood

AnswerB

636MCQ: In a body heat is transferred by blood from

A. lungs to heart
B. liver to heart
C. liver to cells
D. heart to cells

Answer C

37MCQ: In blood the main task of red blood cells is to

A. defend body from disease
B. transport oxygen
C. heal the wounds
D. refresh the heart

Answer B

638MCQ: Carbon dioxide has to be taken from

A. lungs to cells
B. heart to liver
C. lungs to liver
D. cells to lungs

Answer D

639MCQ: The muscles of the atria and ventricles squeeze to

A. move the blood
B. make some space for blood
C. make space for air
D. build a vacuum

Answer A

640MCQ: 'White blood' cells are made in

A. liver
B. bone marrow
C. spleen
D. blood

AnswerB

641MCQ: Each atrium and ventricle is separated by

A. net of tissues
B. bones
C. muscles
D. skin

Answer C

642MCQ: The cells that make the color of blood "Red" are known as

A. white blood cells
B. platelets
C. red blood cells
D. antigens

Answer C

643MCQ: Oxygenated blood is carried by

A. arteries
B. veins
C. capillaries
D. intestines

AnswerA

644MCQ: The yellow liquid in the blood is known as

A. plasma
B. hemoglobin
C. fibrin
D. fibrinogen

Answer A

645MCQ: The blood has to distribute among all the cells of a body by arteries so they are divided into millions of tiny

A. arteries
B. veins
C. capillaries
D. nerves

Answer C

646MCQ: New red blood cells are formed in

A. liver
B. bone marrow
C. spleen
D. blood

Answer B

647MCQ: When blood gets solid, it is called

A. blood rock
B. blood heal
C. blood riff
D. blood clot

Answer D

648MCQ: Valves are present in

A. veins only
B. arteries only
C. veins and arteries
D. capillaries only

Answer A

649MCQ: The task of 'platelets' is to

A. defend the body against disease
B. transport oxygen
C. heal the wounds
D. refresh the heart

Answer C

650MCQ: The shape of red blood cells is

A. convex
B. concave
C. bi-concave
D. bi-convex

Answer C

651MCQ: Strand of RNA is made of

A. ribose sugar
B. phosphate unit
C. nitrogen base
D. all of above

Answer D

652MCQ: Which of the following activates more than 100 different enzymes?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer B

653MCQ: Which of the following are obtained from fruits, vegetables, and cereals?

A. monosaccharides
B. sucrose
C. cellulose
D. starch

Answer A

654MCQ: Which of the following is not included in fat-soluble vitamins?

A. vitamin A
B. vitamin D
C. vitamin E
D. vitamin B

Answer D

655MCQ: Which of the following is used to make rectified spirit by fermentation process?

A. cellulose
B. starch
C. glucose
D. fructose

Answer –B

656MCQ: Plants convert glucose ($C_6H_{12}O_6$) in to

A. starch only
B. cellulose only
C. sucrose
D. starch and cellulose

Answer D

657MCQ: How many amino acids are synthesized by our bodies?

A. 10
B. 20
C. 30
D. 40

Answer - A

658MCQ: The condensed structural formula of Caproic acid is

A. CH3-CH2-CH2-COOH
B. CH3-(CH2)4-COOH
C. CH3-(CH2)14-COOH
D. CH3-(CH2)16-COOH

Answer- B

659MCQ: Vitamin B is necessary for

A. eyes and skin
B. energy production in cells

C. healing wounds and preventing colds
D. bones and teeth

Answer B

660MCQ: Starch is an example of?

A. monosaccharides
B. oligosaccharides
C. polysaccharides
D. lipids

Answer C

661MCQ: Which of the following causes dry skin when taken in excess amount?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer - A

662MCQ: Deficiency of vitamin A causes

A. night blindness
B. anemia and bleeding gums
C. scurvy
D. rickets and Osteomalacia

Answer - A

663MCQ: Vitamin B is soluble in

A. fat
B. water
C. alcohol
D. ethers

Answer B

664MCQ: Which of the following is the key to the ability of DNA to store genetic information and to pass it on from generation to generation?

A. double stranded structure of DNA
B. deoxyribose sugar
C. phosphate unit
D. nitrogen base

Answer A

665MCQ: Which of the following is obtained by heating bones and tendons in the water?

A. gelatin
B. enzyme
C. amylase
D. lactase

Answer – A

666MCQ: Deficiency of vitamin D causes

A. night blindness
B. anemia and bleeding gums
C. scurvy
D. rickets and Osteomalacia

Answer -D

667MCQ: Cellulose is obtained from?

A. animals
B. microorganisms
C. plants
D. bacteria

Answer - C

668MCQ: How much energy is provided by 1g of glucose?

A. 15.6 KJ
B. 16.8 KJ
C. 20 KJ
D. 1.2 KJ

Answer - A

669MCQ: How many types of vitamins are there?

A. two
B. three
C. four
D. five

Answer – A

670MCQ: The key to the ability of DNA to pass and store genetic information is its

A. hydrogen bonding
B. double stranded structure
C. deoxyribose sugar
D. nitrogen base

Answer B

671MCQ: In what form is glucose stored in animal muscles and liver cells?

A. glucagon
B. vitamins
C. glycogen
D. starch

Answer C

672MCQ: Vitamin E is necessary for

A. eyes and skin
B. energy production in cells
C. antioxidant
D. blood clotting

Answer C

673MCQ: Nucleic acids were first obtained from

A. blood of infected wounds
B. pus of infected wounds
C. skin
D. muscles

Answer B

674MCQ: Which of the following used the word 'vitamin' for the missing factors that were needed to sustain healthy growth?

A. C. Eijkman
B. F.G Hopkins
C. Casmir Funk
D. Jabar Bin Hayan

Answer - C

675MCQ: Which of the following is important in vision?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer A

676MCQ: Which of the following is true about DNA?

A. it is present in cell nucleus
B. it has single strand

C. it has ribose sugar
D. it is synthesized by RNA

Answer A

677MCQ: The physical state of fat at room temperature is

A. solid
B. liquid
C. gas
D. plasma

Answer A

678MCQ: Which of the following protects our heart and kidneys from injury?

A. skin
B. muscles
C. lubricants
D. fat

Answer D

679MCQ: Which of the following is used as a catalyst in hydrogenation reaction?

A. Ni
B. Pd
C. Pt
D. all of above

Answer D

680MCQ: Which of the following are glucose and fructose?

A. monosaccharides
B. oligosaccharides

C. polysaccharides
D. starch

Answer A

681MCQ: When hydrogen is added to an alkene, the process is called

A. dehydration
B. Dehydrohalogenation
C. hydrogenation
D. hydrochlorination

Answer C

682: Considering the structure of DNA, each strand is made up of

A. deoxyribose sugar
B. phosphate unit
C. nitrogen base
D. all of above

Answer D

683MCQ: Which of the following is necessary for proper bone and tooth growth?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer D

34MCQ: Source of caproic acid is

A. butter
B. palm oil
C. beef fat
D. olive oil

Answer A

685MCQ: In the structure of DNA, how many strands are twisted around each other?

A. one
B. two
C. three
D. four

Answer B

686MCQ: The vitamin which helps in chemical transmission of images from the eye to the brain is

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer A

687MCQ: Specific organic compounds which are required by our bodies to prevent specific diseases but cannot be produced by our bodies are called

A. hydrocarbons
B. carbohydrates
C. proteins
D. vitamins

Answer D

688MCQ: Source of butyric acid is

A. butter
B. palm oil
C. beef fat
D. olive oil

Answer A

689MCQ: Which of the following is used in the form of wood for heat, housing, and furniture?

A. cellulose
B. starch
C. monosaccharides
D. oligosaccharides

Answer A

690MCQ: Raffinose is an example of

A. monosaccharides
B. disaccharides
C. polysaccharides
D. Trisaccharides

Answer D

691MCQ: Anemia, bleeding gums and tongue inflammation is caused by the deficiency of

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer B

692MCQ: Which of the following is caused due to an extreme lack of proteins?

A. malaria
B. typhoid
C. kwashiorkor
D. anemia

Answer C

693MCQ: Two fatty acids that are components of fats are

A. stearic acid and oleic acid
B. butyric acid and caproic acid
C. palmitic acid and oleic acid
D. none of above

Answer B

694MCQ: Existence of RNA is in the form of

A. single strand
B. double strand
C. triple strand
D. four strands

Answer A

695MCQ: The amino acids which are no synthesized by the human body are called

A. essential amino acids
B. non essential amino acids
C. simple amino acids
D. complex amino acids

Answer B

696MCQ: Nutrition is derived by cows, cattle, goats, deer, sheep, and termites from

A. cellulose
B. starch
C. monosaccharides
D. oligosaccharides

Answer A

697MCQ: Monosaccharides (simple sugars) have

A. oxidizing nature
B. reducing nature
C. redox nature
D. neutralizing nature

Answer B

698MCQ: Which of the following causes a feeling of pressure inside the head when taken in excess amount?

A. vitamin A
B. vitamin B
C. vitamin C
D. vitamin D

Answer A

699MCQ: What happens if water-soluble vitamins are taken in excess?

A. they cause harm
B. they are readily excreted from the body
C. they cause no harm

D. they are not excreted from the body

Answer B

700MCQ: Source of palmitic acid is

A. butter
B. palm oil
C. beef fat
D. olive oil

Answer B

HISTOLOGY Multiple Choice Questions

701. Within the cell, DNA is found in the nucleus. Which of he other structures within the cell listed below normally contains DNA as well?

A. perioxisome
B. mitochondrion
C. Golgi Apparatus
D. smooth ER

Ans: B

702. Steroid synthesis occurs within which of the following structures?

A. peroxisome
B. mitochondrion
C.golgi apparatus
D. smooth ER

Ans: D

703. During catabolic activity, the potential for oxidative insult can be considerable. Which of the following structures within the cell functions primarily to reduce this potential insult?

A. peroxisome
B. mitochondrion
C.golgi apparatus
D. Smooth ER

Ans: A

704. Which of these structures is responsible for the production of protein?

A. peroxisome
B. mitochondrion
C. Golgi Apparatus
D. smooth ER

Ans: E

705. Of the following cellular modifications associated with epithelia, which provides a morphological barrier between adjacent cells?

A. glycocalyx
B. macula adherens
C. zonula adhernens
D. nexus

Ans: E

706. Within the extracellular matrix of connective tissues, this structure consists of small fibers that normally remain unbundled and froms a useful enviornment for cells of defense.

A. Collagen type I
B. Collagen type II
C. Collagen type II
D. Collagen type IV
Ans: C

707. The structure (fiber) and environment described in the previous question mostly occurs in:
A. loose connective tissue
B. dense irregular connective tissue
C. dense regular connective tissue
D. cartilage

Ans: A

708. Among the defending cells of connective tissue, the one that forms antibodies and provides humoral immunity is the
A. TLymphocyte
B. plasma cells
C. mast cell
D. histiocyte
E. none of the above
Ans: E

709. Antibodies known as IgE become attached to this cells surfaces as specific receptors with in there promotes the allergic response.
A. melanocyte
B. fibrocyte
C. mast cell
D. macrophage

Ans: C

710. The yellow coloration sometimes associated with adult fat is due to the presence of numerous lipid droplets.

A. true
B. false

Ans: B

711. Cement lines are regularly formed in

A. cancellous bone
B. osteonal bone
C. trabecular bone
D. immature bone

Ans: B

712. The length of the long bone is primarily dye to the interstitial growth of the cartilaginous plate.

A. True
B. False

Ans: B

713. Of the extracellular matrices in following tissues, which would most likely have collagen type II?

A. bone
B. fibrocartilage
C. dense irregular connective tissue
D. hyaline cartilage

Ans: D

714. What is the function of hyaline cartiledge.

A. to protect and support the body and assist in motion
B. to store lipid

C. to transport a variety of substances
D. to protect and support organs
Ans: D

715. What is the function of adipose tissue
A. to protect and support the body and assist in motion
B. to store lipid and cushion organs
C. to transport a variety of substances
D. to protect and support organs
Ans: B

716. What is the function of blood?
A. to store lipid and cushion organs
B. to protect and support organs
C. to transport a variety of substances
D. to protect and support the body and assist in motion
Ans: C

717. Skeletal muscle creates heat.
A. Truee
B. False
Ans: A

717. Skeletal muscle creates heat.
A. True
B. False
Ans: A

718. The function of smooth muscle is to
A. create heat
B. propel blood into the circulatory system
C. propel food through the GI tract

D. cushion organs

Ans: C

719. What are the three types ofepithelial cell junctions

A. Tight, Gap, Macula Adherens

B. Macula Adherens, Junctions, Gap

C. Gap, Loose,

D. Tight

Ans: A

720. What are the 4 types of tissues found in the Body?

A. Blood, Nerve, Epithelial, Skeletal

B. Epihelial, Nerve, Muscle, Bone

C. Epithelial, Nerve, Connective, Muscle

D. Connective, Bone, Skin, Blood

Ans: C

721. This type of Epithelim cell has one layer and flat like eggs

A. Stratified Cuboidal

B. Simple Cuboidal

C. Simple Columnar

D. Simple Squamous

Ans: D

722. What is this type of epithelial cell?Location-Glands, ducts; portions of kidey tubules; thyroid glands Function-Limited protection, secretion, absorption

A. Simple Cuboidal

B. Simple Squamous

C. Simple Columnar

D. Stratified Cuboidal
Ans: A

723. This type of epithelial tissue lines the nasal cavity, trachea and bronchii.
A. Transitional Epithelium
B. Pseudostratified Ciliated Columnar Epithelium
C.Stratified Squamous Epithelium
D. Stratified Columnar Epithelium

724. This type of tissue covers exposed surfaces, lines internal passageways & chambers, and forms glands
A. Skin
B. Connective Tissue
C. Epithelial Tissue
D. Nerve Tissue
Ans: C

725. Connexins are the proteins found in which plasma membrane specialisation?
A. Desmosomes
B. Gap Junctions
C. Microvilli
D. Tight Junctions
Ans: B

726. Histologically, the ascending colon, the transverse colon and the descending colon are indistinguishable from one another.
A. True
B. False
Ans: A

727. Which of the following is NOT primarily composed of connective tissue?
A. Spinal cord
B. Pubic symphysis
C. Ligament
D. Areolar tissue

Ans: A

728. What are the valves whichregulates the flow of bile into the intestine?
A. Rokitansky-Aschoff sinuses
B. Ducts of Luschka
C. Duct of Wirsung
D. Ampulla of Vater
E. Sphincter of Oddi

Ans: E

729. What do you call a tissue composed of a conglomeration of cells which are tightly packed together, yet which does not have a free surface? An example of such a tissue would be the parenchyma of the adrenal gland.
A. Epithelioid tissue
B. Mesothelium
C. Endothelium
D. Transitional
E. Pseudostratifie

730. What is another term for the valve of Kerckring?
A. Lacteal
B. Crypts of Lieberkuhn

C. Plicae circulares
D. Striated border
E. Villi Explanation The plica circulares is a projection with a core of submucosa. The plica circulares is also called the valve of Kerckrinng

731. Which of the following is NOT considered neuroglia?
A. Astrocytes
B. Ependymal cells
C. Oligodendrocytes
D. Microglia
E. Schwann cells
Ans: E

732. What type of tissue lines the upper esophagus?
A. Simple squamous epithelium
B. Simple cuboidal epithelium
C. Simple columnar epithelium
D. Stratified squamous epithelium
E. Transitional epithelium
Ans: D

733. Which cell is a resting osteoblast?
A. Chondrocyte
B. Chondroblast
C. Osteocyte
D. Osteoclast
E. Bone lining cel
Ans: E

734. What forms the skeleton of the fetus?
A. Elastic cartilage

B. Hyaline cartilage
C. Fibrocartilage
D. Spongy bone

Ans: B

735. Which type of neuron is multipolar?

A. Motor neuronns
B. Interneurons
C. Sensory neurons
D. Motor neurons and Interneurons
E. All of the above

Ans: D

736. Which cell is the most abundant cell in the epidermis?

A. Langerhans cell
B. Keratinocyte
C. Melanocyte
D. Merkel cell

7

737. Which cells secrete pepsinogen?

A. Parietal cells
B. Oxyntic cells
C. Chief cells
D. Mucous neck cells
E. Parietal cells and Oxyntic cells

Ans: C

738. What are the small tunnels seen in bone?

A. Canaliculi
B. Sharpey's fibers
C. Trabeculae
D. Tome's process

Ans: A

39. Which type of cartilage is the most abundant?
A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. Hyaline cartilage and elastic cartilage equally

Ans: A
740. What is the connective tissue covering which surrounds cartilage?
A. Perimysium
B. Periosteum
C. Perichondrium
D. Perineurium

Ans: C

741. Which fiber type has a lot of mitochondria?
A. Red fibers
B. White fibers
C. Intermediate fibers
D. All of the above
Ans: A
42. Which cell is a macrophage found in the skin?
A. Kupffer cells
B. Histiocyte
C. Dust cell
D. Langerhans cell
Ans: D

743. What structure contributes to the cells cytoskeleton?

A. Ribosomes
B. Peroxisome
C. Microfilaments
D. Centrioles
E. Nucleoli

Ans: C

744. What is the glomerulus?

A. Afferent arteriole
B. Efferent arteriole
C. Capillary tuft
D. Peritubular capillaries
E. Vasa recta

Ans: C

745. What are neurons in the retina?

A. Unipolar
B. Pseudounipolar
C. Bipolar
D. Multipolar
E. Unipolar and Pseudounipolar

Ans: C

746. The colloquialism "gray matter"refers to somebody using his intellect or reasoning ability. In reality, what is gray matter?

A. Meninges
B. Myelinated nerve fibers
C.Cell bodies
D. Nodes of Ranvier
E. Neurofilaments

Ans: C

747. What type of tissue is a tendon Composed of?
A. Mucous connective tissue
B. Mesenchyme
C. Loose irregular connective tissu1e
D. Dense irregular connective tissue
E. Dense regular connective tissue
Ans: E

748. What is a gland called if the secretory portion is flask shaped?
A. Simple gland
B. Compound gland
C. Tubular
D. Alveolar
E. Tubuloalveolar
Ans: D

49. Which type ofneuron is most abundant?
A. Sensory neurons
B. Motor neurons
C. Interneurons
D. Sensory neurons and Motorneurons
Ans: C

750. What covers the visible portion of a tooth?
A. Pulp cavity
B. Dentin
C. Dental pulp
D. Cementum
E. Enamel
Ans: E

751. What is the term for the process used by cells for the transport in of particulate matter?

A. Endocytosis
B. Exocytosis
C. Pinocytosis
D. Phagocytosis
Ans: D

752. What type of muscle is specialized for contraction?
A. Skeletal muscle
B. Cardiac muscle
C. Smooth muscle
D. Skeletal muscle and Cardiac muscle
E. Skeletal muscle, Cardiac muscle and Smooth muscle
Ans: E

753. Where is mesothelium found?
A. Mucosa
B. Sub mucosa
C. Muscularis externa
D. Serosa
Ans: D

7754. What type of glands are the ceruminous glands?
A. Sebaceous glands
B. Eccrine sweat gland
C. Endocrine gland
D. Apocrine sweat gland
E. Oil gland
Ans: D

755. Which microscope makes things appear three dimensional?
A. Simple microscope

B. Compound microscope
C. Phase contrast microscope
D. Dissection microscope
Ans: D

756. Which meninx covers the brain intimately?
A. Dura mater
B. Arachnoid
C. Pia mater
D. Dura mater and Arachnoid
Ans: C

757. What forms the brush border?
A. Microvilli
B. Stereocilia
C. Cilia
D. Keratinization
Ans: A

758. Which sensory receptor in the skin is NOT encapsulated?
A. Ruffini endings
B. Free nerve endings
C. Pacinian corpuscles
D. Meissner's corpuscles
Ans: B

759. Where is the site of protein synthesis?
A. Ribosomes
B. Peroxisome
C. Microfilaments
D. Centrioles
Ans: A

760. What is the lining of the inner bone on the side which abuts the medullary cavity?

A. Perimysium
B. Periosteum
C. Perichondrium
D. Perineurium
E. Endosteum

Ans: E

761. Which fiber type is seen in smooth muscle?

A. Red fibers
B. White fibers
C. Internmediate fibers
D. All of the above
E. None of the above

Ans: E

762. Which type of cartilage forms the skeleton of the fetus?

A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. All of the above

Ans: A

763. What type of muscle contains centrally placed nuclei?

A. Smooth muscle
B. Cardiac muscle
C. Skeletal muscle
D. Smooth muscle and Cardiac muscle
E. Smooth muscle, Cardiac muscle and Skeletal muscle

Ans: D

764. Which of the following layers comprise the skin?
A. Epidermis
B. Dermis
C. Hypodermis
D. Epidermis and Dermis
Ans: D

765. Which organelle is involved in lipid metabolism?
A. Rough endoplasmic reticulum
B. Smooth endoplasmic reticulum
C. Lysosome
D. Golgi apparatus
Ans: B

766. What type of tissue makes up the "Adam's apple"?
A. Hyaline cartilage
B. Fibrocartilage
C. Elastic cartilage
D. Hyaline cartilage and Fibrocartilage
Ans: A

767. What are motor neurons?
A. Unipolar
B. Pseudounipolar
C. Bipolar
D. Multipolar
Ans: D

768. What type of epithelium forms the epidermis?
A. Simple squamous epithelium
B. Simple cuboidal epithelium
C. Simple columnar epithelium

D. Stratified squamous epithelium

Ans: D

769. Which type of cartilage forms the epiphyseal growth plate?

A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. All of the above

Ans: A

770. What percent of the matrix of cartilage is water?

A. 0
B. 10-40
C. 40-60
D. 60-80
E. 80-100

771. What type of tissue lines most of the gastrointestinal tract?

A. Simple squamous epithelium
B. Simple cuboidal epithelium
C. Simple columnar epithelium
D. Stratified squanmous epithelium

Ans: C

772. Which of the following is NOT a function of the liver?

A. Conversion of glucose into glycogen
B. Storage of glycogen
C. Storage of bile
D. Storage of fat soluble vitamins

Ans: C

773. Which layer of the epidermis has cells which have keratohyaline granules?

A. Stratum basale
B. Stratum spinosum
C. Stratum granulosum
D. Stratum lucidum
Ans: C

774. What are the basophilic clusters of ribosomes and rough endoplasmic reticulum seen in neurons called?

A. Ganglion
B. Perikaryon
C. Astrocyte
D. Nissl
Ans: D

775. What is the cell body ofa neuron called?

A. Ganglion
B. Soma
C. Astrocyte
D. Nissl
Ans: B

776. Which of the following is composed of smooth muscle?

A. Upper esophagus
B. Heart
C. Tongue
D. Biceps muscle
E. Walls of the visceral organs
Ans: E

777. During the preparation of a routine H&E slide, what allows tha tissue to hold its from?

A. Fixation
B. Embedding in paraffin

C. Staining
D. Slicin8
Ans: B

778. What is a characteristic of the cells in the epidermis of the skin?
A. Microvilli
B. Stereocilia
C. Cilia
D. Keratinizationn
Ans: D

779. What is woven bone?
A. Cancellous bone
B. Compact bone
C. Dense bone
D. Immature bone
Ans: D

780. What do you call the space where a chondrocyte sits in?
A. Space of Disse
B. Space of Mall
C. Vacuole
D. Lacuna
Ans: D

781. What is the portion of the nail which is underneath skin?
A. Lunula
B. Eponychium
C. Matrix
D. Nail bed
E. Root
Ans: E

782. Which cell is a macrophage found in the central nervous system?

A. Kupffer cells
B. Histiocyte
C. Dust cell
D. Langerhans cell
E. Microglia

Ans: E

783. Which cell is the mature bonecell?

A. Chondrocyte
B. Chondroblast
C. Osteocyte
D. Osteoclast
E. Bone lining cell

784. What type of epithelium appears stratified, but is not?

A. Epithelioid tissuue
B. Mesothelium
C. Endothelium
D. Transitional
E. Pseudostratified

Ans: E

785. Which organelle containsdigestive enzymes?

A. Rough endoplasmic reticulum
B. Smooth endoplasmic reticulum
C. Lysosome
D. Golgi apparatus

Ans: C

786. Which structures are part of the portal triad?

A. Portal vein
B. Hepatic artery

C. Central vein
D. Sinusoids
E. Portal vein and Hepatic artery
7Ans: E

787. During the preparation ofa routine H&E slide, how is the preserved?

A. Fixation
B. Embedding in paraffin
C.Staining
D. Slicing
Ans: A

788. During the preparation of aroutine H&E slide, what allows the tissue to be visualized?

A. Fixation
B. Embedding in paraffin
C. Staining
D. Slicing
Ans: C

789. Which type of cartilage forms the hammer, anvil and stirrup?

A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. All of the above
E. None of the above
Ans: E

790. Which of the following is an element of the central nervoussystem?

A. Receptors
B. Brachial plexus

C. Sciatic nerve
D. Ganglia
E. Spinal cord
Ans: E

791. What is the limiting membrane of a cell?
A. Plasmalemma
B. Glycocalyx
C. Protoplasm
D. Cristae
Ans: A

792. What is the functional unit of the liver?
A. Lobule
B. Portal triad
C. Central vein
D. Hepatocyte
Ans: A

794□ □□□□□□□ □□ □□□□□□□ □□ □□□□□ □□□□□ □□□□ - **Ans.**□□□□□□□□□□

795□ □□□□□□□□□□ □□□□ □□□□-□□□□ □□□□ □□□□□□□□□ □□ □□□□□□□ □□□□□ □□□□□ □□ - **ans.**□**1.**□□□□□□□

2. □□□□□□□□□ □□□□□□□□

3. □□□□□□□□□□

4. □□□□□□□

5. □□□□□□□□□ □□□□□ **etc.**

796 □□□□□□□□□□ □□ □□□□□□□ □□ □□□□ □□□□□ □□ □□□□□ □□ □□□□□□□□ □□□□□□□ □□ □□□□□ □□ □□□□□□ □□ □□□□□□ □□□□□ □□ □□□□□ □□ □□□□□ □□□□□ □□□□ **?**

ans.□**FNAC (fine needle aspiration cytology)**

797 □□□□□□□□□ □□ □□□□□□□□□□ □□□□ □□ □□□□□□□□□ □□□□□ □□ □□□□□□□ □□□□□□□ □□|

ans.□□□□□□□□□□□ □□□□□□□□□□□

798: □□□□□ □□□□□□□□□□ □□□□□□□□ □□ □□□□□□

ans.□**A.** □□□□□□ □□□□□□□□□□ □□□□□□□□- □□□□□□□□□□□ □□ □□□□

B.□□□□□□□□□ □□□□□ □□ □□□□□□□□ - □□□□□□ □□□□□□□□□□ □□ □□□□

C.□□□□□ □□ □□□□□□ □□□□□ □□ □□□□□□□ □□ - □□□□□ □□□□□□ □□ □□□□

799**Que.**□□□□□ □□ □□□□□ □□□□□ □□ □□□□ □□□□□□□ □□□□ □□ □□□□□□ □□ □□□□ □□ □□□□□□□ □□□□□ □□□□□□□ □□ -

ans□ □□□□□□□□□

800**Que.** □□□□ □□ □□□□□ □□□□ □□□□□ □□ □□□□□ □□ □□□□□□□ □□□□□□ □□□□□□□ □□□□□ □□□□□□□ □□-

ans□ □□□□□□□□ □□□□□□□□□□

Microbilogy Mcqs

SHAILSH KUMAR11:01 Am

801) Which type of the following biological vectors is responsible for transmission of malarial parasite-

A) Cyclo-developmental

B) Propagative

C) Transovarial

D) Cyclo-propagative

ANSWER□4

802) Which of the parasites below is NOT having any intermediate host-

A) Hymenolepis diminuita

B) Clonorchis sinensis

C) Necator americanus

D) Loa loa

ANSWER□3

803) Which of the following parasite DOES NOT belong to the class Coccidia-

A) Cryptosporidium

B) Isospora

C) Babesia

D) Cyclospora

ANSWER□3

804) Which of the following is NOT correct-

A) E. histolytica can be cultured on Boeck & Drbohlav's diphasic medium

B) T. vaginalis can be cultured on Trussell & Johnson's medium / CPLM

C) L. donovani can be cultured on Hockmeyer's medium

D) T. cruzi can be cultured on Weinman's medium

ANSWER□4

805) DumDum fever is the name given to- A) Visceral leishmaniasis

B) New world leishmaniasis

C) South American trypanosomiasis

D) East African sleeping sickness

ANSWER 1

806) Montenegro test is used to diagnose-

A) Kala azar

B) Ecchinococcosis

C) Chagas disease

D) Toxoplasmosis

ANSWER 1

807) Which of the following organisms can infect and multiply inside Protozoa-

A) Mycobacterium bovis

B) Mycobacterium avium

C) Mycobacterium xenopi

D) Mycobacterium simiae

ANSWER 2

808) Oocysts of which of the following parasites are infective when passed in the faeces- A) Cyclospora cayetenensis

B) Cryptosporidium parvum

C) Isospora bellii

D) All of the above

ANSWER 2

809) Fugitive or Calabar swellings are seen in infection with-

A) Onchocerca volvulus

B) Wuchereria bancrofti

C) Loa loa

D) Brugia timori

ANSWER 9

810) River blindness is the name given to disease caused by-

A) Loa loa

B) Onchocerca volvulus

C) Toxplasma gondii

D) Acanthamoeba culbertsoni

ANSWER□2

811) Operculated eggs are seen in the following, EXCEPT- A) Fasciola hepatica

B) Schistosoma japonicum

C) Clonorchis sinensis

D) Diphyllobothrium latum

ANSWER□2

812) Which species of fungus Microsporum has characteristic two celled macroconidia-

A) Microsporum gypseum

B) Microsporum audounii

C) Microsporum canis

D) Microsporum nanum

ANSWER□4

813) Rose gardner's disease is caused by- A) Paracoccidioides brasiliensis

B) Sporothrix schenkii

C) Penicillium marneffei

D) Coccidioides immitis

ANSWER□2

814) Which Candida species is known to produce 'pseudo-germ tube'- A) C. dubliniensis

B) C. tropicalis

C) C. albicans

D) C. krusei

ANSWER□2

815) Which of the following fungus is NOT forming 'sclerotic bodies'-

A) Exophiala

B) Phialophora

C) Fonsecaea

D) Cladosporium

ANSWER 1

816) 16- Which of the following dermatophyte is giving a positive hair perforation test-

A) Trichophyton tonsurans

B) Trichophyton schoenleinii

C) Trichophyton mentagrophytes

D) Trichophyton verrucosum

ANSWER 3

817) Which of the following is NOT causing eumycotic mycetoma-

A) Pseudoallescheria boydii

B) Exophiala jeanselmei

C) Acremonium kifience

D) Actinomadura

ANSWER 4

818) Dichotomously branching septate hyphae are characteristically seen in-

A) Aspergillus spp

B) Rhizopus spp

C) Mucor spp

D) Absidia spp

ANSWER 1

819) 'Spaghetti & meat balls' appearance of fungal elements in 10% KOH are characteristics of-

A) Hansenula anomala

B) Saccharomyces cervisiae

C) Malassezia furfur

D) Exophiala werneckii

ANSWER 3

20) Which of the following agent is a fungus- A) Pneumocystis jeroveci

B) Cryptosporidium parvum

C) Eikenella corrodens

D) Ehrlichia chaffeinsis

ANSWER 1

821) 'Hulle cells' are the characteristic of- A) Aspergillus fumigates

B) Aspergillus nidulans

C) Aspergillus terreus

D) Aspergillus flavus

ANSWER□2

822) In a case of meningitis a normal glucose level in C.S.F. suggests-

A) Bacterial etiology

B) Mycobacterial etiology

C) Viral etiology

D) Fungal etiology

ANSWER□3

823) Which of the following is NOT true about Staphylococcus saprophyticus-

A) Commonly causes UTI in young, sexually active, young females,

B) It is sensitive to Novobiocin

C) It is coagulase negative

D) It is modified oxidase test negative

ANSWER□2

24) Griffith's serotyping of β-hemolytic streptococci is based on-

A) Cell wall carbohydrate C antigen

B) Cell wall M protein

C) Cell wall peptidoglycan

D) Cell wall murein

ANSWER□2

825) Which of the following is NOT true of B.anthracis-

A) It produces Medusa head colony

B) It gives positive M'Fadyean's reaction

C) It is used as an agent of bioterrorism

D) It produces a potential endotoxin

ANSWER□4

826) Spores of which species of Bacillus is used as a biological control in autoclaves-

A) B. megaterium

B) B. thuringiensis

C) B. stearothermophilus

D) B. anthrasis

ANSWER□3

827) Which clostridial species has subterminal endospores- A) C. tetani

B) C. tertium

C) C. septicum

D) C. ramosum

ANSWER□3

828) A reverse CAMP test is positive in-

A) C. tetani

B) C. perfringens

C) C. difficile

D) C. novyi

ANSWER□2

829) Causative agent of granuloma inguinale is- A) Chlamydia trachomatis

B) Klebsiella rhinoscleromatis

C) Mycoplasma homonis

D) Klebsiella granulomatis

ANSWER□4

830) Pseudohemoptysis is due to- A) Pyomelanin

B) Diphthericin

C) Prodigiosin

D) Fumonisin

ANSWER□3

831) Which of the following specimen is NOT suitable for anaerobic culture-

A) Blood

B) Culdocentesis aspirate

C) Throat swab

D) Peritoneal fluid

ANSWER 3

832) Which of the following is NOT a constituent of bacterial cell wall- A) N-acetyl muramic acid

B) N-acetyl glucosamine

C) N-Acetyl-L-cysteine

D) Teichoic acid

ANSWER 3

833) Which of the following is NOT true-

A) Transposons are extrachromosomal genetic elements

B) Transposons are known as jumping genes

C) Transposons can transfer genes of chromosomes

D) Like plasmids they exist independently and are self replicating

ANSWER 4

834) Non-specific urethritis may be caused due to the following, EXCEPT

A) Ureplasma urealyticum

B) Gardnerella vaginalis

C) Candida albicans

D) Actinobacillus hominis

ANSWER 4

835) Which of the following is NOT true of Listeria monocytogenes-

A) It does not survive inside phagocytes

B) It gives a positive Anton's test

C) It has tumbling motility at 250C

D) It gives a positive CAMP test

ANSWER 1

836) Which of the following is TRUE of the Corynebacterium diphtheriae-

A) It produces diphtheria toxin because of λ phage

B) Toxin production is influenced by Mg++ concentration in the medium

C) Toxin mainly affects lungs and kidneys

D) Toxigenicity can be demonstrated in tissue culture

ANSWER□4

837) Culture of anaerobic organisms can be done by all ,EXCEPT-

A) Gas-Pak

B) Candle jar

C) McIntosh & Fildes jar

D) Thioglycollate broth

ANSWER□2

838) Which of the following is NOT true of the EnteroHaemorrhgic E.Coli(EHEC)-

A) The most common serotype is O157: H7

B) It can cause Hemolytic Uremic Syndrome

C) It ferments Sorbitol sugar in the medium

D) It produces toxin which is toxic to HeLa cell lines

ANSWER□3

839) Shigellosis includes all of the following, EXCEPT-

A) Hemolytic Uremic Syndrome

B) Gay-bowel syndrome

C) Fitz-Hugh-Curtis syndrome

D) Intussusception of bowel

ANSWER□3

840) According to current W.H.O. classification of genus Salmonella, there are mainly two species-

A) S. enterica & S. arizonae

B) S. arizonae & S. enteritidis

C) S. bongori & S. enterica

D) S. bongori & S. typhi

ANSWER□3

841) Gram stained smear of Vibrios in mucus flakes of stool specimen resembles-

8A) School of fish appearance

B) Fish in stream appearance

C) Sea-gul appearance

D) String of pearls appearance

ANSWER□2

842) Which of the following organisms is responsible for Brazillian Purpuric Fever(BPF)- A) Hemophilus hemolyticus

B) Hemophilus aphrophilus

C) Hemophilus aegyptius

D) Hemophilus parainfluenzae

ANSWER□3

843) Which of the organisms below does NOT liquefy gelatin-

A) Morganella morganii

B) Bacillus subtilis

C) Proteus vulgaris

D) Staph.aureus

ANSWER□1

844) Which one of the following are NOT related to each other- A) Nagler's reaction & Clostridium perfringens

B) Nissl's bodies & Polio virus

C) Tunica reaction & Rickettsia prowazekii

D) Rat bite fever & Streptobacillus moniliformis

ANSWER□3

845) Which of the following is NOT commonly seen in HIV infected patients-

A) Bacillary angiomatosis

B) Generalised Strongyloidiasis

C) Cryptosporidiosis

D) Leptospirosis

ANSWER□4

846) Which of the following organisms is NOT associated with bloody diarrhea-

A) Shigella dysenteriae

B) Campylobacter fetus

C) Clostridium difficile

D) B.anthracis

ANSWER□2

847) Which of the following is NOT a cell wall constituent of mycobacteria-

A) N-acetylmuramic acid

B) N-glycolylmuramic acid

C) Mycolic acid

D) Teichoic acid

ANSWER□x

848) Which of the following is a member species of Mycobacterium tuberculosis complex-

A) M.ulcerans

B) M.gordonae

C) M.africanum

D) M.kansasii

ANSWER□3

849) Which of the following Mycobacterium is a causative agent of Buruli-ulcer -

A) M.avium intracellulare

B) M.xenopi

C) M.ulcerans

D) M.malmoense

ANSWER□3

850) Which of the following is NOT a characteristic of Mycoplasma-

A) They belong to the class Mollicutes

B) They require sterols for their growth

C) Their cell wall contains diaminopimelic acid

D) Their colonies have “Fried egg” appearance

ANSWER□3

851) Which of the following is NOT related to each other-

A) Ixodides tick and Babesiosis

B) Ixodides tick and Lyme disease

C) Ixodides tick and Endemic relapsing fever

D) Ixodides tick and Tularemia

ANSWER 3

852) Which of the following is NOT true of Actinomyces- A) These are strictly aerobic gram positive branching filaments

B) They produce sulphur granules

C) They cause Actinomycetoma

D) They are Non acid fast

ANSWER 1

853) Which of the following is a high level disinfectant- A) Phenol

B) Gluteraldehyde

C) Iodophors

D) Chlorhexidine

ANSWER 2

854) Which of the following is correct-

A) Ebola virus is BSL 4 agent and requires Class III BSC to handle in the laboratory

B) Ebola virus is BSL 4 agent and requires Class II B3 BSC to handle in the laboratory

C) Ebola virus is BSL 3 agent and requires Class III BSC to handle in the laboratory

D) Ebola virus is BSL 1 agent and requires Class I BSC to handle in the laboratory

ANSWER 1

855) Which of the following virus is NOT transmitted through blood-

A) CMV

B) HCV

C) BK virus

D) Parvovirus B19

ANSWER 3

856) The maximum permissible bioload in an empty conventional operation theatre should be-

A) 10 bcp/m3

B) 35 bcp/m3

C) 50 bcp/m3

D) 100 bcp/m3

ANSWER□2

857) In hospital settings air conditioning ducts and cooling towers can be a source of hospital acquired Infection due to-

A) Methicillin resistant Staph aureus

B) Mycobacterium scrofulaceum

C) Legionella pneumophila

D) Aeromonas hydrophila

ANSWER□3

58) The proper biomedical waste policy for disposal of Human anatomical and animal waste would be-

A) Segregation in red bag and deep burial

B) Segregation in yellow bag and incineration

C) Segregation in puncture proof container and microwaving

D) Segregation in blue bag and autoclaving

ANSWER□2

859) Emerging and re-emerging infectious diseases are characterized by all, EXCEPT-

A) They have appeared for the first time or existed previously and presently increasing in incidence or Geographical

range

B) They have developed resistance to drugs

C) They are the result of increasing change in ecosystem, deforestation

D) They are seldom of Zoonotic origin

ANSWER□4

860) All of the following are vaccine preventable diseases (VP), EXCEPT-

A) Measles

B) Hepatitis B

C) Dengue

D) Pertussis

ANSWER□3

861) Involution forms of bacteria are seen in- A) Log phase of bacterial growth curve

B) Stationary phase of bacterial growth curve

C) Decline phase of bacterial growth curve

D) Lag phase of bacterial growth curve

ANSWER□3

862) Which mechanism of drug resistance to Tetracyclines is exhibited by bacteria-

A) Active efflux of antibiotic

B) Altered target enzymes

C) Poor transport across membrane

D) Altered ribosomal targets

ANSWER□1

863) By matching bacterial suspension with 0.5 McFarland turbidity standard corresponds to- A) 0.5-1 X 10 5 cfu/ml

B) 1-2 X 10 8 cfu/ml

C) 2-3 X 10 8 cfu/ml

D) 1-2 X 10 5 cfu/ml

ANSWER□2

864) The Electron microscope was developed by-

A) Wright 1903

B) Frederick W. Twort 1915

C) Ernst Ruska 1934

D) Frank Burnet 1957

ANSWER□3

865) Which of the following is NOT true -..

8A) Bollinger bodies are seen in measles virus infection

B) Negri bodies are seen in Rabies virus infection

C) Guarnieri bodies are seen in vaccinia virus infection

D) Cowdry type A bodies are seen in Yellow fever virus infection

ANSWER□1

866) Owl's eye inclusion bodies are seen in-

A) Tanapox virus

B) Epstein Barr virus

C) Cytomegalovirus

D) Mumps virus

ANSWER□3

867) Which of the following in NOT oncogenic- A) Hepatitis C virus

B) Human Papilloma virus

C) Cytomegalo virus

D) HIV

ANSWER□x

68) Which of the following is NOT a gene of HIV-1-

A) Nef

B) Vpx

C) Rev

D) Vif

ANSWER□2

869) Which of the following is NOT a human infection cause by slow viruses-

A) Visna

B) PML

C) Kuru

D) CJ disease

ANSWER□1

870) Which of the following antiviral agent is part of HAART(Highly Active Antiretroviral Therapy)-

A) Lamivudine

B) Amprenavit

C) Saquinavir

D) Delavirdine

ANSWER□1

871) Acute and highly infectious Hepatitis B Virus infection will have serological profile as- A) HBsAg +, HBeAg

+, Anti-HBcIgM -, Anti-HBs -, Anti-HBe -

B) HBsAg +, HBeAg +, Anti-HBcIgM +, Anti-HBs -, Anti-HBe -

C) HBsAg - ,HBeAg-, Anti-HBcIgM -, Anti-HBs +, Anti-HBe -

D) HBsAg -, HBeAg -, Anti-HBcIgG -, Anti-HBs +, Anti-HBe +

ANSWER□2

872) Lesions on genitalia in case of Chancroid have characteristic features of-

A) It is painless, circumscribed, indurated, superficial ulcer

B) Multiple painful and tender vesicular lesions

C) Painless, granulomatous nodule producing deep red sharply defined ulcer

D) Multiple, tender, painful, purulent, ragged edges of ulcers

ANSWER□4

73) Which of the following is NOT causing infection in fetuses-

A) Toxoplasma gondii

B) Parvovirus B19

C) Reovirus

D) Rubella virus

ANSWER□3

874) Which of the following viruses are NOT cultivable on tissue cultures-

A) Rubeola

B) Hepatitis B virus

C) Respiratory Syncytial Virus

D) Ebola virus

ANSWER□2

875) Which of the following statement regarding sensitivity and specificity of a test is TRUE-

A) A highly sensitive test would have least number of false negative results

B) A highly specific test would have least number of false negative results

C) A poorly sensitive test would have more number of true positives

D) A poorly specific test would have more number of true positives

ANSWER□1

876) Von Magnus phenomenon in virus replication is-

A) Production of non-infective daughter virions

B) No release of daughter virions after replication

C) Production of ghost virions after replication

D) Production of low infectivity daughter virions

ANSWER 4

877) Which of the following cells is known as Large Granular Lymphocytes-

A) Plasma cells

B) NK cells

C) T-cells

D) K-cells

ANSWER 2

878) Which of the following is a Pan T- cell marker-

A) CD-2

B) CD3

C) CD19

D) CD25

ANSWER 2

879) Which of the following is NOT a tick borne hemorrhagic fever-

A) Crimean-congo hemorrhagic fever

B) Omsk hemorrhagic fever

C) Kyasanur forest disease

D) Yellow fever

ANSWER 4

880) Which of the following statement is TRUE about λ, κ and heavy chains of Ig molecule-

A) Coded in the same site of a chromosome

B) Coded in the different site of a chromosome

C) The chains are formed by genetic rearrangement after maturation

D) Different chains of same Ig are coded by same chromosome

ANSWER□3

881) The secretory piece of IgA is synthesized in –

A) T-cells

B) B-cells

C) Lymph nodes

D) Mucosal epithelium

ANSWER□4

882) Membrane attack complex in complement pathway has-

A) C5b, C6

B) C6, C7

C) C8, C9

D) C5b, C6, C7, C8, C9

ANSWER□4

883) All of the following are TRUE about immunologic techniques EXCEPT-

A) ELISA can detect antigen and antibody both

B) Immunofluorescence test uses Fluorescein iso thiocyanate

C) Immunoblotting is also called as Northern blotting

D) Immunoferritin is used in Immunoelectron microscopy

ANSWER□3

884) Rheumatoid factor is-

A) IgD antibody against Fc fragment of IgG

B) IgG antibody against Fc fragment of IgG

C) IgM antibody against Fc fragment of IgM

D) IgE antibody against Fc fragment of IgM

ANSWER□2

885) At what temperature pasteurization by Flash method is done-

A) 125o C for 30 sec

B) 60o C for 5 min

C) 72o C for 15-20 sec

D) 120o C for 2 min

ANSWER□3

886) Phenol Co-efficient indicates-

A) Efficacy of a disinfectant

B) Dilution of a disinfectant

C) Quality of a disinfectant

D) Purity of a disinfectant

ANSWER□1

87) Psychrophillic bacteria can grow at temperatures-

A) 50-60o C

B) 20-40o C

C) ≤20o C

D) ≥90o C

ANSWER□3

888) Dark ground microscopy is needed for all EXCEPT-

A) Treponema pallidum

B) Borrelia recurrentis

C) Leptospira biflexa

D) Rickettsia prowazekii

ANSWER□4

889) Which species of Streptococcus is known as Flesh eating bacteria- A) Streptococcus pyogenes

B) Enterococcus faecium

C) Streptococcus mucilagenosus

D) Streptococcus sanguis

ANSWER□1

890) Which is the suitable test to check water bacterology-

A) Presumptive coliform count

B) Total plate count

C) Semiquantitative coliform count

D) Total fecal Streptococcus count

ANSWER 1

891) Which of the following is NOT true of C1 esterase inhibitor-

A) It inhibits Hageman factor

B) It inhibits plasmin

C) It is alpha-neuraminoglycoprotein

D) It inhibits the normal progress of complement cascade

ANSWER 4

892) Which of the following is NOT an example of molecular mimicry-

A) Shigella flexneri and HLA B27

B) Cosackie B virus and Myocardium

C) Corynebacterium diphtheriae and glial cells

D) Mycobacterium tuberculosis and joint membranes

ANSWER 3

893) Which of the following is NOT true -

A) Alpha feto protein is found in hepatomas

B) Carcinoembryonic antigen is found in Colonic cancers

C) CA-135 is found in ovarian cancers

D) Prostate specific antigen is found in Prostate cancers

ANSWER 3

894) Which of the following is NOT a method for bacteriological examination of air-

A) Settle plate

B) Slit sampler

C) Air centrifuge

D) Pour plate method

ANSWER 4

895) Noguchi's medium is used for the culture of-

A) Borrelia

B) Leptospira

C) Brucella

D) Francisella

ANSWER□1

896) Obligate aerobes break down superoxides and hydrogen peroxide due to-

A) Thermonuclease

B) Superoxide dismutase and catalase

C) Phosphatase

D) Luciferase

ANSWER□2

897) Which of the following is NOT a recent diagnostic test in microbiology-

A) Limulus Amoebocyte Lysate(LAL)

B) Mass Spectrometry Immuno Assay

C) Matrix Assisted Laser Desorption/Ionisation(MALDI)

D) Chemiluminescence Immuno Assay

ANSWER□1

898) Which of the following is an immune complex disease-

A) Lepromatous leprosy

B) Farmer's lung

C) Hemolytic disease of the newborn

D) Adult Respiratory Distress Syndrome

ANSWER□x

899) A parasite that must spend at least part of its life cycle on or in a host is called- A) Facultative parasite

B) Hyperparasite

C) Obligate parasite

D) Pathogenic parasite

ANSWER□3

900) The schedule of post exposure active anti Rabies vaccination is- A) 0,3,7,14 and 30 day optional

B) 0,7,14,30 and 90 day optional

C) 0,3,7,14,30 and 90 day optional

D) 0,7,14 and 30 day optional

ANSWER 3

SHAILSH KUMAR9:50 Am

HISTOLOGY Multiple Choice Questions

901. What vein/veins is not used to obtain a venous blood sample:

a. basilica vein
b. cephalic vein
c. medial cubital vein
d. femoral vein

Answer: d) femoral vein

902. A blood specimen collected in a heparinized tube is centrifuged. It will separate into:

a. serum and clot
b. plasma and clot
c. serum and plasma
d. plasma, buffy coat, RBC

Answer: d) plasma, buffy coat, RBC

903. Hemolysis may result from:

a. using a 25-gauge needle on an adult
b. vigorously shaking the blood specimen
c. refrigerating the vacutainer before use
d. leaving the tourniquet on for 3 minutes

Answer: e) all of the above

904. The test procedure that uses a Westergren tube is:

a. erythrocyte sedimentation rate
b. hematocrit
c. reticulocyte count
d. microhematocrit
Answer: a) erythrocyte sedimentation rate

905. Latex gloves protect the labemployee from:

a. accidental needle puncture
b. microtome injury
c. patient aerosols
d. body fluid
Answer: d) body fluids

906. Which statement is false when setting up an ESR:

a. it must be read in exactly one hour
b. it should be set up near a centrifuge
c. the blood level must be at exactly zero
d. it should be performed on fresh blood
Answer: b) it should be set up near a centrifuge

907. Within the cell, DNA is found in the nucleus. Which of he other structures within the cell listed below normally contains DNA as well?

A. perioxisome
B. mitochondrion
C. Golgi Apparatus

D. smooth ER

Ans: B

908. Steroid synthesis occurs within which of the following structures?

A. peroxisome

B. mitochondrion

C.golgi apparatus

D. smooth ER

Ans: D

909. During catabolic activity, the potential for oxidative insult can be considerable. Which of the following structures within the cell functions primarily to reduce this potential insult?

A. peroxisome

B. mitochondrion

C.golgi apparatus

D. Smooth ER

Ans: A

910. Which of these structures is responsible for the production of protein?

A. peroxisome

B. mitochondrion

C. Golgi Apparatus

D. smooth ER

Ans: E

911. Of the following cellular modifications associated with epithelia, which provides a morphological barrier between adjacent cells?

A. glycocalyx
B. macula adherens
C. zonula adhernens
D. nexus
Ans: E

912. Within the extracellular matrix of connective tissues, this structure consists of small fibers that normally remain unbundled and froms a useful enviornment for cells of defense.
A. Collagen type I
B. Collagen type II
C. Collagen type II
D. Collagen type IV
Ans: C

913. The structure (fiber) and environment described in the
previous question mostly occurs in:
A. loose connective tissue
B. dense irregular connective tissue
C. dense regular connective tissue
D. cartilage

Ans: A
914. Among the defending cells of connective tissue, the one that forms antibodies and provides humoral immunity is the
A. TLymphocyte
B. plasma cells

C. mast cell
D. histiocyte
E. none of the above
Ans: E

915. Antibodies known as IgE become attached to this cells surfaces as specific receptors with in there promotes the allergic response.
A. melanocyte
B. fibrocyte
C. mast cell
D. macrophage
Ans: C

916. The yellow coloration sometimes associated with adult fat is due to the presence of numerous lipid droplets.
A. true
B. false
Ans: B

917. Cement lines are regularly formed in
A. cancellous bone
B. osteonal bone
C. trabecular bone
D. immature bone
Ans: B

918. The length of the long bone is primarily dye to the interstitial growth of the cartilaginous plate.
A. True

B. False
Ans: B

919. Of the extracellular matrices in following tissues, which would most likely have collagen type II?
A. bone
B. fibrocartilage
C. dense irregular connective tissue
D. hyaline cartilage
Ans: D

920. What is the function of hyaline cartiledge.
A. to protect and support the body and assist in motion
B. to store lipid
C. to transport a variety of substances
D. to protect and support organs
Ans: D

921. What is the function of adipose tissue
A. to protect and support the body and assist in motion
B. to store lipid and cushion organs
C. to transport a variety of substances
D. to protect and support organs
Ans: B

922. What is the function of blood?
A. to store lipid and cushion organs
B. to protect and support organs
C. to transport a variety of substances

D. to protect and support the body and assist in motion

Ans: C

923. Skeletal muscle creates heat.

A. Truee

B. False

Ans: A

924. Skeletal muscle creates heat.

A. True

B. False

Ans: A

925. The function of smooth muscle is to

A. create heat

B. propel blood into the circulatory system

C. propel food through the GI tract

D. cushion organs

Ans: C

926. What are the three types ofepithelial cell junctions

A. Tight, Gap, Macula Adherens

B. Macula Adherens, Junctions, Gap

C. Gap, Loose,

D. Tight

Ans: A

927. What are the 4 types of tissues found in the Body?

A. Blood, Nerve, Epithelial, Skeletal

B. Epihelial, Nerve, Muscle, Bone

C. Epithelial, Nerve, Connective, Muscle

D. Connective, Bone, Skin, Blood

Ans: C

928. This type of Epithelim cell has one layer and flat like eggs

A. Stratified Cuboidal
B. Simple Cuboidal
C. Simple Columnar
D. Simple Squamous

Ans: D

929. What is this type of epithelial cell?Location-Glands, ducts; portions of kidey tubules; thyroid glands Function-Limited protection, secretion, absorption

A. Simple Cuboidal
B. Simple Squamous
C. Simple Columnar
D. Stratified Cuboidal

Ans: A

930. This type of epithelial tissue lines the nasal cavity, trachea and bronchii.

A. Transitional Epithelium
B. Pseudostratified Ciliated Columnar Epithelium
C.Stratified Squamous Epithelium
D. Stratified Columnar Epithelium

931. This type of tissue covers exposed surfaces, lines internal passageways & chambers, and forms glands

A. Skin
B. Connective Tissue

C. Epithelial Tissue
D. Nerve Tissue
Ans: C

932. Connexins are the proteins found in which plasma membrane specialisation?
A. Desmosomes
B. Gap Junctions
C. Microvilli
D. Tight Junctions
Ans: B

933. Histologically, the ascending colon, the transverse colon and the descending colon are indistinguishable from one another.
A. True
B. False
Ans: A

934. Which of the following is NOT primarily composed of connective tissue?
A. Spinal cord
B. Pubic symphysis
C. Ligament
D. Areolar tissue

Ans: A

935. What are the valves whichregulates the flow of bile into the intestine?
A. Rokitansky-Aschoff sinuses
B. Ducts of Luschka

C. Duct of Wirsung
D. Ampulla of Vater
E. Sphincter of Oddi
Ans: E

936. What do you call a tissue composed of a conglomeration of cells which are tightly packed together, yet which does not have a free surface? An example of such a tissue would be the parenchyma of the adrenal gland.

A. Epithelioid tissue
B. Mesothelium
C. Endothelium
D. Transitional
E. Pseudostratifie

937. What is another term for the valve of Kerckring?

A. Lacteal
B. Crypts of Lieberkuhn
C. Plicae circulares
D. Striated border
E. Villi Explanation The plica circulares is a projection with a core of submucosa. The plica circulares is also called the valve of Kerckrinng

938. Which of the following is NOT considered neuroglia?

A. Astrocytes
B. Ependymal cells
C. Oligodendrocytes

D. Microglia
E. Schwann cells
Ans: E

939. What type of tissue lines the upper esophagus?
A. Simple squamous epithelium
B. Simple cuboidal epithelium
C. Simple columnar epithelium
D. Stratified squamous epithelium
E. Transitional epithelium
Ans: D

940. Which cell is a resting osteoblast?
A. Chondrocyte
B. Chondroblast
C. Osteocyte
D. Osteoclast
E. Bone lining cel
Ans: E

941. What forms the skeleton of the fetus?
A. Elastic cartilage
B. Hyaline cartilage
C. Fibrocartilage
D. Spongy bone

Ans: B

942. Which type of neuron is multipolar?
A. Motor neuronns
B. Interneurons
C. Sensory neurons
D. Motor neurons and Interneurons

E. All of the above
Ans: D

943. What structure contributes to the cells cytoskeleton?
A. Ribosomes
B. Peroxisome
C. Microfilaments
D. Centrioles
E. Nucleoli
Ans: C

944. What is the glomerulus?
A. Afferent arteriole
B. Efferent arteriole
C. Capillary tuft
D. Peritubular capillaries
E. Vasa recta
Ans: C

945. What are neurons in the retina?
A. Unipolar
B. Pseudounipolar
C. Bipolar
D. Multipolar
E. Unipolar and Pseudounipolar
Ans: C

946. The colloquialism "gray matter"refers to somebody using his intellect or reasoning ability. In reality, what is gray matter?
A. Meninges
B. Myelinated nerve fibers

C.Cell bodies
D. Nodes of Ranvier
E. Neurofilaments
Ans: C

947. What type of tissue is a tendon Composed of?
A. Mucous connective tissue
B. Mesenchyme
C. Loose irregular connective tissu1e
D. Dense irregular connective tissue
E. Dense regular connective tissue
Ans: E

948. What is a gland called if the secretory portion is flask shaped?
A. Simple gland
B. Compound gland
C. Tubular
D. Alveolar
E. Tubuloalveolar
Ans: D

949. Which type ofneuron is most abundant?
A. Sensory neurons
B. Motor neurons
C. Interneurons
D. Sensory neurons and Motorneurons
Ans: C

950. What covers the visible portion of a tooth?
A. Pulp cavity
B. Dentin
C. Dental pulp
D. Cementum
E. Enamel

Ans: E

951. What is the term for the process used by cells for the transport in of particulate matter?

A. Endocytosis
B. Exocytosis
C. Pinocytosis
D. Phagocytosis

Ans: D

952. What type of muscle is specialized for contraction?

A. Skeletal muscle
B. Cardiac muscle
C. Smooth muscle
D. Skeletal muscle and Cardiac muscle
E. Skeletal muscle, Cardiac muscle and Smooth muscle

Ans: E

953. Where is mesothelium found?

A. Mucosa
B. Sub mucosa
C. Muscularis externa
D. Serosa

Ans: D

954. What type of glands are the ceruminous glands?

A. Sebaceous glands
B. Eccrine sweat gland
C. Endocrine gland
D. Apocrine sweat gland
E. Oil gland

Ans: D

955. Which microscope makes things appear three dimensional?

A. Simple microscope
B. Compound microscope
C. Phase contrast microscope
D. Dissection microscope

9Ans: D

956. Which meninx covers the brain intimately?

A. Dura mater
B. Arachnoid
C. Pia mater
D. Dura mater and Arachnoid

Ans: C

957. What forms the brush border?

A. Microvilli
B. Stereocilia
C. Cilia
D. Keratinization

Ans: A

958. Which sensory receptor in the skin is NOT encapsulated?

A. Ruffini endings
B. Free nerve endings
C. Pacinian corpuscles
D. Meissner's corpuscles

Ans: B

959. Where is the site of protein synthesis?

A. Ribosomes
B. Peroxisome

C. Microfilaments
D. Centrioles
Ans: A

960. What is the lining of the inner bone on the side which abuts the medullary cavity?
A. Perimysium
B. Periosteum
C. Perichondrium
D. Perineurium
E. Endosteum
Ans: E

961. Which fiber type is seen in smooth muscle?
A. Red fibers
B. White fibers
C. Internmediate fibers
D. None of the above
Ans: d

962. Which type of cartilage forms the skeleton of the fetus?
A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. All of the above
Ans: A

963. What type of muscle contains centrally placed nuclei?
A. Smooth muscle
B. Cardiac muscle
C. Skeletal muscle
D. Smooth muscle and Cardiac muscle

E. Smooth muscle, Cardiac muscle and Skeletal muscle

Ans: D

964. Which of the following layers comprise the skin?

A. Epidermis
B. Dermis
C. Hypodermis
D. Epidermis and Dermis

Ans: D

965. Which organelle is involved in lipid metabolism?

A. Rough endoplasmic reticulum
B. Smooth endoplasmic reticulum
C. Lysosome
D. Golgi apparatus

Ans: B

966. What type of tissue makes up the "Adam's apple"?

A. Hyaline cartilage
B. Fibrocartilage
C. Elastic cartilage
D. Hyaline cartilage and Fibrocartilage

Ans: A

967. What are motor neurons?

A. Unipolar
B. Pseudounipolar
C. Bipolar
D. Multipolar

Ans: D

968. What type of epithelium forms the epidermis?

A. Simple squamous epithelium
B. Simple cuboidal epithelium
C. Simple columnar epithelium
D. Stratified squamous epithelium
Ans: D

969. Which type of cartilage forms the epiphyseal growth plate?
A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. All of the above
Ans: A

970. What percent of the matrix of cartilage is water?
A. 0
B. 10-40
C. 40-60
D. 60-80
E. 80-100

971. What type of tissue lines most of the gastrointestinal tract?
A. Simple squamous epithelium
B. Simple cuboidal epithelium
C. Simple columnar epithelium
D. Stratified squanmous epithelium
Ans: C

972. Which of the following is NOT a function of the liver?
A. Conversion of glucose into glycogen
B. Storage of glycogen
C. Storage of bile
D. Storage of fat soluble vitamins

Ans: C

973. Which layer of the epidermis has cells which have keratohyaline granules?

A. Stratum basale
B. Stratum spinosum
C. Stratum granulosum
D. Stratum lucidum

Ans: C

974. What are the basophilic clusters of ribosomes and rough endoplasmic reticulum seen in neurons called?

A. Ganglion
B. Perikaryon
C. Astrocyte
D. Nissl

Ans: D

975. What is the cell body ofa neuron called?

A. Ganglion
B. Soma
C. Astrocyte
D. Nissl

Ans: B

976. Which of the following is composed of smooth muscle?

A. Upper esophagus
B. Heart
C. Tongue
D. Biceps muscle
E. Walls of the visceral organs

Ans: E

977. During the preparation of a routine H&E slide, what allows tha tissue to hold its from?

A. Fixation
B. Embedding in paraffin
C. Staining
D. Slicin8

Ans: B

978. What is a characteristic of the cells in the epidermis of the skin?

A. Microvilli
B. Stereocilia
C. Cilia
D. Keratinizationn

Ans: D

979. What is woven bone?

A. Cancellous bone
B. Compact bone
C. Dense bone
D. Immature bone

Ans: D

980. What do you call the space where a chondrocyte sits in?

A. Space of Disse
B. Space of Mall
C. Vacuole
D. Lacuna

Ans: D

981. What is the portion of the nail which is underneath skin?

A. Lunula
B. Eponychium

C. Matrix
D. Nail bed
E. Root
Ans: E

982. Which cell is a macrophage found in the central nervous system?

A. Kupffer cells
B. Histiocyte
C. Dust cell
D. Langerhans cell
E. Microglia
Ans: E

983. Which cell is the mature bonecell?

A. Chondrocyte
B. Chondroblast
C. Osteocyte
D. Osteoclast
E. Bone lining cell

984. What type of epithelium appears stratified, but is not?

A. Epithelioid tissuue
B. Mesothelium
C. Endothelium
D. Transitional
E. Pseudostratified
Ans: E

985. Which organelle containsdigestive enzymes?

A. Rough endoplasmic reticulum
B. Smooth endoplasmic reticulum
C. Lysosome
D. Golgi apparatus

Ans: C

986. Which structures are part of the portal triad?

A. Portal vein
B. Hepatic artery
C. Central vein
D. Sinusoids
E. Portal vein and Hepatic artery

Ans: E

987. During the preparation ofa routine H&E slide, how is the preserved?

A. Fixation
B. Embedding in paraffin
C.Staining
D. Slicing

Ans: A

988. During the preparation of aroutine H&E slide, what allows the tissue to be visualized?

A. Fixation
B. Embedding in paraffin
C. Staining
D. Slicing

Ans: C

989. Which type of cartilage forms the hammer, anvil and stirrup?

A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. All of the above
E. None of the above

Ans: E

990. Which of the following is an element of the central nervoussystem?

A. Receptors
B. Brachial plexus
C. Sciatic nerve
D. Ganglia
E. Spinal cord

Ans: E

991. What is the limiting membrane of a cell?

A. Plasmalemma
B. Glycocalyx
C. Protoplasm
D. Cristae

Ans: A

992. What is the functional unit of the liver?

A. Lobule
B. Portal triad
C. Central vein
D. Hepatocyte

Ans: A

993. Which cell is the most abundant cell in the epidermis?

A. Langerhans cell
B. Keratinocyte
C. Melanocyte
D. Merkel cell

994. Which cells secrete pepsinogen?

A. Parietal cells
B. Oxyntic cells

C. Chief cells
D. Mucous neck cells
E. Parietal cells and Oxyntic cells
Ans: C

995. What are the small tunnels seen in bone?
A. Canaliculi
B. Sharpey's fibers
C. Trabeculae
D. Tome's process

Ans: A

996. Which type of cartilage is the most abundant?
A. Hyaline cartilage
B. Elastic cartilage
C. Fibrocartilage
D. Hyaline cartilage and elastic cartilage equally

Ans: A

997. What is the connective tissue covering which surrounds cartilage?
A. Perimysium
B. Periosteum
C. Perichondrium
D. Perineurium

Ans: C

998. Which fiber type has a lot of mitochondria?
A. Red fibers

B. White fibers
C. Intermediate fibers
D. All of the above
Ans: A

999. Which fiber type is seen in smooth muscle?

A. Red fibers
B. White fibers
C. Internmediate fibers
D. None of the above

1000. Which cell is a macrophage found in the skin?

A. Kupffer cells
B. Histiocyte
C. Dust cell
D. Langerhans cell

Ans: D