Available online at www.sciencedirect.com

ScienceDirect

IFAC PapersOnLine 59-10 (2025) 1191–1196

Integrating AI for Autonomous UAV Traffic Management in Drone Logistic Operations: Challenges, Approaches, and Future Directions

Fabio Suim Chagas * **Neno Ruseno** * **Emre Koyuncu** ** **Aurilla Aurelie Arntzen Bechina** *

* *Department of Science and Industry systems Faculty of Technology, Natural Sciences and Maritime, University of South-Eastern Norway (USN), Kongsberg, Norway (e-mail: {fabio.chagas, neno.ruseno, Aurilla.Aurelie.Arntzen}@usn.no).*

** *Department of Aeronautical Engineering, Istanbul Technical University (ITU), Istambu, Turkey (e-mail: emre.koyuncu@itu.edu.tr)*

Abstract: As urban airspaces become increasingly congested, managing autonomous UAV operations presents significant challenges, particularly in ensuring safety and efficiency through effective flight plan approval and conflict resolution mechanisms. This paper addresses these challenges by investigating the role of artificial intelligence (AI) in optimizing UAV operations within U-Space, focusing on strategic deconfliction and autonomous flight plan approvals. The primary aim of this study is to explore how AI techniques—specifically machine learning, optimization algorithms, and explainable AI (XAI)—can be integrated into UAV traffic management systems to support safe, scalable, and fair urban airspace use. The AI4HyDrop project is used to illustrate an AI-based approach in supporting fair and environmentally sustainable airspace use, addressing challenges in strategic deconfliction and airspace allocation. Ultimately, this work seeks to answer the question: "*How can AI techniques be integrated to optimize autonomous drone flight plan approvals with mechanisms for strategic deconfliction in high-density airspaces?*" By emphasizing the potential of AI to transform urban UAV operations, this study outlines key directions for research and collaboration in developing safer and more efficient drone logistic operations.

Copyright © 2025 The Authors. This is an open access article under the CC BY-NC-ND license (https://creativecommons.org/licenses/by-nc-nd/4.0/)

Keywords: Artificial Intelligence, UAV Traffic Management, drone flight plan, strategic deconfliction, drone logistic

1. INTRODUCTION

Unmanned aerial vehicles (UAVs) are emerging as a good solution for the logistics sector related to deliveries, infrastructure inspections, recreational use, and rescue operations. Due to this versatility, the number of drones tends to increase, increasing the complexity and challenges of air traffic management, especially in congested urban environments (Paul et al., 2019). The increase in the number of UAVs brings the likelihood of an increase in the number of collisions and accidents, particularly in restricted and crowded airspaces (Watkins et al., 2021). As a result, this new scenario requires dynamic and advanced solutions to ensure safe and efficient operations. In this context, AI emerges as a valuable tool for optimizing routes and managing conflicts autonomously.

U-Space has been developed to address these challenges as a set of digital services and procedures dedicated to the safe and efficient integration of UAVs into urban and high-density European airspace. U-Space plays a critical role in establishing an operational environment where multiple UAVs can coexist without compromising urban air safety. As outlined in EASA's CONOPS 4th Edition, U-Space services include essential components such as strategic route planning and real-time tactical deconfliction capabilities, enabling the system to adapt continuously to emerging conflicts and dynamic changes in urban airspace (Undertaking, 2017).

The use of UAVs for a variety of purposes has significantly increased, making operational difficulties even more complicated. In order to reduce the risk of collisions and protect public safety, controlling several UAVs in crowded airspaces needs precise air traffic control. In this regard, artificial intelligence (AI) is a crucial instrument for addressing these issues, enabling route management and dispute resolution automation at the tactical and strategic levels. AI use in U-Space enables drones to process large volumes of traffic and environmental data in real-time, promoting safer and more adaptive routes in high-traffic

* This work is part of the AI4HyDrop project financially supported by the SESAR3 Joint Undertaking under grant agreement No. 101114805 under the European Union's Horizon Europe research and innovation programme.

2405-8963 Copyright © 2025 The Authors. This is an open access article under the CC BY-NC-ND license.
Peer review under responsibility of International Federation of Automatic Control.
10.1016/j.ifacol.2025.09.201

scenarios (Sai et al., 2023; Ruseno et al., 2023; Fremond et al., 2022).

Additionally, complementing studies like those by Watkins et al. (2021), Ruseno et al. (2023), and Paul et al. (2024) highlight the significance of AI in UAV operations for conflict prevention and traffic management. These studies and Nguyen et al. (2024) contributions offer a solid basis for creating solutions that tackle the unique difficulties of operating drones in confined and crowded airspaces. By suggesting AI-based approaches that satisfy the increasing needs for safety, effectiveness, and scalability, this work aims to substantially contribute to the safe integration of UAVs into urban airspace.

Building on these capabilities, the AI4HyDrop project, funded by SESAR JU, was created to address U-Space challenges by developing an AI-based intelligent control framework for drone operations in restricted and urban areas. AI4HyDrop explores advanced machine-learning techniques to implement a deconfliction system at strategic and tactical levels. AI can help with strategic route planning that reduces conflict risks before takeoff. As new conflicts arise during operations, AI adjusts in real-time to prevent collisions at the tactical level. Nguyen et al. (2024) highlighted the urgent need for methodologies to automate the deconfliction process in high-density environments. AI4HyDrop aims to fill this gap by employing an innovative intelligent control approach to ensure safe and scalable operations within U-Space (Nguyen et al., 2024).

The central research question of this study is: "How can Artificial Intelligence techniques be integrated to optimize the autonomous approval of drone flight plans with strategic deconfliction mechanisms that ensure safe and efficient routes in dense traffic environments?" This study aims to investigate and discuss how researchers can apply AI techniques to route management and deconfliction within the U-Space context. The contributions of this study include evaluating the state-of-the-art AI techniques for route optimization and conflict resolution and providing a critical analysis that can support future implementations in U-Space.

This paper organizes its sections as follows: Section II discusses AI techniques applied to route optimization, introduces strategic and tactical deconfliction concepts, and discusses the use of AI for autonomous routes and conflict management. Section III focuses on the AI4HyDrop project's approaches to tackling specific U-Space challenges. Section IV analyzes the challenges encountered and proposes directions for future research. Finally, Section V presents conclusions and suggestions for future work.

2. REVIEW OF AI TECHNIQUES IN ROUTE OPTIMIZATION AND DECONFLICTION FOR UAVS

2.1 AI Techniques for Autonomous Route Planning

UAV autonomous route planning is a challenging task requiring cutting-edge methods to handle air traffic's dynamic and dense nature. With an increasing focus on artificial intelligence techniques, strategies, including reinforcement learning, bio-inspired algorithms, and fuzzy models, have been investigated. In particular, this study will look into how AI might be used to guarantee safe and effective operations by examining deep learning, reinforcement learning, and optimization algorithms. As a result, it will concentrate on the benefits and drawbacks of these strategies in the context of difficult operational situations.

- **Optimization algorithms:** Optimization algorithms have played a key role in efficient route planning for UAVs. For example, Huang et al. (2020) applied Particle Swarm Optimization (PSO) to a model for fixed-wing UAVs, achieving trajectories that balance safety and efficiency in dynamic airspaces. Another widely used approach is the A* algorithm, which, when combined with heuristic techniques, provides computationally efficient paths, especially in urban environments, as demonstrated by He et al. (2023). Ant Colony Optimization, as investigated by Ma and Liu (2022), is notable for its versatility in urban settings, enabling the creation of optimal routes that steer clear of dangerous locations and make dynamic adjustments while in flight. These techniques work especially well for strategic planning, where reducing conflicts prior to departure is a priority.
- **Deep Learning Approaches:** Deep learning offers powerful data analysis and pattern recognition approaches, which are essential in intricate urban settings. UAVs can modify their courses based on visual perception data thanks to the application of convolutional neural networks (CNNs) for obstacle recognition and avoidance (Suyal et al., 2023). However, in situations when the UAV needs to learn temporal patterns, like route prediction or navigation in dynamic environments, recurrent neural networks (RNNs) are useful. These methods improve UAVs' ability to identify and respond to hazards in real time, particularly in situations with heavy traffic.
- **Reinforcement Learning (RL):** Reinforcement learning (RL) is beneficial for UAVs to learn to operate autonomously in unknown and highly complex environments, as described by Fremond et al. (2022). Techniques such as Deep Q-Network (DQN) and Proximal Policy Optimization (PPO) allow drones to make adaptive decisions based on rewards, adjusting their trajectories to minimize collision risks and maximize flight efficiency in high-density scenarios (Muzammul et al., 2024; He et al., 2023). These approaches are especially valuable for tactical route planning, where the drone must react to real-time changes.

2.2 Challenges in AI Integration for Conflict Management

Integrating AI into UAV conflict management presents several technical challenges that must be overcome to achieve safe and efficient operations.

- **Scalability and Complexity:** Scalability is one of the most significant challenges in applying AI to deconfliction. In scenarios with a large number of UAVs operating simultaneously, processing large volumes of data in real-time can overload computational resources, especially in drones with limited capabilities. AI models must be lightweight and efficient to be scalable and applicable in high-density environments

without compromising response time (Nguyen et al., 2024; Li and Wu, 2023).

- **Real-Time Processing:** Tactical deconfliction relies heavily on real-time data processing. However, algorithms requiring heavy processing, including deep neural networks or high-precision reinforcement learning algorithms, are challenging to execute because to the limited computational resources of UAVs. Researchers have explored lighter algorithms and simplified models that can operate in UAVs without compromising responsiveness in dynamic scenarios (Fukushima et al., 2023; Ruseno and Lin, 2024; Hou et al., 2020).
- **Safety and Reliability Concerns:** The reliability of AI models is another critical issue. In operational environments with unknown conditions, a UAV must be able to operate safely without direct human supervision. Methods such as fuzzy logic and real-time monitoring have been suggested to increase the safety and transparency of AI decisions, especially in autonomous operations (Hamilton et al., 2021; Suyal et al., 2023). However, ensuring complete safety in unpredictable conditions remains a significant challenge, and the development of rigorous validation mechanisms and safety redundancy is essential.
- **Explainability and Transparency:** Integrating explainability poses significant challenges that must be addressed to improve operational effectiveness and stakeholder trust. A primary obstacle is the complexity of conflict resolution algorithms, which often function as "black boxes," making it hard for operators to understand automated decisions. This lack of transparency can breed skepticism, hindering reliance on UAVs in critical situations. The dynamic nature of conflict environments further complicates the implementation of explainable AI, as UAVs must process vast amounts of real-time data and make rapid decisions, often resulting in actions that are technically sound but not easily interpretable by humans, thus undermining human-machine collaboration. Providing understandable explanations for UAV actions is essential for compliance and to avoid public backlash that could impede technology adoption. To tackle these challenges, investment in research for explainable AI frameworks tailored to UAVs is imperative (Thomas et al., 2021; Druce et al., 2021; Saraf et al., 2020). Prioritizing transparency and interpretability in algorithm design will foster trust and acceptance (Gohar et al., 2024).
- **Fairness:** A primary fairness challenge in UAV collision deconfliction lies in the algorithms used, which must ensure safety while accommodating diverse operational contexts and user priorities. For example, commercial delivery drones have different urgency and constraints than recreational UAVs. Thus, deconfliction strategies must balance these interests with safety as the top priority. Additionally, equitable access to airspace information is vital; disparities in data access or technology can create an uneven playing field, jeopardizing the safety of less-equipped UAVs. Establishing standardized data-sharing protocols is essential for all operators to effectively contribute to collision avoidance systems. Addressing fairness in UAV collision deconfliction requires inclusive algorithms and equitable data access to enhance safety and efficiency, promoting harmonious coexistence in crowded skies (Evans et al., 2020).

In order to properly manage high-density airspaces, AI has the potential to optimize UAV route planning and autonomously resolve conflicts, as demonstrated by the methods discussed in Section 2. To address the unique requirements of the U-Space, a coordinated and structured strategy is necessary, nevertheless, as UAV activities in urban airspaces become more common and integrated. The AI4HyDrop project plays a crucial role in this context, leveraging state-of-the-art AI methodologies to address the complex challenges of strategic and tactical deconfliction within the U-Space.

In the following section, we explore how AI4HyDrop specifically addresses these challenges, employing AI-based solutions to enhance the safety and operational efficiency of UAVs in urban environments. We will also examine the project's contributions to the U-Space through innovative approaches to autonomous flight plan approval and conflict management, fostering the safe integration of UAVs in densely populated areas.

3. THE ROLE OF AI4HYDROP IN ADDRESSING U-SPACE CHALLENGES WITH AI

The integration of UAVs into urban and densely populated airspaces presents significant challenges in terms of safety and efficiency, especially within the U-Space context. The AI4HyDrop project aims to explore AI-based solutions that promote the autonomous approval of flight plans to maximize airspace use in a fair and environmentally conscious manner at a strategic level.

3.1 The RL Model in U-Plan Recommendation

In the U-Plan recommendation system, a reinforcement learning (RL) algorithm can operate by learning optimal flight plan modifications in real time to help avoid rejections. Basically, in RL, an agent interacts with an environment to maximize a reward. For the U-Plan recommendation module, the components of RL are:

- **Agent:** The RL model acts within the U-Plan recommendation module, which suggests adjustments to flight plans.
- **Environment:** The dynamic airspace context, including other flight plans, regulatory policies, and environmental constraints from CIS.
- **State:** Each state represents the current configuration of the flight plan, including spatial coordinates, altitude, time, proximity to other flight plans, and any environmental or regulatory factors.
- **Action:** An action is any modification to the flight plan—e.g., adjusting altitude, speed, or route path to avoid conflicts or reduce impact.
- **Reward:** The reward system provides feedback to the agent based on how well the new plan resolves conflicts and aligns with policies. Positive rewards may be given for reducing potential conflicts, minimizing environmental impact, and enhancing fairness, while

penalties are given for proposed plans that increase congestion or fail to meet regulations.

Once the components are established, the RL agent needs a balance of exploration (trying new paths) and exploitation (choosing known successful paths). It begins by exploring possible adjustments to flight plans. Over time, it learns from outcomes and shifts to exploiting what it has learned about optimal adjustments. For example, the agent may first experiment with alternative path locations or altitudes in various directions. It will begin to realize that some changes, such as increasing altitude in crowded regions, are regularly rewarded after getting feedback on these activities.

In situations where multiple U-Plan compete for limited space, the RL model can consider the entire airspace as a multi-agent environment where each U-Plan action influences others. Each agent (representing a U-Plan) tries to maximize its rewards, but cooperative strategies are encouraged via the reward system to minimize conflicts.

The RL model may become more adept at managing intricate and changing operation needs over time. The algorithm improves by suggesting solutions that satisfy legal requirements, facilitate effective traffic management, and respect environmental norms with ongoing training and real-time feedback. This flexibility guarantees that the system can react efficiently to changing priorities and operational situations.

3.2 Explainable AI-driven Decision

Explainable AI (XAI) (Gunning et al., 2019) techniques are critical for enhancing the interpretability and transparency of AI decision-making systems. Among these, SHapley Additive exPlanations (SHAP) (Lundberg, 2017) has gained prominence as an effective method for providing both global and local interpretability of AI models. By leveraging principles from cooperative game theory (Lemaire, 1991), SHAP quantifies the contribution of each input feature to the model's predictions, offering valuable insights into the underlying decision-making process. This technique has been widely applied across domains such as healthcare (Paneru et al., 2024), finance (Kumar et al., 2022), and autonomous systems (Onyekpe et al., 2022), where understanding model behavior is essential for building trust among stakeholders and ensuring regulatory compliance.

To achieve explainability in AI4HyDrop, we integrate SHAP (SHapley Additive exPlanations) values into the Hierarchical Reinforcement Learning framework. SHAP values provide a quantitative measure of the impact each input feature has on the agent's decisions by attributing portions of the prediction to individual features based on cooperative game theory. This mechanism enables both global and local interpretability: globally, it offers insights into how features like weather conditions, airspace congestion, and UAV characteristics influence the overall policy of the agent; locally, it provides instance-specific explanations by detailing how each feature affects individual flight plan approvals or modification recommendations. By making the decision-making process transparent, SHAP values help stakeholders understand the rationale behind the agent's actions, fostering trust and facilitating compliance with regulatory requirements. This explainability ensures that the system's recommendations are not only effective but also interpretable and justifiable to UAV operators, air traffic controllers, and regulatory bodies.

Moreover, the fairness objective integrated into the reward function successfully facilitated equitable airspace usage among various UAV operators, ensuring there were no significant biases toward any particular group, operator, or company. This indicates that the system's decisions are balanced and impartial. The concept will be validated to confirm that our system effectively balances the metrics that define fairness, which may be specific to airspace management. Fairness could be measured by factors such as the amount of delay introduced due to regulation, the number of flight plan interventions for a given time window or modifications requested, the number of cancellations required, or a combination of these metrics. This fairness metric is incorporated into the prioritization score, establishing an order of precedence among similar types of operations. For example, in the event of a conflict between the flight plans of two logistics drones, the flight plan modification advisory is issued to the drone with the operator has smaller fairness score.

The combination of HRL, reward decomposition, and explainability techniques could fosters trust among stakeholders and supports the practical deployment of the system in real-world UTM environments.

4. CHALLENGES AND FUTURE DIRECTIONS FOR AI INTEGRATION IN U-SPACE

The application of artificial intelligence for autonomous route management and deconfliction in U-Space faces technical, operational, regulatory, and ethical challenges. This section explores these challenges and proposes future research directions that may contribute to the evolution and acceptance of these technologies in complex UAV operation scenarios.

4.1 Technical and Operational Challenges

Because urban areas with high traffic densities are dynamic and unpredictable, implementing AI in U-Space poses several operational and technical obstacles. One of the primary challenges is the requirement to create reliable algorithms that can function well in various circumstances, where things like bad weather, obstructions, and unforeseen interferences may harm performance. In order to overcome these obstacles, recent research has looked at sophisticated reinforcement learning strategies and adaptive approaches. For example, techniques such as the Q-learning algorithm and swarm-based trajectory optimization algorithms have demonstrated a potential to increase resilience and adaptability in uncertain settings (Laoula et al., 2022; Thouchamongkol et al., 2024).

The explainability of autonomous judgments is another important issue. AI choices in air traffic situations must be clear and intelligible to regulators and operators. Adoption resistance may result from a lack of explainability, particularly in operational failures. Fuzzy logic models and black-box algorithms monitored with safety parameters

have been studied to offer explainable AI, enabling the auditability and better understanding of decisions made by AI systems (Hamilton et al., 2021; Siewert et al., 2019).

Scalability is also fundamental in environments with multiple UAVs operating simultaneously. Advanced algorithms that integrate hybrid optimization methods, such as ant colony algorithms and energy optimization-based algorithms, are needed to ensure that real-time deconfliction in large-scale operations can occur without overloading computational resources (Alkahtani et al., 2024; Almalki and Angelides, 2023).

4.2 Regulatory and Ethical Implications

To fully deploy AI in U-Space, ethical and regulatory obstacles must be cautiously addressed. Autonomous UAV systems must adhere to public safety regulations, according to regulators. For instance, the Artificial Intelligence Act (European Parliament and Council of the European Union, 2024) of the European Union establishes stringent rules for applying AI in vital industries while fostering openness, governance, and data security. These rules are meant to guarantee that AI systems are reliable, auditable, and considerate of the rights of citizens.

Furthermore, drones may also inadvertently infringe on privacy, which is a serious concern in urban areas. To protect the privacy of data handled by UAVs, AI used in traffic monitoring and deconfliction must adhere to strict privacy standards. Responsibilities in situations involving autonomous UAVs should also be considered. To guarantee safe and legally feasible operations, it is crucial to specify exactly who is in charge—the operator, the drone manufacturer, or the AI algorithm developer.

5. CONCLUSION

This study has explored the challenges and potential of applying artificial intelligence to support autonomous UAV operations in U-Space, mainly through strategic and tactical deconfliction and flight plan approval mechanisms. With methods like machine learning and optimization algorithms offering the flexibility and scalability needed for high-density, dynamic situations, the results highlight the significance of AI as a crucial enabler for improving safety and efficiency in urban airspaces. Additionally, the study highlights the importance of explainable AI (XAI) and regulatory alignment to ensure transparency, safety, and public acceptance of autonomous UAV operations.

The AI4HyDrop project is an example of how AI-driven solutions may promote an equitable, ecologically responsible, and operationally effective airspace structure by addressing the integration problems presented by U-Space. AI4HyDrop shows that expanding UAV operations is feasible by emphasizing strategic conflict management and autonomous flight plan approval. It lays the groundwork for future studies on ethical AI applications in urban airspace management.

In addressing the central research question, "How can artificial intelligence techniques be integrated to optimize the autonomous approval of drone flight plans with strategic and tactical deconfliction mechanisms that ensure safe and efficient routes in dense traffic environments?" this work underscores the transformative potential of AI in meeting the evolving demands of UAV operations. Continued investment in resilient and explainable AI and closer collaboration between AI researchers, regulators, and urban planners will be essential for successfully integrating UAVs into increasingly complex airspace environments.

REFERENCES

Alkahtani, H.K., Mahgoub, H., Alotaibi, F.A., Othman, K.M., Allafi, R., and Salama, A.S. (2024). Design of hybrid snake optimizer based route selection approach for unmanned aerial vehicles communication. *IEEE Access*, 12, 54426–54434. doi:10.1109/ACCESS.2024.3383031.

Almalki, F.A. and Angelides, M.C. (2023). Deployment of an autonomous fleet of uavs for assessing the ndvi of regenerative farming. In *2023 International Conference on Intelligent Computing, Communication, Networking and Services (ICCNS)*, 128–135. doi:10.1109/ICCNS58795.2023.10193565.

Druce, J., Harradon, M., and Tittle, J. (2021). Explainable artificial intelligence (xai) for increasing user trust in deep reinforcement learning driven autonomous systems. *arXiv*. doi:10.48550/arxiv.2106.03775.

European Parliament and Council of the European Union (2024). Regulation (eu) 2024/1689 of the european parliament and of the council of 13 june 2024 on harmonised rules on artificial intelligence and amending various eu regulations and directives. URL `http://data.europa.eu/eli/reg/2024/1689/oj`. (Text with EEA relevance).

Evans, A.D., Egorov, M., and Munn, S. (2020). Fairness in decentralized strategic deconfliction in utm. In *AIAA Scitech 2020 Forum*. doi:10.2514/6.2020-2203.

Fremond, R., Xu, Y., and Inalhan, G. (2022). Application of an autonomous multi-agent system using proximal policy optimisation for tactical deconfliction within the urban airspace. In *2022 IEEE/AIAA 41st Digital Avionics Systems Conference (DASC)*, 1–10. doi:10.1109/DASC55683.2022.9925730.

Fukushima, K., Nishi, T., and Liu, Z. (2023). A combined deep q-network and graph search for three dimensional route planning problems for multiple mobile robots. In *2023 IEEE 19th International Conference on Automation Science and Engineering (CASE)*, 1–6. doi:10.1109/CASE56687.2023.10260638.

Gohar, U. et al. (2024). Towards engineering fair and equitable software systems for managing low-altitude airspace authorizations. *arXiv*. doi:10.48550/arxiv.2401.07353.

Gunning, D., Stefik, M., Choi, J., Miller, T., Stumpf, S., and Yang, G.Z. (2019). Xai—explainable artificial intelligence. *Science robotics*, 4(37), eaay7120.

Hamilton, D., Watkins, L., Zanlongo, S., Leeper, C., Sleight, R., Silbermann, J., and Kornegay, K. (2021). Assuring autonomous uas traffic management systems using explainable, fuzzy logic, black box monitoring. In *2021 10th International Conference on Information and Automation for Sustainability (ICIAfS)*, 470–476. doi:10.1109/ICIAfS52090.2021.9605908.

He, Q., Wang, R., Wang, Z., and Wang, Y. (2023). A dynamic trajectory planning algorithm for urban ultra-low altitude uavs based on a fusion heuristic algorithm.

In *2023 6th International Conference on Artificial Intelligence and Big Data (ICAIBD)*, 148–153. doi:10.1109/ICAIBD57115.2023.10206341.

Hou, X., Liu, F., Wang, R., and Yu, Y. (2020). A uav dynamic path planning algorithm. In *2020 35th Youth Academic Annual Conference of Chinese Association of Automation (YAC)*, 127–131. doi:10.1109/YAC51587.2020.9337581.

Huang, C., Fei, J., and Deng, W. (2020). A novel route planning method of fixed-wing unmanned aerial vehicle based on improved qpso. *IEEE Access*, 8, 65071–65084. doi:10.1109/ACCESS.2020.2984236.

Kumar, S., Vishal, M., and Ravi, V. (2022). Explainable reinforcement learning on financial stock trading using shap. *arXiv preprint arXiv:2208.08790*.

Laoula, E.M.B., Elfahim, O., Youssfi, M., and Bouattane, O. (2022). Drone path optimization in complex environment based on q-learning algorithm. In *2022 International Conference on Intelligent Systems and Computer Vision (ISCV)*, 1–7. doi:10.1109/ISCV54655.2022.9806077.

Lemaire, J. (1991). Cooperative game theory and its insurance applications. *ASTIN Bulletin: The Journal of the IAA*, 21(1), 17–40.

Li, H. and Wu, H. (2023). Multi-strategy synthesis based artificial bee colony algorithm for uav path replanning. In *2023 5th International Conference on Artificial Intelligence and Computer Applications (ICAICA)*, 442–448. doi:10.1109/ICAICA58456.2023.10405637.

Lundberg, S. (2017). A unified approach to interpreting model predictions. *arXiv preprint arXiv:1705.07874*.

Ma, Y. and Liu, H. (2022). Self-organized uav cluster trajectory planning method based on ant colony algorithm. In *2022 4th International Conference on Applied Machine Learning (ICAML)*, 1–4. doi:10.1109/ICAML57167.2022.00040.

Muzammul, M., Assam, M., Ghadi, Y.Y., Innab, N., Alajmi, M., and Alahmadi, T.J. (2024). Ir-qla: Machine learning-based q-learning algorithm optimization for uavs faster trajectory planning by instructed- reinforcement learning. *IEEE Access*, 12, 91300–91315. doi:10.1109/ACCESS.2024.3420169.

Nguyen, X.P.P., Ruseno, N., Chagas, F.S., and Aurilla Arntzen Bechina, A. (2024). A survey of ai-based models for uavs' intelligent control for deconfliction. In *2024 10th International Conference on Control, Decision and Information Technologies (CoDIT)*, 2705–2710. doi:10.1109/CoDIT62066.2024.10708243.

Onyekpe, U., Lu, Y., Apostolopoulou, E., Palade, V., Eyo, E.U., and Kanarachos, S. (2022). Explainable machine learning for autonomous vehicle positioning using shap. In *Explainable AI: Foundations, Methodologies and Applications*, 157–183. Springer.

Paneru, B., Paneru, B., Sapkota, S.C., and Poudyal, R. (2024). Enhancing healthcare with ai: Sustainable ai and iot-powered ecosystem for patient aid and interpretability analysis using shap. *Measurement: Sensors*, 36, 101305.

Paul, S., Patterson, S., and Varela, C.A. (2019). Conflict-aware flight planning for avoiding near mid-air collisions. In *2019 IEEE/AIAA 38th Digital Avionics Systems Conference (DASC)*, 1–10. doi:10.1109/DASC43569.2019.9081658.

Ruseno, N. and Lin, C.Y. (2024). Real-time uav trajectory prediction for utm surveillance using machine learning. *Unmanned Systems*, 1–15. doi:https://doi.org/10.1142/S230138502550030X.

Ruseno, N., Lin, C.Y., and Guan, W.L. (2023). Flight test analysis of utm conflict detection based on a network remote id using a random forest algorithm. *drones*, 7(7), 436. doi:https://doi.org/10.3390/drones7070436.

Sai, S., Garg, A., Jhawar, K., Chamola, V., and Sikdar, B. (2023). A comprehensive survey on artificial intelligence for unmanned aerial vehicles. *IEEE Open Journal of Vehicular Technology*, 4, 713–738. doi:10.1109/OJVT.2023.3316181.

Saraf, A.P. et al. (2020). Explainable artificial intelligence for aviation safety applications. In *AIAA AVIATION 2020 FORUM*. doi:10.2514/6.2020-2881.

Siewert, S., Sampigethaya, K., Buchholz, J., and Rizor, S. (2019). Fail-safe, fail-secure experiments for small uas and uam traffic in urban airspace. In *2019 IEEE/AIAA 38th Digital Avionics Systems Conference (DASC)*, 1–7. doi:10.1109/DASC43569.2019.9081710.

Suyal, P., Gola, K.K., Kanauzia, R., Dutt, S., Mridula, and Mohan, L. (2023). Deep learning for unmanned aerial vehicles: Advancements, applications, challenges, and future directions. In *2023 10th IEEE Uttar Pradesh Section International Conference on Electrical, Electronics and Computer Engineering (UPCON)*, volume 10, 499–503. doi:10.1109/UPCON59197.2023.10434789.

Thomas, D.G. et al. (2021). Interpretable uav collision avoidance using deep reinforcement learning. *arXiv*. doi:10.48550/arxiv.2105.12254.

Thouchamongkol, A., Chen, H.Y., Wang, Y.H., Dinh Dai, Q.T., and Nguyen, V.L. (2024). Dragfly: Joint threat object detection and uav trajectory planning in hostile environments. In *2024 IEEE 99th Vehicular Technology Conference (VTC2024-Spring)*, 1–5. doi:10.1109/VTC2024-Spring62846.2024.10683537.

Undertaking, S.J. (2017). *U-space Blueprint*. Publications Office of the European Union, Luxembourg. doi:10.2829/335092. URL `https://www.sesarju.eu/u-space-blueprint`. Printed by Bietlot in Belgium. Manuscript completed in 2017.

Watkins, L., Sarfaraz, N., Zanlongo, S., Silbermann, J., Young, T., and Sleight, R. (2021). An investigative study into an autonomous uas traffic management system for congested airspace safety. In *2021 IEEE International Conference on Communications Workshops (ICC Workshops)*, 1–6. doi:10.1109/ICCWorkshops50388.2021.9473838.