



Steps for the local verification of scripts

Steps for the Customer

1. Unzip the Folder

- Unzip the `confirm-scripts` folder to your desired location.

2. Run the `setup.sh` Script

- Navigate to the `confirm-scripts` directory.
- Change the variables in `setup.sh` to your actual config
- Execute the `setup.sh` script to set up the necessary environment variables:
- NOTE: Its necessary to use source command because that loads the env variables needed

```
source setup.sh
```

3. Add the Generated Certificate to the Keychain and Trust It Locally

- Locate the generated `cert.pem` and `key.pem` files in the `confirm-scripts` directory.

- Trust the certificate locally by following the instructions specific to your operating system (e.g., on macOS, use Keychain Access to add and make sure to [trust the certificate](#)).
- NOTE: This step is super important to make the scripts function

4. Run `authServer.go` with the Right Parameters

- Ensure you have the necessary environment variables set in setup.sh (e.g., `OAUTH_URL`, `CLIENT_ID`, `CLIENT_SECRET`, `AZURE_ENDPOINT`).
- Start the authentication server:

```
go run authServer.go
```

- NOTE: IF you can't install all the golang stuff I have also attached prebuilt binaries that you can run so you can do `./authServer.go` to run the script

5. Run `azureStreamGpt4.go` with the Right Parameters

- Ensure you have the correct `deployment name` set so that it refers to the right model
- NOTE: IF you can't install all the golang stuff I have also attached prebuilt binaries that you can run so you can do `./azureStreamGpt4 -model gpt-4o-test` to run the script with the specified model

If everything goes well you will get a response from the LLM from this script and that would confirm if our solution would work for you.