

Skill-IR 语义复核 原文附册

六份真实 Skill 固定提交快照的全部可读取文本

提交 49f948faa9258a0c61caceaf225e179651397431

本册通过当前生产加载器取得文本，逐文件、逐行完整呈现。灰底区为原文，左侧数字是文件原始行号；> 表示同一原始行的续行。代码采用 9 pt 字号并按页面宽度换行，不截断长行。制表符按 4 列展开。Markdown 表格保留原始表头、分隔符及行内容。

每个文件从新页开始，页眉持续显示样例编号，页脚显示当前文件路径。二进制或不可解码文件只列清单，不进行 OCR；包外链接不自动下载。源文件字节及来源 manifest 是最终核对依据。本册不执行任何包内指令、代码、部署或 API 调用。

每条事实初始状态为“待共同复核”。本册只提供原文，不包含模型输出或语义通过结论。

目录

R01 pdf 3

R02 playwright 11

R03 gh-fix-ci 28

R04 netlify-deploy 47

R05 linear 74

R06 transcribe 84

R01 pdf

R01 | 真实 Skill | 原始快照 | 开发集 | en

包路径: inputs/upstream/pdf

文件共 4 份；当前加载器可读取 3 份。

包内文件	字节数	读取状态
LICENSE.txt	10776	完整文本
SKILL.md	2517	完整文本
agents/openai.yaml	219	完整文本
assets/pdf.png	1312	未读取：二进制/解码边界

R01 原文文件

LICENSE.txt

UTF-8 解码文本 | 10776 字节 | 201 行

```
1  Apache License
2  Version 2.0, January 2004
3  http://www.apache.org/licenses/
4
5  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
6
7  1. Definitions.
8
9      "License" shall mean the terms and conditions for use, reproduction,
10     and distribution as defined by Sections 1 through 9 of this document.
11
12     "Licensor" shall mean the copyright owner or entity authorized by
13     the copyright owner that is granting the License.
14
15     "Legal Entity" shall mean the union of the acting entity and all
16     other entities that control, are controlled by, or are under common
17     control with that entity. For the purposes of this definition,
18     "control" means (i) the power, direct or indirect, to cause the
19     direction or management of such entity, whether by contract or
20     otherwise, or (ii) ownership of fifty percent (50%) or more of the
21     outstanding shares, or (iii) beneficial ownership of such entity.
22
23     "You" (or "Your") shall mean an individual or Legal Entity
24     exercising permissions granted by this License.
25
26     "Source" form shall mean the preferred form for making modifications,
27     including but not limited to software source code, documentation
28     source, and configuration files.
29
30     "Object" form shall mean any form resulting from mechanical
31     transformation or translation of a Source form, including but
32     not limited to compiled object code, generated documentation,
33     and conversions to other media types.
34
35     "Work" shall mean the work of authorship, whether in Source or
36     Object form, made available under the License, as indicated by a
37     copyright notice that is included in or attached to the work
38     (an example is provided in the Appendix below).
39
40     "Derivative Works" shall mean any work, whether in Source or Object
41     form, that is based on (or derived from) the Work and for which the
42     editorial revisions, annotations, elaborations, or other modifications
43     represent, as a whole, an original work of authorship. For the purposes
44     of this License, Derivative Works shall not include works that remain
45     separable from, or merely link (or bind by name) to the interfaces of,
46     the Work and Derivative Works thereof.
47
48     "Contribution" shall mean any work of authorship, including
49     the original version of the Work and any modifications or additions
```

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

162 other commercial damages or losses), even if such Contributor
163 has been advised of the possibility of such damages.
164

165 9. Accepting Warranty or Additional Liability. While redistributing
166 the Work or Derivative Works thereof, You may choose to offer,
167 and charge a fee for, acceptance of support, warranty, indemnity,
168 or other liability obligations and/or rights consistent with this
169 License. However, in accepting such obligations, You may act only
170 on Your own behalf and on Your sole responsibility, not on behalf of
171 any other Contributor, and only if You agree to indemnify,
172 defend, and hold each Contributor harmless for any liability
173 incurred by, or claims asserted against, such Contributor by reason
174 of your accepting any such warranty or additional liability.
175

176 END OF TERMS AND CONDITIONS
177

178 APPENDIX: How to apply the Apache License to your work.
179

180 To apply the Apache License to your work, attach the following
181 boilerplate notice, with the fields enclosed by brackets "[]"
182 replaced with your own identifying information. (Don't include
183 the brackets!) The text should be enclosed in the appropriate
184 comment syntax for the file format. We also recommend that a
185 file or class name and description of purpose be included on the
186 same "printed page" as the copyright notice for easier
187 identification within third-party archives.
188

189 Copyright [yyyy] [name of copyright owner]
190

191 Licensed under the Apache License, Version 2.0 (the "License");
192 you may not use this file except in compliance with the License.
193 You may obtain a copy of the License at
194

195 <http://www.apache.org/licenses/LICENSE-2.0>
196

197 Unless required by applicable law or agreed to in writing, software
198 distributed under the License is distributed on an "AS IS" BASIS,
199 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
200 See the License for the specific language governing permissions and
201 limitations under the License.

R01 原文文件

SKILL.md

UTF-8 解码文本 | 2517 字节 | 67 行

```
1  ---
2  name: "pdf"
3  description: "Use when tasks involve reading, creating, or reviewing PDF files where renderi
> ng and layout matter; prefer visual checks by rendering pages (Poppler) and use Python tools
> such as `reportlab`, `pdfplumber`, and `pypdf` for generation and extraction."
4  ---
5
6
7  # PDF Skill
8
9  ## When to use
10 - Read or review PDF content where layout and visuals matter.
11 - Create PDFs programmatically with reliable formatting.
12 - Validate final rendering before delivery.
13
14 ## Workflow
15 1. Prefer visual review: render PDF pages to PNGs and inspect them.
16   - Use `pdftoppm` if available.
17   - If unavailable, install Poppler or ask the user to review the output locally.
18 2. Use `reportlab` to generate PDFs when creating new documents.
19 3. Use `pdfplumber` (or `pypdf`) for text extraction and quick checks; do not rely on it for
> layout fidelity.
20 4. After each meaningful update, re-render pages and verify alignment, spacing, and legibili
> ty.
21
22 ## Temp and output conventions
23 - Use `tmp/pdfs/` for intermediate files; delete when done.
24 - Write final artifacts under `output/pdf/` when working in this repo.
25 - Keep filenames stable and descriptive.
26
27 ## Dependencies (install if missing)
28 Prefer `uv` for dependency management.
29
30 Python packages:
31 ```
32 uv pip install reportlab pdfplumber pypdf
33 ```
34 If `uv` is unavailable:
35 ```
36 python3 -m pip install reportlab pdfplumber pypdf
37 ```
38 System tools (for rendering):
39 ```
40 # macOS (Homebrew)
41 brew install poppler
42
43 # Ubuntu/Debian
44 sudo apt-get install -y poppler-utils
45 ```
```

```
46
47 If installation isn't possible in this environment, tell the user which dependency is missin
> g and how to install it locally.
48
49 ## Environment
50 No required environment variables.
51
52 ## Rendering command
53 ```
54 pdftoppm -png $INPUT_PDF $OUTPUT_PREFIX
55 ```
56
57 ## Quality expectations
58 - Maintain polished visual design: consistent typography, spacing, margins, and section hier
> archy.
59 - Avoid rendering issues: clipped text, overlapping elements, broken tables, black squares,
> or unreadable glyphs.
60 - Charts, tables, and images must be sharp, aligned, and clearly labeled.
61 - Use ASCII hyphens only. Avoid U+2011 (non-breaking hyphen) and other Unicode dashes.
62 - Citations and references must be human-readable; never leave tool tokens or placeholder st
> rings.
63
64 ## Final checks
65 - Do not deliver until the latest PNG inspection shows zero visual or formatting defects.
66 - Confirm headers/footers, page numbering, and section transitions look polished.
67 - Keep intermediate files organized or remove them after final approval.
```

R01 原文文件

agents/openai.yaml

UTF-8 解码文本 | 219 字节 | 5 行

```
1 interface:
2   display_name: "PDF Skill"
3   short_description: "Create, edit, and review PDFs"
4   icon_large: "./assets/pdf.png"
5   default_prompt: "Create, edit, or review this PDF and summarize the key output or changes."
> "
```

R02 playwright

R02 | 真实 Skill | 原始快照 | 开发集 | en

包路径: inputs/upstream/playwright

文件共 9 份；当前加载器可读取 8 份。

包内文件	字节数	读取状态
LICENSE.txt	11552	完整文本
NOTICE.txt	403	完整文本
SKILL.md	3771	完整文本
agents/openai.yaml	313	完整文本
assets/playwright-small.svg	828	完整文本
assets/playwright.png	1730	未读取：二进制/解码边界
references/cli.md	1863	完整文本
references/workflows.md	1864	完整文本
scripts/playwright_cli.sh	526	完整文本

R02 原文文件

LICENSE.txt

UTF-8 解码文本 | 11552 字节 | 201 行

```
1           Apache License
2           Version 2.0, January 2004
3           http://www.apache.org/licenses/
4
5  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
6
7  1. Definitions.
8
9      "License" shall mean the terms and conditions for use, reproduction,
10     and distribution as defined by Sections 1 through 9 of this document.
11
12     "Licensor" shall mean the copyright owner or entity authorized by
13     the copyright owner that is granting the License.
14
15     "Legal Entity" shall mean the union of the acting entity and all
16     other entities that control, are controlled by, or are under common
17     control with that entity. For the purposes of this definition,
18     "control" means (i) the power, direct or indirect, to cause the
19     direction or management of such entity, whether by contract or
20     otherwise, or (ii) ownership of fifty percent (50%) or more of the
21     outstanding shares, or (iii) beneficial ownership of such entity.
22
23     "You" (or "Your") shall mean an individual or Legal Entity
24     exercising permissions granted by this License.
25
26     "Source" form shall mean the preferred form for making modifications,
27     including but not limited to software source code, documentation
28     source, and configuration files.
29
30     "Object" form shall mean any form resulting from mechanical
31     transformation or translation of a Source form, including but
32     not limited to compiled object code, generated documentation,
33     and conversions to other media types.
34
35     "Work" shall mean the work of authorship, whether in Source or
36     Object form, made available under the License, as indicated by a
37     copyright notice that is included in or attached to the work
38     (an example is provided in the Appendix below).
39
40     "Derivative Works" shall mean any work, whether in Source or Object
41     form, that is based on (or derived from) the Work and for which the
42     editorial revisions, annotations, elaborations, or other modifications
43     represent, as a whole, an original work of authorship. For the purposes
44     of this License, Derivative Works shall not include works that remain
45     separable from, or merely link (or bind by name) to the interfaces of,
46     the Work and Derivative Works thereof.
47
48     "Contribution" shall mean any work of authorship, including
49     the original version of the Work and any modifications or additions
```

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

162 other commercial damages or losses), even if such Contributor
163 has been advised of the possibility of such damages.
164

165 9. Accepting Warranty or Additional Liability. While redistributing
166 the Work or Derivative Works thereof, You may choose to offer,
167 and charge a fee for, acceptance of support, warranty, indemnity,
168 or other liability obligations and/or rights consistent with this
169 License. However, in accepting such obligations, You may act only
170 on Your own behalf and on Your sole responsibility, not on behalf
171 of any other Contributor, and only if You agree to indemnify,
172 defend, and hold each Contributor harmless for any liability
173 incurred by, or claims asserted against, such Contributor by reason
174 of your accepting any such warranty or additional liability.
175

176 END OF TERMS AND CONDITIONS
177

178 APPENDIX: How to apply the Apache License to your work.
179

180 To apply the Apache License to your work, attach the following
181 boilerplate notice, with the fields enclosed by brackets "[]"
182 replaced with your own identifying information. (Don't include
183 the brackets!) The text should be enclosed in the appropriate
184 comment syntax for the file format. We also recommend that a
185 file or class name and description of purpose be included on the
186 same "printed page" as the copyright notice for easier
187 identification within third-party archives.
188

189 Copyright (c) Microsoft Corporation.
190

191 Licensed under the Apache License, Version 2.0 (the "License");
192 you may not use this file except in compliance with the License.
193 You may obtain a copy of the License at
194
195 <http://www.apache.org/licenses/LICENSE-2.0>
196

197 Unless required by applicable law or agreed to in writing, software
198 distributed under the License is distributed on an "AS IS" BASIS,
199 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
200 See the License for the specific language governing permissions and
201 limitations under the License.

R02 原文文件

NOTICE.txt

UTF-8 解码文本 | 403 字节 | 14 行

```
1 This skill includes material derived from the Microsoft playwright-cli repository.
2
3 Source:
4 - Repository: microsoft/playwright-cli
5 - Path: skills/playwright-cli/SKILL.md
6
7 Copyright (c) Microsoft Corporation.
8
9 Licensed under the Apache License, Version 2.0.
10 See LICENSE.txt in this directory.
11
12 Modifications:
13 - Adapted for the Codex skill collection.
14 - Added a wrapper script and local reference guides.
```

R02 原文文件

SKILL.md

UTF-8 解码文本 | 3771 字节 | 147 行

```
1  ---
2  name: "playwright"
3  description: "Use when the task requires automating a real browser from the terminal (naviga
> tion, form filling, snapshots, screenshots, data extraction, UI-flow debugging) via `playwri
> ght-cli` or the bundled wrapper script."
4  ---
5
6
7  # Playwright CLI Skill
8
9  Drive a real browser from the terminal using `playwright-cli`. Prefer the bundled wrapper sc
> ript so the CLI works even when it is not globally installed.
10 Treat this skill as CLI-first automation. Do not pivot to `@playwright/test` unless the user
> explicitly asks for test files.
11
12 ## Prerequisite check (required)
13
14 Before proposing commands, check whether `npx` is available (the wrapper depends on it):
15
16 ```bash
17 command -v npx >/dev/null 2>&1
18 ```
19
20 If it is not available, pause and ask the user to install Node.js/npm (which provides `npx`)
> . Provide these steps verbatim:
21
22 ```bash
23 # Verify Node/npm are installed
24 node --version
25 npm --version
26
27 # If missing, install Node.js/npm, then:
28 npm install -g @playwright/cli@latest
29 playwright-cli --help
30 ```
31
32 Once `npx` is present, proceed with the wrapper script. A global install of `playwright-cli`
> is optional.
33
34 ## Skill path (set once)
35
36 ```bash
37 export CODEX_HOME="${CODEX_HOME:-$HOME/.codex}"
38 export PWCLI="$CODEX_HOME/skills/playwright/scripts/playwright_cli.sh"
39 ```
40
41 User-scoped skills install under `$CODEX_HOME/skills` (default: `~/codex/skills`).
42
43 ## Quick start
```

```
44
45 Use the wrapper script:
46
47 ```bash
48 "$PWCLI" open https://playwright.dev --headed
49 "$PWCLI" snapshot
50 "$PWCLI" click e15
51 "$PWCLI" type "Playwright"
52 "$PWCLI" press Enter
53 "$PWCLI" screenshot
54 ```
55
56 If the user prefers a global install, this is also valid:
57
58 ```bash
59 npm install -g @playwright/cli@latest
60 playwright-cli --help
61 ```
62
63 ## Core workflow
64
65 1. Open the page.
66 2. Snapshot to get stable element refs.
67 3. Interact using refs from the latest snapshot.
68 4. Re-snapshot after navigation or significant DOM changes.
69 5. Capture artifacts (screenshot, pdf, traces) when useful.
70
71 Minimal loop:
72
73 ```bash
74 "$PWCLI" open https://example.com
75 "$PWCLI" snapshot
76 "$PWCLI" click e3
77 "$PWCLI" snapshot
78 ```
79
80 ## When to snapshot again
81
82 Snapshot again after:
83
84 - navigation
85 - clicking elements that change the UI substantially
86 - opening/closing modals or menus
87 - tab switches
88
89 Refs can go stale. When a command fails due to a missing ref, snapshot again.
90
91 ## Recommended patterns
92
93 ### Form fill and submit
94
95 ```bash
96 "$PWCLI" open https://example.com/form
97 "$PWCLI" snapshot
98 "$PWCLI" fill e1 "user@example.com"
99 "$PWCLI" fill e2 "password123"
```

```
100 "$PWCLI" click e3
101 "$PWCLI" snapshot
102 ```
103
104 ### Debug a UI flow with traces
105
106 ```bash
107 "$PWCLI" open https://example.com --headed
108 "$PWCLI" tracing-start
109 # ...interactions...
110 "$PWCLI" tracing-stop
111 ```
112
113 ### Multi-tab work
114
115 ```bash
116 "$PWCLI" tab-new https://example.com
117 "$PWCLI" tab-list
118 "$PWCLI" tab-select 0
119 "$PWCLI" snapshot
120 ```
121
122 ## Wrapper script
123
124 The wrapper script uses `npx --package @playwright/cli playwright-cli` so the CLI can run without a global install:
125 >
126 ```bash
127 "$PWCLI" --help
128 ```
129
130 Prefer the wrapper unless the repository already standardizes on a global install.
131
132 ## References
133
134 Open only what you need:
135
136 - CLI command reference: `references/cli.md`
137 - Practical workflows and troubleshooting: `references/workflows.md`
138
139 ## Guardrails
140
141 - Always snapshot before referencing element ids like `e12`.
142 - Re-snapshot when refs seem stale.
143 - Prefer explicit commands over `eval` and `run-code` unless needed.
144 - When you do not have a fresh snapshot, use placeholder refs like `eX` and say why; do not
145 > bypass refs with `run-code`.
146 - Use `--headed` when a visual check will help.
147 - When capturing artifacts in this repo, use `output/playwright/` and avoid introducing new
148 > top-level artifact folders.
149 - Default to CLI commands and workflows, not Playwright test specs.
```

R02 原文文件

agents/openai.yaml

UTF-8 解码文本 | 313 字节 | 6 行

```
1 interface:
2   display_name: "Playwright CLI Skill"
3   short_description: "Automate real browsers from the terminal"
4   icon_small: "./assets/playwright-small.svg"
5   icon_large: "./assets/playwright.png"
6   default_prompt: "Automate this browser workflow with Playwright and produce a reliable scr
> ipt with run steps."
```

R02 原文文件

assets/playwright-small.svg

UTF-8 解码文本 | 828 字节 | 3 行

```
1 <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" viewBox="
> 0 0 16 16">
2   <path d="m8.55 7.568.124.028 5.16 1.548.137.054c.606.294.645 1.165.068 1.512l-.133.066-2.2
> 36.894-.894 2.236c-.285.713-1.263.714-1.578.065l-.054-.138-1.548-5.16a.866.866 0 0 1 .954-1.
> 105ZM10 12.983l.715-1.787.037-.08a.865.865 0 0 1 .445-.402l12.983 10 8.721 8.721l1.278 4.262Z
> M4.723 10.38a.532.532 0 0 1 .752.752l-1.414 1.414a.532.532 0 1 1-.752-.752l1.414-1.414ZM2.27
> 5.861l.932.517.1.039a.533.533 0 0 1-.269 1.007l-.106-.018-1.932-.517-.101-.039a.532.532 0 0
> 1 .27-1.006l.106.017Zm9.608-2.62a.532.532 0 0 1 .668.821-1.414 1.414a.532.532 0 1 1-.752-.7
> 52l1.414-1.414.084-.068ZM6.237 1.618a.532.532 0 0 1 .652.377l1.518 1.932.017.106a.533.533 0 0
> 1-1.007.271-.039-.101-.517-1.932-.017-.106a.532.532 0 0 1 .393-.546Z"/>
3 </svg>
```

R02 原文文件

references/cli.md

UTF-8 解码文本 | 1863 字节 | 116 行

```
1  # Playwright CLI Reference
2
3  Use the wrapper script unless the CLI is already installed globally:
4
5  ```bash
6  export CODEX_HOME="${CODEX_HOME:-$HOME/.codex}"
7  export PWCLI="$CODEX_HOME/skills/playwright/scripts/playwright_cli.sh"
8  "$PWCLI" --help
9  ```
10
11  User-scoped skills install under `"$CODEX_HOME/skills"` (default: `~/.codex/skills`).
12
13  Optional convenience alias:
14
15  ```bash
16  alias pwcli="$PWCLI"
17  ```
18
19  ## Core
20
21  ```bash
22  pwcli open https://example.com
23  pwcli close
24  pwcli snapshot
25  pwcli click e3
26  pwcli dblclick e7
27  pwcli type "search terms"
28  pwcli press Enter
29  pwcli fill e5 "user@example.com"
30  pwcli drag e2 e8
31  pwcli hover e4
32  pwcli select e9 "option-value"
33  pwcli upload ./document.pdf
34  pwcli check e12
35  pwcli uncheck e12
36  pwcli eval "document.title"
37  pwcli eval "e1 => e1.textContent" e5
38  pwcli dialog-accept
39  pwcli dialog-accept "confirmation text"
40  pwcli dialog-dismiss
41  pwcli resize 1920 1080
42  ```
43
44  ## Navigation
45
46  ```bash
47  pwcli go-back
48  pwcli go-forward
49  pwcli reload
```

```
50  ```
51
52  ## Keyboard
53
54  ```bash
55  pwcli press Enter
56  pwcli press ArrowDown
57  pwcli keydown Shift
58  pwcli keyup Shift
59  ```
60
61  ## Mouse
62
63  ```bash
64  pwcli mousemove 150 300
65  pwcli mousedown
66  pwcli mousedown right
67  pwcli mouseup
68  pwcli mouseup right
69  pwcli mousewheel 0 100
70  ```
71
72  ## Save as
73
74  ```bash
75  pwcli screenshot
76  pwcli screenshot e5
77  pwcli pdf
78  ```
79
80  ## Tabs
81
82  ```bash
83  pwcli tab-list
84  pwcli tab-new
85  pwcli tab-new https://example.com/page
86  pwcli tab-close
87  pwcli tab-close 2
88  pwcli tab-select 0
89  ```
90
91  ## DevTools
92
93  ```bash
94  pwcli console
95  pwcli console warning
96  pwcli network
97  pwcli run-code "await page.waitForTimeout(1000)"
98  pwcli tracing-start
99  pwcli tracing-stop
100  ```
101
102  ## Sessions
103
104  Use a named session to isolate work:
105
```

```
106 ```bash
107 pwcli --session todo open https://demo.playwright.dev/todomvc
108 pwcli --session todo snapshot
109 ```
110
111 Or set an environment variable once:
112
113 ```bash
114 export PLAYWRIGHT_CLI_SESSION=todo
115 pwcli open https://demo.playwright.dev/todomvc
116 ```
```

R02 原文文件

references/workflows.md

UTF-8 解码文本 | 1864 字节 | 95 行

```
1 # Playwright CLI Workflows
2
3 Use the wrapper script and snapshot often.
4 Assume `PWCLI` is set and `pwcli` is an alias for `"$PWCLI"`.
5 In this repo, run commands from `output/playwright/<label>/` to keep artifacts contained.
6
7 ## Standard interaction loop
8
9 ```bash
10 pwcli open https://example.com
11 pwcli snapshot
12 pwcli click e3
13 pwcli snapshot
14 ```
15
16 ## Form submission
17
18 ```bash
19 pwcli open https://example.com/form --headed
20 pwcli snapshot
21 pwcli fill e1 "user@example.com"
22 pwcli fill e2 "password123"
23 pwcli click e3
24 pwcli snapshot
25 pwcli screenshot
26 ```
27
28 ## Data extraction
29
30 ```bash
31 pwcli open https://example.com
32 pwcli snapshot
33 pwcli eval "document.title"
34 pwcli eval "el => el.textContent" e12
35 ```
36
37 ## Debugging and inspection
38
39 Capture console messages and network activity after reproducing an issue:
40
41 ```bash
42 pwcli console warning
43 pwcli network
44 ```
45
46 Record a trace around a suspicious flow:
47
48 ```bash
49 pwcli tracing-start
```

```
50 # reproduce the issue
51 pwcli tracing-stop
52 pwcli screenshot
53 ```
54
55 ## Sessions
56
57 Use sessions to isolate work across projects:
58
59 ```bash
60 pwcli --session marketing open https://example.com
61 pwcli --session marketing snapshot
62 pwcli --session checkout open https://example.com/checkout
63 ```
64
65 Or set the session once:
66
67 ```bash
68 export PLAYWRIGHT_CLI_SESSION=checkout
69 pwcli open https://example.com/checkout
70 ```
71
72 ## Configuration file
73
74 By default, the CLI reads `playwright-cli.json` from the current directory. Use `--config` to point at a specific file.
75
76 Minimal example:
77
78 ```json
79 {
80   "browser": {
81     "launchOptions": {
82       "headless": false
83     },
84     "contextOptions": {
85       "viewport": { "width": 1280, "height": 720 }
86     }
87   }
88 }
89 ```
90
91 ## Troubleshooting
92
93 - If an element ref fails, run `pwcli snapshot` again and retry.
94 - If the page looks wrong, re-open with `--headed` and resize the window.
95 - If a flow depends on prior state, use a named `--session`.
```

R02 原文文件

scripts/playwright_cli.sh

UTF-8 解码文本 | 526 字节 | 25 行

```
1  #!/usr/bin/env bash
2  set -euo pipefail
3
4  if ! command -v npx >/dev/null 2>&1; then
5      echo "Error: npx is required but not found on PATH." >&2
6      exit 1
7  fi
8
9  has_session_flag="false"
10 for arg in "$@"; do
11     case "$arg" in
12         --session|--session=*)
13             has_session_flag="true"
14             break
15         ;;
16     esac
17 done
18
19 cmd=(npx --yes --package @playwright/cli playwright-cli)
20 if [[ "${has_session_flag}" != "true" && -n "${PLAYWRIGHT_CLI_SESSION:-}" ]]; then
21     cmd+=(--session "${PLAYWRIGHT_CLI_SESSION}")
22 fi
23 cmd+=("$@")
24
25 exec "${cmd[@]}"
```

R03 gh-fix-ci

R03 | 真实 Skill | 原始快照 | 开发集 | en

包路径: inputs/upstream/gh-fix-ci

文件共 6 份；当前加载器可读取 5 份。

包内文件	字节数	读取状态
LICENSE.txt	10776	完整文本
SKILL.md	3651	完整文本
agents/openai.yaml	302	完整文本
assets/github-small.svg	853	完整文本
assets/github.png	1838	未读取：二进制/解码边界
scripts/inspect_pr_checks.py	15222	完整文本

R03 原文文件

LICENSE.txt

UTF-8 解码文本 | 10776 字节 | 201 行

```
1 Apache License
2 Version 2.0, January 2004
3 http://www.apache.org/licenses/
4
5 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
6
7 1. Definitions.
8
9 "License" shall mean the terms and conditions for use, reproduction,
10 and distribution as defined by Sections 1 through 9 of this document.
11
12 "Licensor" shall mean the copyright owner or entity authorized by
13 the copyright owner that is granting the License.
14
15 "Legal Entity" shall mean the union of the acting entity and all
16 other entities that control, are controlled by, or are under common
17 control with that entity. For the purposes of this definition,
18 "control" means (i) the power, direct or indirect, to cause the
19 direction or management of such entity, whether by contract or
20 otherwise, or (ii) ownership of fifty percent (50%) or more of the
21 outstanding shares, or (iii) beneficial ownership of such entity.
22
23 "You" (or "Your") shall mean an individual or Legal Entity
24 exercising permissions granted by this License.
25
26 "Source" form shall mean the preferred form for making modifications,
27 including but not limited to software source code, documentation
28 source, and configuration files.
29
30 "Object" form shall mean any form resulting from mechanical
31 transformation or translation of a Source form, including but
32 not limited to compiled object code, generated documentation,
33 and conversions to other media types.
34
35 "Work" shall mean the work of authorship, whether in Source or
36 Object form, made available under the License, as indicated by a
37 copyright notice that is included in or attached to the work
38 (an example is provided in the Appendix below).
39
40 "Derivative Works" shall mean any work, whether in Source or Object
41 form, that is based on (or derived from) the Work and for which the
42 editorial revisions, annotations, elaborations, or other modifications
43 represent, as a whole, an original work of authorship. For the purposes
44 of this License, Derivative Works shall not include works that remain
45 separable from, or merely link (or bind by name) to the interfaces of,
46 the Work and Derivative Works thereof.
47
48 "Contribution" shall mean any work of authorship, including
49 the original version of the Work and any modifications or additions
```

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

162 other commercial damages or losses), even if such Contributor
163 has been advised of the possibility of such damages.
164

165 9. Accepting Warranty or Additional Liability. While redistributing
166 the Work or Derivative Works thereof, You may choose to offer,
167 and charge a fee for, acceptance of support, warranty, indemnity,
168 or other liability obligations and/or rights consistent with this
169 License. However, in accepting such obligations, You may act only
170 on Your own behalf and on Your sole responsibility, not on behalf of
171 any other Contributor, and only if You agree to indemnify,
172 defend, and hold each Contributor harmless for any liability
173 incurred by, or claims asserted against, such Contributor by reason
174 of your accepting any such warranty or additional liability.
175

176 END OF TERMS AND CONDITIONS
177

178 APPENDIX: How to apply the Apache License to your work.
179

180 To apply the Apache License to your work, attach the following
181 boilerplate notice, with the fields enclosed by brackets "[]"
182 replaced with your own identifying information. (Don't include
183 the brackets!) The text should be enclosed in the appropriate
184 comment syntax for the file format. We also recommend that a
185 file or class name and description of purpose be included on the
186 same "printed page" as the copyright notice for easier
187 identification within third-party archives.
188

189 Copyright [yyyy] [name of copyright owner]
190

191 Licensed under the Apache License, Version 2.0 (the "License");
192 you may not use this file except in compliance with the License.
193 You may obtain a copy of the License at
194

195 <http://www.apache.org/licenses/LICENSE-2.0>
196

197 Unless required by applicable law or agreed to in writing, software
198 distributed under the License is distributed on an "AS IS" BASIS,
199 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
200 See the License for the specific language governing permissions and
201 limitations under the License.

R03 原文文件

SKILL.md

UTF-8 解码文本 | 3651 字节 | 69 行

```
1  ---
2  name: "gh-fix-ci"
3  description: "Use when a user asks to debug or fix failing GitHub PR checks that run in GitHub
4  > Actions; use `gh` to inspect checks and logs, summarize failure context, draft a fix plan
5  > , and implement only after explicit approval. Treat external providers (for example Buildkite)
6  > as out of scope and report only the details URL."
7  ---
8
9  # Gh Pr Checks Plan Fix
10
11 ## Overview
12
13 Use gh to locate failing PR checks, fetch GitHub Actions logs for actionable failures, summarize
14 > the failure snippet, then propose a fix plan and implement after explicit approval.
15 - If a plan-oriented skill (for example `create-plan`) is available, use it; otherwise draft
16 > a concise plan inline and request approval before implementing.
17
18 Prereq: authenticate with the standard GitHub CLI once (for example, run `gh auth login`), then
19 > confirm with `gh auth status` (repo + workflow scopes are typically required).
20
21 ## Inputs
22
23 - `repo`: path inside the repo (default `.`)
24 - `pr`: PR number or URL (optional; defaults to current branch PR)
25 - `gh` authentication for the repo host
26
27 ## Quick start
28
29 - `python "<path-to-skill>/scripts/inspect_pr_checks.py" --repo "." --pr "<number-or-url>"`
30 - Add `--json` if you want machine-friendly output for summarization.
31
32 ## Workflow
33
34 1. Verify gh authentication.
35 - Run `gh auth status` in the repo.
36 - If unauthenticated, ask the user to run `gh auth login` (ensuring repo + workflow scopes)
37 > before proceeding.
38 2. Resolve the PR.
39 - Prefer the current branch PR: `gh pr view --json number,url`.
40 - If the user provides a PR number or URL, use that directly.
41 3. Inspect failing checks (GitHub Actions only).
42 - Preferred: run the bundled script (handles gh field drift and job-log fallbacks):
43 - `python "<path-to-skill>/scripts/inspect_pr_checks.py" --repo "." --pr "<number-or-url>"`
44 >
45 - Add `--json` for machine-friendly output.
46 - Manual fallback:
47 - `gh pr checks <pr> --json name,state,bucket,link,startedAt,completedAt,workflow`
48 - If a field is rejected, rerun with the available fields reported by `gh`.
```

```

42     - For each failing check, extract the run id from `detailsUrl` and run:
43     - `gh run view <run_id> --json name,workflowName,conclusion,status,url,event,headBranch,headSha`
44     - `gh run view <run_id> --log`
45     - If the run log says it is still in progress, fetch job logs directly:
46     - `gh api "/repos/<owner>/<repo>/actions/jobs/<job_id>/logs" > "<path>"`
47 4. Scope non-GitHub Actions checks.
48     - If `detailsUrl` is not a GitHub Actions run, label it as external and only report the URL.
49     - Do not attempt Buildkite or other providers; keep the workflow lean.
50 5. Summarize failures for the user.
51     - Provide the failing check name, run URL (if any), and a concise log snippet.
52     - Call out missing logs explicitly.
53 6. Create a plan.
54     - Use the `create-plan` skill to draft a concise plan and request approval.
55 7. Implement after approval.
56     - Apply the approved plan, summarize diffs/tests, and ask about opening a PR.
57 8. Recheck status.
58     - After changes, suggest re-running the relevant tests and `gh pr checks` to confirm.
59
60 ## Bundled Resources
61
62 ### scripts/inspect_pr_checks.py
63
64 Fetch failing PR checks, pull GitHub Actions logs, and extract a failure snippet. Exits non-
65 > zero when failures remain so it can be used in automation.
66
67 Usage examples:
68 - `python "<path-to-skill>/scripts/inspect_pr_checks.py" --repo "." --pr "123"`
69 - `python "<path-to-skill>/scripts/inspect_pr_checks.py" --repo "." --pr "https://github.com
70 > /org/repo/pull/123" --json`
71 - `python "<path-to-skill>/scripts/inspect_pr_checks.py" --repo "." --max-lines 200 --context 40`

```

R03 原文文件

agents/openai.yaml

UTF-8 解码文本 | 302 字节 | 6 行

```
1 interface:
2   display_name: "GitHub Fix CI"
3   short_description: "Debug failing GitHub Actions CI"
4   icon_small: "./assets/github-small.svg"
5   icon_large: "./assets/github.png"
6   default_prompt: "Inspect failing GitHub Actions checks in this repo, summarize root cause,
> and propose a focused fix plan."
```

R03 原文文件

assets/github-small.svg

UTF-8 解码文本 | 853 字节 | 3 行

```
1 <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" viewBox="
> 0 0 16 16">
2   <path fill="currentColor" d="M8 1.3a6.665 6.665 0 0 1 5.413 10.56 6.677 6.677 0 0 1-3.288
> 2.432c-.333.067-.458-.142-.458-.316 0-.226.008-.942.008-1.834 0-.625-.208-1.025-.45-1.233 1.
> 483-.167 3.042-.734 3.042-3.292a2.58 2.58 0 0 0-.684-1.792c.067-.166.3-.85-.066-1.766 0 0-.5
> 59-.184-1.834.683a6.186 6.186 0 0 0-1.666-.225c-.567 0-1.134.075-1.667.225-1.275-.858-1.833-
> .683-1.833-.683-.367.916-.134 1.6-.067 1.766a2.594 2.594 0 0 0-.683 1.792c0 2.55 1.55 3.125
> 3.033 3.292-.192.166-.367.458-.425.891-.383.175-1.342.459-1.942-.55-.125-.2-.5-.691-1.025-.6
> 83-.558.008-.225.317.009.442.283.158.608.75.683.941.133.376.567 1.092 2.242.784 0 .558.008 1
> .083.008 1.242 0 .174-.125.374-.458.316a6.662 6.662 0 0 1-4.559-6.325A6.665 6.665 0 0 1 8 1.
> 3Z"/>
3 </svg>
```

R03 原文文件

scripts/inspect_pr_checks.py

UTF-8 解码文本 | 15222 字节 | 509 行

```
1  #!/usr/bin/env python3
2  from __future__ import annotations
3
4  import argparse
5  import json
6  import re
7  import subprocess
8  import sys
9  from pathlib import Path
10 from shutil import which
11 from typing import Any, Iterable, Sequence
12
13 FAILURE_CONCLUSIONS = {
14     "failure",
15     "cancelled",
16     "timed_out",
17     "action_required",
18 }
19
20 FAILURE_STATES = {
21     "failure",
22     "error",
23     "cancelled",
24     "timed_out",
25     "action_required",
26 }
27
28 FAILURE_BUCKETS = {"fail"}
29
30 FAILURE_MARKERS = (
31     "error",
32     "fail",
33     "failed",
34     "traceback",
35     "exception",
36     "assert",
37     "panic",
38     "fatal",
39     "timeout",
40     "segmentation fault",
41 )
42
43 DEFAULT_MAX_LINES = 160
44 DEFAULT_CONTEXT_LINES = 30
45 PENDING_LOG_MARKERS = (
46     "still in progress",
47     "log will be available when it is complete",
48 )
49
```

```

50
51 class GhResult:
52     def __init__(self, returncode: int, stdout: str, stderr: str):
53         self.returncode = returncode
54         self.stdout = stdout
55         self.stderr = stderr
56
57
58 def run_gh_command(args: Sequence[str], cwd: Path) -> GhResult:
59     process = subprocess.run(
60         ["gh", *args],
61         cwd=cwd,
62         text=True,
63         capture_output=True,
64     )
65     return GhResult(process.returncode, process.stdout, process.stderr)
66
67
68 def run_gh_command_raw(args: Sequence[str], cwd: Path) -> tuple[int, bytes, str]:
69     process = subprocess.run(
70         ["gh", *args],
71         cwd=cwd,
72         capture_output=True,
73     )
74     stderr = process.stderr.decode(errors="replace")
75     return process.returncode, process.stdout, stderr
76
77
78 def parse_args() -> argparse.Namespace:
79     parser = argparse.ArgumentParser(
80         description=(
81             "Inspect failing GitHub PR checks, fetch GitHub Actions logs, and extract a "
82             "failure snippet."
83         ),
84         formatter_class=argparse.ArgumentDefaultsHelpFormatter,
85     )
86     parser.add_argument("--repo", default=".", help="Path inside the target Git repository."
87 > )
88     parser.add_argument(
89         "--pr", default=None, help="PR number or URL (defaults to current branch PR)."
90     )
91     parser.add_argument("--max-lines", type=int, default=DEFAULT_MAX_LINES)
92     parser.add_argument("--context", type=int, default=DEFAULT_CONTEXT_LINES)
93     parser.add_argument("--json", action="store_true", help="Emit JSON instead of text output."
94 > t.")
95     return parser.parse_args()
96
97
98 def main() -> int:
99     args = parse_args()
100     repo_root = find_git_root(Path(args.repo))
101     if repo_root is None:
102         print("Error: not inside a Git repository.", file=sys.stderr)
103         return 1
104
105     if not ensure_gh_available(repo_root):

```

```

104         return 1
105
106     pr_value = resolve_pr(args.pr, repo_root)
107     if pr_value is None:
108         return 1
109
110     checks = fetch_checks(pr_value, repo_root)
111     if checks is None:
112         return 1
113
114     failing = [c for c in checks if is_failing(c)]
115     if not failing:
116         print(f"PR #{pr_value}: no failing checks detected.")
117         return 0
118
119     results = []
120     for check in failing:
121         results.append(
122             analyze_check(
123                 check,
124                 repo_root=repo_root,
125                 max_lines=max(1, args.max_lines),
126                 context=max(1, args.context),
127             )
128         )
129
130     if args.json:
131         print(json.dumps({"pr": pr_value, "results": results}, indent=2))
132     else:
133         render_results(pr_value, results)
134
135     return 1
136
137
138 def find_git_root(start: Path) -> Path | None:
139     result = subprocess.run(
140         ["git", "rev-parse", "--show-toplevel"],
141         cwd=start,
142         text=True,
143         capture_output=True,
144     )
145     if result.returncode != 0:
146         return None
147     return Path(result.stdout.strip())
148
149
150 def ensure_gh_available(repo_root: Path) -> bool:
151     if which("gh") is None:
152         print("Error: gh is not installed or not on PATH.", file=sys.stderr)
153         return False
154     result = run_gh_command(["auth", "status"], cwd=repo_root)
155     if result.returncode == 0:
156         return True
157     message = (result.stderr or result.stdout or "").strip()
158     print(message or "Error: gh not authenticated.", file=sys.stderr)
159     return False

```

```

160
161
162 def resolve_pr(pr_value: str | None, repo_root: Path) -> str | None:
163     if pr_value:
164         return pr_value
165     result = run_gh_command(["pr", "view", "--json", "number"], cwd=repo_root)
166     if result.returncode != 0:
167         message = (result.stderr or result.stdout or "").strip()
168         print(message or "Error: unable to resolve PR.", file=sys.stderr)
169         return None
170     try:
171         data = json.loads(result.stdout or "{}")
172     except json.JSONDecodeError:
173         print("Error: unable to parse PR JSON.", file=sys.stderr)
174         return None
175     number = data.get("number")
176     if not number:
177         print("Error: no PR number found.", file=sys.stderr)
178         return None
179     return str(number)
180
181
182 def fetch_checks(pr_value: str, repo_root: Path) -> list[dict[str, Any]] | None:
183     primary_fields = ["name", "state", "conclusion", "detailsUrl", "startedAt", "completedAt"]
184     result = run_gh_command(
185         ["pr", "checks", pr_value, "--json", ",".join(primary_fields)],
186         cwd=repo_root,
187     )
188     if result.returncode != 0:
189         message = "\n".join(filter(None, [result.stderr, result.stdout])).strip()
190         available_fields = parse_available_fields(message)
191         if available_fields:
192             fallback_fields = [
193                 "name",
194                 "state",
195                 "bucket",
196                 "link",
197                 "startedAt",
198                 "completedAt",
199                 "workflow",
200             ]
201             selected_fields = [field for field in fallback_fields if field in available_fields]
202             if not selected_fields:
203                 print("Error: no usable fields available for gh pr checks.", file=sys.stderr)
204                 return None
205             result = run_gh_command(
206                 ["pr", "checks", pr_value, "--json", ",".join(selected_fields)],
207                 cwd=repo_root,
208             )
209             if result.returncode != 0:
210                 message = (result.stderr or result.stdout or "").strip()
211                 print(message or "Error: gh pr checks failed.", file=sys.stderr)
212                 return None

```

```

213         else:
214             print(message or "Error: gh pr checks failed.", file=sys.stderr)
215             return None
216     try:
217         data = json.loads(result.stdout or "[]")
218     except json.JSONDecodeError:
219         print("Error: unable to parse checks JSON.", file=sys.stderr)
220         return None
221     if not isinstance(data, list):
222         print("Error: unexpected checks JSON shape.", file=sys.stderr)
223         return None
224     return data
225
226
227 def is_failing(check: dict[str, Any]) -> bool:
228     conclusion = normalize_field(check.get("conclusion"))
229     if conclusion in FAILURE_CONCLUSIONS:
230         return True
231     state = normalize_field(check.get("state") or check.get("status"))
232     if state in FAILURE_STATES:
233         return True
234     bucket = normalize_field(check.get("bucket"))
235     return bucket in FAILURE_BUCKETS
236
237
238 def analyze_check(
239     check: dict[str, Any],
240     repo_root: Path,
241     max_lines: int,
242     context: int,
243 ) -> dict[str, Any]:
244     url = check.get("detailsUrl") or check.get("link") or ""
245     run_id = extract_run_id(url)
246     job_id = extract_job_id(url)
247     base: dict[str, Any] = {
248         "name": check.get("name", ""),
249         "detailsUrl": url,
250         "runId": run_id,
251         "jobId": job_id,
252     }
253
254     if run_id is None:
255         base["status"] = "external"
256         base["note"] = "No GitHub Actions run id detected in detailsUrl."
257         return base
258
259     metadata = fetch_run_metadata(run_id, repo_root)
260     log_text, log_error, log_status = fetch_check_log(
261         run_id=run_id,
262         job_id=job_id,
263         repo_root=repo_root,
264     )
265
266     if log_status == "pending":
267         base["status"] = "log_pending"
268         base["note"] = log_error or "Logs are not available yet."

```

```

269         if metadata:
270             base["run"] = metadata
271         return base
272
273     if log_error:
274         base["status"] = "log_unavailable"
275         base["error"] = log_error
276         if metadata:
277             base["run"] = metadata
278         return base
279
280     snippet = extract_failure_snippet(log_text, max_lines=max_lines, context=context)
281     base["status"] = "ok"
282     base["run"] = metadata or {}
283     base["logSnippet"] = snippet
284     base["logTail"] = tail_lines(log_text, max_lines)
285     return base
286
287
288 def extract_run_id(url: str) -> str | None:
289     if not url:
290         return None
291     for pattern in (r"/actions/runs/(\d+)", r"/runs/(\d+)"):
292         match = re.search(pattern, url)
293         if match:
294             return match.group(1)
295     return None
296
297
298 def extract_job_id(url: str) -> str | None:
299     if not url:
300         return None
301     match = re.search(r"/actions/runs/\d+/job/(\d+)", url)
302     if match:
303         return match.group(1)
304     match = re.search(r"/job/(\d+)", url)
305     if match:
306         return match.group(1)
307     return None
308
309
310 def fetch_run_metadata(run_id: str, repo_root: Path) -> dict[str, Any] | None:
311     fields = [
312         "conclusion",
313         "status",
314         "workflowName",
315         "name",
316         "event",
317         "headBranch",
318         "headSha",
319         "url",
320     ]
321     result = run_gh_command(["run", "view", run_id, "--json", ",".join(fields)], cwd=repo_ro
> ot)
322     if result.returncode != 0:
323         return None

```

```

324     try:
325         data = json.loads(result.stdout or "{}")
326     except json.JSONDecodeError:
327         return None
328     if not isinstance(data, dict):
329         return None
330     return data
331
332
333 def fetch_check_log(
334     run_id: str,
335     job_id: str | None,
336     repo_root: Path,
337 ) -> tuple[str, str, str]:
338     log_text, log_error = fetch_run_log(run_id, repo_root)
339     if not log_error:
340         return log_text, "", "ok"
341
342     if is_log_pending_message(log_error) and job_id:
343         job_log, job_error = fetch_job_log(job_id, repo_root)
344         if job_log:
345             return job_log, "", "ok"
346         if job_error and is_log_pending_message(job_error):
347             return "", job_error, "pending"
348         if job_error:
349             return "", job_error, "error"
350         return "", log_error, "pending"
351
352     if is_log_pending_message(log_error):
353         return "", log_error, "pending"
354
355     return "", log_error, "error"
356
357
358 def fetch_run_log(run_id: str, repo_root: Path) -> tuple[str, str]:
359     result = run_gh_command(["run", "view", run_id, "--log"], cwd=repo_root)
360     if result.returncode != 0:
361         error = (result.stderr or result.stdout or "").strip()
362         return "", error or "gh run view failed"
363     return result.stdout, ""
364
365
366 def fetch_job_log(job_id: str, repo_root: Path) -> tuple[str, str]:
367     repo_slug = fetch_repo_slug(repo_root)
368     if not repo_slug:
369         return "", "Error: unable to resolve repository name for job logs."
370     endpoint = f"/repos/{repo_slug}/actions/jobs/{job_id}/logs"
371     returncode, stdout_bytes, stderr = run_gh_command_raw(["api", endpoint], cwd=repo_root)
372     if returncode != 0:
373         message = (stderr or stdout_bytes.decode(errors="replace")).strip()
374         return "", message or "gh api job logs failed"
375     if is_zip_payload(stdout_bytes):
376         return "", "Job logs returned a zip archive; unable to parse."
377     return stdout_bytes.decode(errors="replace"), ""
378
379

```

```

380 def fetch_repo_slug(repo_root: Path) -> str | None:
381     result = run_gh_command(["repo", "view", "--json", "nameWithOwner"], cwd=repo_root)
382     if result.returncode != 0:
383         return None
384     try:
385         data = json.loads(result.stdout or "{}")
386     except json.JSONDecodeError:
387         return None
388     name_with_owner = data.get("nameWithOwner")
389     if not name_with_owner:
390         return None
391     return str(name_with_owner)
392
393
394 def normalize_field(value: Any) -> str:
395     if value is None:
396         return ""
397     return str(value).strip().lower()
398
399
400 def parse_available_fields(message: str) -> list[str]:
401     if "Available fields:" not in message:
402         return []
403     fields: list[str] = []
404     collecting = False
405     for line in message.splitlines():
406         if "Available fields:" in line:
407             collecting = True
408             continue
409         if not collecting:
410             continue
411         field = line.strip()
412         if not field:
413             continue
414         fields.append(field)
415     return fields
416
417
418 def is_log_pending_message(message: str) -> bool:
419     lowered = message.lower()
420     return any(marker in lowered for marker in PENDING_LOG_MARKERS)
421
422
423 def is_zip_payload(payload: bytes) -> bool:
424     return payload.startswith(b"PK")
425
426
427 def extract_failure_snippet(log_text: str, max_lines: int, context: int) -> str:
428     lines = log_text.splitlines()
429     if not lines:
430         return ""
431
432     marker_index = find_failure_index(lines)
433     if marker_index is None:
434         return "\n".join(lines[-max_lines:])
435

```

```

436     start = max(0, marker_index - context)
437     end = min(len(lines), marker_index + context)
438     window = lines[start:end]
439     if len(window) > max_lines:
440         window = window[-max_lines:]
441     return "\n".join(window)
442
443
444 def find_failure_index(lines: Sequence[str]) -> int | None:
445     for idx in range(len(lines) - 1, -1, -1):
446         lowered = lines[idx].lower()
447         if any(marker in lowered for marker in FAILURE_MARKERS):
448             return idx
449     return None
450
451
452 def tail_lines(text: str, max_lines: int) -> str:
453     if max_lines <= 0:
454         return ""
455     lines = text.splitlines()
456     return "\n".join(lines[-max_lines:])
457
458
459 def render_results(pr_number: str, results: Iterable[dict[str, Any]]) -> None:
460     results_list = list(results)
461     print(f"PR #{pr_number}: {len(results_list)} failing checks analyzed.")
462     for result in results_list:
463         print("-" * 60)
464         print(f"Check: {result.get('name', '')}")
465         if result.get("detailsUrl"):
466             print(f"Details: {result['detailsUrl']}")
467         run_id = result.get("runId")
468         if run_id:
469             print(f"Run ID: {run_id}")
470         job_id = result.get("jobId")
471         if job_id:
472             print(f"Job ID: {job_id}")
473         status = result.get("status", "unknown")
474         print(f"Status: {status}")
475
476         run_meta = result.get("run", {})
477         if run_meta:
478             branch = run_meta.get("headBranch", "")
479             sha = (run_meta.get("headSha") or "")[:12]
480             workflow = run_meta.get("workflowName") or run_meta.get("name") or ""
481             conclusion = run_meta.get("conclusion") or run_meta.get("status") or ""
482             print(f"Workflow: {workflow} ({conclusion})")
483             if branch or sha:
484                 print(f"Branch/SHA: {branch} {sha}")
485             if run_meta.get("url"):
486                 print(f"Run URL: {run_meta['url']}")
487
488         if result.get("note"):
489             print(f>Note: {result['note']}")
490
491         if result.get("error"):

```

```
492         print(f"Error fetching logs: {result['error']}")
493         continue
494
495     snippet = result.get("logSnippet") or ""
496     if snippet:
497         print("Failure snippet:")
498         print(indent_block(snippet, prefix="  "))
499     else:
500         print("No snippet available.")
501     print("-" * 60)
502
503
504 def indent_block(text: str, prefix: str = "  ") -> str:
505     return "\n".join(f"{prefix}{line}" for line in text.splitlines())
506
507
508 if __name__ == "__main__":
509     raise SystemExit(main())
```

R04 netlify-deploy

R04 | 真实 Skill | 原始快照 | 开发集 | en

包路径: inputs/upstream/netlify-deploy

文件共 8 份；当前加载器可读取 7 份。

包内文件	字节数	读取状态
LICENSE.txt	10776	完整文本
SKILL.md	7011	完整文本
agents/openai.yaml	318	完整文本
assets/netlify-small.svg	1291	完整文本
assets/netlify.png	933	未读取：二进制/解码边界
references/cli-commands.md	2652	完整文本
references/deployment-patterns.md	6702	完整文本
references/netlify-toml.md	3972	完整文本

R04 原文文件

LICENSE.txt

UTF-8 解码文本 | 10776 字节 | 201 行

```
1 Apache License
2 Version 2.0, January 2004
3 http://www.apache.org/licenses/
4
5 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
6
7 1. Definitions.
8
9 "License" shall mean the terms and conditions for use, reproduction,
10 and distribution as defined by Sections 1 through 9 of this document.
11
12 "Licensor" shall mean the copyright owner or entity authorized by
13 the copyright owner that is granting the License.
14
15 "Legal Entity" shall mean the union of the acting entity and all
16 other entities that control, are controlled by, or are under common
17 control with that entity. For the purposes of this definition,
18 "control" means (i) the power, direct or indirect, to cause the
19 direction or management of such entity, whether by contract or
20 otherwise, or (ii) ownership of fifty percent (50%) or more of the
21 outstanding shares, or (iii) beneficial ownership of such entity.
22
23 "You" (or "Your") shall mean an individual or Legal Entity
24 exercising permissions granted by this License.
25
26 "Source" form shall mean the preferred form for making modifications,
27 including but not limited to software source code, documentation
28 source, and configuration files.
29
30 "Object" form shall mean any form resulting from mechanical
31 transformation or translation of a Source form, including but
32 not limited to compiled object code, generated documentation,
33 and conversions to other media types.
34
35 "Work" shall mean the work of authorship, whether in Source or
36 Object form, made available under the License, as indicated by a
37 copyright notice that is included in or attached to the work
38 (an example is provided in the Appendix below).
39
40 "Derivative Works" shall mean any work, whether in Source or Object
41 form, that is based on (or derived from) the Work and for which the
42 editorial revisions, annotations, elaborations, or other modifications
43 represent, as a whole, an original work of authorship. For the purposes
44 of this License, Derivative Works shall not include works that remain
45 separable from, or merely link (or bind by name) to the interfaces of,
46 the Work and Derivative Works thereof.
47
48 "Contribution" shall mean any work of authorship, including
49 the original version of the Work and any modifications or additions
```

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

162 other commercial damages or losses), even if such Contributor
163 has been advised of the possibility of such damages.
164

165 9. Accepting Warranty or Additional Liability. While redistributing
166 the Work or Derivative Works thereof, You may choose to offer,
167 and charge a fee for, acceptance of support, warranty, indemnity,
168 or other liability obligations and/or rights consistent with this
169 License. However, in accepting such obligations, You may act only
170 on Your own behalf and on Your sole responsibility, not on behalf of
171 any other Contributor, and only if You agree to indemnify,
172 defend, and hold each Contributor harmless for any liability
173 incurred by, or claims asserted against, such Contributor by reason
174 of your accepting any such warranty or additional liability.
175

176 END OF TERMS AND CONDITIONS
177

178 APPENDIX: How to apply the Apache License to your work.
179

180 To apply the Apache License to your work, attach the following
181 boilerplate notice, with the fields enclosed by brackets "[]"
182 replaced with your own identifying information. (Don't include
183 the brackets!) The text should be enclosed in the appropriate
184 comment syntax for the file format. We also recommend that a
185 file or class name and description of purpose be included on the
186 same "printed page" as the copyright notice for easier
187 identification within third-party archives.
188

189 Copyright [yyyy] [name of copyright owner]
190

191 Licensed under the Apache License, Version 2.0 (the "License");
192 you may not use this file except in compliance with the License.
193 You may obtain a copy of the License at
194

195 <http://www.apache.org/licenses/LICENSE-2.0>
196

197 Unless required by applicable law or agreed to in writing, software
198 distributed under the License is distributed on an "AS IS" BASIS,
199 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
200 See the License for the specific language governing permissions and
201 limitations under the License.

R04 原文文件

SKILL.md

UTF-8 解码文本 | 7011 字节 | 247 行

```
1  ---
2  name: netlify-deploy
3  description: Deploy web projects to Netlify using the Netlify CLI (`npx netlify`). Use when
> the user asks to deploy, host, publish, or link a site/repo on Netlify, including preview an
> d production deploys.
4  ---
5
6  # Netlify Deployment Skill
7
8  Deploy web projects to Netlify using the Netlify CLI with intelligent detection of project c
> onfiguration and deployment context.
9
10 ## Overview
11
12 This skill automates Netlify deployments by:
13 - Verifying Netlify CLI authentication
14 - Detecting project configuration and framework
15 - Linking to existing sites or creating new ones
16 - Deploying to production or preview environments
17
18 ## Prerequisites
19
20 - Netlify CLI: Installed via npx (no global install required)
21 - Authentication: Netlify account with active login session
22 - Project: Valid web project in current directory
23 - When sandboxing blocks the deployment network calls, rerun with `sandbox_permissions=requi
> re_escalated`.
24 - The deployment might take a few minutes. Use appropriate timeout values.
25
26 ## Authentication Pattern
27
28 The skill uses the pre-authenticated Netlify CLI approach:
29
30 1. Check authentication status with `npx netlify status`
31 2. If not authenticated, guide user through `npx netlify login`
32 3. Fail gracefully if authentication cannot be established
33
34 Authentication uses either:
35 - Browser-based OAuth (primary): `netlify login` opens browser for authentication
36 - API Key (alternative): Set `NETLIFY_AUTH_TOKEN` environment variable
37
38 ## Workflow
39
40 ### 1. Verify Netlify CLI Authentication
41
42 Check if the user is logged into Netlify:
43
44 ```bash
45 npx netlify status
```

```

46  ```
47
48  **Expected output patterns**:
49  - ✔ Authenticated: Shows logged-in user email and site link status
50  - ✘ Not authenticated: "Not logged into any site" or authentication error
51
52  **If not authenticated**, guide the user:
53
54  ```bash
55  npx netlify login
56  ```
57
58  This opens a browser window for OAuth authentication. Wait for user to complete login, then
59  > verify with `netlify status` again.
60
61  **Alternative: API Key authentication**
62
63  If browser authentication isn't available, users can set:
64
65  ```bash
66  export NETLIFY_AUTH_TOKEN=your_token_here
67  ```
68
69  Tokens can be generated at: https://app.netlify.com/user/applications#personal-access-tokens
70
71  ### 2. Detect Site Link Status
72
73  From `netlify status` output, determine:
74  - **Linked**: Site already connected to Netlify (shows site name/URL)
75  - **Not linked**: Need to link or create site
76
77  ### 3. Link to Existing Site or Create New
78
79  **If already linked** → Skip to step 4
80
81  **If not linked**, attempt to link by Git remote:
82
83  ```bash
84  # Check if project is Git-based
85  git remote show origin
86
87  # If Git-based, extract remote URL
88  # Format: https://github.com/username/repo or git@github.com:username/repo.git
89
90  # Try to link by Git remote
91  npx netlify link --git-remote-url <REMOTE_URL>
92  ```
93
94  **If link fails** (site doesn't exist on Netlify):
95
96  ```bash
97  # Create new site interactively
98  npx netlify init
99  ```
100
101  This guides user through:

```

```
101 1. Choosing team/account
102 2. Setting site name
103 3. Configuring build settings
104 4. Creating netlify.toml if needed
105
106 ### 4. Verify Dependencies
107
108 Before deploying, ensure project dependencies are installed:
109
110 ```bash
111 # For npm projects
112 npm install
113
114 # For other package managers, detect and use appropriate command
115 # yarn install, pnpm install, etc.
116 ```
117
118 ### 5. Deploy to Netlify
119
120 Choose deployment type based on context:
121
122 **Preview/Draft Deploy** (default for existing sites):
123
124 ```bash
125 npx netlify deploy
126 ```
127
128 This creates a deploy preview with a unique URL for testing.
129
130 **Production Deploy** (for new sites or explicit production deployments):
131
132 ```bash
133 npx netlify deploy --prod
134 ```
135
136 This deploys to the live production URL.
137
138 **Deployment process**:
139 1. CLI detects build settings (from netlify.toml or prompts user)
140 2. Builds the project locally
141 3. Uploads built assets to Netlify
142 4. Returns deployment URL
143
144 ### 6. Report Results
145
146 After deployment, report to user:
147 - **Deploy URL**: Unique URL for this deployment
148 - **Site URL**: Production URL (if production deploy)
149 - **Deploy logs**: Link to Netlify dashboard for logs
150 - **Next steps**: Suggest `netlify open` to view site or dashboard
151
152 ## Handling netlify.toml
153
154 If a `netlify.toml` file exists, the CLI uses it automatically. If not, the CLI will prompt
155 > for:
156 - **Build command**: e.g., `npm run build`, `next build`
```

```
156 - **Publish directory**: e.g., `dist`, `build`, `.next`
157
158 Common framework defaults:
159 - **Next.js**: build command `npm run build`, publish `.next`
160 - **React (Vite)**: build command `npm run build`, publish `dist`
161 - **Static HTML**: no build command, publish current directory
162
163 The skill should detect framework from `package.json` if possible and suggest appropriate se
> ttings.
164
165 ## Example Full Workflow
166
167 ```bash
168 # 1. Check authentication
169 npx netlify status
170
171 # If not authenticated:
172 npx netlify login
173
174 # 2. Link site (if needed)
175 # Try Git-based linking first
176 git remote show origin
177 npx netlify link --git-remote-url https://github.com/user/repo
178
179 # If no site exists, create new one:
180 npx netlify init
181
182 # 3. Install dependencies
183 npm install
184
185 # 4. Deploy (preview for testing)
186 npx netlify deploy
187
188 # 5. Deploy to production (when ready)
189 npx netlify deploy --prod
190 ```
191
192 ## Error Handling
193
194 Common issues and solutions:
195
196 **"Not logged in"**
197 → Run `npx netlify login`
198
199 **"No site linked"**
200 → Run `npx netlify link` or `npx netlify init`
201
202 **"Build failed"**
203 → Check build command and publish directory in netlify.toml or CLI prompts
204 → Verify dependencies are installed
205 → Review build logs for specific errors
206
207 **"Publish directory not found"**
208 → Verify build command ran successfully
209 → Check publish directory path is correct
210
```

```
211 ## Troubleshooting
212
213 ### Escalated Network Access
214
215 If deployment fails due to network issues (timeouts, DNS errors, connection resets), rerun t
> he deploy with escalated permissions (use `sandbox_permissions=require_escalated`). The depl
> oy requires escalated network access when sandbox networking blocks outbound requests.
216
217 Example guidance to the user:
218
219 ```
220 The deploy needs escalated network access to deploy to Netlify. I can rerun the command with
> escalated permissions—want me to proceed?
221 ```
222
223 ## Environment Variables
224
225 For secrets and configuration:
226
227 1. Never commit secrets to Git
228 2. Set in Netlify dashboard: Site Settings → Environment Variables
229 3. Access in builds via `process.env.VARIABLE_NAME`
230
231 ## Tips
232
233 - Use `netlify deploy` (no `--prod`) first to test before production
234 - Run `netlify open` to view site in Netlify dashboard
235 - Run `netlify logs` to view function logs (if using Netlify Functions)
236 - Use `netlify dev` for local development with Netlify Functions
237
238 ## Reference
239
240 - Netlify CLI Docs: https://docs.netlify.com/cli/get-started/
241 - netlify.toml Reference: https://docs.netlify.com/configure-builds/file-based-configuration
> /
242
243 ## Bundled References (Load As Needed)
244
245 - [CLI commands](references/cli-commands.md)
246 - [Deployment patterns](references/deployment-patterns.md)
247 - [netlify.toml guide](references/netlify-toml.md)
```

R04 原文文件

agents/openai.yaml

UTF-8 解码文本 | 318 字节 | 6 行

```
1 interface:
2   display_name: "Netlify Deploy"
3   short_description: "Deploy web projects to Netlify with the Netlify CLI"
4   icon_small: "./assets/netlify-small.svg"
5   icon_large: "./assets/netlify.png"
6   default_prompt: "Deploy this project to Netlify and return the preview URL, build settings
> , and any required fixes."
```

R04 原文文件

assets/netlify-small.svg

UTF-8 解码文本 | 1291 字节 | 11 行

```
1 <svg width="16" height="16" viewBox="0 0 128 128" fill="none" xmlns="http://www.w3.org/2000/
> svg" aria-hidden="true">
2   <g transform="translate(0 7.6825)" fill="currentColor">
3     <path d="M34.593 94.2052H33.3844L27.3514 88.1722V86.9637L36.5743 77.7409H42.9639L43.8158
> 78.5928V84.9824L34.593 94.2052Z" />
4     <path d="M27.3514 25.9703V24.7617L33.3844 18.7287H34.593L43.8158 27.9515V34.3411L42.9639
> 35.1931H36.5743L27.3514 25.9703Z" />
5     <path d="M80.4594 74.759H71.6824L70.9493 74.026V53.4802C70.9493 49.8248 69.5129 46.9915
> 65.1046 46.8925C62.836 46.833 60.2405 46.8925 57.4668 47.0014L57.0507 47.4274V74.0161L56.317
> 6 74.7491H47.5406L46.8075 74.0161V38.9179L47.5406 38.1848H67.2939C74.9713 38.1848 81.1925 44
> .406 81.1925 52.0834V74.026L80.4594 74.759Z" />
6     <path d="M35.8412 61.6034H0.73307L0.8703V52.0735L0.73307 51.3404H35.8412L36.5743 52.0
> 735V60.8703L35.8412 61.6034Z" />
7     <path d="M127.277 61.6034H92.1687L91.4356 60.8703V52.0735L92.1687 51.3404H127.277L128.01
> 52.0735V60.8703L127.277 61.6034Z" />
8     <path d="M58.9428 27.2185V0.887367L59.6759 0.154297H68.4727L69.2058 0.887367V27.2185L68.
> 4727 27.9515H59.6759L58.9428 27.2185Z" />
9     <path d="M58.9428 112.056V85.7254L59.6759 84.9923H68.4727L69.2058 85.7254V112.056L68.472
> 7 112.79H59.6759L58.9428 112.056Z" />
10   </g>
11 </svg>
```

R04 原文文件

references/cli-commands.md

UTF-8 解码文本 | 2652 字节 | 162 行

```
1  # Netlify CLI Commands Reference
2
3  Quick reference for common Netlify CLI commands used in deployments.
4
5  ## Authentication
6
7  ```bash
8  # Login via browser OAuth
9  npx netlify login
10
11 # Check authentication status and site link
12 npx netlify status
13
14 # Logout
15 npx netlify logout
16 ```
17
18 ## Site Management
19
20 ```bash
21 # Link current directory to existing site
22 npx netlify link
23
24 # Link by Git remote URL
25 npx netlify link --git-remote-url <url>
26
27 # Create and link new site
28 npx netlify init
29
30 # Unlink from current site
31 npx netlify unlink
32
33 # Open site in Netlify dashboard
34 npx netlify open
35
36 # Open site admin panel
37 npx netlify open:admin
38
39 # Open site in browser
40 npx netlify open:site
41 ```
42
43 ## Deployment
44
45 ```bash
46 # Deploy preview/draft (safe for testing)
47 npx netlify deploy
48
49 # Deploy to production
```

```
50 npx netlify deploy --prod
51
52 # Deploy with specific directory
53 npx netlify deploy --dir=dist
54
55 # Deploy with message
56 npx netlify deploy --message="Deploy message"
57
58 # List all deploys
59 npx netlify deploy:list
60 ```
61
62 ## Development
63
64 ```bash
65 # Run local dev server with Netlify features
66 npx netlify dev
67
68 # Run local dev server on specific port
69 npx netlify dev --port 3000
70 ```
71
72 ## Site Information
73
74 ```bash
75 # Get site info
76 npx netlify sites:list
77
78 # Get current site info
79 npx netlify api getSite --data '{"site_id": "YOUR_SITE_ID"}'
80 ```
81
82 ## Environment Variables
83
84 ```bash
85 # List environment variables
86 npx netlify env:list
87
88 # Set environment variable
89 npx netlify env:set KEY value
90
91 # Get environment variable value
92 npx netlify env:get KEY
93
94 # Import env vars from file
95 npx netlify env:import .env
96 ```
97
98 ## Build
99
100 ```bash
101 # Show build settings
102 npx netlify build --dry
103
104 # Run build locally
105 npx netlify build
```

```
106  ```
107
108  ## Functions (Serverless)
109
110  ```bash
111  # List functions
112  npx netlify functions:list
113
114  # Invoke function locally
115  npx netlify functions:invoke FUNCTION_NAME
116
117  # Create new function
118  npx netlify functions:create FUNCTION_NAME
119  ```
120
121  ## Logs
122
123  ```bash
124  # Stream function logs
125  npx netlify logs
126
127  # View logs for specific function
128  npx netlify logs:function FUNCTION_NAME
129  ```
130
131  ## Troubleshooting Commands
132
133  ```bash
134  # Check CLI version
135  npx netlify --version
136
137  # Get help for any command
138  npx netlify help [command]
139
140  # Check status with verbose output
141  npx netlify status --verbose
142  ```
143
144  ## Exit Codes
145
146  - `0` - Success
147  - `1` - General error
148  - `2` - Authentication error
149  - `3` - Site not found
150  - `4` - Build failed
151
152  ## Common Flags
153
154  - `--json` - Output as JSON
155  - `--silent` - Suppress output
156  - `--debug` - Show debug information
157  - `--force` - Skip confirmation prompts
158
159  ## Resources
```

```
160  
161 - Full CLI documentation: https://docs.netlify.com/cli/get-started/  
162 - CLI GitHub repository: https://github.com/netlify/cli
```

R04 原文文件

references/deployment-patterns.md

UTF-8 解码文本 | 6702 字节 | 303 行

```
1 # Netlify Deployment Patterns
2
3 Common deployment scenarios and best practices for the Netlify skill.
4
5 ## Deployment Decision Tree
6
7 ```
8 Is user authenticated?
9 | No → Run `netlify login`
10 | Yes → Is site linked?
11 |   | No → Is it a Git repo?
12 |   |   | Yes → Try `netlify link --git-remote-url`
13 |   |   |   | Success → Continue to deploy
14 |   |   |   | Fail → Run `netlify init`
15 |   |   | No → Run `netlify init`
16 |   | Yes → Is this first deploy or existing site?
17 |   |   | First deploy/new site → `netlify deploy --prod`
18 |   |   | Existing site → `netlify deploy` (preview)
19 ```
20
21 ## Scenario 1: First-Time Deployment (New Project)
22
23 **Context**: User has a project that has never been deployed to Netlify.
24
25 **Steps**:
26 1. Check authentication: `npx netlify status`
27 2. If not authenticated: `npx netlify login`
28 3. Initialize new site: `npx netlify init`
29    - This guides user through setup
30    - Creates netlify.toml if needed
31 4. Install dependencies: `npm install`
32 5. Deploy to production: `npx netlify deploy --prod`
33
34 **Example**:
35 ```bash
36 npx netlify status
37 # Not linked to a site
38
39 npx netlify login
40 # Opens browser for authentication
41
42 npx netlify init
43 # Walks through site creation
44
45 npm install
46 npx netlify deploy --prod
47 ```
48
49 ## Scenario 2: Linking Existing Git Repository to Existing Site
```

```
50
51 **Context**: User has a site already on Netlify and wants to link their local repo.
52
53 **Steps**:
54 1. Check authentication: `npx netlify status`
55 2. Get Git remote: `git remote show origin`
56 3. Extract URL (e.g., `https://github.com/user/repo.git`)
57 4. Link by remote: `npx netlify link --git-remote-url <URL>`
58 5. If found, linked. If not, run `netlify init`
59
60 **Example**:
61 ```bash
62 git remote show origin
63 # * remote origin
64 #   Fetch URL: https://github.com/user/my-app.git
65
66 npx netlify link --git-remote-url https://github.com/user/my-app.git
67 # Site linked successfully
68 ```
69
70 ## Scenario 3: Preview Deployment (Testing Changes)
71
72 **Context**: User wants to test changes before pushing to production.
73
74 **Steps**:
75 1. Ensure site is linked: `npx netlify status`
76 2. Make code changes
77 3. Deploy preview: `npx netlify deploy`
78 4. Review preview URL
79 5. If approved, deploy to prod: `npx netlify deploy --prod`
80
81 **Example**:
82 ```bash
83 # Make changes to code
84
85 npx netlify deploy
86 # Draft deploy URL: https://507f1f77bcf86cd799439011-my-app.netlify.app
87
88 # Test the preview, then:
89 npx netlify deploy --prod
90 ```
91
92 ## Scenario 4: Framework-Specific Deployments
93
94 ### Next.js
95
96 ```bash
97 # Next.js typically uses .next as output
98 npx netlify deploy --prod
99
100 # netlify.toml should have:
101 # [build]
102 #   command = "npm run build"
103 #   publish = ".next"
104 ```
105
```

```
106 ### React (Vite)
107
108 ```bash
109 # Vite outputs to dist by default
110 npm run build
111 npx netlify deploy --dir=dist --prod
112
113 # netlify.toml:
114 # [build]
115 #   command = "npm run build"
116 #   publish = "dist"
117 ```
118
119 ### Static HTML
120
121 ```bash
122 # No build step needed
123 npx netlify deploy --dir=. --prod
124 ```
125
126 ## Scenario 5: Monorepo Deployment
127
128 **Context**: Project is in a subdirectory of a monorepo.
129
130 **Steps**:
131 1. Navigate to project subdirectory: `cd packages/frontend`
132 2. Or set base in netlify.toml:
133   ```toml
134   [build]
135     base = "packages/frontend"
136     command = "npm run build"
137     publish = "dist"
138   ```
139 3. Deploy normally: `npx netlify deploy --prod`
140
141 ## Scenario 6: Environment Variables
142
143 **Context**: Project needs secrets or environment-specific config.
144
145 **Steps**:
146 1. Never commit secrets to Git
147 2. Set in Netlify dashboard or CLI:
148   ```bash
149   npx netlify env:set API_KEY "secret_value"
150   npx netlify env:set NODE_ENV "production"
151   ```
152 3. Access in code: `process.env.API_KEY`
153 4. Deploy: `npx netlify deploy --prod`
154
155 ## Scenario 7: Custom Domain Setup
156
157 **Context**: User wants to use a custom domain.
158
159 **Steps**:
160 1. Deploy site first: `npx netlify deploy --prod`
161 2. Add domain via dashboard or CLI:
```

```
162     ``bash
163     npx netlify open:admin
164     # Navigate to Domain settings
165     ``
166 3. Update DNS records as instructed by Netlify
167 4. Wait for DNS propagation (can take up to 48 hours)
168
169 ## Best Practices
170
171 ### 1. Always Preview First
172
173     ``bash
174     # Deploy preview
175     npx netlify deploy
176
177     # Test thoroughly
178     # Then deploy to production
179     npx netlify deploy --prod
180     ``
181
182 ### 2. Use netlify.toml for Consistency
183
184 Create a `netlify.toml` file in your repo root:
185
186     ``toml
187     [build]
188       command = "npm run build"
189       publish = "dist"
190
191     [[redirects]]
192       from = "/*"
193       to = "/index.html"
194       status = 200
195     ``
196
197 This ensures consistent builds across all deployments.
198
199 ### 3. Framework Detection
200
201 Let Netlify auto-detect when possible. Only specify build settings if:
202 - Netlify can't detect your framework
203 - You need custom build commands
204 - Your project has a non-standard structure
205
206 ### 4. Dependency Installation
207
208 Always ensure dependencies are installed before deploying:
209
210     ``bash
211     npm install # or yarn install, pnpm install
212     npx netlify deploy
213     ``
214
215 ### 5. Build Locally First
216
217 Test builds locally before deploying:
```

```
218
219 ```bash
220 npm run build
221 # Check that build output exists
222
223 npx netlify deploy --dir=dist
224 ```
225
226 ### 6. Use Deploy Messages
227
228 Add context to deployments:
229
230 ```bash
231 npx netlify deploy --prod --message="Fix login bug"
232 ```
233
234 ## Error Recovery Patterns
235
236 ### "Publish directory not found"
237
238 **Cause**: Build command didn't create expected output directory.
239
240 **Fix**:
241 1. Run build locally: `npm run build`
242 2. Check output directory name
243 3. Update netlify.toml or CLI prompts with correct path
244
245 ### "Command failed with exit code 1"
246
247 **Cause**: Build command failed.
248
249 **Fix**:
250 1. Check build logs for specific error
251 2. Run build locally to reproduce: `npm run build`
252 3. Fix the build error
253 4. Deploy again
254
255 ### "Not logged in"
256
257 **Cause**: Authentication token expired or missing.
258
259 **Fix**:
260 ```bash
261 npx netlify logout
262 npx netlify login
263 ```
264
265 ### "No site linked"
266
267 **Cause**: Project not connected to a Netlify site.
268
269 **Fix**:
270 ```bash
271 # Try linking to existing site
272 npx netlify link
273
```

```
274 # Or create new site
275 npx netlify init
276 ```
277
278 ## Performance Tips
279
280 1. Enable processing in netlify.toml for auto-optimization:
281 ```toml
282 [build.processing.css]
283   bundle = true
284   minify = true
285 ```
286
287 2. Use caching headers for static assets:
288 ```toml
289 [[headers]]
290   for = "/assets/*"
291   [headers.values]
292     Cache-Control = "public, max-age=31536000, immutable"
293 ```
294
295 3. Optimize images before deploying or use Netlify Image CDN
296
297 4. Use Netlify Functions for serverless backend (avoid external API calls when possible)
298
299 ## Resources
300
301 - Netlify CLI Documentation: https://docs.netlify.com/cli/get-started/
302 - Framework Integration Guides: https://docs.netlify.com/frameworks/
303 - Build Configuration: https://docs.netlify.com/configure-builds/
```

R04 原文文件

references/netlify-toml.md

UTF-8 解码文本 | 3972 字节 | 259 行

```
1  # netlify.toml Configuration Reference
2
3  Configuration file for Netlify builds and deployments.
4
5  ## Basic Structure
6
7  ```toml
8  [build]
9      command = "npm run build"
10     publish = "dist"
11  ```
12
13  ## Build Settings
14
15  ### Common Configuration
16
17  ```toml
18  [build]
19      # Command to build your site
20      command = "npm run build"
21
22      # Directory to publish (relative to repo root)
23      publish = "dist"
24
25      # Functions directory
26      functions = "netlify/functions"
27
28      # Base directory (if not repo root)
29      base = "packages/frontend"
30
31      # Ignore builds for specific conditions
32      ignore = "git diff --quiet HEAD^ HEAD package.json"
33  ```
34
35  ## Environment Variables
36
37  ```toml
38  [build.environment]
39      NODE_VERSION = "18"
40      NPM_FLAGS = "--prefix=/dev/null"
41
42  [context.production.environment]
43      NODE_ENV = "production"
44  ```
45
46  ## Framework Detection
47
48  Netlify auto-detects frameworks, but you can override:
49
```

```
50  ### Next.js
51
52  ```toml
53  [build]
54    command = "npm run build"
55    publish = ".next"
56  ```
57
58  ### React (Vite)
59
60  ```toml
61  [build]
62    command = "npm run build"
63    publish = "dist"
64  ```
65
66  ### Vue
67
68  ```toml
69  [build]
70    command = "npm run build"
71    publish = "dist"
72  ```
73
74  ### Astro
75
76  ```toml
77  [build]
78    command = "npm run build"
79    publish = "dist"
80  ```
81
82  ### SvelteKit
83
84  ```toml
85  [build]
86    command = "npm run build"
87    publish = "build"
88  ```
89
90  ## Redirects and Rewrites
91
92  ```toml
93  [[redirects]]
94    from = "/old-path"
95    to = "/new-path"
96    status = 301
97
98  [[redirects]]
99    from = "/api/*"
100    to = "https://api.example.com/:splat"
101    status = 200
102
103  # SPA fallback (for client-side routing)
104  [[redirects]]
105    from = "/*"
```

```
106     to = "/index.html"
107     status = 200
108     ```
109
110     ## Headers
111
112     ```toml
113     [[headers]]
114         for = "/*"
115         [headers.values]
116             X-Frame-Options = "DENY"
117             X-XSS-Protection = "1; mode=block"
118             Content-Security-Policy = "default-src 'self'"
119
120     [[headers]]
121         for = "/assets/*"
122         [headers.values]
123             Cache-Control = "public, max-age=31536000, immutable"
124     ```
125
126     ## Context-Specific Configuration
127
128     Deploy different settings per context:
129
130     ```toml
131     # Production
132     [context.production]
133         command = "npm run build:prod"
134         [context.production.environment]
135             NODE_ENV = "production"
136
137     # Deploy previews
138     [context.deploy-preview]
139         command = "npm run build:preview"
140
141     # Branch deploys
142     [context.branch-deploy]
143         command = "npm run build:staging"
144
145     # Specific branch
146     [context.staging]
147         command = "npm run build:staging"
148     ```
149
150     ## Functions Configuration
151
152     ```toml
153     [functions]
154         directory = "netlify/functions"
155         node_bundler = "esbuild"
156
157     [[functions]]
158         path = "/api/*"
159         function = "api"
160     ```
161
```

```
162 ## Build Plugins
163
164 ```toml
165 [[plugins]]
166     package = "@netlify/plugin-lighthouse"
167
168     [plugins.inputs]
169     output_path = "reports/lighthouse.html"
170
171 [[plugins]]
172     package = "netlify-plugin-submit-sitemap"
173
174     [plugins.inputs]
175     baseUrl = "https://example.com"
176     sitemapPath = "/sitemap.xml"
177 ```
178
179 ## Edge Functions
180
181 ```toml
182 [[edge_functions]]
183     function = "geolocation"
184     path = "/api/location"
185 ```
186
187 ## Processing
188
189 ```toml
190 [build.processing]
191     skip_processing = false
192
193 [build.processing.css]
194     bundle = true
195     minify = true
196
197 [build.processing.js]
198     bundle = true
199     minify = true
200
201 [build.processing.html]
202     pretty_urls = true
203
204 [build.processing.images]
205     compress = true
206 ```
207
208 ## Common Patterns
209
210 ### Single Page Application (SPA)
211
212 ```toml
213 [build]
214     command = "npm run build"
215     publish = "dist"
216
217 [[redirects]]
```

```
218     from = "/*"
219     to = "/index.html"
220     status = 200
221     ```
222
223     ### Monorepo with Base Directory
224
225     ```toml
226     [build]
227       base = "packages/web"
228       command = "npm run build"
229       publish = "dist"
230     ```
231
232     ### Multiple Redirects with Country-Based Routing
233
234     ```toml
235     [[redirects]]
236       from = "/"
237       to = "/uk"
238       status = 302
239       conditions = {Country = ["GB"]}
240
241     [[redirects]]
242       from = "/"
243       to = "/us"
244       status = 302
245       conditions = {Country = ["US"]}
246     ```
247
248     ## Validation
249
250     Validate your netlify.toml:
251
252     ```bash
253     npx netlify build --dry
254     ```
255
256     ## Resources
257
258     - Full configuration reference: https://docs.netlify.com/configure-builds/file-based-configuration/
259     >
260     - Framework-specific guides: https://docs.netlify.com/frameworks/
```

R05 linear

R05 | 真实 Skill | 原始快照 | 保留验证集 | en

包路径: inputs/upstream/linear

文件共 5 份；当前加载器可读取 4 份。

包内文件	字节数	读取状态
LICENSE.txt	11357	完整文本
SKILL.md	4952	完整文本
agents/openai.yaml	460	完整文本
assets/linear-small.svg	1065	完整文本
assets/linear.png	6969	未读取：二进制/解码边界

R05 原文文件

LICENSE.txt

UTF-8 解码文本 | 11357 字节 | 202 行

```
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

R05 原文文件

SKILL.md

UTF-8 解码文本 | 4952 字节 | 87 行

```
1  ---
2  name: linear
3  description: Manage issues, projects & team workflows in Linear. Use when the user wants to
> read, create or updates tickets in Linear.
4  metadata:
5    short-description: Manage Linear issues in Codex
6  ---
7
8  # Linear
9
10 ## Overview
11
12 This skill provides a structured workflow for managing issues, projects & team workflows in
> Linear. It ensures consistent integration with the Linear MCP server, which offers natural-l
> language project management for issues, projects, documentation, and team collaboration.
13
14 ## Prerequisites
15 - Linear MCP server must be connected and accessible via OAuth
16 - Confirm access to the relevant Linear workspace, teams, and projects
17
18 ## Required Workflow
19
20 **Follow these steps in order. Do not skip steps.**
21
22 ### Step 0: Set up Linear MCP (if not already configured)
23
24 If any MCP call fails because Linear MCP is not connected, pause and set it up:
25
26 1. Add the Linear MCP:
27   - `codex mcp add linear --url https://mcp.linear.app/mcp`
28 2. Enable remote MCP client:
29   - Set `[features] rmcp_client = true` in `config.toml` **or** run `codex --enable rmcp_cl
> ient`
30 3. Log in with OAuth:
31   - `codex mcp login linear`
32
33 After successful login, the user will have to restart codex. You should finish your answer a
> nd tell them so when they try again they can continue with Step 1.
34
35 **Windows/WSL note:** If you see connection errors on Windows, try configuring the Linear MC
> P to run via WSL:
36 ```json
37 {"mcpServers": {"linear": {"command": "wsl", "args": ["npx", "-y", "mcp-remote", "https://mc
> p.linear.app/sse", "--transport", "sse-only"]}}}
38 ```
39
40 ### Step 1
41 Clarify the user's goal and scope (e.g., issue triage, sprint planning, documentation audit,
> workload balance). Confirm team/project, priority, labels, cycle, and due dates as needed.
```

```

42
43 ### Step 2
44 Select the appropriate workflow (see Practical Workflows below) and identify the Linear MCP
  > tools you will need. Confirm required identifiers (issue ID, project ID, team key) before ca
  > lling tools.
45
46 ### Step 3
47 Execute Linear MCP tool calls in logical batches:
48 - Read first (list/get/search) to build context.
49 - Create or update next (issues, projects, labels, comments) with all required fields.
50 - For bulk operations, explain the grouping logic before applying changes.
51
52 ### Step 4
53 Summarize results, call out remaining gaps or blockers, and propose next actions (additional
  > issues, label changes, assignments, or follow-up comments).
54
55 ## Available Tools
56
57 Issue Management: `list_issues`, `get_issue`, `create_issue`, `update_issue`, `list_my_issue
  > s`, `list_issue_statuses`, `list_issue_labels`, `create_issue_label`
58
59 Project & Team: `list_projects`, `get_project`, `create_project`, `update_project`, `list_te
  > ams`, `get_team`, `list_users`
60
61 Documentation & Collaboration: `list_documents`, `get_document`, `search_documentation`, `li
  > st_comments`, `create_comment`, `list_cycles`
62
63 ## Practical Workflows
64
65 - Sprint Planning: Review open issues for a target team, pick top items by priority, and cre
  > ate a new cycle (e.g., "Q1 Performance Sprint") with assignments.
66 - Bug Triage: List critical/high-priority bugs, rank by user impact, and move the top items
  > to "In Progress."
67 - Documentation Audit: Search documentation (e.g., API auth), then open labeled "documentati
  > on" issues for gaps or outdated sections with detailed fixes.
68 - Team Workload Balance: Group active issues by assignee, flag anyone with high load, and su
  > ggest or apply redistributions.
69 - Release Planning: Create a project (e.g., "v2.0 Release") with milestones (feature freeze,
  > beta, docs, launch) and generate issues with estimates.
70 - Cross-Project Dependencies: Find all "blocked" issues, identify blockers, and create linke
  > d issues if missing.
71 - Automated Status Updates: Find your issues with stale updates and add status comments base
  > d on current state/blockers.
72 - Smart Labeling: Analyze unlabeled issues, suggest/apply labels, and create missing label c
  > ategories.
73 - Sprint Retrospectives: Generate a report for the last completed cycle, note completed vs.
  > pushed work, and open discussion issues for patterns.
74
75 ## Tips for Maximum Productivity
76
77 - Batch operations for related changes; consider smart templates for recurring issue structu
  > res.
78 - Use natural queries when possible ("Show me what John is working on this week").
79 - Leverage context: reference prior issues in new requests.
80 - Break large updates into smaller batches to avoid rate limits; cache or reuse filters when
  > listing frequently.

```

```
81
82 ## Troubleshooting
83
84 - Authentication: Clear browser cookies, re-run OAuth, verify workspace permissions, ensure
  > API access is enabled.
85 - Tool Calling Errors: Confirm the model supports multiple tool calls, provide all required
  > fields, and split complex requests.
86 - Missing Data: Refresh token, verify workspace access, check for archived projects, and con
  > firm correct team selection.
87 - Performance: Remember Linear API rate limits; batch bulk operations, use specific filters,
  > or cache frequent queries.
```

R05 原文文件

agents/openai.yaml

UTF-8 解码文本 | 460 字节 | 14 行

```
1 interface:
2   display_name: "Linear"
3   short_description: "Manage Linear issues in Codex"
4   icon_small: "./assets/linear-small.svg"
5   icon_large: "./assets/linear.png"
6   default_prompt: "Use Linear context to triage or update relevant issues for this task, wit
> h clear next actions."
7
8 dependencies:
9   tools:
10    - type: "mcp"
11      value: "linear"
12      description: "Linear MCP server"
13      transport: "streamable_http"
14      url: "https://mcp.linear.app/mcp"
```

R05 原文文件

assets/linear-small.svg

UTF-8 解码文本 | 1065 字节 | 5 行

```
1 <svg xmlns="http://www.w3.org/2000/svg" fill="currentColor" width="200" height="200" viewBox
> ="0 0 100 100">
2   <path
3     d="M1.22541 61.5228c-.2225-.9485.90748-1.5459 1.59638-.857L39.3342 97.1782c.6889.6889.09
> 15 1.8189-.857 1.5964C20.0515 94.4522 5.54779 79.9485 1.22541 61.5228ZM.00189135 46.8891c-.0
> 1764375.2833.08887215.5599.28957165.7606L52.3503 99.7085c.2007.2007.4773.3075.7606.2896 2.36
> 92-.1476 4.6938-.46 6.9624-.9259.7645-.157 1.0301-1.0963.4782-1.6481L2.57595 39.4485c-.55186
> -.5519-1.49117-.2863-1.648174.4782-.465915 2.2686-.77832 4.5932-.92588465 6.9624ZM4.21093 29
> .7054c-.16649.3738-.08169.8106.20765 1.1164.77602 64.776c.2894.2894.7262.3742 1.1.2077 1.786
> 1-.7956 3.5171-1.6927 5.1855-2.684.5521-.328.6373-1.0867.1832-1.5407L8.43566 24.3367c-.45409
> -.4541-1.21271-.3689-1.54074.1832-.99132 1.6684-1.88843 3.3994-2.68399 5.1855ZM12.6587 18.07
> 4c-.3701-.3701-.393-.9637-.0443-1.3541C21.7795 6.45931 35.1114 0 49.9519 0 77.5927 0 100 22.
> 4073 100 50.0481c0 14.8405-6.4593 28.1724-16.7199 37.3375-.3903.3487-.984.3258-1.3542-.0443L
> 12.6587 18.074Z"
4   />
5 </svg>
```

R06 transcribe

R06 | 真实 Skill | 原始快照 | 保留验证集 | en

包路径: inputs/upstream/transcribe

文件共 7 份；当前加载器可读取 6 份。

包内文件	字节数	读取状态
LICENSE.txt	10776	完整文本
SKILL.md	2834	完整文本
agents/openai.yaml	414	完整文本
assets/transcribe-small.svg	750	完整文本
assets/transcribe.png	1288	未读取：二进制/解码边界
references/api.md	457	完整文本
scripts/transcribe_diarize.py	8684	完整文本

R06 原文文件

LICENSE.txt

UTF-8 解码文本 | 10776 字节 | 201 行

```
1 Apache License
2 Version 2.0, January 2004
3 http://www.apache.org/licenses/
4
5 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
6
7 1. Definitions.
8
9 "License" shall mean the terms and conditions for use, reproduction,
10 and distribution as defined by Sections 1 through 9 of this document.
11
12 "Licensor" shall mean the copyright owner or entity authorized by
13 the copyright owner that is granting the License.
14
15 "Legal Entity" shall mean the union of the acting entity and all
16 other entities that control, are controlled by, or are under common
17 control with that entity. For the purposes of this definition,
18 "control" means (i) the power, direct or indirect, to cause the
19 direction or management of such entity, whether by contract or
20 otherwise, or (ii) ownership of fifty percent (50%) or more of the
21 outstanding shares, or (iii) beneficial ownership of such entity.
22
23 "You" (or "Your") shall mean an individual or Legal Entity
24 exercising permissions granted by this License.
25
26 "Source" form shall mean the preferred form for making modifications,
27 including but not limited to software source code, documentation
28 source, and configuration files.
29
30 "Object" form shall mean any form resulting from mechanical
31 transformation or translation of a Source form, including but
32 not limited to compiled object code, generated documentation,
33 and conversions to other media types.
34
35 "Work" shall mean the work of authorship, whether in Source or
36 Object form, made available under the License, as indicated by a
37 copyright notice that is included in or attached to the work
38 (an example is provided in the Appendix below).
39
40 "Derivative Works" shall mean any work, whether in Source or Object
41 form, that is based on (or derived from) the Work and for which the
42 editorial revisions, annotations, elaborations, or other modifications
43 represent, as a whole, an original work of authorship. For the purposes
44 of this License, Derivative Works shall not include works that remain
45 separable from, or merely link (or bind by name) to the interfaces of,
46 the Work and Derivative Works thereof.
47
48 "Contribution" shall mean any work of authorship, including
49 the original version of the Work and any modifications or additions
```

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

162 other commercial damages or losses), even if such Contributor
163 has been advised of the possibility of such damages.
164

165 9. Accepting Warranty or Additional Liability. While redistributing
166 the Work or Derivative Works thereof, You may choose to offer,
167 and charge a fee for, acceptance of support, warranty, indemnity,
168 or other liability obligations and/or rights consistent with this
169 License. However, in accepting such obligations, You may act only
170 on Your own behalf and on Your sole responsibility, not on behalf of
171 any other Contributor, and only if You agree to indemnify,
172 defend, and hold each Contributor harmless for any liability
173 incurred by, or claims asserted against, such Contributor by reason
174 of your accepting any such warranty or additional liability.
175

176 END OF TERMS AND CONDITIONS
177

178 APPENDIX: How to apply the Apache License to your work.
179

180 To apply the Apache License to your work, attach the following
181 boilerplate notice, with the fields enclosed by brackets "[]"
182 replaced with your own identifying information. (Don't include
183 the brackets!) The text should be enclosed in the appropriate
184 comment syntax for the file format. We also recommend that a
185 file or class name and description of purpose be included on the
186 same "printed page" as the copyright notice for easier
187 identification within third-party archives.
188

189 Copyright [yyyy] [name of copyright owner]
190

191 Licensed under the Apache License, Version 2.0 (the "License");
192 you may not use this file except in compliance with the License.
193 You may obtain a copy of the License at
194

195 <http://www.apache.org/licenses/LICENSE-2.0>
196

197 Unless required by applicable law or agreed to in writing, software
198 distributed under the License is distributed on an "AS IS" BASIS,
199 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
200 See the License for the specific language governing permissions and
201 limitations under the License.

R06 原文文件

SKILL.md

UTF-8 解码文本 | 2834 字节 | 81 行

```
1  ---
2  name: "transcribe"
3  description: "Transcribe audio files to text with optional diarization and known-speaker hints. Use when a user asks to transcribe speech from audio/video, extract text from recordings, or label speakers in interviews or meetings."
4  ---
5
6
7  # Audio Transcribe
8
9  Transcribe audio using OpenAI, with optional speaker diarization when requested. Prefer the bundled CLI for deterministic, repeatable runs.
10
11 ## Workflow
12 1. Collect inputs: audio file path(s), desired response format (text/json/diarized_json), optional language hint, and any known speaker references.
13 2. Verify `OPENAI_API_KEY` is set. If missing, ask the user to set it locally (do not ask them to paste the key).
14 3. Run the bundled `transcribe_diarize.py` CLI with sensible defaults (fast text transcription).
15 4. Validate the output: transcription quality, speaker labels, and segment boundaries; iterate with a single targeted change if needed.
16 5. Save outputs under `output/transcribe/` when working in this repo.
17
18 ## Decision rules
19 - Default to `gpt-4o-mini-transcribe` with `--response-format text` for fast transcription.
20 - If the user wants speaker labels or diarization, use `--model gpt-4o-transcribe-diarize --response-format diarized_json`.
21 - If audio is longer than ~30 seconds, keep `--chunking-strategy auto`.
22 - Prompting is not supported for `gpt-4o-transcribe-diarize`.
23
24 ## Output conventions
25 - Use `output/transcribe/<job-id>/` for evaluation runs.
26 - Use `--out-dir` for multiple files to avoid overwriting.
27
28 ## Dependencies (install if missing)
29 Prefer `uv` for dependency management.
30
31 ```
32 uv pip install openai
33 ```
34 If `uv` is unavailable:
35 ```
36 python3 -m pip install openai
37 ```
38
39 ## Environment
40 - `OPENAI_API_KEY` must be set for live API calls.
41 - If the key is missing, instruct the user to create one in the OpenAI platform UI and export
```

```
> t it in their shell.
42 - Never ask the user to paste the full key in chat.
43
44 ## Skill path (set once)
45
46 ```bash
47 export CODEX_HOME="${CODEX_HOME:-$HOME/.codex}"
48 export TRANSCRIBE_CLI="$CODEX_HOME/skills/transcribe/scripts/transcribe_diarize.py"
49 ```
50
51 User-scoped skills install under `"$CODEX_HOME/skills"` (default: `~/.codex/skills`).
52
53 ## CLI quick start
54 Single file (fast text default):
55 ```
56 python3 "$TRANSCRIBE_CLI" \
57     path/to/audio.wav \
58     --out transcript.txt
59 ```
60
61 Diarization with known speakers (up to 4):
62 ```
63 python3 "$TRANSCRIBE_CLI" \
64     meeting.m4a \
65     --model gpt-4o-transcribe-diarize \
66     --known-speaker "Alice=refs/alice.wav" \
67     --known-speaker "Bob=refs/bob.wav" \
68     --response-format diarized_json \
69     --out-dir output/transcribe/meeting
70 ```
71
72 Plain text output (explicit):
73 ```
74 python3 "$TRANSCRIBE_CLI" \
75     interview.mp3 \
76     --response-format text \
77     --out interview.txt
78 ```
79
80 ## Reference map
81 - `references/api.md`: supported formats, limits, response formats, and known-speaker notes.
```

R06 原文文件

agents/openai.yaml

UTF-8 解码文本 | 414 字节 | 6 行

```
1 interface:
2   display_name: "Audio Transcribe"
3   short_description: "Transcribe audio using OpenAI, with optional speaker diarization when
> requested. Prefer the bundled CLI for deterministic, repeatable runs."
4   icon_small: "./assets/transcribe-small.svg"
5   icon_large: "./assets/transcribe.png"
6   default_prompt: "Transcribe this audio or video, include speaker labels when possible, and
> provide a clean summary."
```

R06 原文文件

assets/transcribe-small.svg

UTF-8 解码文本 | 750 字节 | 3 行

```
1 <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="currentColor" viewBox="
> 0 0 20 20">
2   <path fill="currentColor" d="M17.919 9.335c.367 0 .665.298.665.665v1.296a.665.665 0 0 1-1.
> 33 0v-.631H15.25v5.337h.585l.135.014a.665.665 0 0 1 0 1.302l-.135.014h-2.5a.666.666 0 0 1 0-
> 1.33h.585v-5.337h-2.003v.63a.665.665 0 0 1-1.33 0V10c0-.367.298-.665.665-.665h6.667Zm-12.5-6
> .667c.367 0 .665.298.665.665v10a.665.665 0 0 1-1.33 0v-10c0-.367.298-.665.665-.665Zm2.916 2.
> 5c.367 0 .665.298.665.665v5a.665.665 0 0 1-1.33 0v-5c0-.367.298-.665.665-.665ZM2.502 6.835c.
> 367 0 .665.298.665.665v1.666a.665.665 0 0 1-1.33 0V7.5c0-.367.298-.665.665-.665Zm8.75-3.334c
> .367 0 .665.298.665.665v2.917a.665.665 0 0 1-1.33 0V4.166c0-.367.298-.665.665-.665Z"/>
3 </svg>
```

R06 原文文件

references/api.md

UTF-8 解码文本 | 457 字节 | 8 行

```
1 # gpt-4o-transcribe-diarize quick reference
2
3 - Input formats: mp3, mp4, mpeg, mpga, m4a, wav, webm.
4 - Max file size: 25 MB per request.
5 - response_format options: text, json, diarized_json.
6 - For audio longer than ~30 seconds, pass chunking_strategy (use "auto" to split into chunks
> ).
7 - Known speakers: up to 4 references via extra_body known_speaker_names + known_speaker_refe
> rences (data URLs).
8 - Prompting is not supported for gpt-4o-transcribe-diarize.
```

R06 原文文件

scripts/transcribe_diarize.py

UTF-8 解码文本 | 8684 字节 | 276 行

```
1  #!/usr/bin/env python3
2  """Transcribe audio (optionally with speaker diarization) using OpenAI."""
3
4  from __future__ import annotations
5
6  import argparse
7  import base64
8  import json
9  import mimetypes
10 import os
11 from pathlib import Path
12 import sys
13 from typing import Any, Dict, List, Optional, Tuple
14
15 DEFAULT_MODEL = "gpt-4o-mini-transcribe"
16 DEFAULT_RESPONSE_FORMAT = "text"
17 DEFAULT_CHUNKING_STRATEGY = "auto"
18 MAX_AUDIO_BYTES = 25 * 1024 * 1024
19 MAX_KNOWN_SPEAKERS = 4
20
21 ALLOWED_RESPONSE_FORMATS = {"text", "json", "diarized_json"}
22
23
24 def _die(message: str, code: int = 1) -> None:
25     print(f"Error: {message}", file=sys.stderr)
26     raise SystemExit(code)
27
28
29 def _warn(message: str) -> None:
30     print(f"Warning: {message}", file=sys.stderr)
31
32
33 def _ensure_api_key(dry_run: bool) -> None:
34     if os.getenv("OPENAI_API_KEY"):
35         print("OPENAI_API_KEY is set.", file=sys.stderr)
36         return
37     if dry_run:
38         _warn("OPENAI_API_KEY is not set; dry-run only.")
39         return
40     _die("OPENAI_API_KEY is not set. Export it before running.")
41
42
43 def _normalize_response_format(value: Optional[str]) -> str:
44     if not value:
45         return DEFAULT_RESPONSE_FORMAT
46     fmt = value.strip().lower()
47     if fmt not in ALLOWED_RESPONSE_FORMATS:
48         _die(
49             "response-format must be one of: "
```

```

50         + ", ".join(sorted(ALLOWED_RESPONSE_FORMATS))
51     )
52     return fmt
53
54
55 def _normalize_chunking_strategy(value: Optional[str]) -> Any:
56     if not value:
57         return DEFAULT_CHUNKING_STRATEGY
58     raw = str(value).strip()
59     if raw.startswith("{"):
60         try:
61             return json.loads(raw)
62         except json.JSONDecodeError:
63             _die("chunking-strategy JSON is invalid")
64     return raw
65
66
67 def _guess_mime_type(path: Path) -> str:
68     mime, _ = mimetypes.guess_type(str(path))
69     if mime:
70         return mime
71     return "audio/wav"
72
73
74 def _encode_data_url(path: Path) -> str:
75     data = path.read_bytes()
76     mime = _guess_mime_type(path)
77     encoded = base64.b64encode(data).decode("ascii")
78     return f"data:{mime};base64,{encoded}"
79
80
81 def _parse_known_speakers(raw_items: List[str]) -> Tuple[List[str], List[str]]:
82     names: List[str] = []
83     refs: List[str] = []
84     for raw in raw_items:
85         if "=" not in raw:
86             _die("known-speaker must be NAME=PATH")
87         name, path_str = raw.split("=", 1)
88         name = name.strip()
89         path = Path(path_str.strip())
90         if not name or not path_str.strip():
91             _die("known-speaker must be NAME=PATH")
92         if not path.exists():
93             _die(f"Known speaker file not found: {path}")
94         names.append(name)
95         refs.append(_encode_data_url(path))
96     if len(names) > MAX_KNOWN_SPEAKERS:
97         _die(f"known speakers must be <= {MAX_KNOWN_SPEAKERS}")
98     return names, refs
99
100
101 def _output_extension(response_format: str) -> str:
102     return "txt" if response_format == "text" else "json"
103
104
105 def _build_output_path(

```

```

106     audio_path: Path,
107     response_format: str,
108     out: Optional[str],
109     out_dir: Optional[str],
110 ) -> Path:
111     ext = "." + _output_extension(response_format)
112     if out:
113         path = Path(out)
114         if path.exists() and path.is_dir():
115             return path / f"{audio_path.stem}.transcript{ext}"
116         if path.suffix == "":
117             return path.with_suffix(ext)
118         return path
119     if out_dir:
120         base = Path(out_dir)
121         base.mkdir(parents=True, exist_ok=True)
122         return base / f"{audio_path.stem}.transcript{ext}"
123     return Path(f"{audio_path.stem}.transcript{ext}")
124
125
126 def _create_client():
127     try:
128         from openai import OpenAI
129     except ImportError:
130         _die("openai SDK not installed. Install with `uv pip install openai`.")
131     return OpenAI()
132
133
134 def _format_output(result: Any, response_format: str) -> str:
135     if response_format == "text":
136         text = getattr(result, "text", None)
137         return text if isinstance(text, str) else str(result)
138     if hasattr(result, "model_dump"):
139         return json.dumps(result.model_dump(), indent=2)
140     if isinstance(result, (dict, list)):
141         return json.dumps(result, indent=2)
142     return json.dumps({"text": getattr(result, "text", str(result))}, indent=2)
143
144
145 def _validate_audio(path: Path) -> None:
146     if not path.exists():
147         _die(f"Audio file not found: {path}")
148     size = path.stat().st_size
149     if size > MAX_AUDIO_BYTES:
150         _warn(
151             f"Audio file exceeds 25MB limit ({size} bytes): {path}"
152         )
153
154
155 def _build_payload(
156     args: argparse.Namespace,
157     known_speaker_names: List[str],
158     known_speaker_refs: List[str],
159 ) -> Dict[str, Any]:
160     payload: Dict[str, Any] = {
161         "model": args.model,

```

```

162         "response_format": args.response_format,
163         "chunking_strategy": args.chunking_strategy,
164     }
165     if args.language:
166         payload["language"] = args.language
167     if args.prompt:
168         payload["prompt"] = args.prompt
169     if known_speaker_names:
170         payload["extra_body"] = {
171             "known_speaker_names": known_speaker_names,
172             "known_speaker_references": known_speaker_refs,
173         }
174     return payload
175
176
177 def _run_one(
178     client: Any,
179     audio_path: Path,
180     payload: Dict[str, Any],
181 ) -> Any:
182     with audio_path.open("rb") as audio_file:
183         return client.audio.transcriptions.create(
184             file=audio_file,
185             **payload,
186         )
187
188
189 def main() -> None:
190     parser = argparse.ArgumentParser(
191         description="Transcribe audio (optionally with speaker diarization) using OpenAI."
192     )
193     parser.add_argument("audio", nargs="+", help="Audio file(s) to transcribe")
194     parser.add_argument(
195         "--model",
196         default=DEFAULT_MODEL,
197         help=f"Model to use (default: {DEFAULT_MODEL})",
198     )
199     parser.add_argument(
200         "--response-format",
201         default=DEFAULT_RESPONSE_FORMAT,
202         help="Response format: text, json, or diarized_json",
203     )
204     parser.add_argument(
205         "--chunking-strategy",
206         default=DEFAULT_CHUNKING_STRATEGY,
207         help="Chunking strategy (use 'auto' for long audio)",
208     )
209     parser.add_argument("--language", help="Optional language hint (e.g. 'en')")
210     parser.add_argument("--prompt", help="Optional prompt to guide transcription")
211     parser.add_argument(
212         "--known-speaker",
213         action="append",
214         default=[],
215         help="Known speaker reference as NAME=PATH (repeatable, max 4)",
216     )
217     parser.add_argument("--out", help="Output file path (single audio only)")

```

```

218     parser.add_argument("--out-dir", help="Output directory for transcripts")
219     parser.add_argument(
220         "--stdout",
221         action="store_true",
222         help="Write transcript to stdout instead of a file",
223     )
224     parser.add_argument(
225         "--dry-run",
226         action="store_true",
227         help="Validate inputs and print payload without calling the API",
228     )
229
230     args = parser.parse_args()
231     args.response_format = _normalize_response_format(args.response_format)
232     args.chunking_strategy = _normalize_chunking_strategy(args.chunking_strategy)
233
234     if args.out and len(args.audio) > 1:
235         _die("--out only supports a single audio file")
236     if args.stdout and (args.out or args.out_dir):
237         _die("--stdout cannot be combined with --out or --out-dir")
238     if args.stdout and len(args.audio) > 1:
239         _die("--stdout only supports a single audio file")
240
241     if args.prompt and "transcribe-diarize" in args.model:
242         _die("prompt is not supported with gpt-4o-transcribe-diarize")
243     if args.response_format == "diarized_json" and "transcribe-diarize" not in args.model:
244         _die("diarized_json requires gpt-4o-transcribe-diarize")
245
246     _ensure_api_key(args.dry_run)
247
248     audio_paths = [Path(p) for p in args.audio]
249     for path in audio_paths:
250         _validate_audio(path)
251
252     known_names, known_refs = _parse_known_speakers(args.known_speaker)
253     if known_names and "transcribe-diarize" not in args.model:
254         _warn("known-speaker references are only supported for gpt-4o-transcribe-diarize")
255     payload = _build_payload(args, known_names, known_refs)
256
257     if args.dry_run:
258         print(json.dumps(payload, indent=2))
259         return
260
261     client = _create_client()
262
263     for path in audio_paths:
264         result = _run_one(client, path, payload)
265         output = _format_output(result, args.response_format)
266         if args.stdout:
267             print(output)
268             continue
269         out_path = _build_output_path(path, args.response_format, args.out, args.out_dir)
270         out_path.parent.mkdir(parents=True, exist_ok=True)
271         out_path.write_text(output, encoding="utf-8")
272         print(f"Wrote {out_path}")
273

```

```
274  
275 if __name__ == "__main__":  
276     main()
```