





DRG NO: CWE/+KG/ ST/ 336/2023, SHT NO: 2R/22




DRG NO: CWE/ LEG/ ST/ 336/2013, SHT NO: 3 R/22










ULUBNY DRG NO: CWE/1KG/ST/336/2023, SHT NO: 14 R/22

			Cattering		Centro	9008		FNS-E3	SMITTER	
		WALLS	SKIRTING	3				-	C.Lange	1
GROUND FLOOR	UPPER PLOORS	INTERNAL EXT	EXTERNAL		٥.	***	-	*10.04		
The property of the property o	The state of the s	Section between \$1 193 or 1	Charles De house (1975) ARTHUR STROMY ARTHUR	STREET, ST.	man of C LECTA Proper	The statement of the second of		The tent content of the content of t	THE STAR CONTROL OF THE PARTY O	
And the second s	The second secon		THE TOTAL STREET, THE TOTAL ST		S ment that bear		PROPERTY AND	The service and a service and	OF PARTY BOARD IN	
3 4 5 67 8	9 10 11 12 13 14 15 16 17	18 19 20 21	22 23 24 25 26	3 27 28	83	31 32 33 3	35 36	37 38 35	17 07	1 1
					3		?			•
		•	-		X		?	7 :		
×		1	*		N. N.	A	2 :			1
			7		1		? ;	1	,	
							? ;			
							? .	1		•
× ×				4			?	1		
	W	£ 185	-		S. 200 S.		?		7	
	The second secon	1	1 8 1	-	W.	X	2	4	7	
		1	4	1			2 :	2 2	2 2	
				-			2 2	Ţ		
				1		100		Ţ		
					×			I	7	
2					-		_		-	
							S No. TREA	TREATMENT	DESCRIPTION	
	,	_					-	T-1 1-400	THERE COATS OF WHITE INGH	
	Y	_		1		-	2 T	T-3 reaconts	DATE OF ON BOND DIG TOWNS AND PAINTY	PROVER ONE COAP CO
		_			/	-	10	T-4 Crimin	THE COATS OF SYNTHETIC ENAMES. OF PRIETS	PARTONER UNE COAT
TECH OFFR	COMMANDER				1		_	T-8 scan	THE COATS OF INCADES PROOF EMALIEUR ASSA PAINT OR EQUIVALENT OVER A COAT	A CORT OF IMPRING
-	15		1011	- F	1					Total Control
1	Consultant ESS FOUNDATION PVT. LTD.		Approved His	14.	Sal investigation Officer Acoust	A Complexy	Charges For Florence shong Melstery Sarion.	and Sample Day	0146-703	MILITARY ENGINEERING SERVICE
Annual states of the states and the states of the states o	Address 96, Barthakur Mill Road Ulubari Ghy-731007		() () () () () () () () () ()	T.	Building Title Gril is Leuman	heng Military State	,	3	1 100	Loimakhong, Manipur
			10	TO	y Take			(bergeed	# Phanm	
		_	1	1		Schedule of frances		3	14 OF 13 (RII	



MATATOCC MATATOCC MATATOCC PA REDCC Or, Hospikesh Shama kasoan hobeschip bette begemen 3 On Expension hares of the Color MA MI MA NATURE NATURE HI HI MANYOG MANYOG HI HANYOGG MANYOG 14:34:9000 30.00 Mushay THE PART OF THE PARTICULAR PARTY OF THE PART 5 Š TO RANDOWS STA CA ě 1 F. 374 174 POS WASCA ROTTOMENONZALVE THE SCHOOL WITH FREE PARTICIPATE PER 14 A 374 \$114 Ē 7. \$7.6 === 3 3 3 3 0 Į 200 70.74 A Name of A Name BARTON SORON TO SORON TH DATE OF THE PERSON NAMED IN of backs -A Jap. 900 A SAMPLE IN SAMPLE TO SER SECTION SOME TO MAKE TO STATE OF DA PROPERTY BA INDINGE SOME ALL TO P.A. INDINGE DOM: NE TO BA INDINGE 30.00.00.70 NA PROPERTY WALL SEPTEMBER SONOW TO 3000 PG W. TO STAND STAND SOME TH 持 京 一 一 30 W CE WO 9.3 M. 100 CC 20.00 21.50 WA TROOCK DA IN WALK NA IMPRICE STATE OF BA HA-NCE 30000000 DON MY WO 32.00.00.54 AA PAPERTE SO BOOK TO --STATE STATE OF -300000 30 8- N. T. 17 14 400 30 8 P. T 33.84.04.44 No Media SA INCINCE 30 mm M. T. STATE OF ALC: WORKER 30 St. W. T. NO GLOSE TA 13 SUPPOSE ALCOHOL: AN 304004. ** STATE OF ALTERNOOP 200 30.00 T. V. SOM WELL STATE OF STATE OF 37.8. P. V. -350000 10 mm 1 30 MAN TO 30 and 40 2002 30 m m 74 NA IN WA WA : 45 W.CK STATE OF 37-01-01-74 30 W. W. T. SOME P WA PROPERTY SOM SEL TO のの事にず A SECTION TO SERVICE THE PA INCHES 30 m 2. 40 MORNING TO 30.00 PH WA 30 20 30 50 WA PRINCE 30 miles SO MANUEL THE SA POSTOR 37-marce 44 5 1 1 1 1 1 1 1 1 11 2 ij 11 1. . 1 į 11 į į į :: Ę ţ 2 NOW A CHORAGE WE WITH -Ę 1 1 1 ž Ş 2 į 7 į 5 5 Š į Ž 1 4.5 1 1 1 1 į 1,5 !! Ž 5 ļ 1,1 11 11 1 his his his ... 5 ž Ž 2 Ş 1 Ę . 1 ļ THE SHOULD SHOULD THE STATE OF 1 ź 1 5 : į 5 į • 5 2 į Ž 30.0 į g g 1 . . . 5 ž 5 7 7 8 8 8 8 ž Š 5 5 1 1 1 1 į 1 1,2 P. 4 8 15 ž ž ţ B B E N 8 8 2 2 2 8 8 8 8 8 8 4 2 2 . ş ŝ ĕ 8 . . . 8 # Ķ 2 6 R £ ž 8 ĸ Ħ 8 8 1 9 4 2 I t 1

1

智さいいい 7E CALLY WOR Acres 140

ENTINEERING SEXVICE

Coon Nat Tokk

110000

Lomokhorg, Nasopal

Panner Ch

Section 3 77

2

-Ŕ į

N. S. Y.

Colonel THE

DAG NO: CWE (1KG | ST | 336/1013

Coming of Swan Scholate a Look 13 M.E. 12 D. N. Sellinggrane & Comittary Chape for Persons & Supili Offsets Association & London Million Stone, Number Smithing Title . Dry, is browned without Change Dife

ESS PCONDATION PT LITE Address: Pg. Sarmaian Mil. Sani Under Oppurious

To see

CARREST CARREST	1	A SECOND	F	12-12-2022 MILITARY.	ENGINEER	Leimakhong	theN erhoised of Lanied		19 of 2d	
	-	-	-	12-13	_	NTS	100	2		
	DOM NOT THE	PA-Pugivace		Date.	N.	Scale	T. Parison		Shit No.	1.00
	4.5	11.		of Sanch	Main.				N N	
	E.	11			Nuthor.				SME	
	254	Įį.		A. Carrie	ong Milde	5			M Level	
	3116	*174			(Lough)	Johnny Stat			chedule	
	3716	314		Title	Officers Accomplation at Leanaching Mildary Scient, Maripa.	ng Title : Cirl. in Lehmadhang Mateury Station			Detailing of Deam Schedule at Level 1.8 M & 4 8 M	
	114	114		itle	Tkera Acc	Title:		Tilb	ctailing	
	\$	2	1	Project Title	20	Duilding Title:	•	President Tille		
1	2	24			nch.	reer	ng • =	17	130 10	
l	Q	Sic	اد	(-)	1/2	1	ď	3	137	+

																					G	0	0	Ü	5											
																															E	1111	1		44	=
_	_	_	_	=	=	=	_		_	Т		П		-		_	_	Te	П	_		0		_		_	_	=	=	=	世	1	-	100	10	
	STANKE.					-	1 1	8									1	CWALABOO			-	CHATEMER			,			CHALLAUNC	<u> </u>		E KOS	1.7	ランル	NG SE	Manipus 13 to	
		NO.	The state of the s	Seleping	12.tem952	Parlegiance	NUMBER OF	SSR-Registre.	ST.O.TO	The state of the	11/13/1955	2200000000	30 et 69:444	34.427355	324171120	322165-24	52-42-1955 52-42-1955	20000000	*1 (12)43CC	358191321	ea raying	NA-PESTRON	ALTHOUSES	334131134	A. P. C. Sand	PE-Itanace	PA-Stapened	SALINGTERS.	Parameter Parameter	CAMOUNT	+	Assoln VI count plant	Client ful	ENGINEERING SHIVING HEAT	Leimakhong, Maniput 13, 14	_
WAR TORRY	me on	VA-113136.C.	Partennes.	PA-Itaines	P.S. Tegrings	1.2.Tempor.	74.40-950	13-142)-255	**************************************	-	A&Aegrings	12 Martings	14-13-13-55	13,1231956	F4-10/350	P. n. mannet	+2.72319CC	Same a	+A.Trgrissic	na, hanses	13 13 13 13 CC	A. Proposice	23-714-713-00	NA-HOPECC	TATA DE LE	A. Sammice	** Tagridos	A.14.07466	23/12/1906	+ A TACKNET		13.Pugrade	12-12-2022		NTS	Trans.
Ž	1691	Samonas d	52.101.25	Selection .	12-119-34.cc	25.197.900	PE-NOVECC	25841/150	33.743.755	-	14.115.800	32.74.75	101111111111111111111111111111111111111	\$2.13.400	P.B. Tayung G.C.	63.tapess CC	02.02.02.02.00.00.00.00.00.00.00.00.00.0	25 PECPHECE	+	_	-			MATERIAGE N	Na. fragmade W		ex.fegrace.)A-Haprace	PATERIACE	LA LA PAGE		3214814144	112			:
200	PCM.) Lid	2714	274	I.	4.5	Ĭ.	Ĭ.	5.5	Į,	14.	27.0	i ii	H.	14. 14.	14	1 104.	+	+	-	-	-	-	14	-	NI4	# #.E	\$14. \$14.	3114	24	7	Į.		_	1	
INCOCIONI	Fre Con	114	Ę	E.	377.6	ž	3719	stre.	Į.		_	¥.	_	25.	3714		F	200	₩		-	-+	-	H.4	-	E E	ž.	1.5	Ę	Ĭ.		Įį.		Parisade y Nation,		
3	пa	17.6	17.4	Ķ	Į.	11		Ĭ.	Įį.	1,5		ž.	i ii	ī.	¥.	3.774 3.74	374	1.5	H	+	\dashv	$\dot{+}$	-	##.	¥.	## #	Į 4,5	1,5	NI4	5. E.	*	Įį.		harges For	NA.	
SJACH!	PECAT.	27.6	37.6	E.	3714	3716	217	3776	3 .	\neg		31.5	1	11	_	*14	373	****	214	-	+		一	114		* *	27.6	3114	114	3116	114	114		a Lound)	Library Stat	
BOTTOM MERICACES.	MO 59.1h	114	3716	314	ř	104	174	\$114	37.6	al.	ž .		¥ 4	ž	ž	3.716	¥4.	ž	3716			-	PI4	Ĕ	314	# 4x	ž	374	3,110	PI's	•	3 14		Soil Investigation & Consultancy Charges For Prevaion of Surgies Officers Accommission at Leanachung Military School, Matipus.	Dualding Title: Gri, in Lebrashang Massary Station	
DTIO8	5	Ę	ž	*114	ž	=	¥174	F.	11,	37.6	Ĕ.Ē	2 2	ž ž	Į.	ŧ.	3716	# E	216	PT4	;		714	1	Ž,	12	¥	7.	Ē	, T.	27.0	=	ž	1	I Investig	Title:	100
71.5	۰	8	8	8	8	3	\$	3	ş	\$	\rightarrow	3 8	8 8	8	8	8	a a	5	8 8	: 2		8	8	ē	\$	5 8	3	3	8	8	8	3	1	*20	Bulding	
	¥	Ŕ	ž	ā	2	£	ž	ā	2	ā	ñ	++	2 2	2	2	2	2 8	1	a a	_	+	7.	2	2	2	2 2		2	1	1-1	ž,	2	۱F		_	_
ž	MARKE	=	ā	2	I	3	3	à	Z	=	: :		i i	ä	1	ŝ	E	2	2 2	a		2	E	X		2 3	2	2	à	2	2	2		(S)	neen	n
					HIGH!	10-20-10@130 CC	9-21-T8@150 C.C	9-21-T8@150 C.C	9-21-T8@150 C/C	15-21-T8@150 C/C	10-2L-T8@150 C/C	10-21-TB@150 C.C	9-21-TB@150 C/C	9-21-T8@150 C/C	S-ZL-TB@150 C.C.	10-21-T8@158 C/C	9-21-78@150 C.C.	9-21-T8@159 C.C.	10-21-T8@150 C/C	TOGGGO TO	10-21-18(9)-30-CC	6-21-TEB150 CC	10-2L-TB@150 CIC	6-2L-Taga150 C.C	8-2L-78@135 C/C	9-2L-T8@150 C.C	8-21-TB@135 CC	9-21-18@150 C/C	10-21-TE@159 C/C	6-21-T8@150 C/C	6-21-78@150 C/C	10-21-18@159.CC	P.A. 1001 100 C	WIND TO SELECT	ee the contract of the contrac	イング
			DO NOT THE PARTY OF THE PARTY O	Simula	M/S CIT	8.21.18@150 CC	7-2L-T8@150 C.C	7-21-T8@150 C/C	7.2.78@150 C/C	8-21-TE@150 C/C	6-2L-T8@150 C.C.	8-21-T8@150 C.C.	7-2L-T8@150 C/C	7.2L-TESISOCIC	7.21.T8@150 C.C	#-21-T8@150 C/C	7.2L-78@150 C/C	7-21-TB@150 C/C	8-21-T8@150 C.C	400000000000000000000000000000000000000	5-2-16@150 CC	4-21-18@150 C/C	8-71-TE@150 C/C	4-21-78@150 C/C	6-2L-T8@135 C/C	7.2L-18@150 C/C	6-21.T8@135 C/C	7.A.18@150 C/C	8-21-T8@150 C/C	4-21-18@150 C/C	+	6-21-T0@150 CC	4-21-18@150 CC	Approved		
			1	3	-	-	9-21-T8@150 C/C	P.N.TE@150 CC	S.A.TB@150 CC	16-21-TB@150 C.C	10-21-TB@150 C.C	10-21-TB@159 C.C.	\$21.TB@150 CC	9-21-TS@150 C.C	9-21-78@150 CC	18-21-78@150 C/C	9-21-TB@150 C/C	9.21.78@150 CC	19-21-T8@150 CC	$\overline{}$	-	CA-TABISOCC	+-	-		52.T8@150 CC 7		9.2.T8@150 C/C 7	19-21. TB@150 C/C 8	-	\rightarrow	+	67.18@150CC +		Address: 96, Barthakur Mill Rond Ujubari	
			ŀ	+	-	_	-	9.716. 9.716	╌	+	+-	+	-	↤	3.716	+-	+	+	+	-	+	+-	+	+-	-				1	\dashv	+	+	-11		Thakur]	
				TOP REPAROMORUENT	=1	3T16 3T16	3.7.5 3.7.6	87.6	3174	3.7.6	3.776	3-T16	3.716	\rightarrow	3776	┿	3.T16	21.5	27.6	-	+	+	+	╌	3716 *2.716	37 te	15 3.T16 72.T16	3116	3-716	6 3T16	+	+	21.6	onsultant :	20° 8	3
			١	TOP RENG	150	3.716 3.724	2 3 1 5 4 2 1 1 5 4	\$ 716 \$ 716	\vdash	+	art.	-	+-	┥	STIE STIE	+	+-	+	+	\dashv	-		+-	╁	-	3 3.T16	3716	9 3.T16	5 3T16	\dashv	-	3.716	-11	Consultant	Addre	5
			-	-	\dashv	31.6	\$7.6	317.6	3.7.16	3.7.6	3716	3.7.6	3-T16	1	307.	+	5 3TTE	+	+	2.74°	-	+	2116	╀	1	5.716 2.716	3.716	2.T.6 2.T.6	5 3T16	-	+	3716	-11		. 1	CARACTER
		E		OCCER	MC SPAN RICHT	14 J 3114	3.716	3.716	3.716	3.7.6	3-716	3.716	3-7-6	↤	+	┰	+-	3.Tre	- 1	\dashv	-	-	7.116	+	-	3,116	3.T16	3716	3.716	-	+	3776		TALL DAMPS		SALANDER
		9		2 1	ő	7	_	-	-	-	-	-	-	\vdash	+	+	3.716	8 3-T16	+	\neg	Н	-	3116		1	3,716	5 3.T16	3.716	Н	-	37.16			SALICISCS, SALI WAS TALL DASPERS. SALICISCO.		
		SOLEVEL DE		TOUR RE		312	2	3.7.6	27.5	27.5	116	2	12	199	712				1 3	-	ıΞI	# L3	-13	: : =					- 1							. 4
		S. FeSoon REVEL DE		BOTTOM RENGOSCEASING	LEFT	31.16 83	455 ST-6	450 3.The	3.716	450 3.716	S2 3.716	35 3-716	3.7.6	↤	2 th	-	3.716	3.716	+	_	\vdash	-	5 5		-	3.716	3.T16	0 3.T16	-	-		3.116	$\ $	3774		
		TALE AUX : FASOODI A EVEL D &		SATE BOTTOM RE		917.5 629 825	├─		-	3716 023 023	25 450 3.716	957	87	ફુ	ş	8	ş	ş	1	85	5 5	ş	કુ ફ	3	ş	ş	8	ક	કુ	ខ្ល	3	ş		CONTRACTOR DESALECTER AND WASTALL DREDGEN ON THE SECOND SHOWS THE SECOND S	Michael Burning and Date in Particular States of the 190 D Achter of Tables 190 D Achter of the 190 D Acht	and in column 2 is not
		SEAN SCHEDULE NAZS : FeSCODO (LEVEL 0.6 m)		ij	0 155	85	83 82	83	220 623	057	8	-	-	35 20		5 5 5 2		-	1	8	55 52	ş	S &	3 3	S 2	S	25 435	25 25	કુ	S 5	3	ş	NOTES	OTYPE SEE THE PROPERTY OF	Markette merronean in Markette Conf. 91.19 And Markette Trans. 1	Dit is a second of the

Commander 13º Haist stilltan 13º Worth E. 11.65

M.K. Chauchary

C2175

PASSES STORY

TO MINTOCINETY

BOTTOM NEW CONCESSOR


OCAL STE


BENNISCHEDINE PASS, FASGOOD REVILL 25 mil


BOOKERS IN SALECTER AND WAST ALL DAMPSOON


FOR THE PARTY OF THE PARTY

DRG NO: CWE/1KG | 571 336/2023









GENERAL NOTES

- 1.1 Presse do not scale the drawings. Wash to written dimension only.
 - 1.2 All dimension are in millutess streville stated.
- 1.3 These notes are to be followed in conjurgion with construction drawings and the specifications for DA and shubbill works. 1.4 Shutu's design is done based on eronatural design
 - 1.6 75 mm thick PCC with 75 mm Offset bothside shall be 1.5 Pinth Beams (PS) shall be provided 150 mm below Course Level (SU)
 - 1,7 First Stimup may be located 5 cm from the face of the provided below plinth beam.

2. ABBREVIATIONS AND SYMBOLS.

- : Footings
 - Columns
- Beams
- : Safe Bearing Capacity of soil SBC
- HYSD : High Yield Strength Deformed Bars.
- : Mild Steel Bars
- : Plain Cement Concrete ខ្ល
- : Reinforced Cement Concrete ပ္ထ
 - : Indian Standard S
 - : Kito Newton. Cubic metre. 5 N 11. m3
- Development length of bars. . Milmetre 13. mm 7 12

Metre

Ε ᄗ

- : Diameter of bars 15. Ob
- Greater than Diameter 16. dia 17. >
- Not greater than. ₩.
 - At the rate of. 19 Q
- Centre to centre ช

DAG NO: CWE (1KG|ST|336|2023 Approved By ESS FOUNDATION PVT. LTD.

Address 96, Barthalur Mill Road Ulubari Gby-781007

Degrad & Phaninks Nath おめい SMING of Title. Sal Incorposes & Considency Chaps for Presents of Segrit Officer Accessables at Lenskhorg Abilian Science Mangel. (NA) ž Amidang Title Get, in Leanthbug Military Sadow GENERAL NOTES Deposite Fith Propost 1ste.

3. DESIGN CONSIDERATIONS

11 FOUNDATIONS.

investigation report which is 140 kN/H2 for a founcation depth of 3.1.1 The SBC of foundation soil is taken as per soil

32 LOADS

- Indoess and materials of walls and floor Inighes are taken as per 12.1 Dead Loads: The dead loads considered for structural are weight of states, beams, wall and floor frishes. Restored Cenest Corcete = 25 KUIII.

 Box masory = 19 KUIII.
 Floor Frishes = As per unit weight of the material. Unit weight of materials are taken as below ;. architectural drawing and specifications,
- services and occupancy of moons are laten as per IS: 876 (Part-3.2.2 Use Leads: Imposed back on foors due to various
 - 324 Wind Loads & Snow Loads Wind Goos and Snow loads 3.2.3 Dynamic Loads : Dynamic loads dus earsquake forces are taken as per 15 : 1693 (PART - 1) - 2012.
 - state Design) are taken as per IS 1693 (Part-1) 2002 in the 3.2.5 Combination of Loads: Combination of loads (for limit are not considered as earthquate loads is more prominent. analysis and design.

3.3 ANALYSIS AND DESIGNS.

- 3.3.1 Analysis and design are carried out using STAND PRO VS Dynamic analysis is done using Response Spectrum CHARGE 3.3.2
- 11.13 At Sections are designed using Limit State Design Method. Method based on IS: 1893 (Par - 1) - 2002
- 1993,IS: 456 2000, IS: 4226 1993 and IS: 2502 1963. Detailments of reinforcement are done as per IS: 13920
 - 3.4 REINFORCEMENT
- mud or any other couting which may destroy or reduce bond. 3.4.1 All reinforcement before placement and assembly, shall be made thee from loose scales and rust, coats of paints, oil,

4 GENERAL SPECIFICATION

4.1 EARTHNORK IND FOUNCATORS

- A MA DIO DIO DE LA CONTRA DIO DOS DE LA LA CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DEL CONTRA DE LA CONTRA DE L expension and represent to the Coliman person
- 4.12 POC 128 150 rm thor shall be additionally currenates **Surcators**
- Sec all grad to the name of the property and an increase Sach layer shall be compacted to the opinion person 113
 - A.1.5 Minima septial foundains shall be 1.3 in below fin grand 4.1.4 All world below grand level stall the endured in thy conditions

12 WATERWIS


- AL ROC shall be of controlled price in accordance with St. disk controlled Moment grade of corcess shall be 1055 17 122
 - Grace of seet shall be HYSQ bars conforming to S.; 1736 2000 Criess offerwas mentioned 423
 - believes of the least fathe study breast of less real like The tars shall be bent cold. 7
- he secure for the manual section of the second seco Cement door then say north shall not be used for PCC work without conducting all the manuscripts again as per S. All last has and And the transfer of particular particular framework and strong as The Physical of water state to parently tot asserted (State 125 128
 - 10.2 of 15.456 1973 before use of wore, for anys scars and hepting more than 4.0 in steel price only shall be used for supporting the form work. The strongs are small by This care, where TI is the formal strongs are the price shall select the price shall be the strong and strong Form work shall be deemed and meason in accordance with calcula Da retained up to 21/23 days. 127
 - 4.3 STRUCTURES
- Cear ower that he martitized as per S : 455 2000 as thetwo Foundation - Storm 7
- Beams Chmm


Columns +Com


- Sats Sams
- Chajas, etc. 15mm Startases-15mm
- Lap Spices shall be sayyerd in such a way that not more than 50% of bars are lapped at one particular section. 432
- 4.3.3 Lap Levyon of renforcement bars shad not be ess man the immanives bill Sharma following ... Founds - 30 t. da. of the Courts - 24 t. da. & Carlos Personality There
- The state of the state of CANNOSE ENERGY OF DAY STAFF OF MANCHONG AS INTERFERENCES OF THE COMPANY ELEMENTS OF HOST OF DAY IN STAFF. 4.3.4 Andreage length of bars shall be markaned as nitre |--| Beams - Nox da of the Sats - Nox da of the


25 of column shall be mandamed as in the drawings.


CA/205/67+73 ENCINEERING SERVICE S. Hazerin Lond Sandiame














मान अ