

rexresearch.com

Royal R. RIFE

Beam Ray Machine

[MOR Frequency List](#)

[Wikipedia Biography](#)

[Links & Discussion Groups](#)

[Aubrey Scoon Analysis of Beam Ray Machine](#)

[Pictures of 1947 Beam Ray Machine](#)

[1939 Beam Ray Machine](#)

[Video: The Royal Rife Story](#)

[Barry Lynes : *The Cancer Cure That Worked*](#)

[Gerald Foye : *Raymond Royal Rife*](#)

[Report of the British Rife Group](#)

[Tec Talk --- Engineering Rife's Technology](#)

[John Bedini' Research](#)

[Google Search Results](#)

[Photos](#)





Dr Royal Raymond Rife

http://en.wikipedia.org/wiki/Royal_Rife

Royal Rife

Royal Raymond Rife (May 16, 1888 – August 5, 1971) claimed to have used a special optical microscope to observe very small viruses. Bacillus X and Bacillus Y (at some point renamed BX and BY viruses) were experimentally isolated, and Rife causally linked them to two forms of malignancy (cancer): carcinoma, and sarcoma. This renaming of these bacillus forms by Rife to that of viruses is now known to have been in error. The limitations of optical microscopes, and the size of viruses is such that most viruses cannot be seen under an optical microscope. Furthermore, the scientific understanding is that the estimated 15% of human cancers that are caused by viruses are caused by a number of different types. Rife's virus claims must therefore be seen as mistaken.[1]

Rife also claimed to have rendered, in the living patient, such viruses and many others inert by means of a "beam ray" device, which was claimed to devitalize pathogens by inducing resonances in their constituent chemicals[2][3]. Rife's treatment has been unanimously condemned as worthless by mainstream scientists,[4] and "Rife devices" have been blamed for the deaths of cancer sufferers who have used them in place of medical treatment.[5][6]

Biography

Rife was of Scottish ancestry,[7] born on May 16, 1888, in Elkhorn, Nebraska. While still at university[citation needed], he began working part time for Carl Zeiss at their New York offices.[8] Rife said that after a while he moved to Germany and worked part time for Carl Zeiss at their Heidelberg offices, while attending the University of Heidelberg[citation needed]. Rife also claimed to have worked for six years with Hans Luckel, who was Carl Zeiss's optical scientist and researcher.[9] It is claimed that Rife learned how to grind parabolic lenses.[10]

Rife married Mamie Ah Quinn in 1912 and she passed away in 1957. In 1960, Rife married Amelia Aragon. Rife died on August 5, 1971 in Grossmont Hospital, El Cajon, California, from a combination of valium and alcohol, at the age of 83.[11]

Rife's Microscopes

Rife built a number of microscopes. Rife 1 through to Rife 5 are documented to have existed. [12] At least one was cannibalized for parts to build one or more of the others. The Rife #5 has never been reported to have worked since its original owner, Dr. Gonin in England, "was unable to obtain useful results with either No 4 or No 5." [13] Rife patented a high-intensity

UV lamp for microscope use in 1929 (Patent #1727618).[14]

On November 20, 1931, forty-four doctors attended a dinner advertised as "The End To All Diseases" at the Pasadena estate of Dr. Milbank Johnson. This dinner was honoring Dr. Arthur I. Kendall, professor at Northwestern Medical School, and developer of the "Kendall Medium" or "K-Medium," and Dr. Royal Rife, the developer of the "Rife microscope." Moving microorganisms from prepared, diseased human tissue were supposedly seen in Berkefeld-000 filtered form, still-photographed and motion pictured.[15]

August, 1932, Science magazine published a report by Dr. Edward C. Rosenow, M.D. (1875-1966). It said that, in addition to other viruses viewable with the standard lab microscope, small bodies were seen in the filtrate.[16]

Cancer and Disease Treatment Claims

Rife said that he could find a Mortal Oscillatory Rate[17] (M.O.R.) for various pathogenic organisms, and directed his research accordingly, culturing and testing various pathogens with his Universal #3 microscope and his directed radio frequency energy 'beam ray' tube machine. Rife claimed to have documented the precise frequencies[18] which destroyed specific organisms, and claimed that many, if not all, contagious diseases could be cured using this radiation treatment, using frequencies that were typically in the 10 kHz-100 MHz range (HF to mid-VHF).[19] Rife claims that a clinic was set up by a Dr. Milbank Johnson M.D. which conducted tests using Rife's machine on the growth of typhoid in medium, which he claimed demonstrated no motility of typhoid rods which were exposed to Rife's machine. [20][21] There is no independent verification of any of these claims.

Modern Revival of Rife's Work

Rife's work was revived in the 1980s. An interest in Rife himself was revived by author Barry Lynes, who wrote a book about Rife entitled *The Cancer Cure That Worked!* This led to such groups as the Bioelectromagnetics Society. The American Cancer Society described Lynes' claims as implausible, noting that the book is written "in a style typical of conspiratorial theorists." [4]

In the late 1980s, Life Energy Resources mass-produced the REM SuperPro Generator. Three of the company's top distributors, Pat Ballistrea, Michael Ricotta, and Brian Strandberg, claimed it was based on Rife's devices and cured many diseases, including cancer and AIDS. They served prison time for selling unapproved medical devices and drugs as a result of their trials in 1993, 1994, and 1995. According to the Buffalo News, Judge Arcara told Ricotta: "Your sales strategy targeted the most vulnerable people, including those suffering from terminal disease ... It is especially cruel because, in many instances, it proved false hope to people who had no hope." [22] Similarly, the American Cancer Society reported in 1994 that Rife machines were being sold in a "pyramid-like, multilevel marketing scheme" with the claim that the device was being suppressed by an establishment conspiracy against cancer "cures". [4]

In Australia, the use of Rife's machine has been blamed for causing the deaths of cancer patients who could have been cured with conventional therapy. [6]

The Attorneys General of Wisconsin and Minnesota sued Shelvee Rettmann, a proponent of Rife's "frequency generator" for deceptive trade practices and consumer fraud. The Court

found that Rettmann had violated the law and that, as a result of her actions, a cancer patient had ceased chemotherapy and died four months later.[23]

Although Rife devices are not registered by the U.S Food and Drug Administration and have been linked to deaths among cancer sufferers, the Seattle Times reported that over 300 people attended the 2006 Rife International Health Conference in Seattle, where dozens of unregistered devices were sold.[5]

References

1. Bowditch, Peter (April 2003). Limited only by the laws of physics. Australian Doctor.
2. RifeBook.htm
3. Jones, Newell (1938-05-06). Cancer Blow Seen After 18-year Toil by Rife. San Diego Evening Tribune - Search for "5/6/38" near "Evening Tribune San Diego, Calif, Cancer Blown Seen".
4. "Questionable methods of cancer management: electronic devices" (1994). CA Cancer J Clin 44 (2): 115–27. PMID 8124604.
5. Pair indicted on fraud charges in medical-device probe, by Christine Willmsen and Michael J. Berens. Published in the Seattle Times on December 21, 2007
6. Cheating death - Australia's battle with Rife machine quackery
7. Montgomery, Shawn. Requiem For Royal Rife - Part Two - The Hubbard Interviews: Ben Cullen. search for "scotch" - www.rense.com.
8. Rife In Europe.
9. John Crane Trial deposition of Royal Rife.
10. Montgomery, Shawn. Interview of Robert Page by John Hubbard and Christopher Bird. search for "spherical aberration".
11. Rense, Jeff. Royal Raymond Rife. search for "valium" - www.rense.com.
12. The Rife Microscopes
13. The Science Museum's Synopsis on Rife
14. Patent 1727618. US Patent Office / Google Patent Search (1927).
15. Kendall, Arthur Isaac, MD., PhD.; Rife, Royal, PhD. (1931 December No. 6). Observations on ... (PDF / Adobe Acrobat 1.2 MB). Retrieved on 2007-07-02.
16. Rosenow, Edward C., M.D. (1932-08-26). Observations with the Rife... (Adobe/PDF). Science Magazine
17. www.rife.org
18. www.rife.org
19. <http://www.rife.org/john%20marsh/rifeinstrumenthistory.pdf> See page 15 (approx.)
20. <http://rife.org/miscellaneous/no4test-1.jpg>
21. <http://rife.org/miscellaneous/no4test-2.jpg>
22. Investigators' Reports, FDA Consumer magazine, September 1996
23. Stephen Barrett, M.D. Rife Machine Operator Sued. Quackwatch.

Further Reading

The Cancer Cure That Worked. Barry Lynes. Markus Books, Queensville, Ontario, Canada, 1987. 169 pages. ISBN 0-919951-30-9

Lynes, Barry. *'The Cancer Conspiracy: Betrayal, Collusion and the Suppression of Alternative Cancer Treatments.* 256 pages. Elsmere Press (March 2002) ISBN 978-1885273123

Bird, Christopher: "What Has Become of the Rife Microscope?" *New Age Journal*. Boston, March 1976.

Links

Rife Information Forum Europe --- <http://www.rife.de/>
James Bare's Web Site --- <http://www.rt66.com/~rifetech/>
Rife Plasma Digest --- <http://www.rife.org/>
Jimmie Holman's Web SiteTurf's Electroherbalism --- <http://www.holman.net/>
Ralph Hartwell's Web Site --- <http://home.att.net/~ralph.hartwell/>
Fred Walter's Web Site --- <http://healthalternative.freeyellow.com/>

Discussion Groups

<http://groups.yahoo.com/group/Rife/>
<http://groups.yahoo.com/group/Rife-list/>
<http://groups.yahoo.com/group/Rifers/>

MOR Frequency List

www.scoon.co.uk

Analysis of Beam Ray Machine

by
Aubrey Scoon

(c) Copyright\ 2002

This page contains a more detailed description and brief analysis of the operation of the Beam Ray machine.

Operation

The machine has 3 external controls. The leftmost one is a 4 way rotary switch with positions labelled 1 through 4. These are the (modulation) frequency bands of the machine. The total range of the modulation settings is from approximately 20 Hz to 200 Khz in 4 decades as follows:

Band Setting // Frequency Range

1 // 20 Hz - 200 Hz
2 // 200 Hz - 2 KHz
3 // 2 KHz - 20 KHz
4 // 20 KHz - 200 KHz

The centre control is the main modulation frequency dial. This is calibrated in one step units

from 0-100. The dial superficially appears to be a vernier dial but isn't, although it is finely marked, of good quality and is geared down, so a single turn does not move it completely from end to end. A resolution of 1/2 a division is easily possible.

The right hand control is the modulation depth control. It varies the modulation applied to the grid of the 812A from 0 to 50 V p-p. The highest setting of 50V p-p is not 100% modulation, but rather overmodulation of about 115%.

The actual frequency setting for any given dial setting is not linear. For example setting the frequency dial to 50 in band 3 does not guarantee you'll get 10 KHz. The variation of the actual frequency for any given dial setting follows an approximate 3rd degree polynomial curve.

Treatment Settings

The machine came with some old diary pages with a series of treatment settings scribbled on them. The year of the diary was not shown, just the months but February was shown. It was not a leap year and by matching the days of the week to the dates it had to be 1939. There were the "usual" Rife pathogens plus a few more ailments that I had never seen quoted on any other early Rife machine list. Unfortunately they were not all complete so it wasn't possible to derive the true frequencies for all of them. The anomalies included:

"V" with a setting of band 3, dial 39 - but I have no idea what this is.

"Radiation" with a strange setting of "2-17-3" which could mean band 2 or 3 dial setting 17.

Pain - "20", Iodine Poisoning - "92", Mercury Poisoning - "55", Tissue repair - "58", Scar Tissue - "13", Mucous Colitis - "38", Haemorrhoid - "88", Catarrh - "17", Inflammation - "40" and Irritation - "30".

The ones that could be clearly resolved are shown in the table below.

Pathogen // Band // Dial // Frequency (Hz)

BX	//	4	//	10	//	21275
Sarcoma	//	4	//	6.5	//	20080
Typhoid Virus	//	3	//	18620		
Tetanus	//	2	//	1200		
Trepanoma	//	3	//	6600		
GC+ Typhoid ?	//	3	//	6900		
Staphylococcus	//	3	//	7270		
Pneumonia	//	3	//	7660		
Streptothrix	//	3	//	7870		
Coli Rod	//	3	//	8020		
TB Rod	//	3	//	8300		
Streptococcus	//	3	//	8450		
TB Coli Virus	//	3	//	16000		
Coli Virus	//	3	//	17220		
Worms	//	3	//	2400		

The treatment frequencies are all approximately 10 times the ones listed in the modern Crane

derived frequency lists for various conditions.

This begs the question of how effective these frequencies are in practice. During testing, a person with Candida was present during measurements. That person told me that they felt a strong reaction at a particular setting (the person did not know what frequencies I was using) - I noted that the setting in question was approximately 4640 Hz - which is exactly 10 times the common frequency of 464 Hz which is used for Candida in modern machines. To test the thing further I tried tuning the machine deliberately to 464 Hz (without the person in question knowing the setting) and the subject reported that there was no reaction. So the machine only seems to work on 10 times settings. I discovered exactly the same phenomenon in myself during subsequent testing.

I have recently concluded that "MOR's" are not necessarily fixed and universal constants. I now believe that MOR's are specific to each machine and that the machine needs to be tuned to operate in a specific range - see my paper "Rife's Missing Link" for more details on this.

Circuit Analysis

The most striking thing about the Beam Rays circuit at first glance is the oscillator section. The machine oscillator is clearly a first generation Hewlett Wein Bridge circuit. What makes this particularly notable is that Hewlett (Hewlett-Packard) only invented the circuit around the time the Beam Rays machine was built. Because it was so new and had not found its way into commercial designs it tends to imply that there might have been some connection between Hewlett and Beam Rays. I have written a detailed account of the history entitled "The Hewlett Connection".

The earlier Rife machines had used the Hartley oscillator circuit which was nowhere near as stable as the Hewlett Wein Bridge. So the use of this circuit was a big step forward for Beam Rays. The earlier machines had been plagued with apparent frequency instability which made consistent use very difficult. The Wein bridge circuit was an apparent solution, but in practice there was another factor that they apparently did not take into account.

The Beam Rays oscillator is remarkably stable --- it drifts by only a few Hertz during normal operation and is superior to many modern analog generators. But it has one major drawback. Tuning is achieved by way of a variable capacitor. This capacitor is connected directly to the tuning dial. The tuning dial is a geared down dial that allows very precise turning of the capacitor shaft. However in practice it suffers from a slight degree of "backlash" - in other words, no matter how carefully you turn the dial, there is always some residual pressure on the rotary shaft - and left to itself for a while this residual pressure or tension causes the capacitor shaft to turn back by a small amount. This is enough to throw the tuning out by a couple of Hertz in the lowest range - and the problem multiplies by a factor of 10 for each higher range. So in the top range the backlash can throw the frequency setting off by approximately 2KHz. In addition, because the relationship between the dial setting and the actual frequency is non-linear, the problem is always worse toward the top of the scale (i.e. the dial is calibrated from 0 to 100 - the problem is much more pronounced near 100 than it is near 0). One of the ways in which this manifests most noticeably is that turning the dial down from a higher number results in a lower overall frequency than turning the dial up from a lower number to the same final setting.

The frequency setting is obviously critical and this may explain why some frequency stability

related problems were encountered even with this extremely good oscillator.

The presence of the Hewlett oscillator explains also the general build of the machine. When I examined the machine there were various minor anomalies. One of which was the size of the two chassis. They are both much bigger than they need to be. Also there are two separate chassis and the earlier Beam Rays machines had only one. Another thing is that there is a circuit on the oscillator stage which is not connected and not used. This was probably meant to be able to create square waves by sine overdrive and clipping. Finally the mounting holes on the chassis do not correspond with the mounting holes on the case - someone has drilled new holes in both chassis to remount them in the case. This could mean that the case the machine is in is not the original case it was shipped in. Alternatively it could mean that the chassis were previously mounted in a different way (maybe in a different case) *prior* to shipping.

Taking all these things together leads me to the conclusion that the machine I examined is probably an original prototype. This makes sense considering that the Hewlett oscillator was so new. Obviously, Phillip Hoyland or whoever built the machine decided to try making the oscillator stage separately from the output stage. The output stage is presumably the same as in earlier Beam Rays machines (it looks the same as a 1937 Beam Rays machine), but clearly they decided to build the oscillator on a separate chassis. The chassis were overlarge to allow for circuit expansion and modification. The unused circuit was probably tested at some point and found to be unnecessary. And it is likely that during development the different mountings were used on some sort of open frame to allow testing and measurement.

But this prototype machine was shipped and sold as a finished unit, why? The answer is probably quite obvious. The machine was produced during the great depression. Everything was expensive, Beam Rays was a small company and needed to keep down costs. The prototype was probably only needed during development. Once everything had been worked out satisfactorily, the prototype was no longer needed - and could be sold for a substantial profit, as it was effectively a working machine of a new design.

The 6SJ7 and 6K6(B) tubes on the combined schematic are the basic Hewlett Wein Bridge oscillator circuit. See "The Hewlett Connection" for a schematic of Hewlett's patented design. The third tube marked 6K6(A) is a simple cathode follower buffer stage, analogous to a modern transistor emitter follower circuit. This circuit has high input impedance, low output impedance and unity gain. It is designed to insulate the sensitive oscillator section from the following output stages. The 6SN7 tube is the unused circuit and as mentioned above was probably meant to be part of a fast clipper amplifier to produce square wave modulation.

The oscillator stage creates a pure sine wave from approx 20 Hz to 200KHz depending on range and dial setting. It also produces a variable amplitude output which can be adjusted from 0v right up to approx 50V peak to peak.

The output stage consists mainly of a single 812A power triode. The stage is self-oscillating, it has a simple regenerative feedback arrangement from plate to grid via two capacitors and the tank coil. The degree of feedback can be adjusted by means of a large power resistor from the grid to ground. Note: the machine was not actually grounded, the negative end of the supplies connected to the chassis and all "grounds" were actually referenced to the chassis. I found in practice that the chassis did tend to accumulate quite a nasty residual

charge after the machine had been operating and so I grounded it which did not seem to affect the operation of the machine. The output stage is actually a Hartley oscillator, although not obviously so, because the output capacitor in series with the plasma tube capacitance represents the "tuning" capacitance of the circuit. The large power resistor in series with the tube affects the oscillator loading, the output field impedance and also the Q of the resonant circuit. Because the plasma tube is an active circuit element, capacitive coupling from any body in the vicinity of the plasma tube actually causes changes in the oscillator frequency. The "resting" frequency of the output oscillator is around 3.3 MHz - I suspect the machine was actually designed to operate principally in the 80 m radio band (between 3.5 and 3.7 MHz).

The output from the modulation oscillator stage is capacitively coupled to the output triode grid via an inductor. The latter is designed to prevent the carrier oscillations from feeding back into the modulation oscillator stage.

The DC HT power for the 812 triode is derived from a 1235 VAC plate transformer by two 866 mercury vapour rectifiers. The DC output is smoothed via a large choke and a filter capacitor to ground. There is also an RFC choke in the line to the plate. The smoothing circuit is not very efficient and has a lot of mains frequency ripple - this is not completely unexpected in a circuit running at such a high voltage (nominally 1750 V DC) due to the cost of larger HV capacitors. However much more interesting is the other end of the tube - the filaments (which double as cathodes) are connected to a direct AC filament heater transformer which means that there is an additional modulation at the 60Hz mains frequency (cathode modulation).

In practice during operation, the machine creates the carrier waveform (which is not very clean and contains a lot of harmonics - it has a superficial similarity to a sawtooth wave). The carrier is then amplitude modulated by the sine wave produced by the modulation oscillator. However, in addition, the AC cathode connection causes a further modulation at 60Hz. In effect the modulated wave is chopped into chunks or bursts that are one period of a 60 Hz cycle apart. And the envelope of the wave is effectively the first quarter cycle of a 60Hz cosine wave. In some respects this is like a very crude approximation to a damped wave. I believe that the latter is not a design flaw but rather a feature.

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/index.htm>

Pictures of an Original 1947 Rife Device

This unit was manufactured in San Diego California for a Dr. in 1947. The large phanotron tube for it was made in Los Angeles. It was in constant use until the Dr.'s death a few years ago. This device is very similar to a recently discovered 1939 unit. The 1939 unit has a fixed carrier frequency of about 4.6 Mhz. There are two other primary harmonics within the carrier of 2.15 and 9.09 Mhz. The carrier is Amplitude Modulated using a Hewlett-Wein Bridge Oscillator. Controls for the Hewlett oscillator can be seen on the front of the device. The knob on the Left changes the frequency band, while the knob in the center adjusts the audio frequency. Frequency range is from 16Hz to 200 KHz. The knob on the Right changes the amplitude, or audio power level. Optimum effects are found using 100 % modulation, and not overmodulation. Sine wave modulation, and not square wave modulation is used.

The output wave of the device is gated at the AC line voltage frequency. For the USA, this would be 60 Hz. Each series of pulses within the gated envelope, is composed of a damped wave train. The three harmonics of 2.15, 4.6, and 9.09 are all modulated. Damped wave transmitters are now outlawed by all countries via international treaties.

The plasma tube behaves as an active part of the circuit, and when placed close to the patient, couples the field to the patient. A curiosity is that frequencies utilized by this device are TEN TIMES the frequency that is presently used. For example, this device uses 21275 Hz instead of 2128 Hz. Please visit this web site for a more in depth description of the device.

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/index.htm>

The 1939 Beam Ray Machine

In 1938, A group of British researchers headed by Dr Bertram Winter Gonin, sought to buy some experimental machines from Rife to confirm his work. At that time, Rife had no commercial operation capable of handling the orders, and at the instigation of his old friend Ben Cullen, Rife consented to the formation of a commercial company called Beam Rays Inc. At that time, the majority owner of the rights to the machine was an electronics engineer called Philip Hoyland. Hoyland had designed and developed all of the original Rife machines since late 1934. Hoyland and Rife became partners in Beam Rays Inc. The company produced a small number of machines but suffered internal conflicts because of the actions of some of the other partners and because of frictions between Hoyland and Gonin's group. Hoyland believed that Gonin and his partners were trying to steal the technology for themselves. Subsequently, the company was destroyed in 1939/1940 when Hoyland brought a lawsuit against Beam Rays in an attempt to stop one of the partners from illegal stock trading and also to dissolve the contract with the British. Fuller details of this are being written up and will be posted here in the near future.

The Beam Ray Corporation produced a number of machines. I'm not sure of the exact number as I have seen varying accounts, but I believe that about 17 machines were produced and shipped to MD's in California. Another four machines were shipped to England to Dr B. Winter Gonin of the London School of Tropical Medicine. There was some argument between Rife and Hoyland over these machines and their operating principle, however various MD's including James Couche used one of these machines for many allegedly successful treatments of patients for many years.

The U.K. Rife Research Group managed to get access to one of the machines believed to be one of the originals that were shipped to California in the late 1930's. I reverse engineered that machine and present the results below. I have a lot of data on this machine of which this is only part, I will add things as I get time as much of the data needs to be organised properly. The exact date of the machine is unknown - we know that it was built sometime between the autumn of 1938 and the early part of 1939 - so it may actually be a 1938 machine.

I would like to express my thanks to Robert Harrison, an expert valve/tube engineer (I'm not a valve/tube expert) who gave me massive help and support during the reverse engineering process and who corrected numerous silly mistakes that I made! My thanks also to Stuart Andrews and Bob Haining for their help and support in this effort.

Output Stage Scematic:

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/output.pdf>

Complete Schematic:

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/complete.pdf>

Original Plasma Tube Schematic:

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/ptube.pdf>

Waveform Photographs:

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/Waveforms/index.htm>

Booster Amplifier Schematic:

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/booster.jpg>

Machine Description & Analysis:

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/Analysis/index.htm>

<http://www.hbci.com/~wenonah/history/rife.htm>

The Royal Rife Story

Produced by AAA Production --- 336 East 200 Sq Price, Utah 84501 To order video call 888-436-4420

<http://www.hbci.com/~wenonah/history/rife.htm>

Excerpt:

The Cancer Cure That Worked

by

Barry Lynes

(ISBN 0-919951-30-9 --- © 1987 – 2000)

The Frequency Instruments were steadily improved from the early version of 1920 to the clinical versions of 1934-38 and then, in the 1950s, improved again to the point where Rife could assert, "they are infallible and simple to operate."

The May 6, 1928 *Evening Tribune* of San Diego described what the Frequency Instrument did:

"Just what this Ray does to the organisms to devitalize them is not yet known. Because each organism requires a different wave length, it may be that whatever befalls these tiny slayers of man is something similar to the phenomenon occurring when the musical tuning fork is set in vibration by sound waves emanating from another fork struck nearby. ...

[This at the time was a good explanation and still has some validity. But, (it) is very incomplete. The effect is multifaceted. — James Bare —]

"Rife thinks that the lethal frequencies for various disease organisms are, as in the sound waves, coordinates of frequencies existing in the organism themselves. If this is the explanation, it means that the Rife Ray probably causes the disease organisms to disintegrate or partially disintegrate, just as the vase and the glass. Several bits of evidence indicate that this is exactly what happens. ...

"When the ray is directed upon them, they are seen to behave very curiously; some kinds do literally disintegrate, and others writhe as if in agony and finally gather together in deathly unmoving clusters.

"Brief exposure to the tuned frequencies, Rife commented, brings the fatal reactions. In some organisms, it happens in seconds.

"After the organisms have been bombarded, the laboratory reports show, they are dead. They have become devitalized — no longer exhibit life, do not propagate their kind and produce no disease when introduced into the bodies of experimental animals.

"Now, he reported, the mortal oscillatory rates for many, many organisms have been found and recorded and the ray can be tuned to a germ's recorded frequency and turned upon that organism with the assurance that the organism will be killed."

In 1950, after an absence of four years, including two years in an alcohol rehabilitation "prison" from which he finally escaped, Rife returned to his great work. In 1953, his cancer report was published — History of the Development of a Successful Treatment for Cancer and Other Virus, Bacteria and Fungi.

Three years later, in 1956, he wrote a letter describing the safety of the Frequency Instrument and also its advanced development:

"I have operated the 'Frequency Instrument' since 1921. I have watched it advance in style and performance with the advancement of electronics.

"In the many years I used this equipment in my research, I have never suffered an injury or any ill effects whatsoever. I found it reliable in performance and efficient in results. The most recent model is infallible and simple to operate."

[A] new Frequency Instrument was finished in September 1935 ... Milbank Johnson explained the process:

"The new Rife Ray Machine had arrived at its point of construction, when elaborate tests had to be made in order to synchronize the M.O.R. produced by it with the M.O.R. produced by the old machine. Now, we are in the throes of accurately charting the 14,000 possible settings on the new machine. Our next process, beginning next week, is to test its penetration, the time required in the different exposures, the different depths of lesions. So, take it altogether we are just about as busy as a bear in berrytime."

Rife provided a brief description of his old Frequency Instrument:

"The basic principle of this device is the control of a desired frequency. These frequencies varying upon the organism being treated.

The frequency is set which controls the initial oscillator, which in turn is run through six stages of amplification, the last stage driving a 50 watt output tube.

The frequency with its carrier wave is transmitted into an output tube similar to the standard X-ray tube, but filled with a different inert gas. This tube acts as a directional antenna.

The importance in the variable control of these frequencies is that each pathogenic organism being treated is of a different chemical constituency, the consequence being they carry a different molecular vibratory rate. Each one in turn under these conditions requires a different frequency or vibratory rate to destroy."

The new instrument was light-socket powered and had an output of 500 watts. Furthermore, it was equipped to deliver two distinct frequencies simultaneously and both variable. [There were two output tubes places next to each other.] This apparatus proved to be more efficient with decidedly fewer factors of error.

On May 28, 1937, Dr. Milbank Johnson ... wrote to his friend Dr. Joseph D. Heitger in Louisville, Kentucky, the eye specialist to whom he had sent Rife:

"I closed my clinic on May 28, having been running it for eight months. Our special effort this past winter has been working on cataracts, and while we have treated a number of other infectious conditions (if cataract is an infection), still our principle work has been on the eye.

The application of the Rife Ray as we have used it, does, in the majority of cases, restore the full visual function of the eye; that is, the portion of the visual disturbance due to opacities in the lens. How it does it and why it does it, I do not know, but the above statement is an actual fact, supported now by many cases.

How I wish we could get together and go over this work. I believe it will result in epochal changes in the profession's handling of cataract cases."

[I think Jane Kress' find regarding nano-bacteria is relevant here.]

Ben Cullen, the present of Beam Ray, later recalled what happened once Dr. Hamer had his own office:

"Hamer ran an average of forty cases a day through his place. He had to hire two operators. He trained them and watched them very closely ... Hamer was very well known on the Pacific Coast. His case histories were absolutely wonderful.

We would go in there and see rectal cancers and stuff of that sort. He cleaned them up completely, absolutely clean. People would come in there with syphilis — not for that purpose — but those that had developed cancers, he'd find they had syphilis or gonorrhea. By golly he'd clean those up completely. Not a doggone taint of it in the blood stream at all. Clinically cured.

I would go down to Dr. Hamer and he would painstakingly pull out those case histories showing improvement day by day of everyone of them."

Excerpt:

Royal R. Rife

by

Gerald F. Foye

(ISBN 0-9659613-3-8 --- © 2001)

Rife studied ...

[Cancer], Tetanus, typhoid, gonorrhea, syphilis, staphylococci, pneumonia, streptococci, tuberculosis, sarcoma, carcinoma, leprosy, polio, cholera, actinomycosis, glanders, bubonic plague, anthrax, influenza, herpes, cataracts, glaucoma, colitis, sinus, ulcers, lock-jaw bacillus, and many other virus bacteria and fungi.

[He was successful — using simple electronic equipment — in destroying them all without any significant side effects. The reason he was so successful was that his microscope allowed him to watch the living pathogens while he subjected them to resonate energy.]

One issue modern, orthodox medicine still fails to accept or take seriously, is "cause" and "maintenance". That is to deal not just with surgery of sick tissue; but, to deal with the cause of the problem, to try to prevent it in the first place; and, further, to try to prevent it from recurring!

Rife was able to prove that virus forms could be altered with chemicals. Thus, he could create disease-producing viruses by manipulation of chemical structures. Again, he proved this over-and-over.

Rife stated viruses to be a group of chemical constituents, which could be altered by applying specific chemicals — parts per million — creating different organisms. By applying the proper chemicals, Rife could alter a given microorganism into a specific pathogen, at will, and back again; as long as they were within a specific group, of which Rife had identified about ten groups at that point.

Inoculation of experimental animals had demonstrated the disease causing properties of each virus isolated, according to Rife!

Rife stated he worked seven years straight and studied 20,000 cultures searching for a cancer virus, finally suspending the search since he had found nothing.

Rife was later joined by Dr. Arthur Kendall, head of the department of bacteriology at Northwestern University Medical College. Dr. Kendall suggested a culture medium [his K-medium — a protein mixture], which proved to be the secret to success as Rife was able to press on and did eventually discover and isolate the cancer virus.

Rife commented that his special illumination (under his scope) reveals the filter-passing organisms in individual, characteristic colors. He stated that no two kinds or forms of organisms have been found to have the same colors. However, one form was found to have dual colors. The center portion of the rod form responded to one frequency (of illumination)

while the ends responded to another. This required dual frequencies for devitalization. (If the two frequencies are used simultaneously or one after the other over the same carrier wave, the patient gets well.)

According to Rife, if a single frequency was applied and that portion of the organism was devitalized, it would release the other constituent. Depending on which constituent was devitalized, either nothing would happen or the patient would die! [His lab animals]

The reason for the above, according to Rife's explanation is, if the bacilli of tuberculosis is killed, a virus — the 'poison of Vaughn' — is released which reacts with the dead bodies of the rod form and produces toxemia and death.

"It was found that by using combinations of these frequencies for different microorganisms that many other diseases could be helped like sinus, ulcers, cataract, arthritis and poliomyelitis."

Each pathogen or virus has a frequency of its own — natural resonate frequency. A healthy cell has a frequency; but, when that cell becomes contaminated or altered, the frequency is altered.

That is one reason why frequency treatment can safely be applied. The correct frequency will affect only the unhealthy cell, or diseased tissue, while leaving healthy areas untouched. Rife proved this beyond any doubt. Still the closed minds of higher medical superiors would like us to believe frequency healing is unsafe.

In some cases, frequency treatments result in virus destruction and rapid recovery. In other cases frequency healing appears to work by alerting the depressed immune system to become more aggressive, thus causing the immune system to attack the disease as nature intended.

Rife made a statement that patients who had radiation treatments prior to frequency therapy, did not respond well to frequency therapy. Rife also stated that he could detect radiation in organ tissue up to six months after radiation therapy; and, up to two years after radium therapy.

Another intriguing discovery made by Rife was polarization of microorganisms. Under the scope, if polarity was applied, the constituents would separate to the poles; a portion to the negative pole, a portion to the positive pole. Neither would culture individually; but, placed together, they would culture into a microorganism structure. As Rife put it, sort of, "male, female"!

Another important discovery was the pH factor. (Acid-base balance.) Rife stated if the pH was neutral he could not produce a culture. But, if the Ph was altered to either base or acid, it would culture. Based on this information, Rife felt that if the human body remained in a neutral pH state, it was impossible to develop a disease.

Correspondence from Milbank Johnson to Rife, 1935: "Now that we have a machine in which we can give two frequencies at one time, it would be easy to treat all forms of tuberculosis both for the tubercle bacilli and Much's granules." (Granules in sputum from TB patients, possibly degenerated tubercle bacilli. Re: Dr. Hans Christian Much.)

Rife: "I studied leprosy and I isolated a virus which we jointly demonstrated was common to

rat, soil, and human leprosy and I found a frequency which would eliminate leprosy."

A doctor in Dayton Ohio; I have used it on several persons with fungus infections of the feet (athletes foot). The results in the fungus cases have been most spectacular.

Here is an excerpt of a letter from one doctor to another doctor, dated June 1, 1937;

"We treated the 'dewy' cornea condition empirically with the same MOR that we used on the cataracts and the dewy condition disappeared very promptly ...

Every case we have treated, with the exception of one which was a traumatic cataract where the lens was absolutely opaque and of recent origin, has benefited. The process of coagulation has been stopped and there has been a distinct retrogression of the opacities resulting in most cases, in a complete restitution of the function of the eye."

The Case For Audio Frequencies:

Among researchers of Rife technology, debate continues regarding the issue of audio frequencies. Here are statements from Rife taken from an interview, which took place in Tijuana, Mexico. (There is no date on this document. But, it must have related to the John Crane trial of 1960–1961.)

"Initially, I (Rife) worked with loose couplers to get an audio oscillation and then with the use of transmitters I tried to balance the audio and modulate the audio on a carrier wave to transmit the audio energy. But, I found that both the audio and the audio transmitted through a tube as an antenna worked equally well in a painless and harmless method to human tissue."

Thumbing through the pages of historical data regarding Rife, Crane and frequency technology, one issue stands out, clearly — lack of stability.

It seems this problem prevailed through the years. Researchers would achieve marvelous results for a period of time, then, suddenly the system would fail to produce much of anything. Even from one day to the next.

This seems to still be "somewhat" true with our meager equipment and attempts at repeatability. It's not so much a failure of the technology; but, appears to be an atmospheric variation and other surrounding conditions. Changes in atmospheric pressure, temperature, magnetic earth fields and other surrounding natural forces affect electronics in strange ways.

A suggested approach is to begin at 20 Hz and work up in 10 cycle increments. ... It is suggested (that) a beginner should avoid frequencies above 5,000 Hz. Interestingly, an amazing number of pathogens seem to respond in the low range from 20 Hz to 900 Hz. [The healing power of sound comes to mind here.] [My work with resonance has proven to me that intervals of 5 Hz or even less might be more appropriate. — Tommy C. —]

A duration of 3-minutes is standard protocol while searching or scanning for a usable frequency.

Excerpts:

Report of the British Rife Group

(Presented to the International Rife Technology Conference, Las Vegas, March 2002)

[This report is a pdf file and has pictures, schematics with part values, plus functional circuit descriptions, along with circuit wave form pictures. The "Plasma Ray Tube" itself is currently being manufactured.]

... The use of a Wien-bridge oscillator in this machine [an original 1939 unit discovered walled up in the closet of a former Doctors' surgery in Britain] gives us our first and most surprising conclusion: that beam ray machines used sine waves, and NOT square waves! ...

Another surprise followed when we set the Wien-bridge oscillator to the dial settings for BX [the cancer virus] (band 4, dial 10) given on the hand-written pencil notes [found with the machine]. We obtained a frequency of 21,275 Hz or 21.275 KHz. We then set the machine to the other dial settings in the notes, and found that in all cases the active frequencies produced by this 1939 machine were 10x that of the standard Crane-Stafford frequencies of the 1950s.

This reminded us of a very strange letter written by Dr. Millbank-Johnson on November 4th 1936. Johnson stated that while working in the laboratory, they had found "a new wave band" of frequencies. Johnson goes on to mention that this new band broke glass in the laboratory.

Frequencies of 21,275 Hz etc. are supersonic [ultrasonic] in that they cannot be heard by the human ear. But, when generated at a sufficiently high amplitude, they have the capability to cause resonant destruction of glass and other fragile materials. Our conclusion then, is that this explains the effect that Johnson observed in 1936.

The use of 10x Crane frequencies may be of great significance to the actual operational uses of modern Rife technology. We urge researchers to try this out. ...

On the Issue of Stability

... the main RF tuning capacitor C1 is series fed to ground by the plasma tube (at Jack point J1). This means that the plasma tube itself forms part of a variable capacitor, and that it will be reactive when brought near any object or patient. This means that the main frequency tuning of the RF oscillator will change according to the individual capacitance of a patient [or weather conditions]. We believe this to be significant, particularly as contemporary accounts describe the tube being placed within 10 inches of the patient.

... The 812A triode produces an output in the region of 40 watts RF, and Rife researchers will appreciate that this is a far lower power [level] than we have been led to believe was used in 1939.

We know, that Rife's "ray machine" was generating a special form of light. However, Dr. Rife lacked the language and paradigm to properly describe what he was seeing and doing. [The fact that the rays would penetrate metal cabinets is an important clue.]

The scientific community was introduced to this paradigm, when the study of "Superconductivity" was undertaken. Here we learned about "Cooper Pairs" — pairs of electrons with complementary spins that are coupled together magnetically. We learned that current only flows through a superconductor as Cooper Pairs — single electrons find super conducting materials to be a perfect insulator!

We then learned, that light was actually Cooper Pairs, which have been given oscillatory energy —(any part of the electromagnetic spectrum)— and accelerated away from their source. This is what gives light its wave properties — what are known as "Hertzian Waves". (I then realized what was going on within the broadcast equipment that I shepard.)

Cooper Pairs can also be accelerated in a straight line, giving them the properties of "rays" and "beams". Our tube TV's are designed to safely do this, in order to scan a picture for us. Cooper Pairs are formed in a vacuum, and then are accelerated and focused on a phosphor coating to produce the picture. Change things around a little bit and you have an X-Ray tube.

Using his special microscope Dr. Rife was able to observe LIVING organisms — something that an electron microscope can't do — while he performed his experiments. He learned that because of their small size, viruses strongly process the characteristics of crystals, allowing for resonate destruction. With his equipment, he was able to scientifically determine that viruses are 2,000 times more sensitive to pulsed electronic radiation, than our normal cells.

Dr. Rife used gentle, perfectly timed, sine wave pulses of Cooper Pairs to literally shatter viruses and bacteria, just as the "Crystalline Entity" was destroyed on Star Trek. The problem of how to get gentle pulses to penetrate the body properly and completely was also addressed.

<http://www.icehouse.net/john34/rife.html>
<http://www.icehouse.net/john34/rense1.mp3>
<http://www.icehouse.net/john34/rense2.mp3>
<http://www.icehouse.net/john34/rense3.mp3>

Excerpts:

My Work on Rife --- An Ongoing Research Project

by

John Bedini

My work on Rife's frequencies involves the use of electronic interferometry and gating of 3D signals-- not known at this time in the Rife field. I designed the gated interferometer for my crystal-controlled amplifier oscillator. This is not "pseudo" electronics. I hold all rights to this process. Below are pictures of some of the special functions that can be done. My work in the

beginning involved working with John Crane and Dr. Strecker in the reconstruction of the virus #3 "Universal" microscope in the early 80's to develop pumped wave frequency generators and 4-wave mixing. I had this microscope until Barry Lynes had it picked up by court order from Crane because John Crane had sold it many times before. All the parts were there--the parts that were missing Crane and I made, and John Crane took them with him when he left. What he did with them remains unknown to this day. The microscope was taken and never to be seen again. The only thing left is pictures and no working microscope. John Crane also had special gas filled Rife tubes whose whereabouts are also unknown.

If you do not understand interferometry, it is basically the same system used in some laser systems to produce holograms and spectrum analysis. I'm only dealing with generating harmonics and sub- harmonics for research only. .

Rife's microscope may have worked on the principles using interferometry and this could be why, to this day, the microscope is not understood. There were many lenses missing and prisms that Crane and I were building before the microscope was picked up by court order...

Special thanks is given to James Bare for the special work he did to make all this happen in the Rife field. Without him you would not even be this far along. Also, special thanks is given to Tom Bearden for his insight into the the scalar vector field and 4-wave mixing using pump waves...

John Crane's Simple Square Wave Generator

Dr. Strecker took care of John Crane while we were working together. Crane sold us just simple sine wave generators right off the shelf--they did not work for anything. But don't take my word for it as to what happened. Talk to Tom Bearden. Talk to the 18 people that got sued for 20 million dollars. That was just one of his phony lawsuits and just ended up costing everybody involved big money.

John Crane was never given any of the circuits that I was developing at the time. They were potted in block modules and placed into the machines Crane sold out from underneath us. In the mean time, John Crane was selling phony square wave generators for \$100.00 each, claiming that these would cure you. Well, they didn't cure anyone, and people died. When the FDA showed up, Crane ran as fast as he could. So after that, I locked the shop up and would never let Crane back in.

Don't get me wrong, John Crane had many wonderful things to offer the world, but he lost integrity because of the lack of money. When we were developing the new generators to test on cultures that Dr. Strecker was in charge of, John Crane was treating people in the front office against all the rules and protocols laid out by Dr. Strecker. He would sell the polarity research manuals over and over to different people, and these belonged to all of us working on this project. John Crane was an expert draftsman and could draw anything you gave him. To draw a microscope was child's play for him to do. Rife trained him well in all the sciences. I had everything that John Crane had in his basement to amuse myself with--all the drawings, pictures, lenses, steam sterilizers, Argon loops, Rife tubes, test equipment, and many other undisclosed, secret prototype machines that Rife and Crane were working on...all of the things the "Rife gurus" have never seen.

My story goes on with some more important things that I have taken from my lab notes and general discussions with Dr. Strecker, Crane and others.

The pictures above...this is the way John Crane looked at the time. Dr. Strecker was in charge of the research and development. My brother and I closed the doors and moved the workers to a different building because this was a private project and had nothing to do with the business we were conducting at the time. Dr. Strecker was a true believer in getting this technology out, and so were the 18 people involved. The first problem with John Crane was to pay his back rent and a few other pending bills. Again, John Crane and Rife had many wonderful proven inventions. We found John in absolutely filthy conditions, starving. He was making electrodes by cutting pieces of brass which he would solder on to the meter probes of an off-the-shelf frequency generator. Then, he would resell these units with these probes for \$500 along with the polarity research manual for another \$100. In a short time, he'd sell another 18 units, one to each member of the group.

To walk through John Crane's house was to walk through some kind of a maze--boxes everywhere, things piled on tables, dust a half inch thick in some areas, rooms that you could not even get into, boxes, and more boxes. The front yard was full of all kinds of different inventions and contraptions. Whether they worked or not was unknown. Dr. Strecker took care of Crane, and Crane lived with him day and night at Strecker's apartment in Little Rock. Strecker would bring Crane to the shop in the morning and pick him back up in the evening after we discussed everything that was accomplished during the day.

John Crane was a true mentor of Rife, and he understood everything Rife understood because Rife trained him. To quote Crane precisely, "Rife told me the secret to the machine, and I know how to build it." So we know Crane understood that a simple square wave generator would not cure anything. I got Crane to admit this to me when one day I asked him, "Why are you selling these simple square wave generators?" Crane responded by saying, "It works on some people...that's good enough." Strecker told Crane, "That's not a good thing to do with people that have cancer or another debilitating disease." And then Crane would say, "I have given the list of frequencies." So right there, Crane admitted that the machine he was selling may have worked for some, but not for others. Dr. Strecker, at this point, would just shake his head and walk away, but he was not about to give up his hope to make this technology work.

I wanted to know what was missing from all the papers Crane sold everybody. I wanted to know what the real transmitter was and what was missing from it. (Note that Crane never mentioned it to John Marsh, Rockwell or anybody else.) Crane's answer to me about the transmitter was, "It's in the book you bought right here on this page." I would argue with him by telling him that the circuit diagrams he was selling were not even functional. And then I would ask him why the circuits did not look anything like the real machines did that were sitting right in front of us. Crane would then just say, "The square wave generator works better, and you will not cause any interference with radios...Go ahead hook up the transmitter and the tube. It's right here." So I hooked it up like he said, and it didn't kill anything Strecker had in the incubator at the time--no matter what frequency the dial was set at. Later, it was found that the generator was not producing any modulation in the AZ58 machine, so we fixed that, and it still would not kill anything in the incubator...even with Crane running the machine.

I think the thing that excited Dr. Strecker the most were the reports about the microscope. I quote him from my notes, "I have talked to some people that bought John Crane's microscopes, and they report that they can see things never seen before. They say they can

get 5000x out of the scope." Now Crane could have built this scope at the shop with the metal working machines we had, but he refused for some reason, so we were forced to buy a regular medical microscope to study the things we could see. Some of these things can be seen in Crane's lab notes that are now on Stan Truman's site at www.rife.org/johncrane.html. These are only a few of the notes Crane would carry around with him. The one set of papers that are missing contain all the research work done on the Risley Prisms and why Rife chose to use them. Could it be that Rife knew more than he was telling all the medical people? I think so because of John Crane's comment to me in my lab notes, "You must modulate this virus with light to see it. It must become resonate with the light interference." In other words, you must cause light interference before the subject would appear. Then, it could be seen in it's own color.

We are talking about interferometry or heterodyning. Using this process, one can change the phases of light, canceling certain frequencies out and adding others together, i.e. "a special mixer for light". I don't know of any microscopes that will do this today. There are some that use ultraviolet and with these you can see the cancer cells. But so what? You can see them under electron microscopes also. I want to see the colors Rife talked about. This is very important because radio waves also emit different colors as the transmitter is broadcasting. If you could see an AM or FM transmitter running, each antenna would be emitting a different color for that frequency in the radio spectrum. Your eyes just can't see this due to their limited bandwidth...

The conversations with Crane would continue until the end of the day. Then I would continue to build the parts for the universal microscope in the machine shop. It was the prism holders that were missing, so I worked until they were done. Everything else was there. Crane then installed them, but still, nothing could be seen through the scope. Crane would then start over with drawings. During these times, he would go back to the office and just fall into a deep sleep at the drafting table. Upon waking, he'd say, "It's time for dinner. When are we going to eat?" It would take half of my day just to get this far with Crane, but when someone came in the shop that was looking for one of those square wave generators, Crane was on his toes. He would walk into the back of the shop and say, "Don't we have a square wave generator around here?" Then he'd take whatever was laying around and sell it when you weren't looking. I would just wait for the next day when John had gotten everything to eat and a good night's sleep. Then I'd start the questions again the next morning. I would cover everything two times with Crane to make sure that I did not miss anything. The group decided not to tell Crane about anything when it came to the circuits that were being developed. They, after all, were paying the bill for this project. Crane understood this, and, as long as he had money, everything was alright.

My task was to build the electronic circuits for testing the Rife technologies. John Crane was never given any of these circuits, and I always potted them with a compound that would grind your tools away if you attempted to get into the block modules. My lab notes were not kept in the building anywhere for security reasons. I would come back at night and build the circuits and boards so as not to give away what I was working on. I worked nights to develop this electronic heterodyning interferometer unit and when I thought I had it, Dr. Strecker and I would test it in front of Crane. We did this many times before we got something to work. When I would ask Crane about the frequencies and if this is what he wanted to see on the scope, he would always say yes. Then Crane made the significant comment, "You need to understand that you must mimic the microscope in what it does to light up the virus so you can see them. The machine must work on the same principal as the

microscope." Immediately, I stopped what I was doing and had to go sit down and think about what he had just said. This is not written this way anywhere until now for the first time. (James Bare said that this is in the Rife, Thompson, Marsh patent application.) The next two days I kept going over this with Crane and he would add a little more each time, "Dr. Rife understood what made up the bacteria and virus that he wanted to kill with his frequency instrument." I quickly realized why nothing was working; the frequency instrument was not built right. There had to be a hidden side to this Rife machine with unseen, embedded frequencies. I asked Crane if Rife knew that the virus and bacteria frequencies had more to them than he was telling. Crane answered, "He found out that some of these virus and bacteria needed more than one frequency at a time to destroy it, even cancer." That answered my question. There was more to this machine than the people working on them knew, and that kept the secret safe.

The unit was not complete yet and more work needed to be done to get this to work every time. Tom Bearden was told what it was and did write about it in a book called AIDS Biological Warfare in a chapter called DEVELOPING THE ELECTROMAGNETIC CURE FOR AIDS, Encouraging Preliminary Work on page 284. Tom Bearden did come and visit and see everything that we were doing with electromagnetic pump waves and mixing using interferometers and heterodyning units.

When we did get something to work we would repeat the test over and over. Crane would ask what circuits we were using, but neither of us would answer him, and we'd change the subject. We could kill certain things but not others.

Then came the day when we had 30 doctors in the room with us. We prepared the slide, put it under the microscope and put it up on a view screen so all could see. One push of the button on the machine, and BANG, the one cell animal was dead. All the doctors just went nuts. But the comments were very discouraging, "WE WILL NEVER TALK ABOUT THIS, WE WILL LOOSE OUR JOBS, THE FDA WILL RUN US OUT OF TOWN, WE WILL LOSE EVERYTHING." The main objection was that everything I did with the circuits was potted. Crane was the first to agree with all of them about this, saying there was something hidden in there, arguing, "We can't see it so we don't know if it works." I answered that we must protect what we have done so no one can change anything in the circuits. I kept very detailed notes as I went along on the circuits. At first they were very simple waves of different frequencies. As time went by, the waves got more complex.

Rife comments in Crane's book, "Under the universal microscope, disease organisms, such as those of tuberculosis, cancer, sarcoma, streptococcus, typhoid, staphylococcus, leprosy, hoof and mouth disease, and others, may be observed to succumb when exposed to certain lethal frequencies, coordinated with the particular frequencies peculiar to each individual organism, and directed upon them by rays covering a wide range of waves." Rife's first machine used two transmitters. These two transmitters produce a mixing of frequencies (F_1-F_2) and the addition of some frequencies (F_1+F_2). In the mixing process many waves are produced with many fundamentals. The scope pictures above show what the mixing process produces. These wide band radio waves must contain all the fundamental frequencies for the known virus. The transmitters are then adjusted to produce the correct fundamental frequency. This is done by adjusting the amplitude output of one of the fundamental oscillators which changes the fundamental frequency and creates many harmonics of other fundamental frequencies, one behind the another, slightly out of phase. An example of this would be to take 62Hz, at 3V peak to peak, and 1.059kHz, at 5V peak to peak, and mix the two to get a

total output of 1.5V peak to peak, gating the oscillator at 150mV, and then modulating the 1.6000MHz transmitter. The frequency ends up being 1.556120 (the fundamental) with all the the harmonics added. Can you see that this is not as simple as just a single frequency square wave? The square waves were Crane's ideas, not Rife's. (Square waves only contain odd harmonics with amplitude.)

To gain an understanding of what a "MOPA" transmitter is, See <http://vintageham.com/stations.htm> This link will give you a better understanding of the transmitter Rife used. Instead of an antenna, he used a gas tube. In the beginning he used two of these tunable oscillators into the same gas tube. I suspect that Rife figured out how to use the noble gas tube to mix frequencies. I will be running the experiments to see what happens.

The AZ 58 transmitter must be tuned within 1% of the frequency fundamental to destroy the pathogen you're working with. See <http://icehouse.net/john34/crystal.mpg>, for example. The transmitter is a re-design of the original MOPA (Master Oscillator Power Amplifier) used by Rife. This is not what John Crane or John Marsh designed. The carrier frequency must be at 4.33MHz to work with Hoyland's frequency list. Hoyland's frequency list was accurate within 1% under all circumstances. The Microscope was altered, and so was the transmitter. I have found the missing tube for the modulation and the missing circuit for the gating. I will be adding more on this later. The crystal is a piezo from a water purifier. It's oscillating frequency is 970kHz. The transmitter had a carrier wave of 4.33Mhz and an audio frequency of 36.991kHz to achieve resonance. Again I'm saying that you can not be off more then 1%. Thank you Stan for suggesting this test.

I have repeated this test using a square wave into the AZ-58 transmitter. It is as I expected, the square wave does not have the correct fundamentals in this band to work with this transmitter. See it here <http://icehouse.net/john34/square111.mpg>. The Square wave has all odd harmonics as can be seen below. I have, however, found where the resonate frequency is of this piezo crystal is using a square wave. The square wave produces the same voltage level. For example, if the sine wave audio is at 36.99 kHz for this crystal, the square wave will be at 74.063kHz, and both waves will produce a 5 volt output level from the crystal. See <http://icehouse.net/john34/square222.mpg>. My conclusion is that either wave will work but you must be much higher in frequency with a square wave to get the same effect. The transmitter must accept a full audio spectrum from 10Hz to 150Khz. I have only done this with "tubes" so far...

John Crane and John Marsh had the real working machine. So why did they change it? If the machine Rife gave to John Marsh was tube driven, this answers the question. They did not understand tubes, nor did they want to work with them. They tried "Muntzing" it so it could be produced cheap. They took circuits out of it, but it did not work after that. The other question is, who altered the transmitter from the real Hoyland design? My best guess is Marsh and Crane, in an effort to keep the secret of the machine. The AZ-58 I'm working with has the correct circuits put back into the machine. It also has the correct gating circuits for the triode tube and can run in either mode.

The AZ-58 MOPA transmitter broadcasting through the Phanatron tube is very directional. This is why the doctors had the tube so close to the patient. See here <http://icehouse.net/john34/phanatron1.mpg>. The modulation is the key to the MOPA transmitter. I call this low band FM modulation. The frequency can not be listened to on

AM, but can be heard on a low band FM all the way to 15Khz . See it here
<http://icehouse.net/john34/modgrid1.mpg...>

In the following experiment, Hoyland's given audio frequency was input (as a sine wave) into the machine and modulated on the RF carrier wave. We wanted to see if this would produce a powerful harmonic at Hoyland's measured frequency from Rife's 1934 instrument. The analysis was done taken with an oscilloscope probe tip (shorted to its own ground so as not to damage the equipment with high rf power levels) directly in front of the Rife tube. With slight adjustment of the RF carrier wave, and, in some cases, slight adjustment of the audio frequency, we were indeed able to show that a powerful harmonic does indeed exist at each particular frequency Hoyland gave. We also found that proper adjustment of the audio signal level (dB) was important. If this is what Hoyland and Rife were doing, the spectrum analysis shows us that this process produces several powerful harmonics, each around the same power level. This could explain why there was so much confusion as to what the actual frequencies were. It also raises the issue that the documented frequencies may or may not be the ones that actually killed the germs, but perhaps a higher or lower harmonic.

Pathogen // Hoyland's Measured Frequencies, 1934 Rife Ray #4 Instrument (HMF) // Hoyland's Given Audio Frequencies (HAF) // Audio Frequency Necessary to Bring Harmonic in Range of Hoyland's Measured Frequency from the 1934 Rife Ray #4 Instrument // Necessary Audio Level for Modulation

Bacillus X // 1,604 kHz // 21275 // 21275 // 4.0 V // 3.9 MHz
B. Coli (rod) // 417 kHz // 8020 // 8021 // 4.2 V // 3.6 MHz
B. Coli (virus) // 770 kHz // 17220 // 17220 // 4.1 V // 3.9 MHz
Streptothrix // 192 kHz // 7870 // 7870 // 3.0 V // 3.7 MHz
Tuberculosis (rod) // 369 kHz // 8300 // 8448 // 5.0 V // 3.7 MHz
Tetanus // 234 kHz // 1200 // 1268 // 4.8 V // 3.6 MHz
Typhoid Fever (rod) // 760 kHz // 6900 // 6900 // 3.1 V // 3.9 MHz
Typhoid Fever (virus) // 1,445 MHz // 18620 // 18620 // 4.0 V // 3.8 MHz

Experiments conducted today show that there is indeed a major harmonic of the fundamental frequency from Rife's 1934 machine very near the fundamental audio frequency from Hoyland's machine. Were Hoyland's audio frequencies the true M.O.R.s? Did Rife's machine produce a harmonic that was the M.O.R.?

Pathogen // HAF // HMFreq , 1934 Rife Ray #4 Instr. // Slight Adjustment of HMF used to correlate major harmonic of HMF to HAF) // Percent Deviation

Bacillus X // 21,275 Hz // 1,604 kHz // 1,584 kHz // 2%
B. Coli (virus) // 17,220 Hz // 770 kHz // 763.7 kHz // 0.8%
B. Coli (rod) // 8,020 Hz // 417 kHz // 382.2 kHz // 8%
Tetanus // 1,200 Hz // 234 kHz // 243 kHz // 4%
Streptothrix // 7,870 Hz // 192 kHz // 192.7 kHz // 0.3%

Stronger Evidence...

Pathogen // HAF // HMF // Slight Adjustment of HMF used to correlate major harmonic of HMF to HAF // Percent Deviation

Bacillus X // 21,275 Hz // 1,604 kHz // 1,584 kHz // 2%

B. Coli (virus) // 17,220 Hz // 770 kHz // 764.1 kHz // 0.8%
B. Coli (rod) // 8,020 Hz // 417 kHz // 398.5 kHz // 4.6%
Tetanus // 1,200 Hz // 234 kHz // 194 kHz // 17%
Streptothrix // 7,870 Hz // 192 kHz // 178.6 kHz // 7%
Tuberculosis (rod) // 8,300 Hz // 369 kHz // 382.3 kHz // 3.6%
Typhoid (virus) // 18,620 Hz // 1,445 kHz // 1,446.3 kHz // 0%
Typhoid (rod) // 6,900 Hz // 760 kHz // 774.45 kHz // 1.8%

All tests so far indicate that the phanotron tube is a transducer of electrical waves to acoustical waves which are able to mechanically stimulate a piezocrystal to resonance. This is something that an ordinary antenna system (i.e. a "pad antenna" system) cannot do. We found the tube, like an ordinary audio speaker, to be directional. The stimulation of the crystal varies with the orientation of the tube.

Videos: <http://www.icehouse.net/john34/rife2.html>

"Rife" Frequency Instrument Retailers

The Detox Box - Rife Unit. \$1795 Discounted Price - Free S&H. 30 day guaranty - Pads & Cylinders.
www.2detoxify.com

New 2008 Rife Machine. 200 New Additional Frequencies Free. S&H 60 Day Money Back Guarantee.
www.rifehealth.com

Rife Machine Software. Use your computer as a Rife Machine. Download this new technology now.
www.bztronics.com

Raymond Rife. New Technologies for Improving Your Quality of life. Find Out More!
www.staytuned.ws

New Wellness Pro System. 1,000 Autocodes, 5 Wave Types. Rife Frequencies -Wholesale Pricing.
www.gr8solutions.com

Perkl-Light. Finally - An Energy Device That Is Affordable By Normal People!
www.Perkl-Light.com

Rife 101 Energy Machine. Tired of being sick? Get well naturally. Read my healing story.
www.rife911.com

Raymond Rife
Your Source for the Finest Rife Instruments. Highly Durable!
www.jwllabs.com

Google Search Results (First Few Pages Only)

Royal Raymond Rife was a brilliant scientist born in 1888 and died in 1971. After studying at Johns Hopkins, Rife developed technology which is still ...
www.rense.com/general31/rife.htm

Royal Raymond Rife
ELF Disruption & Countermeasures · Rife Breakthrough - Hepatitis Zapped · Royal Raymond Rife - Corrections & Perspective ...
www.rense.com/rrr/rrr.html

Scientific data and white papers describing the work of Dr. Royal Rife in developing technologies that utilize electro-medicine to kill harmful microbes.
www.rife.org/

The Story of Roy Rife
Royal Raymond Rife. The history of medicine has always been the history of alternative medicine, for every new idea, every new theory, every new method of ...
www.mnwelldir.org/docs/cancer1/rife.htm

Ultra Microscopes and Cure Rays: Dr. R. Raymond Rife - Gaston ...
Overview of Rife's work with historic photographs and newspaper clippings plus audio clips.
www.hbci.com/~wenonah/history/rife.htm

The Royal Raymond Rife Story
Dr. Royal Raymond Rife, M.D., was born in 1888. In the 1930's he had a research clinic at 2500 Chatsworth Blvd in San Diego, California. ...
www.brightok.net/~bridges/rife.html

Royal Ramond Rife Zerozerotwo Productions
THE BRAND NEW DVD of The Greatest Cover-up in Medical History! THE RISE AND FALL OF A SCIENTIFIC GENIUS The Forgotten Story of Royal Raymond Rife ...
www.zerozerotwo.org

My Work on Rife. Last updated 10/4/06. An Ongoing Research Project. Page 1 of 2. Special thanks to Jeff Rense for making John's interview on the September 6 ...
www.icehouse.net/john34/rife.html

Amazon.com: Royal Raymond Rife, Humanitarian, Betrayed & Persecuted: Fred Farly: Books.
www.amazon.com/Royal-Raymond-Humanitarian-Betrayed-Persecuted/dp/0965961311

ROYAL RAYMOND RIFE & THE CANCER CURE THAT WORKED! by Barry Lynes
His name was Royal Raymond Rife. Close friends, who loved his gentleness and humility while being awed by his genius, called him Roy. ...
www.whale.to/v/rife.html

Xenophilia - Rife Cancer Cure
Some claim that Dr. R. Raymond Rife 1. developed a super microscope, ... No one doubts that Royal Raymond Rife was a real individual who did indeed create ...
www.xenophilia.com/zb0012.htm

RIFE STORY

The Dr. Royal Raymond Rife story. Advanced Rife technology. Model.
www.rifehealth.com/_wsn/page2.html

The Dr. Royal Raymond Rife story. Advanced Rife technology. Model
The Dr. Royal Raymond Rife story. Advanced Rife technology. Model. ... This instrument is based on Royal Raymond Rife's quest to study the unique ...
www.rifehealth.com

Raymond Rife

Raymond Rife is a Licensed Clinical Social Worker specializing in emergency crisis ...
Following is a list of organizations with whom Raymond Rife has ...
www.nc-cm.org/bioraymondrafe.htm

Directory:Royal Raymond Rife - PESWiki

You have probably never heard of Dr. Royal Raymond Rife before, but in this unique documentary you will learn all about the life of this overlooked medical ...
peswiki.com/index.php/Directory:Royal_Raymond_Rife

Royal Raymond Rife and The Rife Frequency Generator

A banquet was held to honor Royal Raymond Rife at the estate of Dr. Milbank Johnson. It was held on November 20, 1931. Forty-four of the countries most ...
www.biowaves.com/HealthInfo/Alternative-Medicine/Alternative-Cancer-Treatment/Royal-Rife-Machine.php - 24k

FutureTechToday.com: Royal Raymond Rife -- Dr. Rife and Cancer

We are a research, development, and distribution facility that provides cutting edge products in areas such as experimental Electro-Medical/alternative ...
www.emfsafe.com/rife

Royal Raymond Rife - HiddenMysteries Health Archive

The scientist Royal Raymond Rife discovered that THE UNIQUE ELECTRONIC SIGNATURE OF EACH SPECIFIC DISEASE can be modified to eliminate nearly every ...
www.hiddenmysteries.org/health/unbelievable/rife.html

The Rife Forum - Links- Gerald F. Foye - Royal Raymond Rife ...

developed by Royal Raymond Rife, as well as their modern counterparts. ... Order Online: Royal Raymond Rife, Humanitarian, Betrayed · Edit/Delete Link ...
www.rifeforum.com/links/showlink.php?catid=2&do=showdetails&l=9

Royal Raymond Rife and the History of Electro-Medicine

Royal Raymond Rife discovered effective ways to eliminate pathogenic microbes from effecting your health in the early 1900's. Here is some background on ...
www.emfsafe.com/rifestory.htm

The Amazing Raymond Rife Story

Would you think that finding a cure for cancer would make you a hero? Read what really happened.
www.aceguru.com/Health/rife.htm

Raymond Rife history

By using state-of-the-art Vibrational Energy, we now have choices in creating Perfect Health

that are quick, easy, predictable, and affordable.

www.aceguru.com/health/history.htm

Dr. Royal Raymond Rife Original Audio Library - Hear Dr. Rife In ...

Dr. Royal Raymond Rife Speaks - Vintage Audio Archives Now Available. Now hear Dr. Royal Raymond Rife in his own words on this meticulously restored ...

www.quantumbalancing.com/rife%20audio%20archives.htm

Dr. Raymond Rife and His Miracle Machine

Mark Rigney has been an entrepreneur and health professional for over two decades. Learn more about Dr. Raymond Rife at <http://rifeenergy.com> ...

e-library.net/articles/Cancer/Dr-Raymond-Rife-and-His-Miracle-Machine.htm

Deposition of Royal Raymond Rife - Tijuana - March 7, 1961

Deposition of Royal R. Rife taken in the city of Tijuana, Baja California, Republic of Mexico, March 7, 1961.

www.hbci.com/~wenonah/history/rifedepo.htm

Royal Raymond Rife: A scientific life of mystery - Medical ...

Many years ago, there was a fellow in the San Diego area who invented a super-microscope which, it was claimed, visualize livin... by PasadenaDave.

www.helium.com/items/907637-years-there-fellow-diego

Royal Raymond Rife and Bioelectric Medicine

The Batyah Project Use of the RifeBare Device · Horizon Technology -- Royal Raymond Rife. (Gary Hawkins) (Includes Message Archives) ...

www.stanleyjordan.com/Healing/BioelectricMedLinks.html

History of Alternative Cancer Treatments Vs. Allopathy: Hoxsey ...

History of Alternative Cancer Treatment: Hoxsey, Royal Raymond Rife, Vitamin B17 (Amygdalin Royal Raymond Rife was born 1888, in Elkhorn, Nebraska. ...

www.healingcancernaturally.com/medical-history.html

Rife Documentary Trailer 2

For the full story: <http://www.zerozerotwo.org> The Rise and ...

3 min 33 sec -

www.youtube.com/watch?v=DIhkjS6Ln5w

PowerPedia:Royal Raymond Rife - PESWiki

Royal Raymond Rife (May 16, 1888 - August 11, 1971) was (and is still today) a controversial figure celebrated by part of the alternative medicine community ...

peswiki.com/index.php/Royal_Raymond_Rife

Royal Raymond Rife@Everything2.com

Royal Raymond Rife. created by lockeduser992 · printable version · chaos · cure for cancer · Wilhelm Reich · Wilhelm Reich in Hell · electron microscope ...

everything2.com/e2node/Royal%2520Raymond%2520Rife

Rife Technology

Royal Raymond Rife was born in Elkhorn, Nebraska, on May 16, 1888. His father was a mechanical engineer. In 1907, he moved to New York and began working for ...

www.jimfurey.com/sciencenow/rife/rife.html

Royal Raymond Rife Zerozerotwo Productions

Royal Raymond Rife, "genius scientist", trained for six years at the Carl Zeiss Optical Company in Germany and became the inventor of powerful microscopes, ...

www.zerozerotwo.org/nzmjreview.html

royal raymond rife videos - Free Video & Movie Download

Regina Meredith of Conscious Media Network talks with Stephen Ross about the controversial story about Royal Raymond Rife and his Universal Microscope. ...

www.watchuonline.com/royal%20raymond%20rife

Raymond Rife: ZoomInfo Business People Information

View Raymond Rife's professional background on ZoomInfo, the largest index of people in business in the world. Find who you're looking for at ZoomInfo.

www.zoominfo.com/people/Rife_Ray_434503576.aspx

Royal Raymond Rife Historical Video

royal rife. Shown here with one of his custom made, high powered microscopes - this man developed a method to actually view living viruses! ...

www.rife.biz

Royal R. Rife Humanitarian: Betrayed And Persecuted - Google Books Result

by Gerald F. Foye - 2002 - Medical - 156 pages

Rife's father, Royal Raymond Rife, Sr., was born in 1867, in Ohio. ... Royal Raymond Rife, Jr's venture into the world did not start off well as his mother, ...

books.google.com/books?isbn=0965961338...

The Tom Bearden Website

In the 1930's and 1940's, Royal Raymond Rife revolutionized everything that has been ...

Royal Raymond Rife in his laboratory. Courtesy Christopher Bird ...

www.cheniere.org/books/aids/rife.htm

MySpaceTV Videos: Raymond Rife by aremember

Raymond Rife by aremember Watch it on MySpace Videos.

vids.myspace.com/index.cfm?fuseaction=vids.individual&VideoID=30213822

Rife Video Documentary - Lymebook.com

This DVD set documents the scientific ignorance, official corruption and personal greed directed at the inventor of the Beam Ray Machine, Royal Raymond Rife ...

www.lymebook.com/rifevideo.htm

Lyme Disease Alternative Treatments :: Books and DVDs

Video Documentary—Rise and Fall of a Scientific Genius: The Forgotten Story of Royal Raymond Rife Zero Zero Two Productions ...

www.lymebook.com

Festival Discovery: Introducing Ryan Eslinger

It was then that he first learned about a scientist from the 1920s named Royal Raymond Rife who created a "frequency machine" that Rife said could destroy ...

www.indiewire.com/people/people_031022madness.html

Royal Raymond Rife — Blogs, Pictures, and more on WordPress

The genius of Dr Royal Raymond Rife-did this man find the cure to most diseases? ... Find other items tagged with "royal-raymond-rife": ...

wordpress.com/tag/royal-raymond-rife

Re: Dr raymond rife and a machine that may help at AIDS Alternatives Support Forum.

www.curezone.com/forums/fm.asp?i=1221

Dr raymond rife and a machine that may help at AIDS Alternatives Support Forum.

curezone.com/forums/fm.asp?i=1204

XENOPHILIA (The Band) - The Official Web Site!

Some claim that Dr. R. Raymond Rife 1. developed a super microscope, 2. was able to see live viruses, 3. which gave off their own unique light, ...

www.xenophilia.com/zb/zb0012.htm

Portable Rife

... Royal Raymond Rife, Pt. Loma. He added that he had isolated this cancer organism but is not positive yet that it is the direct cause of the disease. ...

altered-state.com/rifeport/portablefife.htm

Royal Raymond Rife tBeam Ray Treatment - Hepatitis C - MedHelp

This is a discussion on MedHelp about Royal Raymond Rife tBeam Ray Treatment.

Community members of MedHelp provide help, support, guidance and discussion ...

www.medhelp.org/forums/hepatitis/messages/33785.html

Who was Royal Raymond Rife?

Royal Raymond Rife, born in 1888, was a gifted scientist and researcher whose revolutionary research into the invisible realm of viruses and bacteria was ...

www.querycat.com/faq/e490262a4694cea72aa26a2a49a726f7

Royal Raymond Rife Technology for the novice.

That very year, Dr. Royal Raymond Rife, a scientific genius, was presented ... In reading about Dr. Royal Raymond Rife I discovered a website devoted to his ...

www.rifenovice.com

Royal Raymond Rife - HotStockMarket Message Boards - Penny Stocks ...

Royal Raymond Rife Politics & Religion. ... HSM Newbie. Join Date: Oct 2006. Location: Toronto. Posts: 34. Royal Raymond Rife ...

www.hotstockmarket.com/forums/showthread.php?t=59487

Royal Raymond Rife was the inventor of the Universal Microscope which he presented to the world in 1933. Besides being the most powerful optical microscope ...

www.navi.net/~rsc/rife1.htm

The Rife Forum

The purpose of this forum is to facilitate the exchange of information about the work of Royal Raymond Rife and John Crane, the history, microscope and ...

www.rifeforum.com

Lyme Community Forums: Royal Raymond Rife in his Laboratory
www.lymecommunity.com/forums/ubbthreads.php/ubb/showflat/Number/2740/page/1

the Dr. Royal Raymond Rife story - Sherdog Mixed Martial Arts Forums
Masterpiece This is the fascinating video documentary The Royal Rife Story (2004) which tells the lifestory of a forgotten medical pioneer in fields.
www.sherdog.net/forums/f48/dr-royal-raymond-rife-story-405749/

ROYAL RIFE, RIFE LINKS SOURCES, DR. ROYAL RIFE HISTORY STORY
Short Review: Rife Energy Medicine---"During the 1920's and 30's, Dr. Royal Raymond Rife produced some rather astounding accomplishments in medicine and ...
www.rifeenergymedicine.com/rife.html

www.rife.org
This is an excellent documentary, and it features some genuine audio recordings of Royal Raymond Rife himself, explaining research and technical details ...
www.rife.org/zeroreviews.html

Deposition of Dr. Royal Raymond Rife - EMR Labs, LLC
Ans: Royal Raymond Rife. 2. Quest: Where do you now reside? Ans: As a tourist in Tijuana.
3. Quest: Is it your intention to attend as a witness at the trial ...
www.quantumbalancing.com/rife_deposition.htm

HyperFlight. Current & historical credits, permissions, fair-use ...
In the most remarkable confluence of five disciplines, Raymond Rife engages optics, physics, mechanical engineering, microbiology, and electronics to attack ...
www.hyperflight.com/creditsandcopy.htm

CROSSOVERroad - Beam Ray
Based on the work of Dr. Royal Raymond Rife, Beam Ray has researched and developed a ...
Discover the Story of Royal Raymond Rife and Beam Ray Technology ...
www.crossoverroad.com/beamray.htm

Dr. Royal Raymond Rife - 8th Sep, 07:57 AM - Nursing for Nurses
Has anyone followed the studies by Royal Raymond Rife? What are your thoughts on him?
If you dont know about his work, or heard of him. You can google.
allnurses.com/forums/f8/dr-royal-raymond-rife-177956.html

Rife Technology Royal Raymond Rife Literally Cured Disease ...
Rife Technology heals without drugs or surgery faster than conventional medicine. Royal Raymond Rife and his fantastic discoveries and developments.
topdoctor.us/rife-technology.html

Royal Raymond Rife and Philip Hoyland standing on opposite sides ...
Title:. Royal Raymond Rife and Philip Hoyland standing on opposite sides of a mechanical device. Creator:. [Unknown]. Subject:. People Groups Rife, Royal R. ...
content.cdlib.org/ark:/13030/kt1489p8z4/?layout=metadata&brand=calisphere

Royal Raymond Rife and Philip Hoyland standing on opposite sides ...
Title:. Royal Raymond Rife and Philip Hoyland standing on opposite sides of a mechanical device. Creator/Contributor:. [Unknown]. San Diego union-tribune ...

content.cdlib.org/ark:/13030/kt1489p8z4/

More results from content.cdlib.org »

Rife Frequency generator, sweep option

The discovery promised fulfillment of man's age-old hope for a specific destroyer of all his infections diseases, although Royal Raymond Rife avoided any ...

www.noriftrife.com/generator.asp

The two DVD documentary set The Royal Rife Story and Royal Rife ...

You may not have heard of Dr. Royal Raymond Rife before, but in the first two hour DVD documentary The Royal Rife Story you will learn about his great ...

www.rifevideos.com/

Widgetbox › Royal raymond rife Widgets for MySpace, Wordpress ...

Get royal raymond rife widgets on Widgetbox.com! Find royal raymond rife widgets for MySpace profile, Wordpress Blog, TypePad blog and other websites.

www.widgetbox.com/tag/royal%20raymond%20rife;jsessionid=AA3E13C83BC88B655E009

Royal Raymond Rife (6/6)

One day, the name of Royal Raymond Rife may ascend to its rightful place as the giant of modern medical science. Until that time, his fabulous technology ...

www.bio-plasmics.org/rife/royal_raymond_rife_6.htm

Royal Raymond Rife (4/6)

THE STORY OF ROYAL RAYMOND RIFE...continued. On November 20, 1931, forty-four of the nation's most respected medical authorities honoured Royal Rife with a ...

www.bio-plasmics.org/rife/royal_raymond_rife_4.htm

The Cancer Cure That Worked by Barry Lynes :: Royal Raymond Rife

Marcus Books.

www.cancer-cure-that-worked.com

sci.med: Re: Royal Raymond Rife

electronic approach to curing literally every disease on the ... > planet caused by viruses and bacteria. ... it is a discovery that ...

sci.tech-archive.net/Archive/sci.med/2004-06/0350.html

sci.med: Re: Royal Raymond Rife

harassing Dr. Rife. ... Do people think this hareleif is a particularly weird troll, ... >nursery rhyme, Ring around the Rosie. ...

sci.tech-archive.net/Archive/sci.med/2004-06/0478.html

New Light on Therapeutic Energies - Google Books Result

by Mark L. Gallert - 2003 - Body, Mind & Spirit

... MADE VISIBLE Microscopes constructed on entirely new principles have been invented and developed by Royal Raymond Rife, a scientist and biologist. ...

books.google.com/books?isbn=0718890078...

Royal Raymond Rife - Care2 Members who love this Role Model.

www.care2.com/c2c/people/tag/role-models/Royal+Raymond+Rife

ALTERNATIVE HEALTH and HEALING

Royal Raymond Rife and his engineer John Crane developed a new type of frequency therapy The Questions to and Answers from Royal Raymond Rife in 1960 ...
www.alternativehealth.co.nz/articles/rifearticle.htm

RifeLabs - Links of Interest - rifelabs.com

Royal Raymond Rife - History Corrections & Perspective · Royal R. Rife Overview ...
Deposition of Royal Raymond Rife - Tijuana - March 7, 1961 ...
www.rifelabs.com/links.html

Royal Raymond Rife eBook

Royal Raymond Rife. Author: medicaltruth.com Category: Miscellaneous. This is the true story of a genius who's discovery could have changed the world. ...
www.memoware.com/?screen=doc_detail&doc_id=13653&p=contributor_id%5E!21788~!

Story of Royal Raymond Rife, info about Energy Healing: Rife: Story of Royal Raymond Rife.

www.healthysense.com/Energy_Healing/Rife/Story_of_Royal_Raymond_Rife_L139252/

Royal Raymond Rife Resonators Science & Skepticism.

iidsb.infidels.org/vbb/showthread.php?t=109908

Royal Raymond Rife's Amazing Discoveries

It has been nearly three decades since Royal Raymond Rife died and more than 65 years since he conducted his successful cancer experiment in 1934, ...
www.awarenessmag.com/sep0ct06/so06_royal_raymond_rife.htm

A cancer killer? - Care2 News Network

Raymond Rife did a similar but better thing in the 1930's without any meatl injections. Google Rife machine. His work was destroyed and the cancer business ...
www.care2.com/news/member/444815876/709317

Ruby's Emporium: Rife Page

Dr. Royal Raymond Rife: Several sites and links available. ... Other rife related books are Fred Farly's "Royal Raymond Rife, Humanitarian, ...
www.industryinet.com/~ruby/rifepage.html

Deposition of Royal Raymond Rife by free energy

Read free energy's latest blog entry titled Deposition of Royal Raymond Rife on Gaia Community.

noneed2know.gaia.com/blog/2007/6/deposition_of_royal_raymond_rife

History of Royal R. Rife

This is a history of the life of Royal Raymond Rife, Jr.. Not much is known of his early life, other than he was born in Elkhorn, Nebraska, on May 16, 1888, ...
www.dfe.net/RifeHist.html

Royal Raymond Rife

But they are all true, Royal Raymond Rife will go down in history as the greatest scientific Genius of the 20th Century and Barry Lynes a scholar and a ...
altered-states.net/barry/newsletter206/info.htm

<http://www.scoon.co.uk/Electrotherapy/Rife/BeamRay/index.htm>

Photos

Chassis:



Interior 1:






Oscillator :




Oscillator Underside:





Output:



Tube:





Tube:

