

S3 buckets | S3 | ap-south-1

ap-south-1.console.aws.amazon.com/s3/buckets?region=ap-south-1

aws Search [Alt+S] Asia Pacific (Mumbai) sowjanya koppula (7071-8816-5617) sowjanya koppula

Amazon S3 > Buckets

Successfully created bucket "bhanus-bucket2012". To upload files and folders, or to configure additional bucket settings, choose View details.

General purpose buckets All AWS Regions Directory buckets

General purpose buckets (1) [Info](#)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
bhanus-bucket2012	Asia Pacific (Mumbai) ap-south-1	February 4, 2026, 12:27:03 (UTC+05:30)

Copy ARN Empty Delete Create bucket

Account snapshot [Info](#) Updated daily Storage Lens provides visibility into storage usage and activity trends.

External access summary [Info](#) Updated daily External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

Screenshot of the AWS S3 console showing the upload of a file named "Screenshot (101).png".

The browser tabs show "bhanus-bucket2012 - S3 bucket" and "bhanus-bucket2012.s3.ap-south-1.amazonaws.com".

The URL in the address bar is "ap-south-1.console.aws.amazon.com/s3/buckets/bhanus-bucket2012?region=ap-south-1&tab=objects".

The AWS navigation bar shows "aws" and "Search" with "aws" selected, and "Asia Pacific (Mumbai)".

The breadcrumb navigation shows "Amazon S3 > Buckets > bhanus-bucket2012".

Success message: "Upload succeeded. For more information, see the [Files and folders](#) table.".

Message: "A presigned URL for "Screenshot (101).png" has been created and copied to your clipboard." with a "Copy presigned URL" button.

Confirmation message: "Presigned URL copied".

The main table lists one object:

Name	Type	Last modified	Size	Storage class
<a href="#">Screenshot (101).png</a>	png	February 4, 2026, 12:33:31 (UTC+05:30)	220.6 KB	Standard

Bottom navigation bar includes CloudShell, Feedback, Console Mobile App, © 2026, Amazon Web Services, Inc. or its affiliates., Privacy, Terms, Cookie preferences, and system status (26°C, ENG, 04-02-2026).



This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<Error>
<Code>AccessDenied</Code>
<Message>Access Denied</Message>
<RequestId>44KDJ5687C547GQV</RequestId>
<HostId>POQAhsMj/SGIf8Whv6SUqfh0B03VHGBd8q4/tg8NFOB6bNrH1JvY6CN8j8z7PjBNv/epyC6XcibxBuSERpcXq76jk1v3fLXf</HostId>
</Error>
```



The screenshot shows the AWS S3 console interface. At the top, there are two tabs: "bhanus-bucket2012 - S3 bucket" and "bhanus-bucket2012.s3.ap-south-1.amazonaws.com". The URL in the address bar is "ap-south-1.console.aws.amazon.com/s3/buckets/bhanus-bucket2012?region=ap-south-1&tab=objects". The top navigation bar includes the AWS logo, a search bar, and account information for "sowjanya koppula (7071-8816-5617)". Below the navigation, the breadcrumb path is "Amazon S3 > Buckets > bhanus-bucket2012".  
  
A green success message box contains the following text:

- Upload succeeded
- For more information, see the [Files and folders table](#).

  
Another green message box contains:

- A presigned URL for "Screenshot (101).png" has been created and copied to your clipboard.
- [Copy presigned URL](#)

  
The main content area is titled "bhanus-bucket2012" with an "Info" link. It features a tab bar with "Objects" (selected), "Metadata", "Properties", "Permissions", "Metrics", "Management", and "Access Points".  
  
The "Objects" section displays one item:

Objects (1/1)		<a href="#">Copy S3 URI</a>	<a href="#">Copy URL</a>	<a href="#">Download</a>	<a href="#">Open</a>	<a href="#">Delete</a>	<a href="#">Actions</a>	<a href="#">Create folder</a>	<a href="#">Upload</a>
Name	Type	Last modified	Size	Storage class					
<a href="#">Screenshot (101).png</a>	png	February 4, 2026, 12:33:31 (UTC+05:30)	220.6 KB	Standard					

  
At the bottom of the page, there is a navigation bar with links for "CloudShell", "Feedback", "Console Mobile App", and "Cookie preferences". The status bar shows system information including the date (04-02-2026), time (12:36), temperature (26°C), and language (ENG).



This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<Error>
<Code>AccessDenied</Code>
<Message>Access Denied</Message>
<RequestId>TXTY5AN12MPHB1VW</RequestId>
<HostId>hqMK/BPaoxmZjyr3eMOJJPsWhfY2oKbkfNkR30n0xpyVX5eInzdhZLdRzWeLeP6VnfC8X+FpDjo6JYJ7UeJKu8q7lCaeQxz1</HostId>
</Error>
```



Upload objects - S3 buck... x charank-bucket2022 - S3 x Create access key | IAM | x charank-bucket2022.s3.a... x quotes.jpg (700x438) x +

ap-south-1.console.aws.amazon.com/s3/buckets/charank-bucket2022?region=ap-south-1&tab=objects

sowjanya koppula (7071-8816-5617) ▾ sowjanya koppula

aws Search [Alt+S] Asia Pacific (Mumbai) ▾

Amazon S3 > Buckets > charank-bucket2022

Command Prompt

Microsoft Windows [Version 10.0.19045.6466]  
(c) Microsoft Corporation. All rights reserved.

C:\Users\koppu>aws configure  
AWS Access Key ID [\*\*\*\*\*PE35]: AKIA2JJ5TBPYVFL43UX  
AWS Secret Access Key [\*\*\*\*\*1xOK]: 8MRb39gixuTskJXi135imPpDfivnwRSats9J6Hj9  
Default region name [None]:  
Default output format [None]:

C:\Users\koppu>cd onedrive\Desktop

C:\Users\koppu\OneDrive\Desktop>cd ansible

C:\Users\koppu\OneDrive\Desktop\ansible>aws s3 cp s3://charank-bucket2022/quotes.jpg quotes.jpg  
download: s3://charank-bucket2022/quotes.jpg to .\quotes.jpg

C:\Users\koppu\OneDrive\Desktop\ansible>

folder Upload et. For others to access your

Storage class Standard

CloudShell Feedback Console Mobile App Privacy Terms Cookie preferences

Type here to search 22°C ENG 04-02-2026 22:03

Screenshot of the AWS S3 console showing the 'charank-bucket2022' bucket details.

The browser tabs are:

- Upload objects - S3 buck
- charank-bucket2022 - S3
- Create access key | IAM
- charank-bucket2022.s3.a
- quotes.jpg (700x438)

The address bar shows: ap-south-1.console.aws.amazon.com/s3/buckets/charank-bucket2022?region=ap-south-1&tab=objects

The AWS S3 navigation bar includes:

- aws
- Search [Alt+S]
- Asia Pacific (Mumbai) ▾
- sowjanya koppula (7071-8816-5617) ▾
- sowjanya koppula

The left sidebar menu includes:

- Amazon S3
- Buckets
  - General purpose buckets
    - Directory buckets
    - Table buckets
    - Vector buckets
- Access management and security
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- Storage management and insights
  - Storage Lens
  - Batch Operations

The main content area displays the 'charank-bucket2022' bucket details:

**charank-bucket2022** Info

Objects

Object S3 URI Copied

Actions: Copy S3 URI, Copy URL, Download, Open, Delete, Actions, Create folder, Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix: quotes.jpg

Name	Type	Last modified	Size	Storage class
quotes.jpg	jpg	February 4, 2026, 21:58:19 (UTC+05:30)	31.6 KB	Standard

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

22°C ENG 04-02-2026 22:04

Upload objects - S3 buck | charank-bucket2022 - S3 | Create access key | IAM | charank-bucket2022.s3.a | quotes.jpg (700x438) | +

us-east-1.console.aws.amazon.com/iam/home?region=ap-south-1#/security\_credentials/access-key-wizard

sowjanya koppula (7071-8816-5617) ▾  
sowjanya koppula

IAM > Security credentials > Create access key

This is the only time that the secret access key can be viewed or downloaded. You cannot recover it later. However, you can create a new access key any time.

If you lose or forget your secret access key, you cannot retrieve it. Instead, create a new access key and make the old key inactive.

Access key

Secret access key Copie  
d

AKIA2JJ5TBPYVFLL43UX

Show

Access key best practices

- Never store your access key in plain text, in a code repository, or in code.
- Disable or delete access key when no longer needed.
- Enable least-privilege permissions.
- Rotate access keys regularly.


For more details about managing access keys, see the [best practices for managing AWS access keys](#).

Download .csv file Done

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

22°C ENG 04-02-2026



sowjanyak-bucket1220 - S3 buc | sowjanyak-bucket1220.s3.ap-sou... | 115 Best Motivational Wallpaper | +

ap-south-1.console.aws.amazon.com/s3/buckets/sowjanyak-bucket1220?region=ap-south-1&tab=permissions

aws Search [Alt+S] Asia Pacific (Mumbai) sowjanya koppula (7071-8816-5617) sowjanya koppula

Amazon S3 > Buckets > sowjanyak-bucket1220

Successfully edited Block Public Access settings for this bucket.

## sowjanyak-bucket1220 Info

Objects Metadata Properties **Permissions** Metrics Management Access Points

### Permissions overview

**Access finding**  
Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#).  
[View analyzer for ap-south-1](#)

### Block public access (bucket settings)

Block all public access Off [Edit](#)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#).

Block all public access Off

▶ Individual Block Public Access settings for this bucket

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 16:11 28°C ENG 04-02-2026

Upload objects - S3 buck x charank-bucket2022 - S3 x Create access key | IAM x charank-bucket2022.s3.a x quotes.jpg (700x438) x + ap-south-1.console.aws.amazon.com/s3/buckets/charank-bucket2022?region=ap-south-1&tab=permissions

sowjanya koppula (7071-8816-5617) sowjanya koppula

Amazon S3 > Buckets > charank-bucket2022

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Successfully edited Block Public Access settings for this bucket.

Charank-bucket2022 [Info](#)

Objects | Metadata | Properties | **Permissions** | Metrics | Management | Access Points

**Permissions overview**

**Access finding**

Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#). View analyzer for ap-south-1

**Block public access (bucket settings)**

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

**Block all public access**

⚠ Off

► Individual Block Public Access settings for this bucket

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

22°C 04-02-2026 22:05

Upload object x charank-bucket2022 x Create access x charank-bucket2022 x quotes.jpg (70 x charank-bucket2022 x amazon web s x +

← → G ap-south-1.console.aws.amazon.com/s3/buckets/charank-bucket2022?region=ap-south-1&tab=permissions

aws Search [Alt+S] Ask Amazon Q Asia Pacific (Mumbai) sowjanya koppula (7071-8816-5617) sowjanya koppula

Amazon S3 > Buckets > charank-bucket2022

Amazon S3 Successfully edited bucket policy.

Buckets General purpose buckets Directory buckets Table buckets Vector buckets

Access management and security Access Points Access Points for FSx Access Grants IAM Access Analyzer

Storage management and insights Storage Lens Batch Operations

{ "Version": "2012-10-17", "Id": "BucketPolicy", "Statement": [ { "Sid": "AllAccess", "Effect": "Allow", "Principal": "\*", "Action": "s3:\*", "Resource": [ "arn:aws:s3:::charank-bucket2022", "arn:aws:s3:::charank-bucket2022/\*" ] } ] }

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22°C ENG 04-02-2026 22:16

