

POWER BI – WEEK 1 REPORT

DATA CLEANING AND TRANSFORMATION USING POWER BI

STEP 1: OPEN POWER BI DESKTOP

Description

Microsoft Power BI Desktop was launched to begin the data preparation and analysis process. The Power BI environment provides different tools for importing, transforming, modeling, and visualizing data.


Steps

1. Open **Microsoft Power BI Desktop**.
2. Wait for the Power BI home screen to load.
3. Prepare the application for importing the dataset.

Result

Power BI Desktop was successfully opened and was ready for the data preparation process.

Screenshot:



STEP 2: IMPORT THE SUPERSTORE DATASET

Description

The Superstore Sales dataset was imported into Power BI using the **Text/CSV** option. The **Transform Data** option was selected to open the dataset in Power Query Editor for further cleaning and transformation.


Steps

Home → Get Data → Text/CSV → Select Dataset → Transform Data

Result

The Superstore dataset was successfully loaded into Power Query Editor.

Screenshot:



STEP 3: OPEN POWER QUERY EDITOR

Description

Power Query Editor was used to perform the required data cleaning and transformation activities. It provides different options for changing data types, removing unwanted records, checking data quality, and creating new columns.

Steps

1. Select **Transform Data** after importing the dataset.
2. Open the dataset in Power Query Editor.
3. Review the available columns and data.

Result

The Superstore dataset was opened successfully in Power Query Editor.

Screenshot:

The screenshot displays the Microsoft Power Query Editor interface. The main area shows a data table with the following columns: Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, and Segment. The table contains 30 rows of data. The interface includes a ribbon with tabs like Home, Transform, Add Column, View, Tools, and Help. The right sidebar shows the 'Query Settings' pane with 'Properties' and 'Applied Steps' sections.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment
1	US-2023-103800	1/3/2023	1/7/2023	Standard Class	DP-13000	Darren Powers	Consumer
2	US-2023-112326	1/4/2023	1/8/2023	Standard Class	PO-19195	Phillina Ober	Home Office
3	US-2023-112326	1/4/2023	1/8/2023	Standard Class	PO-19195	Phillina Ober	Home Office
4	US-2023-112326	1/4/2023	1/8/2023	Standard Class	PO-19195	Phillina Ober	Home Office
5	US-2023-141817	1/5/2023	1/12/2023	Standard Class	MB-18085	Mick Brown	Consumer
6	US-2023-167199	1/6/2023	1/10/2023	Standard Class	ME-17320	Maria Etezadi	Home Office
7	US-2023-167199	1/6/2023	1/10/2023	Standard Class	ME-17320	Maria Etezadi	Home Office
8	US-2023-106054	1/6/2023	1/7/2023	First Class	JO-15145	Jack O'Brian	Corporate
9	US-2023-167199	1/6/2023	1/10/2023	Standard Class	ME-17320	Maria Etezadi	Home Office
10	US-2023-167199	1/6/2023	1/10/2023	Standard Class	ME-17320	Maria Etezadi	Home Office
11	US-2023-167199	1/6/2023	1/10/2023	Standard Class	ME-17320	Maria Etezadi	Home Office
12	US-2023-130813	1/6/2023	1/8/2023	Second Class	LS-17230	Lycoris Saunders	Consumer
13	US-2023-167199	1/6/2023	1/10/2023	Standard Class	ME-17320	Maria Etezadi	Home Office
14	US-2023-167199	1/6/2023	1/10/2023	Standard Class	ME-17320	Maria Etezadi	Home Office
15	US-2023-109417	1/7/2023	1/12/2023	Standard Class	VS-21820	Vivek Sundaresam	Consumer
16	US-2023-109417	1/7/2023	1/12/2023	Standard Class	VS-21820	Vivek Sundaresam	Consumer
17	US-2023-135405	1/9/2023	1/13/2023	Standard Class	MS-17830	Melanie Seite	Consumer
18	US-2023-135405	1/9/2023	1/13/2023	Standard Class	MS-17830	Melanie Seite	Consumer
19	US-2023-149020	1/10/2023	1/15/2023	Standard Class	AI-10780	Anthony Jacobs	Corporate
20	US-2023-149020	1/10/2023	1/15/2023	Standard Class	AI-10780	Anthony Jacobs	Corporate
21	US-2023-130092	1/11/2023	1/14/2023	First Class	SV-20365	Seth Vernon	Consumer
22	US-2023-157147	1/13/2023	1/18/2023	Standard Class	BO-11605	Brian Dahlien	Consumer
23	US-2023-109232	1/13/2023	1/16/2023	Second Class	NO-18370	Natalie DeCherney	Consumer
24	US-2023-157147	1/13/2023	1/18/2023	Standard Class	BO-11605	Brian Dahlien	Consumer
25	US-2023-118192	1/13/2023	1/18/2023	Standard Class	MM-17920	Michael Moore	Consumer
26	US-2023-162775	1/13/2023	1/15/2023	Second Class	CS-12230	Chris Selesnick	Corporate
27	US-2023-162775	1/13/2023	1/15/2023	Second Class	CS-12230	Chris Selesnick	Corporate
28	US-2023-162775	1/13/2023	1/15/2023	Second Class	CS-12230	Chris Selesnick	Corporate
29	US-2023-118192	1/13/2023	1/18/2023	Standard Class	MM-17920	Michael Moore	Consumer
30	US-2023-162775	1/13/2023	1/15/2023	Second Class	CS-12230	Chris Selesnick	Corporate

STEP 4: CLEAN AND TRIM THE DATA

Description

The dataset was cleaned to improve the consistency and quality of the data. The **Trim** function was used to remove unnecessary spaces from text values. This helps maintain clean and standardized data for further analysis.

Steps 1:

1. Select the required text column.
2. Go to the **Transform** tab.
3. Select **Format** → **Trim**.
4. Apply the Trim operation to the required columns.
5. Review the transformed values to ensure that unwanted spaces have been removed.

Result

The selected text data was cleaned by removing unnecessary spaces. The dataset was made more consistent and ready for the next transformation steps.

Steps 2

1. Select the required text column.
2. Go to the **Transform** tab.
3. Select **Format** → **Trim**.
4. Apply the Trim operation to the required columns.
5. Review the transformed values to ensure that unwanted spaces have been removed.


Result

Unwanted characters were removed from the selected text fields, resulting in cleaner and more consistent data.

Screenshot:

The screenshot displays the Power Query Editor interface. The 'Transform' tab is active, and the 'Format' menu is open, showing the 'Trim' option selected. The data table is visible with columns: Row ID, Order ID, Order Date, Ship Mode, Customer ID, Customer Name, and Segment. The 'Trim' operation has been applied to the 'Ship Mode', 'Customer ID', 'Customer Name', and 'Segment' columns. The 'Applied Steps' pane on the right shows the sequence of transformations: Source, Promoted Headers, Changed Type, Changed Type with Locale, Inserted Year, Inserted Day Name, and Trimmed Text.

Row ID	Order ID	Order Date	Ship Mode	Customer ID	Customer Name	Segment
1	US-2023-103800	07-01-2023	Standard Class	DP-13000	Darren Powers	Consumer
2	US-2023-112326	04-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
3	US-2023-112326	04-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
4	US-2023-112326	04-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
5	US-2023-141817	05-01-2023	Standard Class	MB-18885	Mick Brown	Consumer
6	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
7	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
8	US-2023-106054	06-01-2023	First Class	JO-15545	Jack O'Brian	Corporate
9	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
10	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
11	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
12	US-2023-130813	06-01-2023	Second Class	LS-17230	Lycoris Saunders	Consumer
13	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
14	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
15	US-2023-105417	07-01-2023	Standard Class	VS-21820	Vivek Sundaresam	Consumer
16	US-2023-105417	07-01-2023	Standard Class	VS-21820	Vivek Sundaresam	Consumer
17	US-2023-155405	09-01-2023	Standard Class	MS-17850	Melanie Seltz	Consumer
18	US-2023-155405	09-01-2023	Standard Class	MS-17850	Melanie Seltz	Consumer
19	US-2023-149020	10-01-2023	Standard Class	AJ-10780	Anthony Jacobs	Corporate
20	US-2023-149020	10-01-2023	Standard Class	AJ-10780	Anthony Jacobs	Corporate
21	US-2023-130092	11-01-2023	First Class	SV-20565	Seth Vernon	Consumer
22	US-2023-157147	13-01-2023	Standard Class	BD-11605	Brian Dahlien	Consumer
23	US-2023-109232	13-01-2023	Second Class	NO-18370	Natalie DeCherney	Consumer
24	US-2023-157147	13-01-2023	Standard Class	BD-11605	Brian Dahlien	Consumer
25	US-2023-118192	13-01-2023	Standard Class	MM-17920	Michael Moore	Consumer
26	US-2023-162775	13-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate
27	US-2023-162775	13-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate
28	US-2023-162775	13-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate
29	US-2023-118192	13-01-2023	Standard Class	MM-17920	Michael Moore	Consumer
30	US-2023-162775	13-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate



STEP 5: CHANGE ORDER DATE USING LOCALE

Description

The **Order Date** column was converted into the appropriate date format using the **Using Locale** option. This ensures that Power BI recognizes the values correctly as dates.



Steps

Transform → **Data Type** → **Using Locale** → **Date** → **Select Locale** → **OK**

Result

The Order Date column was successfully converted into the required date format.

Screenshot:



STEP 6: CHANGE SHIP DATE USING LOCALE

Description

The **Ship Date** column was also converted into the appropriate date format. This helps Power BI correctly identify the shipping date values for further analysis.



Steps

Transform → Data Type → Using Locale → Date → Select Locale → OK

Result

The Ship Date column was successfully formatted as a date field.

Screenshot:



STEP 7: CHECK DATA QUALITY

Description

The **Column Quality** feature was used to examine the quality of the dataset. It displays information about valid, error, and empty values present in the columns.

Steps

1. Go to the **View** tab.
2. Select **Column Quality**.
3. Review the quality indicators displayed above the columns.

Result

The dataset was checked for data-quality issues using the Column Quality feature.

Screenshot:

Table: TransformColumnTypes(*Changed Type with Locale*, {"Ship Date", type date}), "en-US")

	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment
1	1	US-2023-103800	09-01-2023	07-01-2023	Standard Class	DP-13000	Darren Powers	Consumer
2	2	US-2023-112326	04-01-2023	08-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
3	3	US-2023-112326	04-01-2023	08-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
4	4	US-2023-112326	04-01-2023	08-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
5	5	US-2023-141817	05-01-2023	12-01-2023	Standard Class	MB-18085	Mick Brown	Consumer
6	6	US-2023-167199	06-01-2023	10-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
7	7	US-2023-167199	06-01-2023	10-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
8	8	US-2023-106054	06-01-2023	07-01-2023	First Class	JO-15345	Jack O'Brant	Corporate
9	9	US-2023-167199	06-01-2023	10-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
10	10	US-2023-167199	06-01-2023	10-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
11	11	US-2023-167199	06-01-2023	10-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
12	12	US-2023-130813	06-01-2023	08-01-2023	Second Class	LS-17230	Lycoris Saunders	Consumer
13	13	US-2023-167199	06-01-2023	10-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
14	14	US-2023-167199	06-01-2023	10-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
15	15	US-2023-105417	07-01-2023	12-01-2023	Standard Class	V5-21820	Vivek Sundaresam	Consumer
16	16	US-2023-105417	07-01-2023	12-01-2023	Standard Class	V5-21820	Vivek Sundaresam	Consumer
17	17	US-2023-135405	09-01-2023	13-01-2023	Standard Class	MS-17830	Melanie Seite	Consumer
18	18	US-2023-135405	09-01-2023	13-01-2023	Standard Class	MS-17830	Melanie Seite	Consumer
19	19	US-2023-149020	10-01-2023	15-01-2023	Standard Class	AJ-10780	Anthony Jacobs	Corporate
20	20	US-2023-149020	10-01-2023	15-01-2023	Standard Class	AJ-10780	Anthony Jacobs	Corporate
21	21	US-2023-130092	11-01-2023	14-01-2023	First Class	SV-20365	Seth Vernon	Consumer
22	22	US-2023-157147	13-01-2023	18-01-2023	Standard Class	BD-11605	Brian Dahlen	Consumer
23	23	US-2023-109232	13-01-2023	16-01-2023	Second Class	ND-18370	Natalie DeCherney	Consumer
24	24	US-2023-157147	13-01-2023	18-01-2023	Standard Class	BD-11605	Brian Dahlen	Consumer
25	25	US-2023-118192	13-01-2023	18-01-2023	Standard Class	MM-17920	Michael Moore	Consumer
26	26	US-2023-162775	13-01-2023	15-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate
27	27	US-2023-162775	13-01-2023	15-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate
28	28	US-2023-162775	13-01-2023	15-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate
29	29	US-2023-118192	13-01-2023	18-01-2023	Standard Class	MM-17920	Michael Moore	Consumer
30	30	US-2023-162775	13-01-2023	15-01-2023	Second Class	CS-12250	Chris Selesnick	Corporate

STEP 8: CREATE YEAR COLUMN

Description

A separate **Year** column was created using the Order Date field. This additional column can be used for organizing and analyzing the data based on different years.

Steps

Add Column → Date → Year → Year

Result

A new Year column was successfully added to the dataset.

Screenshot:

The screenshot shows the Power Query Editor interface. The 'Date' menu is open, and the path 'Date > Year' is highlighted. The main data table is visible in the background, showing columns for Order ID, Order Date, and Ship Date. The 'Year' column has been successfully added to the dataset.

Row ID	Order ID	Order Date	Ship Date
1	US-2023-103800	03-01-2023	
2	US-2023-112326	04-01-2023	
3	US-2023-112326	04-01-2023	
4	US-2023-112326	04-01-2023	
5	US-2023-141817	05-01-2023	
6	US-2023-167199	06-01-2023	
7	US-2023-167199	06-01-2023	
8	US-2023-106054	06-01-2023	
9	US-2023-167199	06-01-2023	
10	US-2023-167199	06-01-2023	
11	US-2023-167199	06-01-2023	
12	US-2023-130813	06-01-2023	
13	US-2023-167199	06-01-2023	
14	US-2023-167199	06-01-2023	
15	US-2023-105417	07-01-2023	
16	US-2023-105417	07-01-2023	
17	US-2023-135405	09-01-2023	
18	US-2023-135405	09-01-2023	
19	US-2023-149020	10-01-2023	
20	US-2023-149020	10-01-2023	
21	US-2023-130092	11-01-2023	
22	US-2023-157147	13-01-2023	
23	US-2023-109232	13-01-2023	
24	US-2023-157147	13-01-2023	
25	US-2023-118192	13-01-2023	
26	US-2023-162775	13-01-2023	
27	US-2023-162775	13-01-2023	
28	US-2023-162775	13-01-2023	
29	US-2023-118192	13-01-2023	
30	US-2023-162775	13-01-2023	

STEP 9: CREATE NAME OF DAY COLUMN

Description

A **Name of Day** column was created from the Order Date field. This provides the day name corresponding to each date and can support day-based analysis.

Steps

Add Column → Date → Day → Name of Day

Result

The Name of Day column was successfully created.

Screenshot:

The screenshot shows the Power Query Editor interface. The 'Date' menu is open, and the path 'Date > Day > Name of Day' is highlighted. The background table has columns: Row ID, Order ID, Order Date, Ship Date, Customer ID, Customer Name, Segment, and a new column 'Name of Day' which is currently blank. The 'Name of Day' column is the result of the 'Date > Day > Name of Day' operation.

Row ID	Order ID	Order Date	Ship Date	Customer ID	Customer Name	Segment	Name of Day
1	US-2023-103800	03-01-2023			Darren Powers	Consumer	
2	US-2023-112326	04-01-2023			Phillina Ober	Home Office	
3	US-2023-112326	04-01-2023			Phillina Ober	Home Office	
4	US-2023-112326	04-01-2023			Phillina Ober	Home Office	
5	US-2023-141817	05-01-2023			Mick Brown	Consumer	
6	US-2023-167199	06-01-2023			Maria Etezadi	Home Office	
7	US-2023-167199	06-01-2023			Maria Etezadi	Home Office	
8	US-2023-106054	06-01-2023			O'Brian	Corporate	
9	US-2023-167199	06-01-2023			ria Etezadi	Home Office	
10	US-2023-167199	06-01-2023			ria Etezadi	Home Office	
11	US-2023-167199	06-01-2023			Maria Etezadi	Home Office	
12	US-2023-130813	06-01-2023			Lycoris Saunders	Consumer	
13	US-2023-167199	06-01-2023			Maria Etezadi	Home Office	
14	US-2023-167199	06-01-2023			Maria Etezadi	Home Office	
15	US-2023-105417	07-01-2023			Vivek Sundaresam	Consumer	
16	US-2023-105417	07-01-2023			Vivek Sundaresam	Consumer	
17	US-2023-135405	09-01-2023			Melanie Seite	Consumer	
18	US-2023-135405	09-01-2023			Melanie Seite	Consumer	
19	US-2023-149020	10-01-2023			Anthony Jacobs	Corporate	
20	US-2023-149020	10-01-2023			Anthony Jacobs	Corporate	
21	US-2023-130092	11-01-2023			Seth Vernon	Consumer	
22	US-2023-157147	13-01-2023			Brian Dahlen	Consumer	
23	US-2023-109232	13-01-2023			Natalie DeCherney	Consumer	
24	US-2023-157147	13-01-2023			Brian Dahlen	Consumer	
25	US-2023-118192	13-01-2023			Michael Moore	Consumer	
26	US-2023-162775	13-01-2023			Chris Selesnick	Corporate	
27	US-2023-162775	13-01-2023			Chris Selesnick	Corporate	
28	US-2023-162775	13-01-2023			Chris Selesnick	Corporate	
29	US-2023-118192	13-01-2023			Michael Moore	Consumer	
30	US-2023-162775	13-01-2023			Chris Selesnick	Corporate	

STEP 10: CREATE MONTH AND DAY COLUMNS

Description

The **Order Date** column was used to create additional date-based columns for performing month-to-month and day-to-day analysis. These columns help in understanding sales patterns over different months and days.

Steps – Month:

Add Column → Date → Month → Month

Steps – Day:

Add Column → Date → Day → Day

Result

Month and Day columns were created successfully from the Order Date field. These columns can be used for **month-to-month** and **day-to-day analysis** in the Power BI report.

Screenshot:

The screenshot shows the Power Query Editor interface. The main table has columns: Row ID, Order ID, Order Date, and Ship Date. The 'Order Date' column is selected, and the 'Date' data type is applied. The 'Date' data type menu is open, showing options like Year, Month, Quarter, Week, Day, etc. The 'Month' option is selected. The 'Table.TransformColumns' function is used to create a new column 'Month' from the 'Order Date' column. The formula bar shows: `= Table.TransformColumns(#"Trimmed Text",{"Ship Mode", Text.Clean, ... , Text.Clean, type text}, {"Segment", Text.Clean, type text}, {"Country/...`

Row ID	Order ID	Order Date	Ship Date
1	US-2023-103800	03-01-2023	
2	US-2023-112326	04-01-2023	
3	US-2023-112326	04-01-2023	
4	US-2023-112326	04-01-2023	
5	US-2023-141817	05-01-2023	
6	US-2023-167199	06-01-2023	
7	US-2023-167199	06-01-2023	
8	US-2023-167199	06-01-2023	
9	US-2023-167199	06-01-2023	
10	US-2023-167199	06-01-2023	
11	US-2023-167199	06-01-2023	
12	US-2023-130813	06-01-2023	
13	US-2023-167199	06-01-2023	
14	US-2023-167199	06-01-2023	
15	US-2023-105417	07-01-2023	
16	US-2023-105417	07-01-2023	
17	US-2023-135405	09-01-2023	
18	US-2023-135405	09-01-2023	
19	US-2023-149020	10-01-2023	
20	US-2023-149020	10-01-2023	
21	US-2023-130092	11-01-2023	
22	US-2023-157147	13-01-2023	
23	US-2023-109232	13-01-2023	
24	US-2023-157147	13-01-2023	
25	US-2023-118192	13-01-2023	
26	US-2023-162775	13-01-2023	
27	US-2023-162775	13-01-2023	
28	US-2023-162775	13-01-2023	
29	US-2023-118192	13-01-2023	
30	US-2023-162775	13-01-2023	

The screenshot shows the Power Query Editor interface. The main table has columns: Row ID, Order ID, Order Date, and Ship Date. The 'Order Date' column is selected, and the 'Date' data type is applied. The 'Date' data type menu is open, showing options like Year, Month, Quarter, Week, Day, etc. The 'Month' option is selected. The 'Table.AddColumn' function is used to create a new column 'Month' from the 'Order Date' column. The formula bar shows: `= Table.AddColumn(#"Cleaned Text", "Month", each Date.Month[Order Date])`

Row ID	Order ID	Order Date	Ship Date
1	US-2023-103800	03-01-2023	
2	US-2023-112326	04-01-2023	
3	US-2023-112326	04-01-2023	
4	US-2023-112326	04-01-2023	
5	US-2023-141817	05-01-2023	
6	US-2023-167199	06-01-2023	
7	US-2023-167199	06-01-2023	
8	US-2023-167199	06-01-2023	
9	US-2023-167199	06-01-2023	
10	US-2023-167199	06-01-2023	
11	US-2023-167199	06-01-2023	
12	US-2023-130813	06-01-2023	
13	US-2023-167199	06-01-2023	
14	US-2023-167199	06-01-2023	
15	US-2023-105417	07-01-2023	
16	US-2023-105417	07-01-2023	
17	US-2023-135405	09-01-2023	
18	US-2023-135405	09-01-2023	
19	US-2023-149020	10-01-2023	
20	US-2023-149020	10-01-2023	
21	US-2023-130092	11-01-2023	
22	US-2023-157147	13-01-2023	
23	US-2023-109232	13-01-2023	
24	US-2023-157147	13-01-2023	
25	US-2023-118192	13-01-2023	
26	US-2023-162775	13-01-2023	
27	US-2023-162775	13-01-2023	
28	US-2023-162775	13-01-2023	
29	US-2023-118192	13-01-2023	
30	US-2023-162775	13-01-2023	

STEP 10: REVIEW THE TRANSFORMED DATA

Description

After completing the required transformations, the dataset was reviewed to ensure that the changes had been applied correctly.

The following transformations were completed:

- Order Date formatting
- Ship Date formatting
- Data quality checking
- Duplicate removal
- Year column creation
- Name of Day column creation

Result

The transformed dataset was reviewed before applying the changes.

STEP 11: CLOSE AND APPLY

Description

After completing the data cleaning and transformation process, the **Close & Apply** option was selected. This applied all the transformations and loaded the prepared dataset into Power BI.

Steps

Home → Close & Apply

Result

All the completed transformations were successfully applied to the Power BI dataset.

Screenshot:

Table: AddColumn("Inserted Day of Week", "Day", each Date.Day([Order Date]), Int64.Type)

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment
1	1	US-2023-103800	03-01-2023	Standard Class	DP-13000	Darren Powers	Consumer
2	2	US-2023-112326	04-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
3	3	US-2023-112326	04-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
4	4	US-2023-112326	04-01-2023	Standard Class	PO-19195	Phillina Ober	Home Office
5	5	US-2023-141817	05-01-2023	Standard Class	MB-18085	Mick Brown	Consumer
6	6	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
7	7	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
8	8	US-2023-106054	06-01-2023	First Class	JO-15145	Jack O'Brian	Corporate
9	9	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
10	10	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
11	11	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
12	12	US-2023-130813	06-01-2023	Second Class	LS-17230	Lycoris Saunders	Consumer
13	13	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
14	14	US-2023-167199	06-01-2023	Standard Class	ME-17320	Maria Etezadi	Home Office
15	15	US-2023-109417	07-01-2023	Standard Class	VS-21820	Vivek Sundaresam	Consumer
16	16	US-2023-109417	07-01-2023	Standard Class	VS-21820	Vivek Sundaresam	Consumer
17	17	US-2023-135405	09-01-2023	Standard Class	MS-17830	Melanie Seite	Consumer
18	18	US-2023-135405	09-01-2023	Standard Class	MS-17830	Melanie Seite	Consumer
19	19	US-2023-149020	10-01-2023	Standard Class	AI-10780	Anthony Jacobs	Corporate
20	20	US-2023-149020	10-01-2023	Standard Class	AI-10780	Anthony Jacobs	Corporate
21	21	US-2023-130092	11-01-2023	First Class	SV-20365	Seth Vernon	Consumer
22	22	US-2023-157147	13-01-2023	Standard Class	BO-11605	Brian Dahlien	Consumer
23	23	US-2023-109232	13-01-2023	Second Class	NO-18370	Natalie DeCherney	Consumer
24	24	US-2023-157147	13-01-2023	Standard Class	BO-11605	Brian Dahlien	Consumer
25	25	US-2023-118192	13-01-2023	Standard Class	MM-17920	Michael Moore	Consumer
26	26	US-2023-162775	13-01-2023	Second Class	CS-12230	Chris Selesnick	Corporate
27	27	US-2023-162775	13-01-2023	Second Class	CS-12230	Chris Selesnick	Corporate
28	28	US-2023-162775	13-01-2023	Second Class	CS-12230	Chris Selesnick	Corporate
29	29	US-2023-118192	13-01-2023	Standard Class	MM-17920	Michael Moore	Consumer
30	30	US-2023-162775	13-01-2023	Second Class	CS-12230	Chris Selesnick	Corporate

CONCLUSION

The Week 1 Power BI data preparation activity was successfully completed. The Superstore dataset was imported and transformed using Power Query Editor. Date fields were formatted correctly, data quality was reviewed, duplicate records were handled, and additional date-based columns were created.

The cleaned and transformed dataset is now ready for the next stage of the Power BI project, where different visualizations, measures, slicers, and analytical reports can be created.