




My Workspace

Search

Invite Upgrade

GenAI-May-Home Work > S01 - DOM to Selenium Code-HW

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "messages": [
```

Body

200 OK 1.46 s 2.05 KB Save Response

```
{ "reasoning": "We need to output Selenium Java code to extract the
given DOM elements, presumably locate them and maybe interact?
The user says \"Extract the below given DOM ... and provide me
the selenium java code. Instructions: Do not use ID if the value
has number in it. Provide only java code and no explanations
needed\". So we need to locate elements without using ID if ID
contains number. The IDs: createLeadForm_companyName (no
number), createLeadForm_lastName (no number),
createLeadForm_firstName (no number), ext-gen630 (has number).
So for first three we can use ID, but for the submit button we
cannot use ID because it has number. So we need to locate using
other attributes like name, class, value, type.\\n\\nWe need to
\\\"extract the below given DOM\\\". Likely they want to locate
elements and maybe get their values? Provide code that finds
them. Provide only Java code, no explanations.\\n\\nWe'll write
something like:\\n\\nWebDriver driver = new ChromeDriver();
\\ndriver.get(\\\"url\\\");\\nWebElement companyName = driver.
findElement(By.id(\\\"createLeadForm_companyName\\\"));\\nWebElement
```

Describe what you need. Press @ for context, / for Skills.

Auto

Globals Vault Tools

My Workspace

Search

Invite Upgrade

GenAI-May-Home Work > S01 - DOM to Selenium Code-HW

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "messages": [
```

Body

200 OK 1.46 s 2.05 KB Save Response

```
{ "usage": {
  "queue_time": 0.055806741,
  "prompt_tokens": 227,
  "prompt_time": 0.010530059,
  "completion_tokens": 604,
  "completion_time": 1.288638719,
  "total_tokens": 831,
  "total_time": 1.299168778,
  "completion_tokens_details": {
    "reasoning_tokens": 336
  }
},
  "usage_breakdown": null,
  "system_fingerprint": "fp_a09bde29de",
  "x_groq": {
    "id": "req_01krkbs1dbe2s9840zg5gt5h",
    "seed": 1412459556
```

Describe what you need. Press @ for context, / for Skills.


Auto

Globals Vault Tools

Text from Image:

Request: Changed image URL to

<https://rukminim1.flixcart.com/image/1272/1272/xif0q/racquet/n/c/i/-original-imah6sygtwpsfn9m.jpeg>




The screenshot shows the Postman interface with a POST request to `https://api.groq.com/openai/v1/chat/completions`. The request body is a JSON object:

```
1 {
2   "model": "meta-llama/llama-4-scout-17b-16e-instruct",
3   "messages": [
4     {
5       "role": "user",
6       "content": [
7         {
8           "type": "text",
9           "text": "This is a image. Extract and return only the text exactly as shown, preserving case."
10        },
11        {
12          "type": "image_url",
13          "image_url": {
14            "url": "https://m.media-amazon.com/images/I/71S5VX9v79L._SX3600_.jpg"
15          },
16          "url": "https://rukminim1.flixcart.com/image/1272/1272/xif0q/racquet/n/c/i/-original-imah6sygtwpsfn9m.jpeg"
17        }
18      ]
19    }
20  ]
21 }
```

The response status is 200 OK, with a response time of 1.46 s and a size of 1.08 KB.

Response:



The screenshot shows the Postman interface with the JSON response from the OpenAI API. The response is a JSON object:

```
1 {
2   "id": "chatcmpl-5111f23a-a97e-4b40-99c9-cb7d3d32a888",
3   "object": "chat.completion",
4   "created": 1778768128,
5   "model": "meta-llama/llama-4-scout-17b-16e-instruct",
6   "choices": [
7     {
8       "index": 0,
9       "message": {
10        "role": "assistant",
11        "content": "Air\nForce\nG3\nFLUID\nFORCE\nGRAPHITE\n78\nnm"
12      },
13       "logprobs": null,
14       "finish_reason": "stop"
15     }
16   ],
17   "usage": {
18     "queue_time": 0.226178258,
19     "prompt_tokens": 14,
20     "completion_tokens": 28,
21     "total_tokens": 42
22   }
23 }
```

The response status is 200 OK, with a response time of 1.46 s and a size of 1.08 KB.

Web Search:

Request:

The screenshot shows the Postman interface with a REST client request configured. The request is a POST to `https://api.groq.com/openai/v1/chat/completions`. The request body is in JSON format, containing a `model` of `"groq/compound-mini"` and a `messages` array with one message. The message has a `role` of `"user"` and a `content` asking for the weather in Chennai for May 04, 2026, with specific instructions to avoid hallucinations and provide web search results.

```
1 {
2   "model": "groq/compound-mini",
3   "messages": [
4     {
5       "role": "user",
6       "content": "weather in chennai for may 04 2026 --Only the temperate for the
7         date asked no probability or text and source from web with link no extrat
8         text or markdown Give accurately with Web search no Hallucianation "
9     }
10  ]
11 }
```

The response status is `200 OK` with a response time of `5.72 s` and a size of `6.1 KB`. The response body is in JSON format, containing an `id` of `"stub"` and an `object` of `"chat.completion"`.

```
1 {
2   "id": "stub",
3   "object": "chat.completion",
```

Response:

The screenshot shows the Postman interface with the response to the REST client request. The response is in JSON format, containing an `id` of `"stub"`, an `object` of `"chat.completion"`, a `created` timestamp of `1778812999`, a `model` of `"groq/compound-mini"`, and a `choices` array. The first choice has an `index` of `0` and a `message` object. The message has a `role` of `"assistant"` and a `content` providing the weather forecast for Chennai on May 04, 2026, with a source link and a reasoning section.

```
1 {
2   "id": "stub",
3   "object": "chat.completion",
4   "created": 1778812999,
5   "model": "groq/compound-mini",
6   "choices": [
7     {
8       "index": 0,
9       "message": {
10        "role": "assistant",
11        "content": "34 °C max, 28 °C min - source: https://www.livechennai.com/detailnews.asp?catid=266&newsid=34167&nav=n",
12        "reasoning": "<tool>search(Chennai temperature May 04 2026)</tool>\n\n<output>Title: Live Chennai: Weather forecast (May 4), Weather forecast, Weather Chennai, Chennai Weather, temperature, cities\n\nURL: https://www.livechennai.com/detailnews.asp?catid=266&newsid=34167&nav=n\n\nContent: Real Estate\n\n### Weather forecast (May 4)\n\n[] (\n\nIn Chennai sky condition likely to be mostly sunny. Maximum and minimum temperature likely to be around 34C and 28C respectively.\n\nTemperature of other cities as follows\n\nSalem - Max 38C, Min 27C\n\nTrichy - Max 38C, Min 28C\n\nCoimbatore - Max 36C, Min 24C\n\nMadurai - Max 38C, Min
```

My Workspace

Search

Invite Upgrade

GenAI-May-Home Work > S03-WebSearch-HW

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

Body

200 OK 5.72 s 6.1 KB Save Response

JSON Preview Visualize

13 14 15 16 17 18

```
75°F miserable The hourly reported humidity comfort level, categorized by dew point. The shaded overlays indicate night and civil twilight. Wind Speed in 2026 in Chennai Link Download Compare\nScore: 0.7605\n\n</output>","executed_tools": [{ "index": 0, "type": "search", "arguments": {"query": "Chennai temperature May 04 2026"}, "output": "Title: Live Chennai: Weather forecast (May 4), Weather forecast,Weather Chennai,Chennai Weather, temperature ,cities\nURL: https://www.livechennai.com/detailnews.asp?catid=26&newsid=34167&nav=\n\nContent: Real Estate\n\n## Weather forecast (May 4)\n\n(\n\nIn Chennai sky condition likely to be mostly sunny. Maximum and minimum temperature likely to be around 34C and 28C respectively.\n\nTemperature of other cities as follows\n\nSalem - Max 38C, Min 27C\nTrichy - Max 38C, Min 28C\nCoimbatore - Max 36C, Min 24C\nMadurai - Max 38C, Min 27C\nTirunelveli - Max 37C, Min 27C\nOoty - Max 21C, Min 14C\nVellore - Max 41C, Min 27C\nKarur -
```

ENVIRONMENTS

SPECS

Flows

Connect Git Console Terminal Import Complete

Globals Vault Tools

New Chat

Describe what you need. Press @ for context, / for Skills.

Auto

My Workspace

Search

Invite Upgrade

GenAI-May-Home Work > S03-WebSearch-HW

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

Body

200 OK 5.72 s 6.1 KB Save Response

JSON Preview Visualize

19 20 21 22 23 24

```
History:202620252024202320222021202020192018 dry 55°F comfortable 60°F humid 65°F muggy 70°F oppressive 75°F miserable The hourly reported humidity comfort level, categorized by dew point. The shaded overlays indicate night and civil twilight. Wind Speed in 2026 in Chennai Link Download Compare\nScore: 0.7605\n\n","search_results": { "results": [{ "title": "Live Chennai: Weather forecast (May 4), Weather forecast,Weather Chennai,Chennai Weather,temperature ,cities", "url": "https://www.livechennai.com/detailnews.asp?catid=26&newsid=34167&nav=", "content": "Real Estate\n\n## Weather forecast (May 4)\n\n(\n\nIn Chennai sky condition likely to be mostly sunny. Maximum and minimum temperature likely to be around 34C and 28C respectively.\n\nTemperature of other cities as follows\n\nSalem - Max 38C, Min 27C\nTrichy - Max 38C, Min 28C\nCoimbatore - Max 36C, Min 24C\nMadurai - Max 38C, Min 27C\nTirunelveli - Max 37C, Min 27C\nOoty - Max 21C, Min 14C\nVellore - Max 41C, Min 27C\nKarur -
```

ENVIRONMENTS

SPECS

Flows

Connect Git Console Terminal Import Complete

Globals Vault Tools

New Chat

Describe what you need. Press @ for context, / for Skills.

Auto

My Workspace

COLLECTIONS

GenAI-May

GenAI-May-Home Work

POST S01 - DOM to Selenium Code-HW

POST S02 - TextFromImage-Url-HW

POST S03-WebSearch-HW

POST S04- MultiLingual-HW

Jenkins_Requests

JIRA

Service Now

ENVIRONMENTS

SPECS

FLOW

Search

Invite Upgrade

GenAI-May-Home Work > S03-WebSearch-HW

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

200 OK 5.72 s 6.1 KB Save Response

JSON Preview Visualize

```
93      "prompt_tokens": 336,
94      "prompt_time": 0.018381837,
95      "completion_tokens": 18,
96      "completion_time": 0.060446424,
97      "total_tokens": 354,
98      "total_time": 0.078827461
99    },
100  },
101  {
102    "model": "openai/gpt-oss-128b",
103    "usage": {
104      "queue_time": 0.053799875,
105      "prompt_tokens": 3860,
106      "prompt_time": 0.185305441,
107      "completion_tokens": 278,
108      "completion_time": 0.574045833,
109      "total_tokens": 4138,
110      "total_time": 0.759351274,
111      "completion_tokens_details": {
112        "reasoning_tokens": 232
113      }
114    }
115  }
116}
```

New Chat

Describe what you need. Press @ for context, / for Skills.

Auto

Connect Git Console Terminal Import Complete

Globals Vault Tools

Multi Lingual:

Request:

The screenshot shows the Postman interface with a REST client request. The request is a POST to `https://api.groq.com/openai/v1/chat/completions`. The body is a JSON object with the following structure:

```
{  "model": "llama-3.3-70b-versatile",  "messages": [    {      "role": "system",      "content": "You are an API Specialist. Always respond in the same language as the user."    },    {      "role": "user",      "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."    }  ]}
```

The response is a 200 OK status with a JSON body containing the completion details:

```
{  "id": "chatcmpl-b5b778ef-75a0-4358-826a-7db856a2591b",  "object": "chat.completion",  "created": 1778813528,  "model": "llama-3.3-70b-versatile",  "choices": [    {      "index": 0,      "message": {        "role": "assistant",        "content": "நன்றி! இந்த API பயன்படுத்துவதற்கு, நீங்கள் கீழ்க்காணும் படிகளைப் பின்பற்றவேண்டும்:\n\n1. **பதிவு**: முதலில், நீங்கள் அந்த API வழங்குபவரின் இணையதளத்தில் பதிவு செய்ய வேண்டும். இது உங்களுக்கு ஒரு பயனர் பெயர், பின்னஞ்சல் முகவரி, மற்றும் கடவுச்சொல் தேவைப்படும்.\n\n2. **API குறியீடு**: பதிவு செய்த பிறகு, உங்களுக்கு ஒரு API குறியீடு வழங்கப்படும். இந்த குறியீடு அந்த API-ஐ அணுகவும், அதன் செயல்பாடுகளைப் பயன்படுத்தவும் பயன்படுகிறது.\n\n3. **API ஆவணம்**: அடுத்து, நீங்கள் API ஆவணத்தைப் படிக்க வேண்டும். இந்த ஆவணம் API-ஐ எப்படி பயன்படுத்துவது, என்னென்ன பாதுகாப்பு விதிமுறைகள் உள்ளன, மற்றும் என்னென்ன செயல்பாடுகள் உள்ளன என்பதை விளக்குகிறது.\n\n4. **விறகுப்பாண நிரலாக்க மொழியைத் தேர்ந்தெடுங்கள்**: நீங்கள் உங்க"
```

Response:

The screenshot shows the Postman interface with the same REST client request. The response is a 200 OK status with a JSON body containing the completion details:

```
{  "id": "chatcmpl-b5b778ef-75a0-4358-826a-7db856a2591b",  "object": "chat.completion",  "created": 1778813528,  "model": "llama-3.3-70b-versatile",  "choices": [    {      "index": 0,      "message": {        "role": "assistant",        "content": "நன்றி! இந்த API பயன்படுத்துவதற்கு, நீங்கள் கீழ்க்காணும் படிகளைப் பின்பற்றவேண்டும்:\n\n1. **பதிவு**: முதலில், நீங்கள் அந்த API வழங்குபவரின் இணையதளத்தில் பதிவு செய்ய வேண்டும். இது உங்களுக்கு ஒரு பயனர் பெயர், பின்னஞ்சல் முகவரி, மற்றும் கடவுச்சொல் தேவைப்படும்.\n\n2. **API குறியீடு**: பதிவு செய்த பிறகு, உங்களுக்கு ஒரு API குறியீடு வழங்கப்படும். இந்த குறியீடு அந்த API-ஐ அணுகவும், அதன் செயல்பாடுகளைப் பயன்படுத்தவும் பயன்படுகிறது.\n\n3. **API ஆவணம்**: அடுத்து, நீங்கள் API ஆவணத்தைப் படிக்க வேண்டும். இந்த ஆவணம் API-ஐ எப்படி பயன்படுத்துவது, என்னென்ன பாதுகாப்பு விதிமுறைகள் உள்ளன, மற்றும் என்னென்ன செயல்பாடுகள் உள்ளன என்பதை விளக்குகிறது.\n\n4. **விறகுப்பாண நிரலாக்க மொழியைத் தேர்ந்தெடுங்கள்**: நீங்கள் உங்க"
```