





phase2-week10-day2-mcp-playground



Postman Create Collection:



Postman Update Collection:



Postman Rename Collection:



Postman Duplicate Collection:

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP

Jira

stdio

Not started

Connect (local)

Prompt

Duplicate collection 93dad8f3-f627-4f0f-b79a-b1e0e3361f31 into workspace e1c3913b-adde-43d5-8e39-277ac18cb1ca with suffix 'copy'

Send

Response

The collection was duplicated successfully. ****New collection details**** - ****Name:**** `Smoke Test (renamed) copy` - ****Postman ID:**** `2a032960-9e2b-4d9e-8062-fd8db40cf0cf` - ****UID:**** `4457337-2a032960-9e2b-4d9e-8062-fd8db40cf0cf` - ****Workspace ID:**** `e1c3913b-adde-43d5-8e39-277ac18cb1ca` You can now work with the duplicated collection (e.g., run tests, edit, or add new requests) in the target workspace. Let me know if you need anything else!

Tool Trace Timeline

My Workspace

Smoke Test (renamed) copy



Overview

Smoke Test (renamed) copy

testing update_collection

View complete documentation

Postman Fork Collection:



Postman Delete Collection:

The screenshot shows the Testleaf application interface. On the left, there are four MCP (Model Context Protocol) sections: Model Provider (Groq selected), Jira MCP (Local STUDIO selected), MongoDB MCP (Local STUDIO selected), and Postman MCP (Local STUDIO selected). Below these is a 'Connection Visualization' section showing a flow from React Frontend to Express Backend to MCP Connection Manager, with Jira, stdio, and Not started status indicators, and a 'Connect (local)' button.

The main right panel displays the interaction details:

- Prompt:** "Delete collection 93dad8f3-f627-4f0f-b79a-b1e0e3361f31."
- Response:** A green checkmark icon followed by the text: "The collection **93dad8f3-f627-4f0f-b79a-b1e0e3361f31** has been successfully deleted."
- Tool Trace Timeline:** Shows "1 round · 1 call · 2506ms total · Model finished without needing more tools". A detailed entry shows "1 postman_delete_collection postman · local/stdio" with a status of "✓ success · 1329ms".

JIRA Get Story:


The screenshot shows the Testleaf application interface. On the left, the MCP sections are the same as in the previous screenshot. The 'Connection Visualization' section now shows 'Jira' as 'Connected (2 tools)' with a 'Disconnect' button.

The main right panel displays the interaction details:

- Prompt:** "Give me Used Story US-21 details from JIRA"
- Response:** A detailed JSON-like response for Story US-21, including fields for Key, Summary, Status, Issue type, Assignee, Reporter, and Description. The description is: "As a user, I want employee profile basic details so that the related functionality works as expected." Acceptance criteria include: "Given the system is operational, when the user performs the intended action, then the system should respond accurately and meet functional expectations." and "Let me know if you need any more information or want to explore related stories, the database, or API collections."

VS Code:

Postman Tools:



JIRA Tools:

