

phase2-week5-testcase-generator-langchain-backend-api

Health Check:

The screenshot shows the Postman interface with the following details:

- Workspace:** My Workspace
- Request Method:** GET
- URL:** `{{baseUri}}/api/health`
- Authorization:** No Auth (The authorization header will be automatically generated when you send the request. Learn more about authorization.)
- Response:** 200 OK, 38.83 s, 338 B. The response body is a JSON object:

```
{  "status": "ok",  "db": "connected",  "timestamp": "2026-07-04T05:39:36.357Z"}
```
- Left Panel:** Collections list includes GenAI-May, Jenkins_Requests, JIRA, jiraTest Copy, Langflow_Workflows, RAG MongoDB - Data Ingestion, review_agent, Service Now, and Test Case Generator RAG - Backend.
- Right Panel:** New Chat button and a text input field with a placeholder "Describe what you need. Press @ for context, / for Skills."

Upload Document:

The screenshot shows the Postman interface with the following details:

- Workspace:** My Workspace
- Request Method:** POST
- URL:** `{{baseUri}}/api/upload`
- Form Data:** A table with one entry: Key: `file`, Value: `IP_Billing_User_Story_Hospli...`.
- Response:** 200 OK, 876 ms, 2.09 KB. The response body is a JSON object:

```
{  "sourceType": "document",  "kind": "pdf",  "extractedText": "IP Billing User Story\nStory ID: HMS-IPB-001\nEpic: Hospital Billing\nModule: Inpatient (IP) Billing\nUser Story\nAs a Billing Executive, I want to generate the final bill for an admitted inpatient so that the patient is\ncharged accurately for all services utilized during the hospital stay before discharge.\nDescription\nThe system shall generate a final inpatient bill including room, nursing, doctor consultation, surgery, \npharmacy, laboratory, radiology, procedures, consumables, miscellaneous charges, taxes,\ninsurance adjustments, discounts, advance payments and refunds.\nPreconditions\n- Patient admitted with active IP number.\n- All departmental charges posted.\n- Insurance approvals completed if applicable."}
```
- Left Panel:** Collections list includes GenAI-May, Jenkins_Requests, JIRA, jiraTest Copy, Langflow_Workflows, RAG MongoDB - Data Ingestion, review_agent, Service Now, and Test Case Generator RAG - Backend.
- Right Panel:** New Chat button and a text input field with a placeholder "Describe what you need. Press @ for context, / for Skills."

Upload Screenshot:

The screenshot shows the 'Test Case Generator RAG - Backend' interface. The main panel displays the 'Upload Screenshot (PNG/GIF)' endpoint. The form includes a 'POST' method, a base URL, and a 'Send' button. The response panel shows a 200 OK status with a response time of 13 ms and a body containing a long base64-encoded string.

Form Data:

Key	Value	Description	Bulk Edit
file	recurring_deposit.png		

Response Body (JSON):

```
{  "sourceType": "screenshot",  "kind": "image",  "mimeType": "image/png",  "dataUrl": ""
```

Generate Test Cases (From Document):

The screenshot shows the 'Test Case Generator RAG - Backend' interface. The main panel displays the 'Generate Test Cases - From Document Text' endpoint. The form includes a 'POST' method, a base URL, and a 'Send' button. The response panel shows a 200 OK status with a response time of 5.02 s and a body containing a JSON object with test case details.

Form Data:

Key	Value	Description	Bulk Edit
file	recurring_deposit.png		

Response Body (JSON):

```
{  "domain": "hospital",  "sourceType": "document",  "testCases": [    {      "id": "TC-001",      "title": "Generate Final Bill for Admitted Inpatient",      "steps": [        "Launch the application",        "Login to the application with valid credentials",        "Navigate to the Inpatient Billing module",        "Select the admitted inpatient with an active IP number",        "Verify that all departmental charges are posted",        "Verify that insurance approvals are completed if applicable"      ]    }  ]
```

Generate Test Cases (From Screenshot):

The screenshot shows a REST client interface with a collection named "Test Case Generator RAG - Backend". The selected item is "Generate Test Cases - From Screenshot". The request is a POST to the endpoint `{{baseUri}}/api/generate-testcases`. The request body is a JSON object:

```
1 {
2   "domain": "banking",
3   "imageDataUrl": "data:image/png;base64,
  iVBORw0KGgoAAAANSUHEUgAAAYAAAF3CAYAAABdZCBOAAABGdBTUEAALG0fPtkwAACBjSFJNAAC
  HDwAAjABAAAP1SAACBQAAAEXkAA0mLAAAB5QAAGcxzPIV3AAAKL21DQ18JQ0MgUHJvZmlsZQAASMedIn
  dUVNcwH8
  +9d3qhzTACUobeuBAA8nuTXkVhmB1gKAM0MzSxIaICEUVE=1J1UMSA0VakVkSxEBRUaAckCCgx6EVUL
  664..."/>

```

The response is a 200 OK status with a response time of 1.97 s and a size of 2.44 KB. The response body is a JSON object:

```
1 {
2   "domain": "banking",
3   "sourceType": "screenshot",
4   "testCases": [
5     {
6       "id": "TC-001",
7       "title": "Successful Recurring Deposit Setup",
8       "steps": [
9         "Login to mobile app",
10        "Navigate to Recurring Deposit section",
11        "Enter valid details (amount, tenure, frequency)",
12        "Confirm and submit RD setup"

```

The right sidebar shows a "New Chat" section with a text input field and a "Send" button. The input field contains the text: "Describe what you need. Press @ for context, / for Skills."

Generate Test Cases (Validation Error)

The screenshot shows the same REST client interface, but the selected item is "Generate Test Cases - Validation Error (both fields)". The request is a POST to the endpoint `{{baseUri}}/api/generate-testcases`. The request body is a JSON object:

```
1 {
2   "domain": "banking",
3   "requirementsText": "some text",
4   "imageDataUrl": "data:image/png;base64,
  iVBORw0KGgoAAAANSUHEUgAAAYAAAF3CAYAAABdZCBOAAABGdBTUEAALG0fPtkwAACBjSFJNAAC
  HDwAAjABAAAP1SAACBQAAAEXkAA0mLAAAB5QAAGcxzPIV3AAAKL21DQ18JQ0MgUHJvZmlsZQAASMedIn
  dUVNcwH8
  +9d3qhzTACUobeuBAA8nuTXkVhmB1gKAM0MzSxIaICEUVE=1J1UMSA0VakVkSxEBRUaAckCCgx6EVUL
  664..."/>

```

The response is a 400 Bad Request status with a response time of 26 ms and a size of 343 B. The response body is a JSON object:

```
1 {
2   "error": "Provide exactly one of requirementsText or imageDataUrl"
3 }
```

The right sidebar shows a "New Chat" section with a text input field and a "Send" button. The input field contains the text: "Describe what you need. Press @ for context, / for Skills."

My Workspace

Test Case Generator RAG -> Generate Test Cases - Validation Error (both fields)

POST {{baseUri}} /api/generate-testcases

Body

```
1 {
2   "domain": "banking",
3   // "requirementsText": "some text",
4   "imageDataUrl": "data:image/png;base64,
  iVBORw0KGgoAAAANSUHEugAAAF3CAYAAABdZC80AAABGdBTUEAALGoPTrkwaAACBjSFJNAAC
  HDwAAIA8AAP1SAACB0AAAFxkAA0mLAAAB50AAGcxzPIV3AAAKL21D01Bj08MgUHVzZmlsZQAAASMedIn
```

200 OK · 1.53 s · 1.97 KB

Body

```
1 {
2   "domain": "banking",
3   "sourceType": "screenshot",
4   "testCases": [
5     {
6       "id": "TC-001",
7       "title": "Successful Recurring Deposit Setup",
8       "steps": [
9         "User has a savings bank account",
10        "User sets up a recurring deposit from their savings bank account",
11        "User specifies the monthly amount to transfer to RD account"
12      ],
13      "expectedResult": "The RD account is created, and the specified amount
  is transferred from the savings bank account to the RD account"
```

Debug 400 response schema

Parameterize request data

Describe what you need. Press @ for context, / for Skills.

Auto

Chat (Turn 1):

My Workspace

Test Case Generator RAG - Backend -> Chat - Turn 1 (Generate)

POST {{baseUri}} /api/chat

Body

```
1 {
2   "domain": "insurance",
3   "message": "Claims above the coverage limit must be auto-flagged for manual
  underwriter review. Premium must be recalculated whenever coverage is modified
  mid-term."
4 }
```

200 OK · 2.89 s · 2.24 KB

Body

```
1 {
2   "sessionId": "d729799d-4ad5-4c2c-ae13-ef8564f9ce5e",
3   "domain": "insurance",
4   "sourceType": "document",
5   "testCases": [
6     {
7       "id": "TC-001",
8       "title": "Auto-flag claims above coverage limit",
9       "steps": [
10        "Create a new insurance policy with a specified coverage limit",
11        "Submit a claim that exceeds the coverage limit",
12        "Verify that the claim is auto-flagged for manual underwriter review"
13      ],
14      "expectedResult": "The claim is successfull auto-flageed and assigned
```

Debug 400 response schema

Parameterize request data

Describe what you need. Press @ for context, / for Skills.

Auto

Chat (Turn 2):

The screenshot shows a REST client interface with a sidebar on the left containing a list of collections. The main panel displays a POST request to the endpoint `{{baseUrl}}/api/chat`. The request body is a JSON object with the following structure:

```
1 {
2   "sessionId": "{{sessionId}}",
3   "domain": "insurance",
4   "message": "Add one additional edge-case test for a claim filed on the policy
5   expiration date."
6 }
```

The response is a 200 OK status with a response time of 1.86 s and a body size of 2.73 KB. The response body is a JSON object with the following structure:

```
57 {
58   "id": "TC-006",
59   "title": "Edge case - claim filed on policy expiration date",
60   "steps": [
61     "Create a new insurance policy with a specified coverage amount and
62     premium that expires on a specific date",
63     "Submit a claim on the exact date of policy expiration",
64     "Verify that the claim is processed according to the policy terms
65     and that the system handles the expiration date correctly"
66   ],
67   "expectedResult": "The claim is processed according to the policy terms,
68   and the system handles the expiration date correctly"
69 }
```

The right sidebar contains a "New Chat" section with a text input field and a "Send" button. Below the input field, there is a "Describe what you need. Press @ for context, / for Skills." prompt and an "Auto" dropdown menu.

Chat (Validation Error):

The screenshot shows the same REST client interface as the previous one, but now displaying a 400 Bad Request error. The request body is a JSON object with the following structure:

```
1 {
2   "domain": "insurance"
3 }
```

The response is a 400 Bad Request status with a response time of 4 ms and a body size of 307 B. The response body is a JSON object with the following structure:

```
1 {
2   "error": "message is required"
3 }
```

The right sidebar contains a "New Chat" section with a text input field and a "Send" button. Below the input field, there is a "Describe what you need. Press @ for context, / for Skills." prompt and an "Auto" dropdown menu.

Generate Test Cases:

My Workspace

COLLECTIONS

JIRA

jiraTest Copy

Langflow_Workflows

RAG MongoDB - Data Ingestion

review_agent

Service Now

Test Case Generator RAG - Backend

GET Health Check

POST Upload Document (PDF/DOCX/XLSX)

POST Upload Screenshot (PNG/GIF)

POST Generate Test Cases - From Document...

POST Generate Test Cases - From Screenshot

POST Generate Test Cases - Validation Error ...

POST Chat - Turn 1 (Generate)

POST Chat - Turn 2 (Refine using same sessi...

POST Chat - Validation Error (missing messa...

POST Generate Test Cases - Hospital Domain

user_story_review_agent

ENVIRONMENTS

SPECS

FLOWS

POST

Test Case Generator RAG - Backend

Generate Test Cases - Hospital Domain

POST

{{baseUri}}/api/generate-testcases

Send

Docs

Params

Authorization

Headers 10

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

1 {

2 "domain": "hospital",

3 "requirementsText": "On admission, every patient must be assigned a bed only

after triage vitals are recorded. Prescriptions above the standard dosage

threshold require pharmacist countersignature before dispensing."

4 }

Body

200 OK

2.81 s

3.49 KB

Save Response

JSON

Preview

Visualize

1 {

2 "domain": "hospital",

3 "sourceType": "document",

4 "testCases": [

5 {

6 "id": "TC-001",

7 "title": "Patient Admission with Triage Vitals",

8 "steps": [

9 "Launch the hospital information system application",

10 "Login to the application with valid credentials",

11 "Navigate to the patient admission module",

12 "Enter patient details and initiate the admission process",

13 "Record triage vitals for the patient",

New Chat

Add tests to Chat request

Run collection tests

Describe what you need. Press @ for context, / for Skills.

Auto

Globals

Vault

Tools