

Cucumber Report

13-May-2026, 3:36:12 pm

Start : May 13, 3:35:54.221 pm

End : May 13, 3:36:08.492 pm

Duration : 14.271 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 13
FAILED - 3
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search on TutorialsNinja</u>	14.271 s	4	1	3	0	16	13	3	0

#	Feature Name	Scenario Name
1	<u>Search on TutorialsNinja</u>	<u>Search feature with keywords</u>
2		<u>Search feature with keywords</u>
3		<u>Search feature with keywords</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Search	4	1	3	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Search on TutorialsNinja	4	1	3	0	14.271 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search on TutorialsNinja</u>	<u>Search feature with keywords</u>	4	3	1	0	4.110 s
2		<u>Search feature with keywords</u>	4	3	1	0	3.665 s
3		<u>Search feature with keywords</u>	4	3	1	0	3.020 s
4		<u>Search feature with keywords</u>	4	4	0	0	3.421 s

Search on TutorialNinja

FAILED	DURATION - 14.271 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 16 Pass - 13 Fail - 3 Skip - 0	
/ 3:35:54.221 pm // 3:36:08.492 pm /					


Search feature with keywords

FAILED	DURATION - 4.110 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 3:35:54.225 pm // 3:35:58.335 pm /				
Search on TutorialNinja				
@Search				

#	Step / Hook Details	Status	Duration
1	Given User is on TutorialNinja home page	PASSED	3.603 s
2	When User enter Keyword search as "iPhone"	PASSED	0.106 s
3	And User click on search button	PASSED	0.348 s
4	Then User should see search result status as "contain"	FAILED	0.039 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='content']/p[2]"} (Session info: chrome=148.0.7778.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd99eff694c44160c4c653572f4aa2e5, findElement {value=//*[@id='content']/p[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.97, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\SOWNDA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60723}, goog:processID: 22628, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60723/devtoo..., se:cdpVersion: 148.0.7778.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fd99eff694c44160c4c653572f4aa2e5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.stepdefinition.SearchStepDefinition.user_should_see_search_result_status_as(SearchStepDefinition.java:40) at ?.User should see search result status as "contain"(file:///C:/Users/Sowndariya/Desktop/Expleo/Sowndariya_Assessment/Sowndariya_Assessment03/TechnicalAssessment03/src/test/resources/feature/Search.feature:10) * Not displayable characters are replaced by '?'. </pre>		


Search feature with keywords

FAILED DURATION - 3.665 s			Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 3:35:58.364 pm // 3:36:02.029 pm /				
Search on TutorialsNinja				
@Search				

#	Step / Hook Details	Status	Duration
1	Given User is on TutorialNinja home page	PASSED	2.851 s
2	When User enter Keyword search as "Samsung"	PASSED	0.072 s
3	And User click on search button	PASSED	0.716 s
4	Then User should see search result status as "contain"	FAILED	0.022 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='content']/p[2]"} (Session info: chrome=148.0.7778.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4010b573df2c707e8153e9d7c2a9cb0d, findElement {value=//*[@id='content']/p[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.97, chrome: {chromedriverVersion: </pre>		

#	Step / Hook Details	Status	Duration
	148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\SOWNDA~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49984}, goog:processID: 29328, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49984/devtools, se.cdpVersion: 148.0.7778.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4010b573df2c707e8153e9d7c2a9cb0d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.stepdefinition.SearchStepDefinition.user_should_see_search_result_status_as(SearchStepDefinition.java:40) at ?.User should see search result status as "contain"(file:///C:/Users/Sowndariya/Desktop/Expleo/Sowndariya_Assessment/Sowndariya_Assessment03/TechnicalAssessment03/src/test/resources/feature/Search.feature:10) * Not displayable characters are replaced by '?'.		


Search feature with keywords

FAILED DURATION - 3.020 s			Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 3:36:02.039 pm // 3:36:05.059 pm /				
Search on <i>TutorialsNinja</i>				
@Search				

#	Step / Hook Details	Status	Duration
1	Given User is on TutorialsNinja home page	PASSED	2.650 s
2	When User enter Keyword search as "Nik"	PASSED	0.071 s

#	Step / Hook Details	Status	Duration
3	And User click on search button	PASSED	0.275 s
4	Then User should see search result status as "contain"	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id='content']/p[2]"} (Session info: chrome=148.0.7778.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [354b470baa9105774ab711db7bf94497, findElement {value=//*[@id='content']/p[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 148.0.7778.97, chrome: {chromedriverVersion: 148.0.7778.167 (65db666ac2c..., userDataDir: C:\Users\SOWNDA~1\AppData\Local\Temp\148.0.7778.167 (65db666ac2c..., se.cdp: ws://localhost:57276/devtools, se.cdpVersion: 148.0.7778.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 354b470baa9105774ab711db7bf94497 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.stepDefinition.SearchStepDefinition.user_should_see_search_result_status_as(SearchStepDefinition.java:40) at ?.User should see search result status as "contain"(file:///C:/Users/Sowndariya/Desktop/Expleo/Sowndariya_Assessment/Sowndariya_Assessment03/TechnicalAssessment03/src/test/resources/feature/Search.feature:10) * Not displayable characters are replaced by '?'.		

Search feature with keywords

PASSED	DURATION - 3.421 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:36:05.071 pm // 3:36:08.492 pm /				
Search on <i>TutorialsNinja</i>				
@Search				

#	Step / Hook Details	Status	Duration
1	Given User is on TutorialsNinja home page	PASSED	2.682 s
2	When User enter Keyword search as "Mik"	PASSED	0.100 s
3	And User click on search button	PASSED	0.293 s
4	Then User should see search result status as "not contain"	PASSED	0.341 s